Atlas Copco

Oil-injected compressors



G 15L, G 18, G 22

Parts List

Atlas Copco

Oil-injected compressors

G 15L, G 18, G 22

Parts List

Edition: 4

Copyright, Atlas Copco Airpower n.v., Antwerp, Belgium.
Any unauthorized use or copying of the contents or any part thereof is prohibited. This applies in particular to trademarks, model denominations, part numbers and drawings.

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.

30/03/2022
No. 2930 7171 23
www.atlascopco.com

Table of Contents

Instructions 6
1 Service Kits 20
2 Oil 24
3 Compressor-Motor Set-up 26
4 Pulleys and belt set 28
5 Motor 30
6 Air system 32
6.1 Air Inlet 32
6.2 Air filter 34
6.3 Unloader Valve 36
6.4 Separation (30/10/2018 - 02/02/2020) 38
6.5 Separation (03/03/2020 - ...) 44
7 Cooling system Pack 48
8 Cooling system Full Feature 52
9 Oil Filter 58
10 Air Receiver (AD2000 – AS1210 – CE – MOM) – 7.5bar - 10bar - 13bar 60
11 Air Receiver (ASME – CRN) – 7.4bar – 9.1bar – 10.8bar – 12.5bar 62
12 Air Outlet G 15L - Full Feature - Floor-mounted 64
13 Air Outlet G 18, G 22 - Full Feature - Floor-mounted 66
14 Air Outlet Pack - Floor-mounted 68
15 Air Outlet Pack - Tank-mounted 70
16 Air Outlet G 15L - Full feature - Tank-mounted 72
17 Air Outlet G 18, G 22 - Full feature - Tank-mounted 74
18 Air dryer 76
18.1 Assembly 76
18.2 Components G 15L – AS1210 – AD2000 – CE – MOM – 7.5BAR – 10BAR – 13BAR – IEC - 50HZ – Full Feature 78
18.3 Components G 18 – AS1210 – AD2000 – CE – MOM – 7.5BAR – 10BAR – 13BAR – IEC – 50HZ – Full Feature 82
18.4 Components G 22 – AS1210 – AD2000 – CE – MOM – 7.5BAR – 10BAR – 13BAR – IEC – 50HZ – Full Feature 86
18.5 Components G 15L – IEC - ASME – 60HZ – Full Feature 90
18.6 Components G 18 – IEC – ASME – 60HZ – Full Feature 94
18.7 Components G 22 – IEC – ASME – 60HZ – Full Feature 98
18.8 Components G 15L – UL/cUL – ASME – 60HZ – Full Feature 102
18.9 Components G 18 – UL/cUL – ASME – 60HZ – Full Feature 106
18.10 Components G 22 – UL/cUL – ASME – 60HZ – Full Feature 110
18.11 Components UL/cUL – 60HZ – CRN – Full feature 114
19 Cubicle assembly 118
20 Cubicle components G 15L, G 18, - CE - 230V - Pack (25/09/2018 - 31/01/2022) 120
21 Cubicle components G 15L, G 18, - CE - 230V - Pack (01/02/2022 - ...) 124

22 Cubicle components G 22 - CE - 230V - Pack (25/09/2018 - 31/01/2022).....128
23 Cubicle components G 22 - CE - 230V - Pack (01/02/2022 - ...)..... 132
24 Cubicle components G 15L, G 18 - CE - 230V - Full feature (25/09/2018 - 31/01/2022)....136
25 Cubicle components G 15L, G 18 - CE - 230V - Full feature (01/02/2022 - ...)..... 140
26 Cubicle components G 22 - CE - 230V - Full feature (25/09/2018 - 31/01/2022)..... 144
27 Cubicle components G 22 - CE - 230V - Full feature (01/02/2022 - ...)..... 148
28 Cubicle components G 15L, G 18 - ASME - 230V - Pack (25/09/2018 - 31/01/2022)..... 152
29 Cubicle components G 15L, G 18 - ASME - 230V - Pack (01/02/2022 - ...).....156
30 Cubicle components G 22 - ASME - 230V - Pack (25/09/2018 - 31/01/2022).....160
31 Cubicle components G 22 - ASME - 230V - Pack (01/02/2022 - ...)..... 164
32 Cubicle components G 15L, G 18 - ASME - 230V - Full feature (25/09/2018 - 31/01/2022).....168
33 Cubicle components G 15L, G 18 - ASME - 230V - Full feature (01/02/2022 - ...)..... 172
34 Cubicle components G 22 - ASME - 230V - Full feature (25/09/2018 - 31/01/2022)..... 176
35 Cubicle components G 22 - ASME - 230V - Full feature (01/02/2022 - ...)..... 180
36 Cubicle components G 15L, G 18 - ASME - 380V - Pack (25/09/2018 - 31/01/2022)..... 184
37 Cubicle components G 15L, G 18 - ASME - 380V - Pack (01/02/2022 - ...).....188
38 Cubicle components G 18, G 22 - ASME - 380V - Pack (25/09/2018 - 31/01/2022)..... 192
39 Cubicle components G 18, G 22 - ASME - 380V - Pack (01/02/2022 - ...).....196
40 Cubicle components G 15L - ASME - 380V - Full feature (25/09/2018 - 31/01/2022)..... 200
41 Cubicle components G 15L - ASME - 380V - Full feature (01/02/2022 - ...).....204
42 Cubicle components G 18, G 22 - ASME - 380V - Full feature (25/09/2018 - 31/01/2022).....208
43 Cubicle components G 18, G 22 - ASME - 380V - Full feature (01/02/2022 - ...).....212
44 Cubicle components G 15L - AS1210 - CE - MOM - 400V - Pack (25/09/2018 - 31/01/2022).....216
45 Cubicle components G 15L - AS1210 - CE - MOM - 400V - Pack (01/02/2022 - ...)..... 220
46 Cubicle components G 18 - AS1210 - CE - MOM - 400V - Pack (25/09/2018 - 31/01/2022).....224
47 Cubicle components G 18 - AS1210 - CE - MOM - 400V - Pack (01/02/2022 - ...)..... 228
48 Cubicle components G 22 - AS1210 - CE - MOM - 400V - Pack (25/09/2018 - 31/01/2022).....232
49 Cubicle components G 22 - AS1210 - CE - MOM - 400V - Pack (01/02/2022 - ...)..... 236
50 Cubicle components G 15L - AS1210 - CE - MOM - 400V - Full feature (25/09/2018 - 31/01/2022).....240
51 Cubicle components G 15L - AS1210 - CE - MOM - 400V - Full feature (01/02/2022 - ...).....244
52 Cubicle components G 18 - As1210 - CE - MOM - 400V - Full feature (25/09/2018 - 31/01/2022).....248
53 Cubicle components G 18 - As1210 - CE - MOM - 400V - Full feature (01/02/2022 - ...)... 252
54 Cubicle components G 22 - AS1210 - CE - MOM - 400V - Full feature (25/09/2018 - 31/01/2022).....256

55 Cubicle components G 22 - AS1210 - CE - MOM - 400V - Full feature (01/02/2022 - ...)...260
56 Cubicle components G 15L - CE - MOM - 400V+N - Full feature (25/09/2018 - 31/01/2022).....264
57 Cubicle components G 15L - CE - MOM - 400V+N - Full feature (01/02/2022 - ...).....268
58 Cubicle components G 18 - CE - MOM - 400V+N - Full feature (25/09/2018 - 31/01/2022).....272
59 Cubicle components G 18 - CE - MOM - 400V+N - Full feature (01/02/2022 - ...)..... 276
60 Cubicle components G 22 - CE - MOM - 400V+N - Full feature (25/09/2018 - 31/01/2022).....280
61 Cubicle components G 22 - CE - MOM - 400V+N - Full feature (01/02/2022 - ...)..... 284
62 Cubicle components G 15L - ASME - 460V - Pack (25/09/2018 - 31/01/2022).....288
63 Cubicle components G 15L - ASME - 460V - Pack (01/02/2022 - ...)..... 292
64 Cubicle components G 18 - ASME - 460V - Pack (25/09/2018 - 31/01/2022).....296
65 Cubicle components G 18 - ASME - 460V - Pack (01/02/2022 - ...)..... 300
66 Cubicle components G 22 - ASME - 460V - Pack (25/09/2018 - 31/01/2022).....304
67 Cubicle components G 22 - ASME - 460V - Pack (01/02/2022 - ...)..... 308
68 Cubicle components G 15L - ASME - 460V - Full feature (25/09/2018 - 31/01/2022)..... 312
69 Cubicle components G 15L - ASME - 460V - Full feature (01/02/2022 - ...).....316
70 Cubicle components G 18 - ASME - 460V - Full feature (25/09/2018 - 31/01/2022)..... 320
71 Cubicle components G 18 - ASME - 460V - Full feature (01/02/2022 - ...)..... 324
72 Cubicle components G 22 - ASME - 460V - Full feature (25/09/2018 - 31/01/2022)..... 328
73 Cubicle components G 22 - ASME - 460V - Full feature (01/02/2022 - ...)..... 332
74 Cubicle components G 15L - ASME - 200V-230V-460V - Pack (25/09/2018 - 03/09/2020).....336
75 Cubicle components G 15L - ASME - 200V-230V-460V - Pack (04/09/2020 - 31/01/2022).....340
76 Cubicle components G 15L - ASME - 200V-230V-460V - Pack (01/02/2022 - ...)..... 344
77 Cubicle components G 18 - ASME - 200V-230V-460V - Pack (25/09/2018 - 03/09/2020).....348
78 Cubicle components G 18 - ASME - 200V-230V-460V - Pack (04/09/2020 - 31/01/2022).....352
79 Cubicle components G 18 - ASME - 200V-230V-460V - Pack (01/02/2022 - ...)..... 356
80 Cubicle components G 22 - ASME - 200V-230V-460V - Pack (25/09/2018 - 03/09/2020).....360
81 Cubicle components G 22 - ASME - 200V-230V-460V - Pack (04/09/2020 - 31/01/2022).....364
82 Cubicle components G 22 - ASME - 200V-230V-460V - Pack (01/02/2022 - ...)..... 368
83 Cubicle components G 15L - ASME - 200V-230V-460V - Full feature (25/09/2018 - 03/09/2020).....372
84 Cubicle components G 15L - ASME - 200V-230V-460V - Full feature (04/09/2020 - 31/01/2022).....376
85 Cubicle components G 15L - ASME - 200V-230V-460V - Full feature (01/02/2022 - ...).....380

86 Cubicle components G 18 - ASME - 200V- 230V-460V - Full feature (25/09/2018 - 03/09/2020).....384
87 Cubicle components G 18 - ASME - 200V- 230V-460V - Full feature (04/09/2020 - 31/01/2022).....388
88 Cubicle components G 18 - ASME - 200V- 230V-460V - Full feature (01/02/2022 - ...).....392
89 Cubicle components G 22 - ASME - 200V-230V-460V - Full feature (25/09/2018 - 03/09/2020).....396
90 Cubicle components G 22 - ASME - 200V-230V-460V - Full feature (04/09/2020 - 31/01/2022).....400
91 Cubicle components G 22 - ASME - 200V-230V-460V - Full feature (01/02/2022 - ...)..... 404
92 Cubicle components G 15L - CRN - 200V-230V-460V - Pack (25/09/2018 - 21/02/2019).....408
93 Cubicle components G 15L - CRN - 200V-230V-460V - Pack (22/02/2019 - ...)..... 412
94 Cubicle components G 18 - CRN - 200V-230V-460V - Pack (25/09/2018 - 21/02/2019)....416
95 Cubicle components G 18 - CRN - 200V-230V-460V - Pack (22/02/2019 - ...)..... 420
96 Cubicle components G 22 - CRN - 200V-230V-460V - Pack (25/09/2018 - 21/02/2019)....424
97 Cubicle components G 22 - CRN - 200V-230V-460V - Pack (22/02/2019 - ...)..... 428
98 Cubicle components G 15L - CRN - 200V-230V-460V - Full feature (25/09/2018 - 21/02/2019).....432
99 Cubicle components G 15L - CRN - 200V-230V-460V - Full feature (22/02/2019 - ...).....436
100 Cubicle components G 18 - CRN - 200V-230V-460V - Full feature (25/09/2018 - 21/02/2019).....440
101 Cubicle components G 18 - CRN - 200V-230V-460V - Full feature (22/02/2019 - ...).....444
102 Cubicle components G 22 - CRN - 200V-230V-460V - Full feature (25/09/2018 - 21/02/2019).....448
103 Cubicle components G 22 - CRN - 200V-230V-460V - Full feature (22/02/2019 - ...).....452
104 Cubicle components 575V/60Hz - Pack - CRNASME.....456
105 Cubicle components 575V/60Hz - FULL FEATURE - CRNASME.....460
106 Cubicle components G 15L - AD2000 - 400V - Pack (25/09/2018 - 10/01/2021)..... 464
107 Cubicle components G 15L - AD2000 - 400V - Pack (11/01/2021 - 31/01/2022)..... 468
108 Cubicle components G 15L - AD2000 - 400V - Pack (01/02/2022 - ...).....472
109 Cubicle components G 18 - AD2000 - 400V - Pack (25/09/2018 - 10/01/2021)..... 476
110 Cubicle components G 18 - AD2000 - 400V - Pack (11/01/2021 - 31/01/2022)..... 480
111 Cubicle components G 18 - AD2000 - 400V - Pack (01/02/2022 - ...).....484
112 Cubicle components G 22 - AD2000 - 400V - Pack (25/09/2018 - 10/01/2021)..... 488
113 Cubicle components G 22 - AD2000 - 400V - Pack (11/01/2021 - 31/01/2022)..... 492
114 Cubicle components G 22 - AD2000 - 400V - Pack (01/02/2022 - ...).....496
115 Cubicle components G 15L - AD2000 - 400V - Full feature (25/09/2018 - 10/01/2021)....500
116 Cubicle components G 15L - AD2000 - 400V - Full feature (11/01/2021 - 31/01/2022)....504
117 Cubicle components G 15L - AD2000 - 400V - Full feature (01/02/2022 - ...)..... 508
118 Cubicle components G 18 - AD2000 - 400V - Full feature (25/09/2018 - 10/01/2021).....512
119 Cubicle components G 18 - AD2000 - 400V - Full feature (11/01/2021 - 31/01/2022).....516

120 Cubicle components G 18 - AD2000 - 400V - Full feature (01/02/2022 - ...)....520
121 Cubicle components G 22 - AD2000 - 400V - Full feature (25/09/2018 - 10/01/2021)....524
122 Cubicle components G 22 - AD2000 - 400V - Full feature (11/01/2021 - 31/01/2022)....528
123 Cubicle components G 22 - AD2000 - 400V - Full feature (01/02/2022 - ...)....532
124 Cubicle components G 15L - AD2000 - 400V+N - Full feature (25/09/2018 - 10/01/2021)....536
125 Cubicle components G 15L - AD2000 - 400V+N - Full feature (11/01/2021 - 31/01/2022)....540
126 Cubicle components G 15L - AD2000 - 400V+N - Full feature (01/02/2022 - ...).... 544
127 Cubicle components G 18 - AD2000 - 400V+N - Full feature (25/09/2018 - 10/01/2021)....548
128 Cubicle components G 18 - AD2000 - 400V+N - Full feature (11/01/2021 - 31/01/2022)....552
129 Cubicle components G 18 - AD2000 - 400V+N - Full feature (01/02/2022 - ...).... 556
130 Cubicle components G 22 - AD2000 - 400V+N - Full feature (25/09/2018 - 10/01/2021)....560
131 Cubicle components G 22 - AD2000 - 400V+N - Full feature (11/01/2021 - 31/01/2022)....564
132 Cubicle components G 22 - AD2000 - 400V+N - Full feature (01/02/2022 - ...).... 568
133 Controller CCAus....572
134 Controller CE.... 574
135 Bodywork.... 576
135.1 Internal Pack....576
135.2 Internal Full Feature.... 578
135.3 External Pack - Floor-mounted....580
135.4 External Pack - Tank-mounted.... 582
135.5 External Full Feature - Floor-mounted.... 584
135.6 External Full-Feature - Tank-mounted....586
136 Markings....588
137 Branding Pack.... 590
138 Branding Full-Feature.... 592
139 Standard Options....594
139.1 EWD....594
139.2 Tropical thermostat.... 596
139.3 RXD.... 598
139.4 Foodgrade oil....600
139.5 DD Filter....602
139.6 DD70+ Filter - Parts.... 604
139.7 UD+ filter....606
139.8 UD 60+ Filter - Parts....608

EN - English

1 ORDERING PARTS
Always specify the part number, the name and quantity of the required items, as well as the type and serial number of the machine.

2 COLUMN INFORMATION
Ref - Reference number: links a specific part from the list to the drawing. Only parts with a reference number are shown in the drawing. Parts in the drawing without a reference number are simply there to illustrate the assembly.
Part number - Part number to be used when ordering spare parts.
When no part number is specified, the component is not available as a spare part.
Parts which are contained in a kit will have the kit number mentioned on the line below. For complete content of the kit see chapter “1 - Service kits”.
A part number preceded by a black dot is comprised in the assembly right above.
Remarks: Additional information to the part number right above.
Substituted by: The part number right above has been replaced by another part number due to an update or revision.
Qty - Quantity: Indicates the number of parts in relation to the corresponding reference number. „AR“ means „As required“: quantity or number to be determined.
Name - Part name: Translations of the English names can be found in document “Glossary of part names”.
Validity - Defines the timeframe and type/version of the machines the part is valid for. Clarification of the codes used in the validity pattern can be found in the legend at the bottom of the page. A validity pattern mentioned in the chapter title applies to the whole chapter. A plus sign in the pattern is to be interpreted as ‘and’, a comma as ‘or’. Parentheses group the validity codes, similarly to mathematical parentheses, see following example:
‘PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)’ is valid for machines with 8 bar working pressure and 50Hz frequency and 500V supply voltage, or 8 bar working pressure and 60Hz frequency and 575V supply voltage.
EL – Reference to the drawing or the component inside the electric cubicle.
R. – Remarks: Extra information about the part. Explanation can be found at the bottom of the page.

BG - български

1 ПОРЪЧКА НА ЧАСТИ
Винаги цитирайте номера на частта, наименованието и количеството на необходимите изделия, както и типа и серийния номер на машината.

2 ИНФОРМАЦИЯ В КОЛОНИТЕ
Ref - Референтен номер: свързва дадена част от списъка с чертежа. На чертежа са показани само части с референтен номер.
Частите на чертежа без референтен номер са там, единствено за да се покаже възелът.
Part number - Номер на частта, който да се използва при поръчката на резервни части.
Ако не е посочен номер на частта, компонентът не се предлага като резервна част.
Частите, които се съдържат в даден комплект, ще включват номер на комплекта на долния ред. За пълното съдържание на комплекта вижте глава „1 – Service kits“.
Номер на част, пред който има черна точка, се съдържа във възела непосредствено по-горе.
Remarks: Допълнителна информация за частта – непосредствено по-горе.
Substituted by: Номерът на частта непосредствено по-горе е заменен от друг номер на частта поради актуализация или ревизия.
Qty - Количество: Посочва броя на частите във връзка със съответния референтен номер. „AR“ означава „Според нуждата“: количеството или броят ще бъдат определени допълнително.
Name - Име на частта: превод на английските имена можете да откриете в документа „Glossary of part names“.
Validity - Определя периода и типа/версията на машините, за които частта е валидна. Обяснение на елементите от кода, използвани в кода за валидността, можете да откриете в легендата в долната част на страницата. Кодът за валидността, посочен в заглавието на главата, се отнася за цялата глава. Знакът плюс в кода се приема за „и“, а запетаята – за „или“. Скобите групират елементите на кодовете за валидност подобно на математическите скоби, вижте следния пример:
„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ е валидно за машини с работно налягане 8 bar, честота 50 Hz и захранващо напрежение 500 V или работно налягане 8 bar, честота 60 Hz и захранващо напрежение 575 V.
EL – Референция към чертежа или компонента в електрическата кутия.
R.. – Забележки: допълнителна информация относно частта. Обяснения можете да намерите в долната част на страницата.

BR - Brasileiro

1 ENCOMENDANDO PEÇAS
Sempre especifique o número da peça, o nome e a quantidade dos itens necessários, assim como o tipo e o número de série da máquina.
Páginas marcadas com o símbolo Serviço - “ “ contêm peças do(s) Kit(s) de serviço. Para conhecer o conteúdo completo do kit, consulte o capítulo “1 - Service kits” (1 - Kits de
serviço).
2 INFORMAÇÕES SOBRE AS COLUNAS
Ref. - Número de referência: indica onde está uma peça específica listada no desenho. Somente peças com número de referência são mostradas no desenho. As peças no desenho que
não têm um número de referência destinam-se simplesmente a ilustrar o conjunto.
Part number - Número da peça: se nenhum número de peça estiver especificado, o componente não está disponível como peça sobressalente. Uma linha mostrada em negrito é um
conjunto. Uma peça cujo número seja seguido por um ponto preto faz parte do conjunto impresso em negrito imediatamente acima dela.
O símbolo “**<<< >>>**” direciona para outra lista com o mesmo título, como “Name” (Nome).
Quando o número de peça específico é colocado abaixo da linha “Ref.”/”Name” (Ref. / Nome), é preciso escolher o tipo/versão da máquina.
Qty - Quantidade: indica o número de peças e os números de referência correspondentes. “AR” significa “As
required” (Conforme solicitado): a quantidade ou o número a ser
determinado.
Name - Nome da peça: as traduções dos nomes em inglês podem ser encontradas no documento “Glossary of part
names” (Glossário de nomes de peças).
Remarks - Observações - Informações extras sobre a peça.
Uma série de letras pode indicar que uma determinada peça é certificada pelo órgão autorizado específico, de acordo com os códigos ou as regras da lista.
As medidas são fornecidas em milímetros.

CS - čeština

1 OBJEDNÁNÍ DÍLŮ
Vždy uveďte číslo dílu, název a množství požadovaných položek a také typ a sériové číslo stroje.

2 INFORMACE VE SLOUPCÍCH
Ref – Referenční číslo: Propojuje konkrétní díl ze seznamu s výkresem. Pouze díly s referenčním číslem jsou zobrazeny na výkresu. Díly bez referenčního čísla, které jsou na výkresu uvedeny, slouží pouze jako ilustrace.
Part number – Číslo dílu se používá pro objednávání náhradních dílů.
Pokud není uvedeno žádné číslo dílu, komponenta není k dispozici jako náhradní díl.
Díly obsažené v sadě mají na následujícím řádku uvedeno číslo sady. Úplný obsah sady viz kapitolu „1 – Service kits“.
Díl s číslem, před kterým je černý puntík, je obsažen v sestavě přímo nad ním.
Remarks: Další informace k číslu dílu přímo nad ním.
Substituted by: Číslo dílu přímo nad ním bylo nahrazeno jiným číslem dílu v důsledku aktualizace nebo revize.
Qty – Množství: Indikuje počet dílů pro odpovídající referenční číslo. „AR“ znamená „As required“ (Podle potřeby): množství nebo počet bude určen.
Name – Název dílu: Překlady anglických názvů naleznete v dokumentu „Glossary of part names“.
Validity – Definuje časový rámec a typ/verzi strojů, na které se daný díl vztahuje. Objasnění kódů použitých ve vzorci platnosti naleznete v legendě na konci stránky. Vzorec platnosti uvedený v názvu kapitoly se vztahuje na celou kapitolu. Znaménko plus ve vzorci se interpretuje jako „a“ a čárka jako „nebo“. Závorky seskupují kódy platnosti, obdobně jako matematické závorky, viz následující příklad:
„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ platí pro stroje s provozním tlakem 8 bar, frekvencí 50 Hz a napájecím napětím 500 V nebo pro stroje s provozním tlakem 8 bar, frekvencí 60 Hz a napájecím napětím 575 V.
EL – Reference na výkres nebo komponentě uvnitř elektrického rozvaděče.
R. – Poznámky: Doplňující informace o dílu. Vysvětlení naleznete na konci stránky.

DA - Dansk

1 BESTILLING AF DELE
Angiv altid styknummeret, navnet på og antallet af de ønskede varer samt typen og serienummeret for maskinen.

2 OPLYSNINGER TIL KOLONNERNE
Ref - Referencenummer: Knytter en bestemt del fra listen til tegningen. Kun dele med et referencenummer vises på tegningen. Dele på tegningen uden et referencenummer er blot medtaget for at vise samlingen.
Part number - Styknummer, der skal bruges ved bestilling af reservedele.
Hvis der ikke er angivet et styknummer, fås komponenten ikke som reservedel.
Dele, der er indeholdt i et sæt, har sætnummeret stående på linjen nedenfor. Se kapitel "1 – Service kits" for at få vist hele indholdet af sættet.
Et styknummer med en sort prik foran indgår i samlingen lige ovenfor.
Remarks: Der findes yderligere oplysninger til styknummeret lige ovenfor.
Substituted by: Styknummeret lige ovenfor er blevet erstattet af et andet styknummer i forbindelse med en opdatering eller en revidering.
Qty - Antal: Angiver antallet af dele, der hører til det tilsvarende referencenummer. "AR" står for "As required": Antallet eller nummeret skal fastsættes.
Name - Navn på del: Oversættelser af de engelske navne kan findes i dokumentet "Glossary of part names".
Validity - Angiver tidshorisont og maskintype/-version, som delen gælder for. Forklaringer til koderne, der anvendes i modellen for gyldigheden, kan findes i teksten nederst på siden. En model for gyldigheden, der er nævnt i kapitlets titel, gælder for hele kapitlet. Et plustegn i modellen skal fortolkes som et "og", og et komma som et "eller". Parenteser inddeler koderne, der beskriver gyldigheden, på samme måde som parenteser i matematik. Se følgende eksempel:
„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ gælder for maskiner med et arbejdstryk på 8 bar, en frekvens på 50 Hz og en forsyningsspænding på 500 V eller for maskiner med et arbejdstryk på 8 bar, en frekvens på 60 Hz og en forsyningsspænding på 575 V.
EL – Refererer til tegningen eller komponenten inde i elskabet.
R. - Bemærkninger: Yderligere oplysninger om delen. Forklaringer kan findes nederst på siden.

DE - Deutsch

1 TEILE BESTELLEN
Geben Sie immer genau die Teilenummer, den Namen und die Anzahl des gewünschten Artikels und den Typ und die Seriennummer der Maschine an.

2 SPALTENINFORMATION
Ref - Referenznummer: Verknüpft ein spezifisches Teil der Liste mit der Zeichnung. Es werden nur Referenznummern in der Zeichnung gezeigt. In der Zeichnung dargestellte Teile ohne Referenznummer sind einfach nur zu Illustrationszwecken der Baugruppe abgebildet.
Part number - Die Teilenummer wird bei der Bestellung von Ersatzteilen angegeben.
Ist keine Teilenummer angegeben, ist die Komponente nicht als Ersatzteil verfügbar.
Bei Teilen, die zu einem Set gehören, wird die Setnummer unten auf der Linie angegeben. Zum kompletten Inhalt des Sets siehe Kapitel „1 – Service kits“.
Eine mit einem schwarzen Punkt versehene Teilenummer ist in dem direkt darüber stehenden Set enthalten.
Remarks: Zusätzliche Informationen zur Teilenummer stehen direkt darüber.
Substituted by: Die direkt darüber stehende Teilenummer wurde aufgrund einer Aktualisierung oder Überarbeitung durch eine andere Teilenummer ersetzt.
Qty - Anzahl: Gibt die Anzahl der Teile im Verhältnis zur entsprechenden Referenznummer an. „AR“ steht für „Nach Bedarf“: Anzahl oder Nummer muss noch angegeben werden.
Name - Teilename: Übersetzungen der englischen Bezeichnungen finden Sie im Dokument „Glossary of part names“.
Validity - Gibt den Zeitrahmen und den Typ/die Version der Maschine vor, für die die Teile gültig sind. Eine Erläuterung der Codes, die für das Gültigkeitsmuster angewandt werden, finden Sie am Fuß der Seite. Ein im Kapiteltitel genanntes Gültigkeitsmuster bezieht sich auf das gesamte Kapitel. Ein Pluszeichen im Muster steht für „und“, ein Komma für „oder“. Klammern fassen die Codes in Gruppen zusammen, ähnlich wie bei mathematischen Klammern. Siehe dazu folgendes Beispiel:
„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ ist für Maschinen gültig mit 8 bar-Betriebsdruck, 50 Hz-Frequenz und 500 V-Versorgungsspannung oder 8 bar-Betriebsdruck, 60 Hz-Frequenz und 575 V-Versorgungsspannung.
EL – Referenz zu der Zeichnung oder dem Bauteil im Inneren des Schaltkastens.
R. – Anmerkungen: Zusatzinformationen zum Teil. Erklärungen finden Sie am Fuß der Seite.

EL - ελληνικά

1 ΠΑΡΑΓΓΕΛΙΑ ΑΝΤΑΛΛΑΚΤΙΚΩΝ
Πρέπει πάντα να προσδιορίζετε τον κωδικό εξαρτήματος, την ονομασία και την ποσότητα των απαιτούμενων ειδών, καθώς και τον τύπο και τον αριθμό σειράς του μηχανήματος.

2 ΠΛΗΡΟΦΟΡΙΕΣ ΓΙΑ ΤΙΣ ΣΤΗΛΕΣ
Ref - Κωδικός αναφοράς: συσχετίζει ένα συγκεκριμένο εξάρτημα από τη λίστα με το σχέδιο. Μόνο εξαρτήματα που έχουν κωδικό αναφοράς εμφανίζονται στο σχέδιο. Τα εξαρτήματα στο σχέδιο που δεν έχουν κωδικό αναφοράς, υπάρχουν απλώς για την εικονογράφηση του συγκροτήματος.
Part number - Κωδικός εξαρτήματος, ο οποίος χρησιμοποιείται κατά την παραγγελία ανταλλακτικών.
Όταν δεν αναφέρεται κάποιος κωδικός εξαρτήματος, το εξάρτημα δεν διατίθεται ως ανταλλακτικό.
Για τα εξαρτήματα που περιέχονται σε κιτ, ο αριθμός του κιτ θα αναφέρεται στην παρακάτω γραμμή. Για το πλήρες περιεχόμενο του κιτ, βλ. κεφάλαιο "1 – Service kits".
Όταν μπροστά από τον κωδικό εξαρτήματος υπάρχει μια μαύρη κουκίδα, το εξάρτημα περιέχεται στο συγκρότημα που βρίσκεται ακριβώς από πάνω.
Remarks (Παρατηρήσεις): Πρόσθετες πληροφορίες για τον κωδικό εξαρτήματος ακριβώς από πάνω.
Substituted by (Έχει αντικατασταθεί από): Ο πιο πάνω κωδικός εξαρτήματος έχει αντικατασταθεί από άλλο κωδικό εξαρτήματος λόγω ενημέρωσης ή αναθεώρησης.
Qty - Ποσότητα: Δείχνει τον αριθμό των εξαρτημάτων σε σχέση με τον αντίστοιχο κωδικό αναφοράς. Το "AR" σημαίνει "As required" (Αναλόγως των απαιτήσεων): η ποσότητα ή ο αριθμός θα πρέπει να προσδιοριστούν.
Name - Ονομασία εξαρτήματος: Μεταφράσεις των ονομασιών από τα αγγλικά μπορείτε να βρείτε στο έγγραφο "Glossary of part names".
Validity - Καθορίζει το χρονικό πλαίσιο και τον τύπο/την έκδοση των μηχανημάτων στα οποία μπορεί να χρησιμοποιηθεί το εξάρτημα. Στο υπόμνημα, στο κάτω μέρος της σελίδας, μπορείτε να βρείτε μια αποσαφήνιση των κωδικών που χρησιμοποιούνται στο υπόδειγμα ισχύος παραγγελίας. Εάν αναφέρεται ένα υπόδειγμα ισχύος παραγγελίας στον τίτλο του κεφαλαίου, αυτό ισχύει για ολόκληρο το κεφάλαιο. Ένα σύμβολο "συν" στο υπόδειγμα θα πρέπει να ερμηνεύεται ως "και", ένα κόμμα ως "ή".
Οι παρενθέσεις ομαδοποιούν τους κωδικούς ισχύος παραγγελίας, όπως οι παρενθέσεις στους μαθηματικούς τύπους. Δείτε το ακόλουθο παράδειγμα:
Το 'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' ισχύει για μηχανήματα με πίεση λειτουργίας 8 bar, συχνότητα 50 Hz και τάση τροφοδοσίας 500 V ή με πίεση λειτουργίας 8 bar, συχνότητα 60 Hz και τάση τροφοδοσίας 575 V.
EL – Κωδ. αναφοράς για το σχέδιο ή το εξάρτημα στο εσωτερικό του ηλεκτρικού πίνακα.
R. – Παρατηρήσεις: Πρόσθετες πληροφορίες σχετικά με το εξάρτημα. Επεξήγηση παρέχεται στο κάτω μέρος της σελίδας.

ES - Español

1 PEDIDO DE PIEZAS
Especifique siempre el número de referencia, el nombre y la cantidad de los elementos que necesita, además del tipo y número de serie de la máquina.

2 INFORMACIÓN DE LAS COLUMNAS
Ref - Número de referencia: enlaza una pieza concreta de la lista con el solo. Solo se muestran piezas con número de referencia en el plano. Las piezas del plano que no tienen números de referencia solo se muestran para ilustrar el conjunto.
Part number - Designación que se debe utilizar para pedir piezas de repuesto.
Si no se especifica una designación, esto quiere decir que el componente no está disponible como pieza de repuesto.
Las piezas que forman parte de un kit tendrán el número de kit en la línea inferior. Para consultar el contenido completo del kit, consulte el capítulo "1 – Service kits".
Una designación precedida por un punto negro forma parte del conjunto inmediatamente superior.
Remarks: información adicional de la designación inmediatamente superior.
Substituted by: la designación inmediatamente superior se ha sustituido por otra debido a una actualización o revisión.
Qty - Cantidad: indica el número de piezas en relación con el número de referencia correspondiente. "AR" significa "Según necesidad": cantidad o número a determinar.
Name - Nombre de la pieza: las traducciones de los nombres en inglés pueden encontrarse en el documento “ Glossary of part names”
Validity - Define el periodo y tipo/versión de las máquinas en las que se puede utilizar la pieza. Puede encontrar una explicación de los códigos utilizados en el patrón de validez en la leyenda de la parte inferior de la página. Un patrón de validez mencionado en el título del capítulo es aplicable a todo el capítulo. Un signo '+' en el patrón debe interpretarse como una 'y' y una coma debe interpretarse como una 'o'. Los paréntesis agrupan los códigos de validez de manera similar a su uso en matemáticas; véase el siguiente ejemplo:
'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' es válido para máquinas con una presión de trabajo de 8 bar, una frecuencia de 50 Hz y un voltaje de alimentación de 500 V o de 8 bar, una frecuencia de 60 Hz y un voltaje de alimentación de 575 V.
EL – Referencia al plano o el componente del interior del armario eléctrico.
R. – Notas: información adicional sobre la pieza; se puede encontrar la explicación en la parte inferior de la página.

ET - Eesti

1 OSADE TELLIMINE
Täpsustage alati osa number, soovitud ühikute nimi ja kogus, aga ka masina tüüp ja seerianumber.

2 TEABE TULP
Ref - Viitenumber: seostab loendis nimetatud konkreetse osa joonisega. Joonisel on näidatud ainult viitenumbriga osad.
Joonisel ilma viitenumbrita esitatud osadel on koostu kuvamisel illustreeriv tähendus.
Part number - Osa number, mida varuosade tellimisel kasutada.
Kui osa numbrit ei ole täpsustatud, ei ole vastav osa varuosana saadaval.
Komplekti kuuluvate osade puhul on alloleval real nimetatud komplekti number. Komplekti tervikliku kirjelduse leiate peatükist „1- Service kits”.
Kui osa numbri ees on must punkt, sisaldub osa ülaltoodud koostus.
Remarks: osa numbri kohal kuvatav lisateave.
Substituted by: ülaltoodud osa number on uuenduse või kontrolli tulemusena asendatud teise osa numbriga.
Qty - Kogus: osutab asjaomase viitenumbriga seotud osade arvule. „AR” tähendab „vastavalt vajadusele”: kogus või arv tuleb kindlaks määrata.
Name - Osa nimi: inglisekeelsete nimede tõlked leiate dokumendist „Glossary of part names”.
Validity - Määratleb ajavahemiku ja masina tüübi/versiooni, mille puhul osa kasutatakse. Kasutusmustris kasutatud koodide selgituse leiate iga lehekülje allosas olevast legendist. Peatüki pealkirjas nimetatud kasutusmuster kohaldub tervele peatükile. Mustris kasutatud plussmärki tuleb tõlgendada sõnana „ja”, komana või sõnana „või”. Sarnaselt ümarsulgude matemaatikas kasutamisele rühmitavad ümarsulud kehtivuskoodide rühmad; vt järgmist näidet:
‘PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)’ kehtib masinate puhul, mille töörõhk on 8 bar ja sagedus 50 Hz ja toitepinge 500 V, või siis masinate puhul, mille töörõhk on 8 bar ja sagedus 60 Hz ja toitepinge 575V.
EL – Viide joonisele või elektrikapis olevale osale.
R. - Märkused: lisateave osa kohta. Selgituse leiate lehekülje allosast.

FI - Suomalainen

1 OSIEN TILAAMINEN
Määritä aina osanumero, haluttujen tuotteiden nimi ja määrä sekä koneen tyyppi ja sarjanumero.

2 SARAKETIEDOT
Ref - Viitenumero: Yhdistää jonkin tietyn luettelossa mainitun osan piirrokseen. Piirroksessa näkyvät vain ne osat, joilla on viitenumero. Ne osat, joilla ei ole viitenumeroa, ovat piirroksessa vain kokoonpanoa kuvaamassa.
Part number - Osanumero, jota on käytettävä varaosia tilattaessa.
Jos osanumeroa ei ole määritetty, komponentti ei ole saatavana varaosana.
Sarjan mukana tulevilla osilla on sarjanumero, joka on merkitty alla olevalle viivalle. Lue tiedot sarjan täydellisestä sisällöstä luvusta 1 – Service kits.
Osanumero, jota edeltää musta piste, sisältyy edellä olevaan kokoonpanoon.
Remarks: lisätietoja edellä olevaan osanumeroon.
Substituted by: edellä oleva osanumero on korvattu toisella osanumerolla päivityksen tai korjauksen takia.
Qty - Määrä: Osoittaa viitenumeroon liittyvien osien määrän. AR (As required) tarkoittaa määritettävää määrää.
Name - Osan nimi: englanninkielisten nimien käännökset on kerrottu asiakirjassa ”Glossary of part names”.
Validity - Määrittää sen ajanjakson ja koneiden tyypin tai version, joita osa koskee. Määrityskaavassa käytetyt koodit on selitetty sivun alalaidan kuvatekstissä. Luvun otsikossa mainittu määrityskaava koskee koko lukua. Kaavassa oleva plusmerkki tarkoittaa ja-sanaa ja pilkku tai-sanaa. Sulkeet ryhmittävät määrityskoodit matemaattisten sulkeiden tavalla, esimerkiksi näin:
PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V) koskee koneita, joiden työskentelypaine on 8 baaria, taajuus 50 hertsiä ja verkkojännite 500 volttia tai joiden työskentelypaine on 8 baaria, taajuus 60 hertsiä ja verkkojännite 575 volttia.
EL – Viittaus piirrokseen tai sähkökotelon sisällä olevaan komponenttiin.
R. – Huomautukset: Lisätietoja osasta. Selitys on sivun alalaidassa.

FR - Français

1 COMMANDER DES PIÈCES
Toujours spécifier le numéro de pièce, la désignation et la quantité des articles souhaités ainsi que le type et le numéro de série de la machine.

2 COLONNE INFORMATIONS
Ref - Référence : associe une pièce donnée de la liste au schéma. Seules les pièces avec une référence sont illustrées sur le schéma. Les pièces représentées sur le schéma sans référence servent uniquement à illustrer l'ensemble.
Part number - Numéros de pièce à utiliser lors de la commande de pièces de rechange.
Si aucun numéro de pièce n'est indiqué, le composant n'est pas disponible en tant que pièce de rechange.
Pour les pièces contenues dans un kit, le numéro de kit est mentionné à la ligne ci-dessous. Pour voir le contenu du kit en détail, consulter le chapitre « 1 – Service Kits ».
Un numéro de pièce précédé d'un point noir est compris dans l'ensemble ci-dessus.
Remarks : informations supplémentaires sur le numéro de pièce ci-dessus.
Substituted by : le numéro de pièce ci-dessus a été remplacé par un autre numéro de pièce suite à une mise à jour ou une révision.
Qty - Quantité : indique le nombre de pièces en fonction du numéro de pièce correspondant. « AR » signifie « As required » (autant que nécessaire) : quantité ou nombre à définir.
Name - Désignation de la pièce : les traductions des désignations anglaises sont disponibles dans le document « Glossary of part names ».
Validity - Définit le délai et le type/version de machines pour lesquels les pièces sont valides. Pour plus de détails sur les codes utilisés dans le modèle de validité, voir la légende en bas de page. Un modèle de validité mentionné dans le titre du chapitre s'applique à l'ensemble du chapitre. Le signe plus utilisé dans le modèle se comprend comme un « et », une virgule comme un « ou». Les parenthèses regroupent les codes de validité, comme en mathématiques, voir l'exemple suivant :
« PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V) » est valide pour des machines avec une pression de service de 8 bar et une fréquence de 50 Hz et une tension d'alimentation de 500 V ou une pression de service de 8 bar et une fréquence de 60 Hz et une tension d'alimentation de 575 V.
EL – Référence sur le schéma ou le composant à l'intérieur de l'armoire électrique.
R. – Remarque : informations supplémentaires sur la pièce. Pour plus de détails, voir le bas de page.

HU - Magyar

1 ALKATRÉSZRENDELÉS
Mindig adja meg a cikkszámot, a kért elemek nevét és mennyiségét, valamint a típust és a gyári számot.

2 A TÁBLÁZAT OSZLOPAI
Ref - Hivatkozási szám: a felsorolt alkatrészt a megfelelő ábrához társítja. A rajzon csak hivatkozási számmal ellátott alkatrészek láthatók. Az ábrán a hivatkozási számmal nem rendelkező alkatrészek csak az összeszerelés módját illusztrálják.
Part number - A pótalkatrészek rendelésénél használandó cikkszám.
Ha nincs megadva cikkszám, az adott alkatrész nem kapható pótalkatrészként.
Azokra az alkatrészekre, amelyek egy készlet részeként kaphatók, a készlet cikkszáma vonatkozik, amely az alsó sorban szerepel. A készlet teljes tartalmát lásd: „1 – Service Kits” című fejezet.
Ha egy cikkszámot pont előz meg, az illető alkatrész a közvetlenül felette lévő sorban szereplő egység részét képezi.
Remarks: További információk a közvetlenül felette lévő sorban szereplő cikkszámra vonatkozóan.
Substituted by: A közvetlenül felette lévő sorban szereplő cikkszámot frissítés vagy új változat következtében új cikkszám váltotta fel.
Qty - Mennyiség: az adott hivatkozási számhoz kapcsolódó alkatrészek számát jelöli. Az „AR” jelentése „As required” (igény szerint): itt megadhatja a mennyiséget vagy a számot.
Name - Az alkatrész neve: az angol nyelvű elnevezések fordítása az „Glossary of part names” c. dokumentumban található.
Validity - Azt az időkeretet, továbbá azokat a géptípusokat/-verziókat adja meg, amelyekhez az alkatrész használható. Az érvényességi formulában használt kódok magyarázata a lap alján olvasható. A fejezetcímben szereplő érvényességi formula az egész fejezetre érvényes. A formulában szereplő plusz (+) jel jelentése: „és”, a vessző (,) jelentése: „vagy”. A zárójelek a matematikában használt zárójelekhez hasonlóan csoportosítják az érvényességi kódokat; lásd a következő példát:
A „PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” 8 bar üzemi nyomású, 50 Hz frekvenciájú és 500 V tápfeszültségű, vagy 8 bar üzemi nyomású, 60 Hz frekvenciájú és 575 V tápfeszültségű berendezéseket jelöl.
EL – Hivatkozás az elektromos szekrényen belüli ábrára vagy alkatrészre.
R. – Megjegyzések: Az alkatrésszel kapcsolatos további információk. A magyarázat a lap alján található.

IT - Italiano

1 ORDINE DEI RICAMBI
Specificare sempre il numero categorico, il nome e la quantità degli articoli richiesti, oltre al tipo e al numero di serie della macchina.

2 COLONNA DELLE INFORMAZIONI
Ref - Numero di riferimento: associa un ricambio specifico dalla lista all'illustrazione. Nell'illustrazione sono mostrati solo ricambi dotati di numero di riferimento. I ricambi presenti nell'illustrazione privi di numero di riferimento sono riportati semplicemente per illustrare il montaggio.
Part number - Numero categorico da utilizzare per l'ordine di parti di ricambio.
Quando non è specificato alcun numero categorico, il componente non è disponibile come parte di ricambio.
I ricambi contenuti in un kit avranno il numero di kit riportato nella riga sottostante. Per il contenuto completo del kit vedere il capitolo "1 – Service kits".
Un numero categorico preceduto da un punto nero fa parte del gruppo immediatamente precedente.
Remarks: le informazioni aggiuntive relative al numero categorico sono riportate in alto.
Substituted by: il numero categorico immediatamente precedente è stato sostituito da un altro numero categorico a causa di un aggiornamento o di una revisione.
Qty - Quantità: indica il numero di ricambi corrispondenti al numero di riferimento. "AR" significa "As required" (Secondo necessità): quantità o numero da definire.
Name - Nome parte: la traduzione dei termini dall'inglese è reperibile nel documento "Glossary of part names".
Validity - Definisce i tempi e il tipo/versione di macchine per le quali il ricambio è valido. La legenda in fondo alla pagina riporta una spiegazione dei codici utilizzati nello schema di validità. Uno schema di validità menzionato nel titolo del capitolo si applica all'intero capitolo. Un segno più nello schema deve essere interpretato come "e", una virgola come "o". Tra le parentesi sono raggruppati i codici di validità, al pari delle parentesi matematiche, vedere il seguente esempio:
"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" è valido per le macchine con pressione di esercizio di 8 bar e 50Hz di frequenza e una tensione di alimentazione di 500 V, o con pressione di esercizio di 8 bar, frequenza di 60Hz e tensione di alimentazione di 575 V.
EL – Riferimento all'illustrazione o al componente all'interno dell'armadio elettrico.
R. – Note: informazioni aggiuntive sulla spiegazione dei ricambi sono reperibili in fondo alla pagina.

JA - 日本の

1 部品の注文
部品番号、注文するアイテムの名称および数量、機器のタイプおよびシリアル番号を必ず指定してください。
サービスマーク“ ”のついたページにはサービスキットの部品が記載されています。 キットの内容物については、第1章「サービスキット」を参照してください。
2 各列の説明
Ref. - 参照番号：リストの部品が図のどこにあるかを示します。 参照番号がある部品のみが図に示されています。 参照番号がない部品はアセンブリを表現するため便宜上表記されています。
Part number - 部品番号：部品番号が示されていない部品は、スペア部品としては提供されていません。 太字の行はアセンブリを示します。 番号の後に黒い点が付いている部品は、すぐ上にある太字のアセンブリを構成しています。
“<<< >>>”は、“Name”と同じタイトルの別のリストを示します。
“Ref.”または”Name”行の下に、特定の部品の部品番号が記載されている場合は、機器のタイプ/バージョンに応じて部品を選択してください。
Qty - 数量：参照番号に対応する部品の数量を示します。 „AR“は「必要に応じて」を意味し、必要に応じて数量または番号を指定します。
Name - 部品名：英語に対応する各言語の名称は「Glossary of part names」（部品名称対応表）に記載されています。
Remarks - 部品に関する追加情報です。
一連の文字列は特定の部品が指定認定団体によって承認されていることを示し、リストのコードまたは規定に準拠しています。
測定値はミリメートル単位で示されています。

LT - Lietuvos

1 DALIŲ UŽSAKYMAS
Visada nurodykite pageidaujamos prekės dalies numerį, pavadinimą ir kiekį. Taip pat nurodykite įrenginio tipą ir serijos numerį.

2 INFORMACIJA STULPELIUOSE
Ref - Nuorodos numeris: susieja konkrečią dalį iš sąrašo su brėžiniu. Brėžinyje rodomos tik nuorodos numerį turinčios dalys. Brėžinyje parodytos dalys be nuorodos numerio yra tiesiog įrenginio iliustracija.
Part number - Dalies numeris, naudojamas užsakant atsargines dalis.
Jei dalies numeris nenurodytas, komponentas negalimas kaip atsarginė dalis.
Rinkinyje esančios dalys turi rinkinio numerį, minimą apatinėje eilutė. Visą rinkinio turinį gali pamatyti skyriuje „1 – Service kits“.
Jei prieš dalies numerį yra juodas taškas, jis yra viršuje pateiktame įrenginyje.
Remarks: papildoma dalies numerio informacija pateikta dešinėje pusėje viršuje.
Substituted by: dešinėje viršuje nurodytas dalies numeris buvo pakeistas kitu dalies numerio, nes vyko atnaujinimas arba revizija.
Qty - Kiekis: pateikiamas dalių, kurioms priskiriamas atitinkamas nuorodos numeris, skaičius. „AR“ reiškia „Priklausomai nuo poreikio“: kiekis arba skaičius bus nustatytas to prireikus.
Name - Dalies pavadinimas: anglų kalba pateiktų pavadinimų vertimus rasite dokumente „Glossary of part names“.
Validity - Apibūdinamas laikotarpis ir įrenginio tipas / versija, kurioms dalis tinka. Tinkamumo šablone naudojami kodai paaiškinti puslapio apačioje esančioje legendoje. Tinkamumo šablonas skyriaus pavadinimas taikomas visam skyriui. Pliuso ženklas šablone reiškia „ir“, o kablelis – „arba“. Skliaustais grupuojami tinkamumo kodai (kaip ir matematiniai veiksmai), žr. pavyzdį: „PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ tinka įrenginiams, kurių darbinis slėgis yra 8 barai, dažnis yra 50 Hz, o maitinimo įtampa yra 500 V, arba darbinis slėgis yra 8 barai, dažnis yra 60 Hz, o maitinimo įtampa yra 575 V.
EL – Nuoroda į brėžinį arba komponentą elektros modulio viduje.
R. – Pastabos: papildoma informacija apie dalį. Paaiškinimus galite rasti puslapio apačioje.

LV - Latvijas

1. DETAĻU PASŪTĪŠANA
Vienmēr norādiet detaļas numuru, nosaukumu un vajadzīgo daudzumu, kā arī iekārtas tipu un sērijas numuru.

2. KOLONNAS INFORMĀCIJA
Ref – Atsauces numurs: saista konkrētu sarakstā esošo detaļu ar rasējumu. Rasējumā tiek parādītas tikai detaļas ar atsauces numuru. Detaļas rasējumā bez atsauces numura paredzētas vienīgi tam, lai attēlotu attiecīgo mezglu.
Part number – Detaļas numurs, kas jāizmanto, pasūtot rezerves daļas.
Ja detaļas numurs nav norādīts, attiecīgais komponents nav pieejams kā rezerves daļa.
Komplektā iekļautām detaļām nākamajā rindā būs norādīts komplekta numurs. Komplekta pilnīgs saturs aprakstīts nodaļā “1 – Service kits”.
Ja pirms detaļas numura ir melns punkts, tā ir iekļauta iepriekš attēlotajā mezglā.
Remarks: papildinformācija par iepriekšējo detaļas numuru.
Substituted by: iepriekšējais detaļas numurs ir aizstāts ar citu detaļas numuru atjaunināšanas vai pārskatīšanas dēļ.
Qty – Daudzums: apzīmē detaļu skaitu attiecīgajam atsauces numuram. “AR” nozīmē “pēc nepieciešamības”: jānosaka daudzums vai numurs.
Name – Detaļas nosaukums: angļu valodas nosaukumu tulkojumi ir atrodami dokumentā “Glossary of part names”.
Validity – Nosaka iekārtu derīguma periodu un tipu/versiju. Derīguma norādē iekļauto kodu skaidrojums ir norādīts eksplikācijā lappuses apakšdaļā. Nodaļas virsrakstā minētā derīguma norāde attiecas uz visu nodaļu. Pluszīme norādē jāinterpretē kā “un”, bet komats kā “vai”. Iekavas grupē derīguma kodus līdzīgi kā iekavas matemātikā, piemēram:
“PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” ir derīgs iekārtām ar 8 bāru darba spiedienu, 50 Hz frekvenci un 500 V barošanas spriegumu vai iekārtām ar 8 bāru darba spiedienu, 60 Hz frekvenci un 575 V barošanas spriegumu.
EL – Atsauce uz rasējumu vai elektrosadales skapja komponentu.
R. – Piezīmes: papildinformācija par detaļu. Skaidrojums atrodams lappuses apakšdaļā.

NL - Nederlands

1 BESTELLEN VAN ONDERDELEN
Vermeld altijd het onderdeelnummer, de benaming en de hoeveelheid van de gewenste onderdelen, alsmede het type en het serienummer van de machine.

2 KOLOMINFORMATIE
Ref. - Referentienummer: koppelt een specifiek onderdeel in de lijst aan de desbetreffende tekening. Alleen onderdelen met een referentienummer zijn in de tekening afgebeeld. Onderdelen zonder referentienummer die op de tekening voorkomen, worden slechts getoond om het geheel te illustreren.
Part number - Onderdeelnummer dat wordt gebruikt voor het bestellen van reserveonderdelen.
Indien geen onderdeelnummer is aangegeven, is de betreffende component niet als reserveonderdeel verkrijgbaar.
Van onderdelen uit een kit wordt het kitnummer op de regel eronder vermeld. Voor de volledige inhoud van de kit, zie paragraaf "1 - Service kits".
Een onderdeel waarvan het nummer gevolgd wordt door een zwart rondje, maakt deel uit van het vet afgedrukte samenstel direct erboven.
Remarks: aanvullende informatie voor het onderdeelnummer direct erboven.
Substituted by: het nummer direct erboven is vervangen door een ander onderdeelnummer als gevolg van een update of herziening.
Qty - Hoeveelheid: geeft het aantal onderdelen aan met betrekking tot met het overeenkomstige referentienummer. "AR" betekent "As required": de hoeveelheid of het aantal moet nader worden bepaald.
Name - Naam van het onderdeel: vertalingen van de Engelse benamingen zijn te vinden in het document "Glossary of part names".
Validity - Bepaalt het tijdsframe en type/versie van de machines waarvoor het onderdeel geldig is. Verklaring van de codes die in het geldigheidspatroon zijn gebruikt, vindt u in de legenda onder aan de pagina. Een geldigheidspatroon vermeld in de titel van het hoofdstuk is van toepassing op het hele hoofdstuk. Een plusteken in het patroon staat voor 'en' en een komma voor 'of'. Haakjes groeperen de geldigheidscodes, vergelijkbaar met die in de wiskunde, zie het volgende voorbeeld:
"PRESS:8 BAR + (FREQ:50HZ+MOVOL:500V, FREQ:60HZ+MOVOL:575V)" is geldig voor machines met een werkdruk van 8 bar, 50Hz-frequentie en 500V-voedingsspanning of een werkdruk van 8 bar, 60Hz-frequentie en 575V-voedingsspanning.
EL – Referentie van de tekening of het onderdeel in de elektrische aansluitkast.
R. - Opmerkingen: extra informatie over het onderdeel. Uitleg vindt u onder aan de pagina.

NO - Norsk

1 BESTILLE DELER
Spesifiser alltid delenummeret, navnet og antallet til den nødvendige artikkelen, samt typen og serienummeret til maskinen.

2 KOLONNEINFORMASJON
Ref – Referansenummer: knytter en spesifikk del fra listen til tegningen. Kun delene med et referansenummer vises i tegningen. Delene i tegningen som vises uten et referansenummer, er kun tatt med for å illustrere monteringen.
Part number – Delenummer skal brukes ved bestilling av reservedeler.
Når det er ikke er spesifisert et delenummer, er ikke komponenten tilgjengelig som en reservedel.
Deler som inngår i et sett, har settnummeret nevnt på linjen nedenfor. Du finner fullstendig oversikt over innholdet i settet i kapittel 1 – Service kits.
Et delenummer med en svart prikk foran er en del av settet rett ovenfor.
Remarks: ytterligere informasjon om delenummeret rett ovenfor.
Substituted by: Delenummeret rett ovenfor har blitt erstattet av et annet delenummeret på grunn av en oppdatering eller revisjon.
Qty – Antall: angir antall deler av det tilhørende referansenummeret. AR betyr Etter behov: Antallet er ikke bestemt.
Name – Delenavn: Du finner oversettelser av de engelske navnene i dokumentet «Glossary of part names».
Validity – Definerer tidsrommet og maskintypen/-versjonen som delen er gyldig for. Du finner en oversikt over kodene som brukes i gyldighetsmønsteret, i forklaringen nederst på siden. Et gyldighetsmønster som nevnes i kapitteltittelen, gjelder for hele kapittelet. Et pluss-tegn i mønsteret skal tolkes som "og", mens et komma skal tolkes som "eller". Parenteser deler inn gyldighetskodene, omtrent på samme måte som matematiske parenteser. Se følgende eksempel:
"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" er gyldig for maskiner med arbeidstrykk på 8 bar, frekvens på 50 Hz og forsyningsspenning på 500 V; eller arbeidstrykk på 8 bar, frekvens på 60 Hz og forsyningsspenning på 575V.
EL – Referanse til tegningen eller komponentene inne i koplingsskapet.
R. – Kommentarer: Ekstra informasjon om delen. Du finner en forklaring nederst på siden.

PL - Polski

1 ZAMAWIANIE CZĘŚCI
Podczas zamawiania produktów należy zawsze podawać następujące informacje: numer części, nazwę i liczbę produktów, a także typ i numer seryjny urządzenia.

2 OBJAŚNIENIE NAZW KOLUMN
Ref. — numer referencyjny: informuje, na którym rysunku można znaleźć konkretną część z listy. Na rysunku zamieszczone są wyłącznie części opatrzone numerem referencyjnym. Części bez przypisanego numeru referencyjnego zostały zamieszczone na rysunku wyłącznie w celu prawidłowego zilustrowania montażu.
Part number — numer części stosowany podczas zamawiania części zamiennych.
W przypadku braku numeru części danej pozycji nie można zamówić jako części zamiennej.
Jeśli dana część jest elementem zestawu, w kolejnym wierszu znajduje się numer zestawu. Informacje na temat pełnej zawartości zestawu można znaleźć w rozdziale „1 – Service kits”.
Jeśli numer części poprzedza czarna kropka, dana część jest elementem zestawu opisanego powyżej.
Remarks: dodatkowe informacje na temat numeru części zamieszczonego powyżej.
Substituted by: numer części zamieszczony powyżej został zastąpiony innym numerem części na skutek modernizacji lub aktualizacji.
Qty — ilość: oznacza liczbę części w odniesieniu do danego numeru referencyjnego. Symbol „AR” oznacza „zależnie od wymagań”: liczba lub numer do ustalenia.
Name — nazwa części: tłumaczenia nazw angielskich znajdują się w dokumencie „Glossary of part names”.
Validity — wskazuje ramy czasowe oraz typ/wersję urządzenia, do którego przeznaczona jest część. Kody wykorzystywane we wzorze przydatności zostały objaśnione w legendzie u dołu strony. Wzór przydatności wspomniany w tytule rozdziału dotyczy całego rozdziału. Znak dodawania we wzorze należy interpretować jako słowo „i”, natomiast przecinek — jako słowo „lub”. Nawiasy pełnią tu funkcję podobną do nawiasów w matematyce — grupują kody przydatności — jak w poniższym przykładzie: kod „PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” dotyczy maszyn o ciśnieniu roboczym 8 bar, częstotliwości 50 Hz i napięciu zasilania 500 V lub o ciśnieniu roboczym 8 bar, częstotliwości 60 HZ i napięciu zasilania 575 V.
EL — odnośnik do rysunku lub podzespołu wewnątrz szafki rozdzielczej.
R. — uwagi: dodatkowe informacje na temat części. Wyjaśnienie znajduje się u dołu strony.

PT - Português

1 ENCOMENDA DE PEÇAS
Especifique sempre a referência da peça, o nome e a quantidade de itens pretendidos, bem como o tipo e o número de série da máquina.

2 INFORMAÇÕES DAS COLUNAS
Ref - Número de referência: associa uma peça específica da lista ao desenho. Neste último, são apresentadas apenas as peças com um número de referência. As peças apresentadas no desenho sem um número de referência destinam-se simplesmente a ilustrar o processo de montagem.
Part number - Referência da peça a utilizar no caso de encomenda de peças sobresselentes.
Se não for especificada uma referência da peça, significa que o componente não se encontra disponível como uma peça sobresselente.
As peças incluídas num kit terão o número do kit mencionado na linha abaixo. Para obter informações sobre o conteúdo completo do kit, consulte o capítulo "1 – Service kits".
Uma referência da peça precedida de um ponto preto está incluída no processo de montagem imediatamente acima mencionado.
Remarks: encontra informações adicionais sobre a referência da peça imediatamente acima.
Substituted by: a referência da peça imediatamente acima foi substituída por outra referência devido a uma actualização ou revisão.
Qty - Quantidade: indica o número de peças em relação ao número de referência correspondente. "AR" (As required) significa "Como exigido": quantidade ou número a determinar.
Name - Nome da peça: encontra as traduções dos nomes em inglês no documento "Glossary of part names".
Validity - Define o período de tempo e o tipo/versão de máquinas para que a peça é válida. Encontra a explicação sobre os códigos utilizados no padrão de validade na legenda situada no final da página. Um padrão de validade mencionado no título do capítulo aplica-se a todo o capítulo. Um sinal de adição no padrão deve ser interpretado como "e", ao passo que uma vírgula deve ser interpretada como "ou". Os parênteses agrupam os códigos de validade, da mesma forma que os parênteses utilizados em operações matemáticas; veja o seguinte exemplo:
"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" é válido para máquinas com uma pressão de trabalho de 8 bar, uma frequência de 50 Hz e uma tensão de alimentação de 500 V ou uma pressão de trabalho de 8 bar, uma frequência de 60 Hz e uma tensão de alimentação de 575 V.
EL – Referência ao desenho ou ao componente dentro do compartimento eléctrico.
R. – Observações: informações adicionais sobre a peça. Encontra a explicação no final da página.

RO - român

1 COMANDAREA PIESELOR
Indicați întotdeauna numărul de catalog, numele și cantitatea articolelor solicitate, precum și tipul și numărul de serie al mașinii.

2 INFORMAȚIILE DIN COLOANE
Ref. - Numărul de referință: face legătura între o piesă din listă și una din schemă. Numai piesele care au un număr de referință apar în schemă. Piesele din schemă care nu au un număr de referință sunt incluse doar pentru a clarifica modul de asamblare.
Part number - Numărul de catalog este utilizat pentru comandarea pieselor de schimb.
Atunci când nu este specificat un număr de catalog, componenta nu este disponibilă ca piesă de schimb.
Pentru piesele incluse în kituri, numărul kitului este menționat pe rândul următor. Pentru conținutul complet al kitului, consultați capitolul „1 – Service kits”.
Un număr de catalog precedat de un punct negru este inclus în ansamblul aflat chiar deasupra acestuia.
Remarks: Informații suplimentare privind numărul de catalog de mai sus.
Substituted by: Numărul de catalog de mai sus a fost înlocuit de un alt număr de catalog din cauza unei actualizări sau a unei revizuiri.
Qty - Cantitate: indică numărul de piese care au numărul de referință corespunzător. „AR” este abrevierea pentru „As required”: cantitatea și numărul vor fi determinate conform necesităților.
Name - Numele piesei: traducerile numelor din engleză se află în documentul „Glossary of part names”.
Validity - Definește perioada de valabilitate și tipul/versiunea utilajelor cu care piesa este compatibilă. Clarificarea codurilor utilizate în modelul de valabilitate poate fi găsită în legenda din partea de jos a paginii. Un model de valabilitate menționat în titlul unui capitol se aplică întregului capitol. Un semn plus care apare într-un model va fi interpretat drept „și”, virgulă ori „sau”. Codurile de valabilitate sunt grupate cu ajutorul unor paranteze având o funcție similară parantezelor matematice, a se vedea exemplul de mai jos:
„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” indică valabilitatea pentru utilajele cu presiune de lucru de 8 bari, frecvență de 50 Hz și tensiune de alimentare de 500 V sau presiune de lucru de 8 bari, frecvență de 60 Hz și tensiune de alimentare de 575 V.
EL – Referire la schemă sau la componenta din cofretul electric.
R. – Observații: informații suplimentare privind piesa. Explicațiile pot fi găsite în partea de jos a paginii.

RU - русский

1 ЗАКАЗ ДЕТАЛЕЙ
Всегда указывайте номер по каталогу, наименование и количество требуемых позиций, а также тип и серийный номер машины.

2 ИНФОРМАЦИЯ
Ref - Ссылочный номер: соотносит деталь из списка со схемой. На схеме показаны только детали со ссылочным номером. Детали без ссылочного номера приведены на схемах только для демонстрации всего узла в сборе.
Part number - Номер детали, указываемый при заказе запасных частей.
Если номер детали не указан, то компонент недоступен в качестве отдельной запасной части.
Для деталей, входящих в состав комплекта, будут приведены номера этих комплектов, упомянутых строчкой ниже.
Чтобы узнать полный состав комплекта см. раздел “1 – Service kits”.
Деталь, перед номером которой стоит черная точка, входит в состав изображенного выше узла.
Remarks: дополнительная информация о номере приведенной выше детали.
Substituted by: номер изображенной выше детали был заменен другим номером по причине обновления или переработки.
Qty - Количество: указывает количество деталей относительно соответствующего ссылочного номера. „AR“ значит „As required“: количество или номер будут определены.
Name - Наименование детали: перевод англоязычных наименований можно найти в документе “Glossary of part names”(Словарь наименований деталей).
Validity - Определяет временные рамки и тип/версию машины, в которой используется деталь. Пояснение кодов, используемых в данной графе, можно найти в списке обозначений внизу страницы. Информация о совместимости, упомянутая в данной главе, актуальна для всей главы. Знак плюса в примечании о совместимости следует принимать за ‘и’, запятые — за ‘или’. Скобки группируют коды совместимости по принципу, схожему с математическим. См. пример: ‘PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)’ применима в машинах с рабочим давлением 8 бар, частотой 50 Гц и напряжением источника питания 500 В или рабочим давлением 8 бар, частотой 60 Гц и напряжением источника питания 575 В.
EL – Ссылка на схему или компонент электрического шкафа.
R. – Примечания: дополнительная информация о детали. Пояснения приведены внизу страницы.

SK - slovenský

1 OBJEDNÁVANIE DIELOV
Vždy uveďte číslo dielu, názov a množstvo požadovaných položiek, ako aj typ a výrobné číslo zariadenia.

2 INFORMÁCIE V STĹPCOCH
Ref – Referenčné číslo: spája konkrétny diel v zozname s nákresom. Na nákrese sú zobrazené len diely s referenčným číslom. Diely v nákrese bez referenčného čísla slúžia len na znázornenie zostavy.
Part number – Číslo dielu, ktoré treba použiť pri objednávaní náhradných dielov.
Ak nie je uvedené žiadne číslo dielu, daný komponent nie je k dispozícii ako náhradný diel.
Diely, ktoré sú súčasťou súpravy, majú v riadku nižšie uvedené číslo súpravy. Zoznam všetkých dielov v súprave nájdete v kapitole „1 – Service kits“.
Číslo dielu, pred ktorým sa nachádza čierna bodka, je súčasťou zostavy uvedenej nad ním.
Remarks: Ďalšie informácie o čísle dielu vyššie.
Substituded by: Číslo dielu uvedené vyššie bolo nahradené iným dielom kvôli inovácii alebo revízii.
Qty – Množstvo: Indikuje počet dielov v súvislosti s príslušným referenčným číslom. „AR“ znamená „As required“: množstvo alebo počet sa musí určiť.
Name – Názov dielu: Preklady anglických názvov nájdete v dokumente „Glossary of part names“(Slovník názvov dielov).
Validity – Definuje časový rámec a typ/verziu zariadení, pre ktoré možno daný diel použiť. Informácie o význame kódov použitých v reťazci označujúcom platnosť nájdete v legende v spodnej časti strany. Reťazec označujúci platnosť uvedený v názve kapitoly sa vzťahuje na celú kapitolu. Znamienko plus v tomto reťazci znamená „a“ a čiarka znamená „alebo“. Zátvorky slúžia na zoskupenie kódov označujúcich platnosť podobne ako v matematických vzorcoch. Pozrite si nasledujúci príklad: „PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ – platí pre zariadenia s pracovným tlakom 8 barov, frekvenciou 50 Hz a napájacím napätím 500 V alebo pracovným tlakom 8 barov, frekvenciou 60 Hz a napájacím napätím 575 V.
EL – Odkaz na nákres komponentu v elektrickej skrini.
R. – Poznámky: Ďalšie informácie o danom diele. Vysvetlenie nájdete v spodnej časti stránky.

SL - slovenščina

1 NAROČANJE DELOV
Vedno navedite številko dela, ime in količino zahtevanih predmetov ter tip in serijsko številko stroja.

2 INFORMACIJE O STOLPCU
Ref - Referenčna številka: povezuje določen navedeni del z risbo. Na risbi so prikazani samo deli z referenčno številko. Deli na risbi, ki nimajo referenčne številke, so namenjeni samo prikazu sklopa.
Part number - Številko dela uporabite pri naročanju nadomestnih delov.
- Če številka dela ni navedena, komponenta ni na voljo kot nadomestni del.
Za dele, ki so del kompleta, bo v spodnji vrstici navedena tudi številka kompleta. Celotno vsebino kompleta si oglejte v poglavju "1 – Service kits".
Številka dela, pred katero je črna pika, spada v sklop tik zgoraj.
Remarks: dodatne informacije o številki dela tik zgoraj.
Substituted by: številka dela tik zgoraj je zamenjana z drugo številko dela, zaradi posodobitve ali revizije.
Qty Količina: določa število delov v povezavi z ustrezno referenčno številko. Kratica "AR" pomeni "As required" (kot je zahtevano): količina ali število za določitev.
Name - Ime dela: prevodi angleških imen se nahajajo v dokumentu "Glossary of part names".
Validity - Določa časovni razpon in tip/različico stroja, ki veljata za del. Razlago kod, ki se uporabljajo v vzorcu veljavnosti, najdete v legendi na dnu strani. Vzorec veljavnosti, ki je naveden v naslovu poglavja, velja za celotno poglavje. Znak plus v vzorcu lahko pomeni besedo "in", vejico ali besedo "ali". Oklepaji združujejo kode veljavnosti, podobno kot oklepaji pri matematiki; glejte spodnji primer:
"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" velja za stroje z delovnim tlakom 8 barov in frekvenco 50 Hz ter napajalno napetostjo 500 V, ali z delovnim tlakom 8 barov, frekvenco 60 Hz in napajalno napetostjo 575 V.
EL – Referenca za risbo ali komponenta znotraj električne omarice.
R. – Opombe: dodatne informacije o delu. Razlago lahko najdete na dnu strani.

SV - Svenska

1 BESTÄLLA DELAR
Ange alltid reservdelsnummer, namn och antal delar som önskas, samt typbeteckning och tillverkningsnummer på maskinen.

2 SPALTINFORMATION
Ref. – Referensnummer: kopplar ihop en viss reservdel i förteckningen med ritningen. Endast reservdelar med referensnummer visas i ritningen. Reservdelar som saknar referensnummer i ritningen finns med för att illustrera själva monteringen.
Part number – Reservdelsnummer som används vid beställning av reservdelar.
Om reservdelsnummer saknas finns komponenten inte som reservdel.
Delar som tillhör en sats har satsnumret angivet på raden nedanför. Se kapitel ”1 – Service kits” för satsens kompletta innehåll.
Ett reservdelsnummer som föregås av en svart punkt finns med i enheten direkt ovanför.
Remarks: Ytterligare information om reservdelsnumret direkt ovanför.
Substituted by: Reservdelsnumret direkt ovanför har ersatts med ett annat reservdelsnummer på grund av en uppdatering eller revision.
Qty – Antal: Anger hur många delar som är kopplade till motsvarande referensnummer. "AR" betyder "As required" (som erfordras): Antal eller nummer bestäms senare.
Name - Reservdelsbeteckningar: Översättningar av de engelska beteckningarna återfinns i dokumentet "Glossary of part names" (Ordlista med reservdelsbeteckningar).
Validity – Definierar tidsramen och typ/version av maskin som reservdelen passar för. En förklaring av koderna som används i giltighetsmönstret finns i symbolförklaringen längst ner på sidan. Ett giltighetsmönster som nämns i ett kapitel gäller för hela kapitlet. Ett plustecken i mönstret ska tolkas som "och" och ett komma som "eller". Parenteser grupperar giltighetskoderna i likhet med parenteser inom matematiken. Se följande exempel:
"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" gäller maskiner med 8 bar arbetstryck, 50 Hz frekvens och 500 V matningsspänning, eller 8 bar arbetstryck, 60 Hz frekvens och 575 V matningsspänning.
EL – Referens till ritningen eller komponenten inuti elskåpet.
R. – Anmärkningar: Extra information om reservdelen. En förklaring finns längst ner på sidan.

TR - Türk

1 PARÇA SİPARİŞİ
Her zaman gereken parçaların parça numarası, adı ve miktarının yanı sıra makinenin tipini ve seri numarasını da belirtin.

2 SÜTUN BİLGİLERİ
Ref - Referans numarası: Listenin belirli bir bölümünü çizime bağlar. Yalnızca referans numarası olan parçalar çizimde gösterilir. Çizimde referans numarası olmayan parçalar yalnızca mekanizmanın tamamını göstermek için konulmuştur.
Part number - Yedek parça siparişi verirken kullanılacak parça numarası.
Parça numarası belirtilmediğinde, bu bileşen bir yedek parça olarak bulunmaz.
Bir kite dahil olan parçalar, alttaki satırda bulunan kit numarasına sahiptir. Kitin tüm içeriğini görmek için bkz. bölüm "1 – Service kits".
Önünde siyah nokta olan parça numaraları, hemen yukarıdaki mekanizmada bulunur.
Remarks: Hemen yukarıdaki parça numarası ile ilgili ek bilgiler.
Substituted by: Bir güncelleme veya revizyon nedeniyle hemen yukarıdaki parça numarası yerine başka bir parça numarası gelmiştir.
Qty - Miktar: İlgili referans numarasıyla ilgili parça sayısını gösterir. "AR" kısaltması "As required" (miktarı veya sayısı belirlenecek) anlamına gelir.
Name - Parça adı: İngilizce adların tercümeleri "Glossary of part names”(Parça adları sözlüğü) adlı belgede bulunabilir.
Validity - Parçanın geçerli olduğu zaman aralığını ve makine tiplerini/modellerini belirler. Geçerlilik düzeninde kullanılan kodların açıklamaları sayfanın alt kısmında bulunabilir. Bölüm başlığında bahsedilen bir geçerlilik düzeni, tüm bölüm için geçerlidir. Düzende bir artı işareti olması "ve", virgül işareti olması "veya" olarak anlaşılabilir. Geçerlilik kodları, matematikte kullanılan parantezlere benzer şekilde, parantezler ile gruplara ayrılır. Aşağıdaki örneğe bakabilirsiniz:
"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" düzeni 8 bar çalışma basıncı olan, 50 Hz frekanslı, 500 V besleme gerilimli makineler veya 8 bar çalışma basıncı, 60 Hz frekanslı ve 575 V besleme gerilimli makineler için geçerlidir.
EL – Elektrik panosu içindeki çizim veya parçaya referans anlamına gelir.
R. – Notlar: Parça hakkında ek bilgiler. Açıklamalar sayfanın alt kısmında bulunabilir.

ZH - 中国的

1订购零件

一定要注明零件号码、所需物品的名称和数量，以及型号和机器的序列号。

2列信息

Ref-参考号码：将列表中的特定部件链接到图纸上。只有具有参考号码的部件才能如图所示。图纸中没有参考编号的部件只是简单地用于说明组装件。

Part number-订购备件时使用的零件号码。

当没有指定零件号码时，该零件不能作为备用零件使用。

组件包中包含的零件，将在该零件下面一行中提及组件包的编号。组件包的完整内容

请看第一章“1 -Service kits”。

前面有一个黑点的零件号包含在上面的组件中。

Remarks（备注）：零件号码的额外信息显示在右上。

Substituted by（取代）：由于更新或修改，上面的零件号已被另一个零件号替换。

Qty-表示与相应参考号码相关的部件数量。“AR”是指依据需求，数量待定。

Name-部件名称:英文名称的翻译可在文件“部件名称术语表”中找到。

Validity-定义了该部件对机器有效的时间框架和类型/版本。在有效性栏中缩写名称的澄清可以在页面底部的说明中找到。在章节标题中提到的有效性栏适用于该整个章节。句式中的加号可以解释为“与”，逗号可以解释为“或”。

括号将有效性代码分组，类似于数学括号，参见下面的示例:

' PRESS:8BAR +(FREQ:50HZ+MOVOL:500V，FREQ:60HZ+MOVOL:575V) '适用于8 bar工作压力和频率50Hz及电压500V，或8bar工作压力和频率60Hz及电压575V的机器。

EL -指图纸中或电气柜内的元件的备注。

R. -备注:关于零件的额外信息。解释可以在这页的底部找到。

2901 3536 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - PACK - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID

IDRY:N + (MODEL:G15L_18J , MODEL:G18_18J)

Qty	Name
1	FILTER OIL
1	SEPARATOR OIL SPARE PART
1	FILTER ELEMENT

2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID

IDRY:Y + (MODEL:G15L_18J , MODEL:G18_18J)

Qty	Name
1	FILTER OIL
1	SEPARATOR OIL SPARE PART
1	FILTER ELEMENT
1	KIT WEAR DRAIN

2901 3538 00 - MAINTENANCE KIT - 4000H - G 22 - PACK - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID

IDRY:N + MODEL:G22_18J

Qty	Name
1	FILTER OIL
1	SEPARATOR OIL SPARE PART
1	FILTER ELEMENT

2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ ROTO-FOOD GRADE FLUID

IDRY:Y + MODEL:G22_18J

Qty	Name
1	FILTER OIL
1	SEPARATOR OIL SPARE PART
1	FILTER ELEMENT
1	KIT WEAR DRAIN

2901 3546 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - PACK - ROTO-XTEND DUTY FLUID

IDRY:N

Qty	Name
1	FILTER ELEMENT
1	OIL SEPARATOR

2901 3534 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - FULL FEATURE - ROTO-XTEND DUTY FLUID

IDRY:Y

Qty	Name
1	FILTER ELEMENT
1	KIT WEAR DRAIN
1	OIL SEPARATOR

2204 1546 01 - CHECK VALVE KIT

Qty	Name

2901 0002 01 - UNLOADER VALVE KIT

Qty	Name
1	CIRCLIP
1	O-RING 39.45X1.78
2	RING SEAL

continues on next page ...

... continued from previous page

2901 0002 01 - UNLOADER VALVE KIT

Qty	Name
1	O-RING
1	VALVE
1	SPRING
1	SPRING
1	SPRING COMPRESSION
1	PISTON
1	CIRCLIP
1	O-RING 35.1X1.6
1	FLAT GASKET
1	LOCK NUT M8
1	PLATE
1	O-RING 89.5 X 3
2	O-RING 3.5X1.5
1	TUBE GREASE
1	GASKET
1	INSTR. GA11-22 UNLOADER
1	SERVICE DIAGRAM

2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE

Qty	Name
1	O-RING 34 X 1.5
1	THERMOSTATIC VALVE 60 C
1	ASSEMBLY VALVE
1	SPRING COMPRESSION
1	O-RING 26,7 X 1,78 FKM
1	PISTON
1	SPRING COMPRESSION
1	O-RING 46 X 3 FKM
1	TUBE GREASE
1	INSTR KIT VALVE MIN PRESS/THER
1	O-RING 35.1X1.6 FPM

2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE

Qty	Name
1	O-RING 34X1.5
1	THERMOSTATIC VALVE 75 C
1	ASSEMBLY VALVE
1	SPRING COMPRESSION
1	O-RING 26.7X1.78
1	PISTON
1	SPRING COMPRESSION
1	O-RING
1	TUBE GREASE
1	INSTR KIT VALVE MIN PRESS/THER
1	O-RING 35.1X1.6

2901 3532 00 - SEAL KIT INSTRUMENT BLOCK

Qty	Name
1	O-RING 45.69X2.62
2	O-RING 17.12X2.62
1	O-RING 21.89X2.62

continues on next page ...

... continued from previous page

2901 3532 00 - SEAL KIT INSTRUMENT BLOCK

Qty	Name
3	WASHER M26
1	O-RING 34X1.5
1	O-RING
1	O-RING
1	INSTR KIT INSTRUMENT BLOCK

2901 9195 00 - MOTOR BEARING KIT

Qty	Name
1	BEARING
1	BEARING
8	GREASE TUBE MOTOR BEARINGS

2901 9904 16 - LIP SEAL KIT

Qty	Name
1	LIP SEAL
1	BUSHING
1	O-RING

3001 1500 38 - ELEMENT OVERHAULING KIT

Qty	Name
2	ROLLER BEARING
1	O-RING
8	HEX. HEAD SCREW M8 X 30
1	ROLLER BEARING
1	BALL BEARING
1	O-RING
1	LIP SEAL
1	BUSHING
1	ROLLER BEARING
1	BALL BEARING
2	SCREW
1	HEX. HEAD SCREW M8 X 20
1	SCREW

2901 3640 08 - ELEMENT MOUNTING KIT

Qty	Name
1	O-RING D.89,5 X 3 FPM
1	O-RING 11,8X1,8 FKM
1	O-RING 36,2X3 VITON
1	O-RING 49,5X3
1	SEAL WASHER DOWTY 1/2"
1	INS.ELEM.MOUNT.KIT BP C67BD-DD

2200 9020 17 - KIT WEAR DRAIN


IDRY:Y

Qty	Name


Legend:

IDRY:N - Integrated dryer:No
IDRY:Y - Integrated dryer:Yes
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22

Ref	Part Number	Qty	Name	Validity
	1630 1146 00	1	OIL ROTO-INJECT FLUID NDURANCE - 5L	
	2901 1700 00	1	OIL ROTO-XTEND DUTY FLUID - 5L	
	1630 0833 00	1	OIL ROTO-FOOD GRADE FLUID - 5L	
	1630 0918 00	1	OIL ROTO INJECT FLUID NDURANCE - 20L	
	2901 1701 00	1	OIL ROTO-XTEND DUTY FLUID - 20L	
	1630 0542 00	1	OIL ROTO-FOOD GRADE FLUID - 20L	


1350
1020
1080
1090
1040
1010
1060
1030
1040
1140
1250
1220
1230
1240
1300
1240
1230
1260
1310
1050
1030
1070
1340
1330
1280
1290
1210
1170
1120
1130
1160
1150
1180
1200
1190
1110
1100
1430
1420
1410
1420
1430
1270


Ref	Part Number	Qty	Name	Validity
1010	6245 3418 19	1	MOTOR BRACKET	**(25/09/2018 - ...)**
	• 2202 9686 00	1	LABEL BELT TENSIONING	
1020	1616 7745 91	1	SPARE ELEMENT OIS H-11	**(25/09/2018 - ...)**
	Substituted by:	1616 7745 91 - SPARE ELEMENT OIS H-11 (quantity: 1)		
1030	~~6210 0364 00~~	5	WASHER	**(05/12/2018 - ...)**
	Substituted by:	0333 3100 07 - SC LOCK WASHER 10.2-22-2.7 FZB (quantity: 1)		
1040	0300 0274 17	6	PLAIN WASHER	**(25/09/2018 - ...)**
1050	2204 1814 04	1	SUPPORT	**(25/09/2018 - ...)**
1060	0147 1962 64	4	HEXAGON BOLT	**(25/09/2018 - ...)**
1070	0147 1363 03	4	SCREW	**(25/09/2018 - ...)**
1080	0147 1371 12	2	SCREW	**(25/09/2018 - ...)**
1090	0337 7113 00	1	PARALLEL KEY	**(25/09/2018 - ...)**
1100	0147 1331 03	4	HEXAGON BOLT	**(25/09/2018 - ...)**
1110	0301 2335 00	4	PLAIN WASHER	**(25/09/2018 - ...)**
1120		1	O-RING	**(25/09/2018 - ...)**
	Service kits:	2901 3640 08 - ELEMENT MOUNTING KIT		
1130	1629 0072 36	1	OUTLET FLANGE	**(25/09/2018 - ...)**
1140		1	O-RING	**(25/09/2018 - ...)**
	Service kits:	2901 3640 08 - ELEMENT MOUNTING KIT		
1150		1	SEAL WASHER	**(25/09/2018 - ...)**
	Service kits:	2901 3640 08 - ELEMENT MOUNTING KIT		
1160	0686 3718 12	1	PLUG	**(25/09/2018 - ...)**
1170		1	O-RING	**(25/09/2018 - ...)**
	Service kits:	2901 3640 08 - ELEMENT MOUNTING KIT		
1180	2204 1417 00	1	TEMPERATURE SENSOR	**(25/09/2018 - 20/09/2020)**
1180	2204 2126 00	1	TEMPERATURE SENSOR	**(21/09/2020 - ...)**
1190	2204 1819 00	1	SUPPORT	**(25/09/2018 - ...)**
1200	0190 1327 00	2	SCREW SET	**(25/09/2018 - ...)**
1210	0266 7024 02	2	NUT	**(25/09/2018 - ...)**
1220	0147 1359 03	2	SCREW	**(25/09/2018 - ...)**
1230	0333 4232 00	3	WASHER	**(25/09/2018 - ...)**
1240	0300 0274 17	3	PLAIN WASHER	**(25/09/2018 - ...)**
1250	2204 1078 02	1	SPACER	**(25/09/2018 - ...)**
1260	0392 1100 23	2	ANTI-VIBRATION DAMPER	**(25/09/2018 - ...)**
1270	0392 1100 44	2	ANTI-VIBRATION DAMPER	**(25/09/2018 - ...)**
1280	0291 1185 30	2	NUT	**(25/09/2018 - ...)**
1290	2200 7225 16	2	WASHER	**(25/09/2018 - ...)**
1300	2204 1866 00	1	SUPPORT	**(25/09/2018 - ...)**
1310	0147 1379 03	1	HEXAGON BOLT	**(25/09/2018 - 16/04/2019)**
1310	0147 1377 03	1	SCREW	**(17/04/2019 - ...)**
1330	0147 1476 03	4	HEXAGON BOLT	**(25/09/2018 - ...)**
1340	0333 3100 10	4	LOCK WASHER	**(25/09/2018 - ...)**
1350	0291 1185 34	4	NUT	**(25/09/2018 - ...)**
1410	6224 4313 00	2	SUPPORT	**(25/09/2018 - ...)**
1420	0147 1323 03	4	SCREW	**(25/09/2018 - ...)**
1430	2202 9045 01	4	WASHER	**(25/09/2018 - ...)**


1020
1010
1040
1030
1060

Ref	Part Number	Qty	Name	Validity
1010	6224 1829 00	1	PULLEY	**(09/01/2019 - ...)** FREQ:50HZ + MODEL:G15L_18J + (PRESS:13BAR , PRESS:7.5BAR) , FREQ:60HZ + (MODEL:G15L_18J + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:G18_18J + (PRESS:12.5BAR , PRESS:7.4BAR) , MODEL:G22_18J + PRESS:10.8BAR)
1010	6224 1623 00	1	PULLEY	**(09/01/2019 - ...)** FREQ:50HZ + (MODEL:G15L_18J + PRESS:10BAR , MODEL:G18_18J + PRESS:13BAR) , FREQ:60HZ + (MODEL:G15L_18J + PRESS:10.8BAR , MODEL:G18_18J + PRESS:9.1BAR , MODEL:G22_18J + PRESS:12.5BAR)
1010	6224 1811 00	1	PULLEY	**(25/09/2018 - ...)** FREQ:60HZ + MODEL:G22_18J + PRESS:9.1BAR , MODEL:G18_18J + (FREQ:50HZ + (PRESS:10BAR , PRESS:7.5BAR) , FREQ:60HZ + PRESS:10.8BAR)
1010	6224 1806 00	1	PULLEY	**(25/09/2018 - ...)** MODEL:G22_18J + (FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR) , FREQ:60HZ + PRESS:7.4BAR)
1010	6224 1691 00	1	PULLEY	**(25/09/2018 - ...)** FREQ:60HZ + MODEL:G15L_18J + PRESS:12.5BAR
1020	0339 1001 17	1	HUB	**(25/09/2018 - ...)** (FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR) , FREQ:60HZ + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) + (MODEL:G15L_18J , MODEL:G18_18J) , FREQ:60HZ + (MODEL:G18_18J + PRESS:12.5BAR , MODEL:G22_18J + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:9.1BAR))
1020	0339 1001 16	1	HUB	**(25/09/2018 - ...)** MODEL:G22_18J + (FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR) , FREQ:60HZ + PRESS:7.4BAR)
1020	0339 1001 19	1	HUB	**(25/09/2018 - ...)** FREQ:60HZ + MODEL:G15L_18J + PRESS:12.5BAR
1030	6224 1703 00	1	PULLEY	**(25/09/2018 - ...)** FREQ:50HZ + (MODEL:G15L_18J + PRESS:7.5BAR , MODEL:G18_18J + PRESS:10BAR) , FREQ:60HZ + (MODEL:G18_18J + PRESS:7.4BAR , MODEL:G22_18J + PRESS:9.1BAR)
1030	0367 2013 01	1	PULLEY	**(09/01/2019 - ...)** FREQ:50HZ + (MODEL:G18_18J + PRESS:13BAR , PRESS:10BAR + (MODEL:G15L_18J , MODEL:G22_18J)) , FREQ:60HZ + (MODEL:G18_18J + PRESS:9.1BAR , MODEL:G22_18J + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR))
1030	6224 1815 00	1	PULLEY	**(09/01/2019 - ...)** FREQ:50HZ + MODEL:G15L_18J + PRESS:13BAR , FREQ:60HZ + (MODEL:G15L_18J + (PRESS:10.8BAR , PRESS:9.1BAR) , MODEL:G18_18J + PRESS:12.5BAR)
1030	6224 1692 00	1	PULLEY	**(25/09/2018 - ...)** FREQ:50HZ + PRESS:7.5BAR + (MODEL:G18_18J , MODEL:G22_18J)
1030	6224 1688 00	1	PULLEY	**(25/09/2018 - ...)** FREQ:50HZ + MODEL:G22_18J + PRESS:13BAR , FREQ:60HZ + MODEL:G15L_18J + PRESS:7.4BAR
1030	6224 1689 00	1	PULLEY	**(25/09/2018 - ...)** FREQ:60HZ + MODEL:G15L_18J + PRESS:12.5BAR
1030	0367 2013 09	1	PULLEY	**(25/09/2018 - ...)** FREQ:60HZ + MODEL:G18_18J + PRESS:10.8BAR
1040	6224 1701 00	1	HUB	**(25/09/2018 - ...)**
1060	2204 1520 58	1	BELT SET	**(09/01/2019 - ...)** FREQ:60HZ + MODEL:G22_18J + PRESS:12.5BAR
1060	~~2204 1520 54~~	1	BELT SET	**(09/01/2019 - ...)** FREQ:60HZ + PRESS:12.5BAR + (MODEL:G15L_18J , MODEL:G18_18J)
	Substituted by:	2204 1981 50 - BELT SET 1320MM 1PCS (quantity: 3)		
1060	2204 1981 55	1	BELT SET	**(09/01/2019 - ...)** FREQ:50HZ + (MODEL:G15L_18J + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:G18_18J + (PRESS:10BAR , PRESS:13BAR) , MODEL:G22_18J + PRESS:7.5BAR) , FREQ:60HZ + (MODEL:G18_18J + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:G22_18J + PRESS:9.1BAR)
1060	2204 1861 54	1	BELT SET	**(09/01/2019 - ...)** FREQ:50HZ + MODEL:G15L_18J + PRESS:13BAR , FREQ:60HZ + (MODEL:G15L_18J + (PRESS:10.8BAR , PRESS:9.1BAR) , MODEL:G18_18J + PRESS:10.8BAR)
1060	2204 1861 59	1	BELT SET	**(09/01/2019 - ...)** FREQ:50HZ + MODEL:G18_18J + PRESS:7.5BAR
1060	2204 1861 57	1	BELT SET	**(09/01/2019 - ...)** FREQ:60HZ + MODEL:G22_18J + PRESS:10.8BAR
1060	2204 1861 56	1	BELT SET	**(09/01/2019 - ...)** FREQ:50HZ + MODEL:G22_18J + PRESS:10BAR , FREQ:60HZ + PRESS:7.4BAR + (MODEL:G15L_18J , MODEL:G22_18J)
1060	2204 1861 53	1	BELT SET	**(09/01/2019 - ...)** FREQ:50HZ + MODEL:G22_18J + PRESS:13BAR
1060	2204 1861 54	1	BELT SET	**(18/03/2019 - ...)** FREQ:50HZ + MODEL:G15L_18J + PRESS:13BAR

Legend:

FREQ:50HZ - Frequency:50 Hz
FREQ:60HZ - Frequency:60 Hz
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:10BAR - Working pressure:10 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar


1010
1020


5 - Motor

FREQ:50HZ + (UAPPR:N + (MOVOL:400V , MOVOL:400VN) , UAPPR:UCE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)) , FREQ:60HZ + (UAPPR:CCSAUS + (MOVOL:200230460V , MOVOL:575V) , UAPPR:N + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V))


Ref	Part Number	Qty	Name	Validity
1010	2204 1161 00	1	MOTOR	**(25/09/2018 - ...)** FREQ:50HZ + MODEL:G15L_18J + MOVOL:230V
1010	2204 1165 00	1	MOTOR	**(25/09/2018 - ...)** FREQ:50HZ + MODEL:G18_18J + MOVOL:230V
1010	2204 1169 00	1	MOTOR	**(25/09/2018 - ...)** FREQ:50HZ + MODEL:G22_18J + MOVOL:230V
1010	2204 1001 00	1	MOTOR	**(25/09/2018 - ...)** MODEL:G15L_18J + (FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + MOVOL:460V)
1010	2204 1002 00	1	MOTOR	**(25/09/2018 - ...)** MODEL:G18_18J + (FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + MOVOL:460V)
1010	2204 1003 00	1	MOTOR	**(25/09/2018 - ...)** MODEL:G22_18J + (FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + MOVOL:460V)
1010	2204 1162 00	1	MOTOR	**(25/09/2018 - ...)** FREQ:60HZ + MODEL:G15L_18J + (MOVOL:200230460V , MOVOL:230V)
1010	2204 1166 00	1	MOTOR	**(25/09/2018 - ...)** FREQ:60HZ + MODEL:G18_18J + (MOVOL:200230460V , MOVOL:230V)
1010	2204 1170 00	1	MOTOR	**(25/09/2018 - ...)** FREQ:60HZ + MODEL:G22_18J + (MOVOL:200230460V , MOVOL:230V)
1010	2204 1164 00	1	MOTOR	**(25/09/2018 - ...)** FREQ:60HZ + MODEL:G15L_18J + MOVOL:380V
1010	2204 1168 00	1	MOTOR	**(25/09/2018 - ...)** FREQ:60HZ + MODEL:G18_18J + MOVOL:380V
1010	2204 1172 00	1	MOTOR	**(25/09/2018 - ...)** FREQ:60HZ + MODEL:G22_18J + MOVOL:380V
1010	2204 1163 00	1	MOTOR	**(25/09/2018 - ...)** FREQ:60HZ + MODEL:G15L_18J + MOVOL:575V
1010	2204 1167 00	1	MOTOR	**(25/09/2018 - ...)** FREQ:60HZ + MODEL:G18_18J + MOVOL:575V
1010	2204 1171 00	1	MOTOR	**(25/09/2018 - ...)** FREQ:60HZ + MODEL:G22_18J + MOVOL:575V
1020	0337 0009 42	1	PARALLEL KEY	**(25/09/2018 - ...)** FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V , MOVOL:575V)

Legend:


FREQ:50HZ - Frequency:50 Hz
FREQ:60HZ - Frequency:60 Hz
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
MOVOL:380V - Supply voltage:380 V
MOVOL:400V - Supply voltage:400 V
MOVOL:400VN - Supply voltage:400 V+N
MOVOL:460V - Supply voltage:460 V
MOVOL:575V - Supply voltage:575 V
UAPPR:CCSAUS - Unit approval:CCSAus
UAPPR:N - Unit approval:N
UAPPR:UCE - Unit approval:CE


1050
1060
1030
1040
1010
1020


Ref	Part Number	Qty	Name	Validity
1010		1	UNLOADER VALVE	(25/09/2018 - ...)
1020	0663 2106 15	1	O-RING	(25/09/2018 - ...)
1030	0147 1325 03	4	SCREW	(25/09/2018 - ...)
1040	2202 9045 01	4	WASHER	(25/09/2018 - ...)
1050	2202 7298 01	1	SOLENOID VALVE	(25/09/2018 - ...)
1060	6211 9314 00	1	ELBOW	(25/09/2018 - ...)


1010
1070
1060
1110
1030
2020
3020
1040
1100
1050
1080
1090

Ref	Part Number	Qty	Name	Validity
1010	1613 8719 00	1	AIR FILTER ASSEMBLY	**(25/09/2018 - ...)**
	•	1	FILTER ELEMENT	
	Service kits:	2901 3536 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - PACK - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3538 00 - MAINTENANCE KIT - 4000H - G 22 - PACK - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3534 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - FULL FEATURE - ROTO-XTEND DUTY FLUID 2901 3546 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - PACK - ROTO-XTEND DUTY FLUID	
1030	0246 1956 39	1	STUD	**(25/09/2018 - ...)**
1040	6214 3353 00	1	SPACER	**(25/09/2018 - ...)**
1050	1613 7310 00	1	PLATE	**(25/09/2018 - ...)**
1060	0291 1110 00	1	LOCKNUT	**(25/09/2018 - ...)**
1070	~~0347 6100 16~~	1	HOSE CLAMP	**(25/09/2018 - ...)**
	Substituted by:	0347 6116 00 - HOSE CLIP+SCREW-70-90 (quantity: 1)		
1080	0347 6113 00	1	HOSE CLAMP	**(25/09/2018 - ...)**
1090	2204 1230 00	AR	HOSE	**(12/10/2018 - ...)**
1100	0291 1185 30	1	NUT	**(25/09/2018 - ...)**
1110	0301 2335 00	1	PLAIN WASHER	**(25/09/2018 - ...)**
2020	1613 8722 81	1	CONNECTOR ASSEMBLY	**(25/09/2018 - ...)**
	• ~~1613 8722 10~~	1	CONNECTOR	
	Substituted by:	1613 8722 81 - CONNECTOR ASSEMBLY (quantity: 1)		
3020	• 1622 0760 00	1	GASKET	


1110
1120
1100
1090
1080
1070
1210
1210
1060
1130
1130
1130
1250
1180
1140
1220
1170
1150
1160
1010
1230
1240
1190
1050
1020
1030
1200
1040


Ref	Part Number	Qty	Name	Validity
	1622 8786 88	1	UNLOADER VALVE	(25/09/2018 - ...)
1010		1	HOUSING VALVE	(25/09/2018 - ...)
1020		1	O-RING	(25/09/2018 - ...)
	Service kits:	2901 0002 01 - UNLOADER VALVE KIT		
1030		1	SPRING	(25/09/2018 - ...)
	Service kits:	2901 0002 01 - UNLOADER VALVE KIT		
1040	1613 7032 03	1	PISTON ROD	(25/09/2018 - ...)
1050	0500 4510 29	1	PLAIN BEARING	(25/09/2018 - ...)
1060	1613 6800 01	1	SPRING	(25/09/2018 - ...)
1070	1613 7031 01	1	PISTON	(25/09/2018 - ...)
1080	0301 2135 01	1	WASHER	(25/09/2018 - ...)
1090	5541 5510 00	1	LOCKNUT	(25/09/2018 - ...)
1100		1	O-RING	(25/09/2018 - ...)
	Service kits:	2901 0002 01 - UNLOADER VALVE KIT		
1110		1	CIRCLIP	(25/09/2018 - ...)
	Service kits:	2901 0002 01 - UNLOADER VALVE KIT		
1120	1613 6966 00	1	COVER	(25/09/2018 - ...)
1130	0686 3101 18	3	PLUG	(25/09/2018 - ...)
1140		1	PISTON	(25/09/2018 - ...)
	Service kits:	2901 0002 01 - UNLOADER VALVE KIT		
1150	1613 6794 00	1	COVER	(25/09/2018 - ...)
1160		1	CIRCLIPS	(25/09/2018 - ...)
	Service kits:	2901 0002 01 - UNLOADER VALVE KIT		
1170		1	O-RING	(25/09/2018 - ...)
	Service kits:	2901 0002 01 - UNLOADER VALVE KIT		
1180	1613 6796 03	1	SEAT	(25/09/2018 - ...)
1190	1622 5127 10	1	NON RETURN VALVE	(25/09/2018 - ...)
1200		1	VALVE	(25/09/2018 - ...)
	Service kits:	2901 0002 01 - UNLOADER VALVE KIT		
1210		2	PISTON RING	(25/09/2018 - ...)
	Service kits:	2901 0002 01 - UNLOADER VALVE KIT		
1220		1	SPRING	(25/09/2018 - ...)
	Service kits:	2901 0002 01 - UNLOADER VALVE KIT		
1230	1604 0389 00	1	VALVE	(25/09/2018 - ...)
1240	1622 5144 00	1	SPRING	(25/09/2018 - ...)
1250	0663 7129 00	1	O-RING	(25/09/2018 - ...)


1050
1040
1060
1090
1240
2120
2100
2110
2080
2090
2070
2060
1260
1070
1055
2010
1080
2130
2020
2040
2050
2030
1270
2160
1250
2140
2150
1020
1030
1140
1150
1130
1100
1110
1220
1170
1230
1210
1200
1190
1120
1180

Ref	Part Number	Qty	Name	Validity	R.
1020	2204 1546 01	1	CHECK VALVE	**(03/10/2018 - ...)**	
1030	2204 1445 01	1	VESSEL	**(03/10/2018 - ...)** FREQ:50HZ + MAPPR:CE + OILTYP:RIF	
1030	2204 1445 04	1	VESSEL	**(03/10/2018 - ...)** FREQ:50HZ + MAPPR:AD2000 + OILTYP:RIF	
1030	2204 1445 03	1	VESSEL	**(03/10/2018 - 11/10/2018)** FREQ:60HZ + (MAPPR:ASME + OILTYP:RIF , OILTYP:RSXD + (MAPPR:ASME , MAPPR:CRNASME)) **(12/10/2018 - ...)** FREQ:60HZ + (MAPPR:ASME + (OILTYP:RIF , OILTYP:RSXD) , MAPPR:CRNASME + OILTYP:RSXD)	
1030	2204 1445 02	1	VESSEL	**(03/10/2018 - ...)** FREQ:50HZ + MAPPR:MOM + OILTYP:RIF	
1030	2204 1445 05	1	VESSEL	**(03/10/2018 - ...)** FREQ:50HZ + MAPPR:AS1210 + OILTYP:RIF	
1040	~~2204 2082 80~~	1	NIPPLE	**(15/11/2018 - 29/01/2019)** OILTYP:RIF + (FREQ:50HZ + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , FREQ:60HZ + MAPPR:ASME) + (MODEL:G15L_18J , MODEL:G18_18J)	
	Substituted by:	2204 2082 81 - PIPE ASSEMBLY (OSE) (quantity: 1)			
1040	1622 6543 80	1	NIPPLE	**(03/10/2018 - 11/10/2018)** MODEL:G22_18J **(12/10/2018 - ...)** MODEL:G22_18J + OILTYP:RIF + (FREQ:50HZ + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , FREQ:60HZ + MAPPR:ASME)	
1040	1625 4817 80	1	NIPPLE	**(12/10/2018 - ...)** FREQ:60HZ + OILTYP:RSXD + (MAPPR:ASME , MAPPR:CRNASME)	
1040	2204 2082 81	1	PIPE ASSEMBLY	**(30/01/2019 - ...)** OILTYP:RIF + (FREQ:50HZ + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , FREQ:60HZ + MAPPR:ASME) + (MODEL:G15L_18J , MODEL:G18_18J)	
1050		1	OIL SEPARATOR	**(12/10/2018 - ...)** FREQ:60HZ + OILTYP:RXD + (MAPPR:ASME , MAPPR:CRNASME)	
	Service kits:	2901 3534 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - FULL FEATURE - ROTO-XTEND DUTY FLUID 2901 3546 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - PACK - ROTO-XTEND DUTY FLUID			
1050		1	OIL SEPARATOR	**(12/10/2018 - ...)** MODEL:G22_18J + OILTYP:RIF + (FREQ:50HZ + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , FREQ:60HZ + MAPPR:ASME)	
	Service kits:	2901 3538 00 - MAINTENANCE KIT - 4000H - G 22 - PACK - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID			
1050		1	OIL SEPARATOR	**(12/10/2018 - ...)** OILTYP:RIF + (FREQ:50HZ + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , FREQ:60HZ + MAPPR:ASME) + (MODEL:G15L_18J , MODEL:G18_18J)	
	Service kits:	2901 3536 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - PACK - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID			
1055		1	O-RING	**(12/10/2018 - ...)** FREQ:60HZ + OILTYP:RSXD + (MAPPR:ASME , MAPPR:CRNASME)	
	Substituted by:	0663 2122 61 - O-RING (quantity: 1)			
	Service kits:	2901 3532 00 - SEAL KIT INSTRUMENT BLOCK			
1060	0211 1371 03	4	SCREW	**(03/10/2018 - ...)**	
1070	0333 3100 31	2	LOCK WASHER	**(03/10/2018 - ...)**	
1080	~~2200 6001 03~~	1	PRESSURE GAUGE	**(03/10/2018 - 17/11/2020)**	
	Substituted by:	0872 1000 46 - GAUGE PRESS (quantity: 1)			
1090	9740 2004 32	1	ELBOW COUPLING	**(03/10/2018 - ...)**	
1100	0147 1325 03	4	SCREW	**(03/10/2018 - ...)**	
1110	2202 9045 01	3	WASHER	**(03/10/2018 - ...)**	
1120	2200 7601 07	1	BALL VALVE	**(03/10/2018 - ...)**	
1130	2200 7599 10	1	PLUG LEVEL SIGHT	**(03/10/2018 - ...)**	
1140	2202 2124 21	1	PLUG	**(03/10/2018 - ...)**	
1150	0663 2105 90	1	O-RING	**(03/10/2018 - ...)**	
1170	0226 0306 00	2	BOLT	**(03/10/2018 - ...)**	

Legend:


FREQ:50HZ - Frequency:50 Hz
FREQ:60HZ - Frequency:60 Hz
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
OILTYP:RIF - Oil type:Roto inject fluid oil
OILTYP:RSXD - Oil type:Roto Synthetic Xtend Duty Fluid
OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid


1050
1040
1060
1090
1240
2120
2100
2110
2080
2090
2070
2060
1260
1070
1055
2010
1080
2130
2020
2040
2050
2030
1270
2160
1250
2140
2150
1020
1030
1140
1150
1130
1100
1110
1220
1170
1230
1210
1200
1190
1120
1180

Ref	Part Number	Qty	Name	Validity	R.
1180	0560 1305 03	1	ELBOW	**(03/10/2018 - ...)**	
1190	2200 7513 22	1	PIPE COUPLING	**(03/10/2018 - ...)**	
1200	0347 6109 00	1	CABLE TIE	**(03/10/2018 - ...)**	
1210	2200 6503 40	AR	DISCHARGE HOSE	**(03/10/2018 - ...)**	
1220	~~6210 0364 00~~	3	WASHER	**(03/10/2018 - ...)**	
	Substituted by:	0333 3100 07 - SC LOCK WASHER 10.2-22-2.7 FZB (quantity: 1)			
1230	0291 1185 30	2	NUT	**(03/10/2018 - ...)**	
1240	2204 1809 00	1	NIPPLE	**(03/10/2018 - 13/02/2019)**	
1240	1625 4260 00	1	NIPPLE	**(14/02/2019 - ...)**	
1250	2203 0351 00	1	REDUCTION	**(03/10/2018 - ...)**	
1260	0661 1000 39	1	SEAL WASHER	**(03/10/2018 - ...)**	
1270	2202 8891 07	1	SAFETY VALVE	**(03/10/2018 - ...)** FREQ:50HZ + OILTYP:RIF + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM)	
1270	0830 1010 20	1	SAFETY VALVE	**(03/10/2018 - 11/10/2018)** FREQ:60HZ + (MAPPR:ASME + OILTYP:RIF , OILTYP:RSXD + (MAPPR:ASME , MAPPR:CRNASME)) **(12/10/2018 - ...)** FREQ:60HZ + (MAPPR:ASME + (OILTYP:RIF , OILTYP:RSXD) , MAPPR:CRNASME + OILTYP:RSXD)	
2010	~~1625 4735 00~~	1	INSTRUMENT BLOCK	**(03/10/2018 - 08/04/2019)**	
	Substituted by:	1625 4735 01 - INSTRUMENT BLOCK-MACHINED (quantity: 1)			
2020		1	O-RING	**(03/10/2018 - 08/04/2019)**	
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3532 00 - SEAL KIT INSTRUMENT BLOCK			
2030	1614 6118 00	1	COVER	**(03/10/2018 - ...)**	
2040	0301 2321 00	2	PLAIN WASHER	**(03/10/2018 - ...)**	
2050	0147 1246 03	2	SCREW	**(03/10/2018 - ...)**	
2060		1	ASSEMBLY VALVE	**(03/10/2018 - ...)**	
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE			
2070		1	SPRING	**(03/10/2018 - ...)**	
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE			
2080		1	O-RING	**(03/10/2018 - ...)**	
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE			
2090		1	PISTON	**(03/10/2018 - ...)**	
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE			
2100		1	SPRING	**(03/10/2018 - ...)**	
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE			
2110		1	O-RING	**(03/10/2018 - ...)**	
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3532 00 - SEAL KIT INSTRUMENT BLOCK			
2120	1622 6576 01	1	HOUSING	**(03/10/2018 - ...)**	
2130		1	THERMOSTATIC VALVE	**(03/10/2018 - ...)**	
	Service kits:	2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE			
2130		1	THERMOSTATIC VALVE	**(03/10/2018 - ...)**	
	Remarks:	Tropical thermostat as Standerd Option available			
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE			
2140		2	O-RING	**(03/10/2018 - 02/02/2020)**	
	Service kits:	2901 3532 00 - SEAL KIT INSTRUMENT BLOCK			

Legend:

FREQ:50HZ - Frequency:50 Hz
FREQ:60HZ - Frequency:60 Hz
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
OILTYP:RIF - Oil type:Roto inject fluid oil
OILTYP:RSXD - Oil type:Roto Synthetic Xtend Duty Fluid
OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid


1050
1040
1060
1090
1240
2120
2100
2110
2080
2090
2070
2060
1260
1070
1055
2010
1080
2130
2020
2040
2050
2030
1270
2160
1250
2140
2150
1030
1140
1150
1020
1100
1110
1130
1220
1170
1230
1210
1200
1190
1120
1180


6.4 - Separation (30/10/2018 - 02/02/2020)

FREQ:60HZ + OILTYP:RSXD + (MAPPR:ASME , MAPPR:CRNASME) , OILTYP:RIF + (FREQ:50HZ + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , FREQ:60HZ + MAPPR:ASME)

Ref	Part Number	Qty	Name	Validity	R.
2150		1	O-RING	**(03/10/2018 - 02/02/2020)**	
	Service kits:	2901 3532 00 - SEAL KIT INSTRUMENT BLOCK			
2160		1	O-RING	**(03/10/2018 - 02/02/2020)**	
	Service kits:	2901 3532 00 - SEAL KIT INSTRUMENT BLOCK			

Legend:


FREQ:50HZ - Frequency:50 Hz
FREQ:60HZ - Frequency:60 Hz
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
OILTYP:RIF - Oil type:Roto inject fluid oil
OILTYP:RSXD - Oil type:Roto Synthetic Xtend Duty Fluid
OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid


1050
1040
2120
1060
1090
2100
1240
2080
1070
1055
2110
2010
1080
2090
2070
2060
1260
2130
2020
1270
2040
1250
1300
2050
1280
1290
2030
1140
1030
1150
1020
1130
1100
1110
1220
1170
1230
1210
1200
1190
1120
1180

Ref	Part Number	Qty	Name	Validity	R.
1020	2204 1546 01	1	CHECK VALVE	**(03/10/2018 - ...)**	
1030	2204 1445 01	1	VESSEL	**(03/10/2018 - ...)** FREQ:50HZ + MAPPR:CE + OILTYP:RIF	
1030	2204 1445 04	1	VESSEL	**(03/10/2018 - ...)** FREQ:50HZ + MAPPR:AD2000 + OILTYP:RIF	
1030	2204 1445 03	1	VESSEL	**(03/10/2018 - 11/10/2018)** FREQ:60HZ + (MAPPR:ASME + OILTYP:RIF , OILTYP:RSXD + (MAPPR:ASME , MAPPR:CRNASME)) **(12/10/2018 - ...)** FREQ:60HZ + (MAPPR:ASME + (OILTYP:RIF , OILTYP:RSXD) , MAPPR:CRNASME + OILTYP:RSXD)	
1030	2204 1445 02	1	VESSEL	**(03/10/2018 - ...)** FREQ:50HZ + MAPPR:MOM + OILTYP:RIF	
1030	2204 1445 05	1	VESSEL	**(03/10/2018 - ...)** FREQ:50HZ + MAPPR:AS1210 + OILTYP:RIF	
1040	1622 6543 80	1	NIPPLE	**(03/10/2018 - 11/10/2018)** MODEL:G22_18J **(12/10/2018 - ...)** MODEL:G22_18J + OILTYP:RIF + (FREQ:50HZ + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , FREQ:60HZ + MAPPR:ASME)	
1040	1625 4817 80	1	NIPPLE	**(12/10/2018 - ...)** FREQ:60HZ + OILTYP:RSXD + (MAPPR:ASME , MAPPR:CRNASME)	
1040	2204 2082 81	1	PIPE ASSEMBLY	**(30/01/2019 - ...)** OILTYP:RIF + (FREQ:50HZ + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , FREQ:60HZ + MAPPR:ASME) + (MODEL:G15L_18J , MODEL:G18_18J)	
1050		1	OIL SEPARATOR	**(12/10/2018 - ...)** OILTYP:RIF + (FREQ:50HZ + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , FREQ:60HZ + MAPPR:ASME) + (MODEL:G15L_18J , MODEL:G18_18J)	
	Service kits:	2901 3536 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - PACK - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID			
1050		1	OIL SEPARATOR	**(12/10/2018 - ...)** FREQ:60HZ + OILTYP:RXD + (MAPPR:ASME , MAPPR:CRNASME)	
	Service kits:	2901 3534 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - FULL FEATURE - ROTO-XTEND DUTY FLUID 2901 3546 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - PACK - ROTO-XTEND DUTY FLUID			
1050		1	OIL SEPARATOR	**(12/10/2018 - ...)** MODEL:G22_18J + OILTYP:RIF + (FREQ:50HZ + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , FREQ:60HZ + MAPPR:ASME)	
	Service kits:	2901 3538 00 - MAINTENANCE KIT - 4000H - G 22 - PACK - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID			
1055		1	O-RING	**(12/10/2018 - ...)** FREQ:60HZ + OILTYP:RSXD + (MAPPR:ASME , MAPPR:CRNASME)	
	Substituted by:	0663 2122 61 - O-RING (quantity: 1)			
	Service kits:	2901 3532 00 - SEAL KIT INSTRUMENT BLOCK			
1060	0211 1371 03	4	SCREW	**(03/10/2018 - ...)**	
1070	0333 3100 31	2	LOCK WASHER	**(03/10/2018 - ...)**	
1080	~~2200 6001 03~~	1	PRESSURE GAUGE	**(03/10/2018 - 17/11/2020)**	
	Substituted by:	0872 1000 46 - GAUGE PRESS (quantity: 1)			
1080	0872 1001 21	1	PRESSURE GAUGE	**(18/11/2020 - ...)**	
1090	9740 2004 32	1	ELBOW COUPLING	**(03/10/2018 - ...)**	
1100	0147 1325 03	4	SCREW	**(03/10/2018 - ...)**	
1110	2202 9045 01	3	WASHER	**(03/10/2018 - ...)**	
1120	2200 7601 07	1	BALL VALVE	**(03/10/2018 - ...)**	
1130	2200 7599 10	1	PLUG LEVEL SIGHT	**(03/10/2018 - ...)**	
1140	2202 2124 21	1	PLUG	**(03/10/2018 - ...)**	
1150	0663 2105 90	1	O-RING	**(03/10/2018 - ...)**	
1170	0226 0306 00	2	BOLT	**(03/10/2018 - ...)**	
1180	0560 1305 03	1	ELBOW	**(03/10/2018 - ...)**	
1190	2200 7513 22	1	PIPE COUPLING	**(03/10/2018 - ...)**	

Legend:


FREQ:50HZ - Frequency:50 Hz
FREQ:60HZ - Frequency:60 Hz
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
OILTYP:RIF - Oil type:Roto inject fluid oil
OILTYP:RSXD - Oil type:Roto Synthetic Xtend Duty Fluid
OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid


1050
1040
1090
1060
1240
2120
2100
2110
2080
2090
2070
2060
1260
1070
1055
2010
1080
2130
2020
2040
2050
2030
1270
1250
1280
1300
1290
1140
1150
1030
1020
1100
1110
1130
1220
1170
1230
1210
1200
1190
1120
1180

Ref	Part Number	Qty	Name	Validity	R.
1200	0347 6109 00	1	CABLE TIE	**(03/10/2018 - ...)**	
1210	2200 6503 40	AR	DISCHARGE HOSE	**(03/10/2018 - ...)**	
1220	~~6210 0364 00~~	3	WASHER	**(03/10/2018 - ...)**	
	Substituted by:	0333 3100 07 - SC LOCK WASHER 10.2-22-2.7 FZB (quantity: 1)			
1230	0291 1185 30	2	NUT	**(03/10/2018 - ...)**	
1240	1625 4260 00	1	NIPPLE	**(14/02/2019 - ...)**	
1250	2203 0351 00	1	REDUCTION	**(03/10/2018 - ...)**	
1260	0661 1000 39	1	SEAL WASHER	**(03/10/2018 - ...)**	
1270	2202 8891 07	1	SAFETY VALVE	**(03/10/2018 - ...)** FREQ:50HZ + OILTYP:RIF + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM)	
1270	0830 1010 20	1	SAFETY VALVE	**(03/10/2018 - 11/10/2018)** FREQ:60HZ + (MAPPR:ASME + OILTYP:RIF , OILTYP:RSXD + (MAPPR:ASME , MAPPR:CRNASME)) **(12/10/2018 - ...)** FREQ:60HZ + (MAPPR:ASME + (OILTYP:RIF , OILTYP:RSXD) , MAPPR:CRNASME + OILTYP:RSXD)	
1280	0663 2116 84	2	O-RING	**(03/02/2020 - ...)**	
1290	0663 2116 85	1	O-RING	**(03/02/2020 - ...)**	
1300	0663 2116 86	1	O-RING	**(03/02/2020 - ...)**	
2010	1625 4735 01	1	INSTRUMENT BLOCK	**(09/04/2019 - ...)**	
2020		1	O-RING	**(09/04/2019 - ...)**	
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE			
2030	1614 6118 00	1	COVER	**(03/10/2018 - ...)**	
2040	0301 2321 00	2	PLAIN WASHER	**(03/10/2018 - ...)**	
2050	0147 1246 03	2	SCREW	**(03/10/2018 - ...)**	
2060		1	ASSEMBLY VALVE	**(03/10/2018 - ...)**	
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE			
2070		1	SPRING	**(03/10/2018 - ...)**	
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE			
2080		1	O-RING	**(03/10/2018 - ...)**	
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE			
2090		1	PISTON	**(03/10/2018 - ...)**	
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE			
2100		1	SPRING	**(03/10/2018 - ...)**	
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE			
2110		1	O-RING	**(03/10/2018 - ...)**	
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE 2901 3532 00 - SEAL KIT INSTRUMENT BLOCK			
2120	1622 6576 01	1	HOUSING	**(03/10/2018 - ...)**	
2130		1	THERMOSTATIC VALVE	**(03/10/2018 - ...)**	
	Service kits:	2901 3531 00 - THERMOSTATIC VALVE KIT 60°C/MINIMUM PRESSURE VALVE KIT/GREASE			
2130		1	THERMOSTATIC VALVE	**(03/10/2018 - ...)**	
	Remarks:	Tropical thermostat as Standerd Option available			
	Service kits:	2901 3545 00 - TROPICAL THERMOSTATIC VALVE KIT 75°C/MINIMUM PRESSURE VALVE KIT/GREASE			

Legend:


FREQ:50HZ - Frequency:50 Hz
FREQ:60HZ - Frequency:60 Hz
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
OILTYP:RIF - Oil type:Roto inject fluid oil
OILTYP:RSXD - Oil type:Roto Synthetic Xtend Duty Fluid
OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid


1090
1070
1030
1020
1080
1050
1060
1040
1010

Ref	Part Number	Qty	Name	Validity
1010	6243 7327 00	1	RADIAL FAN	**(25/09/2018 - 11/10/2018)** FREQ:60HZ + MAPPR:ASME + (MODEL:G15L_18J , MDVAR:FMOUNTED + MODEL:G18_18J) + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MODEL:G15L_18J + (FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + MOVOL:200230460V , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))) **(12/10/2018 - ...)** FREQ:50HZ + MODEL:G15L_18J + (MAPPR:CE + MOVOL:230V , MOVOL:400V + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:G15L_18J , MODEL:G18_18J)
1010	6243 7313 00	1	RADIAL FAN	**(25/09/2018 - 11/10/2018)** (FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , FREQ:60HZ + (MAPPR:ASME + MOVOL:200230460V , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))) + (MODEL:G22_18J , MODEL:G18_18J + (MDVAR:CU , MDVAR:FMOUNTED)) , FREQ:50HZ + MAPPR:AS1210 + MDVAR:CU + MOVOL:400V + (MODEL:G18_18J , MODEL:G22_18J) , FREQ:60HZ + MAPPR:ASME + (MODEL:G22_18J , MDVAR:CU + MODEL:G18_18J) + (MOVOL:230V , MOVOL:380V , MOVOL:460V) **(12/10/2018 - ...)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) + (MODEL:G18_18J , MODEL:G22_18J) , FREQ:60HZ + MODEL:G22_18J + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))
1020	6224 4318 00	1	SPACER	**(25/09/2018 - 11/10/2018)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) **(12/10/2018 - ...)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))
1030	2204 1784 00	1	SPACER	**(25/09/2018 - 11/10/2018)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) **(12/10/2018 - ...)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))
1040	6224 4316 00	1	LOCK WASHER	**(25/09/2018 - 11/10/2018)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) **(12/10/2018 - ...)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))
1050	0333 3100 10	1	LOCK WASHER	**(25/09/2018 - 11/10/2018)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) **(12/10/2018 - ...)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))

Legend:

FREQ:50HZ - Frequency:50 Hz
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:CE - Pressure Vessel Approval:CE
MDVAR:CU - Variant:Receiver mounted
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V
MOVOL:460V - Supply voltage:460 V
FREQ:60HZ - Frequency:60 Hz
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MDVAR:FMOUNTED - Variant:Floor Mounted
MODEL:G22_18J - Model:G 22
MOVOL:380V - Supply voltage:380 V
MOVOL:575V - Supply voltage:575 V
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V


1090
1070
1030
1020
1080
1050
1060
1040
1010


7 - Cooling system Pack

IDRY:N + (FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)))

Ref	Part Number	Qty	Name	Validity
1060	0147 1963 07	1	SCREW	**(25/09/2018 - 11/10/2018)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) **(12/10/2018 - ...)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))
1070	0291 1185 28	2	NUT	**(25/09/2018 - 11/10/2018)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) **(12/10/2018 - ...)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))
1080	6275 6142 10	1	FAN DUCT	**(25/09/2018 - 11/10/2018)** FREQ:60HZ + MAPPR:ASME + (MODEL:G15L_18J , MDVAR:FMOUNTED + MODEL:G18_18J) + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , MODEL:G15L_18J + (FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + MOVOL:200230460V , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))) **(12/10/2018 - ...)** FREQ:50HZ + MODEL:G15L_18J + (MAPPR:CE + MOVOL:230V , MOVOL:400V + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:G15L_18J , MODEL:G18_18J)
1080	6275 6094 10	1	FAN DUCT	**(25/09/2018 - 11/10/2018)** (FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , FREQ:60HZ + (MAPPR:ASME + MOVOL:200230460V , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))) + (MODEL:G22_18J , MODEL:G18_18J + (MDVAR:CU , MDVAR:FMOUNTED)) , FREQ:50HZ + MAPPR:AS1210 + MDVAR:CU + MOVOL:400V + (MODEL:G18_18J , MODEL:G22_18J) , FREQ:60HZ + MAPPR:ASME + (MODEL:G22_18J , MDVAR:CU + MODEL:G18_18J) + (MOVOL:230V , MOVOL:380V , MOVOL:460V) **(12/10/2018 - ...)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) + (MODEL:G18_18J , MODEL:G22_18J) , FREQ:60HZ + MODEL:G22_18J + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))
1090	2203 0400 00	1	COMBI-COOLER	**(25/09/2018 - 11/10/2018)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) **(12/10/2018 - ...)** FREQ:50HZ + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))

Legend:

FREQ:50HZ - Frequency:50 Hz
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:CE - Pressure Vessel Approval:CE
MDVAR:CU - Variant:Receiver mounted
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V
MOVOL:460V - Supply voltage:460 V
FREQ:60HZ - Frequency:60 Hz
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MDVAR:FMOUNTED - Variant:Floor Mounted
MODEL:G22_18J - Model:G 22
MOVOL:380V - Supply voltage:380 V
MOVOL:575V - Supply voltage:575 V
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V


1080
1060
1010
1020
1090
1070
1040
1050
1030


8 - Cooling system Full Feature

IDRY:Y + (FREQ:50HZ + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:AS1210 + MDVAR:CU + MOVOL:400V , MAPPR:CE + MOVOL:230V) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)))

Ref	Part Number	Qty	Name	Validity
1010	6243 7327 00	1	RADIAL FAN	**(25/09/2018 - 11/10/2018)** MODEL:G15L_18J + (FREQ:50HZ + (((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU + MOVOL:400V) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))) **(12/10/2018 - ...)** FREQ:50HZ + MODEL:G15L_18J + (((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU + MOVOL:400V) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:G15L_18J , MODEL:G18_18J)
1010	6243 7313 00	1	RADIAL FAN	**(25/09/2018 - 11/10/2018)** (FREQ:50HZ + (((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU + MOVOL:400V) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))) + (MODEL:G18_18J , MODEL:G22_18J) **(12/10/2018 - ...)** FREQ:50HZ + (((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V) + (MDVAR:CU , MDVAR:FMOUNTED) + (MODEL:G18_18J , MODEL:G22_18J) , MAPPR:AS1210 + MDVAR:CU + MODEL:G18_18J + MOVOL:400V) , MODEL:G22_18J + (FREQ:50HZ + MAPPR:AS1210 + MDVAR:CU + MOVOL:400V , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)))
1020	2204 1784 00	1	SPACER	**(25/09/2018 - 04/12/2018)** FREQ:50HZ + (MDVAR:CU + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , MOVOL:400VN + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , MDVAR:FMOUNTED + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) **(11/03/2019 - 21/05/2019)** FREQ:50HZ + MODEL:G15L_18J + (((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU + MOVOL:400V) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:G15L_18J , MODEL:G18_18J)
1020	2204 1872 00	1	SPACER	**(05/12/2018 - 10/03/2019)** FREQ:50HZ + (MDVAR:CU + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , MOVOL:400VN + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , MDVAR:FMOUNTED + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) **(11/03/2019 - ...)** FREQ:50HZ + (((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V) + (MDVAR:CU , MDVAR:FMOUNTED) + (MODEL:G18_18J , MODEL:G22_18J) , MAPPR:AS1210 + MDVAR:CU + MODEL:G18_18J + MOVOL:400V) , MODEL:G22_18J + (FREQ:50HZ + MAPPR:AS1210 + MDVAR:CU + MOVOL:400V , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)))

Legend:

FREQ:50HZ - Frequency:50 Hz
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:CE - Pressure Vessel Approval:CE
MDVAR:CU - Variant:Receiver mounted
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
FREQ:60HZ - Frequency:60 Hz
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MDVAR:FMOUNTED - Variant:Floor Mounted
MODEL:G22_18J - Model:G 22
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V


1080
1060
1010
1020
1090
1070
1040
1050
1030


8 - Cooling system Full Feature

IDRY:Y + (FREQ:50HZ + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:AS1210 + MDVAR:CU + MOVOL:400V , MAPPR:CE + MOVOL:230V) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)))

Ref	Part Number	Qty	Name	Validity
1030	6224 4316 00	1	LOCK WASHER	**(25/09/2018 - ...)** FREQ:50HZ + (MDVAR:CU + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , MOVOL:400VN + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , MDVAR:FMOUNTED + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))
1040	0333 3100 10	1	LOCK WASHER	**(25/09/2018 - ...)** FREQ:50HZ + (MDVAR:CU + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , MOVOL:400VN + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , MDVAR:FMOUNTED + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))
1050	0147 1963 07	1	SCREW	**(25/09/2018 - 04/12/2018)** FREQ:50HZ + (MDVAR:CU + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , MOVOL:400VN + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , MDVAR:FMOUNTED + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) **(11/03/2019 - 21/05/2019)** FREQ:50HZ + MODEL:G15L_18J + (((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU + MOVOL:400V) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:G15L_18J , MODEL:G18_18J)
1050	0147 1962 44	1	SCREW	**(05/12/2018 - 10/03/2019)** FREQ:50HZ + (MDVAR:CU + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , MOVOL:400VN + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , MDVAR:FMOUNTED + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) **(11/03/2019 - 21/05/2019)** FREQ:50HZ + (((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V) + (MDVAR:CU , MDVAR:FMOUNTED) + (MODEL:G18_18J , MODEL:G22_18J) , MAPPR:AS1210 + MDVAR:CU + MODEL:G18_18J + MOVOL:400V) , MODEL:G22_18J + (FREQ:50HZ + MAPPR:AS1210 + MDVAR:CU + MOVOL:400V , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))) **(22/05/2019 - ...)** FREQ:50HZ + (MDVAR:CU + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , MOVOL:400VN + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , MDVAR:FMOUNTED + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))

Legend:

FREQ:50HZ - Frequency:50 Hz
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:CE - Pressure Vessel Approval:CE
MDVAR:CU - Variant:Receiver mounted
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
FREQ:60HZ - Frequency:60 Hz
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MDVAR:FMOUNTED - Variant:Floor Mounted
MODEL:G22_18J - Model:G 22
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V


1080
1060
1010
1020
1090
1070
1040
1050
1030


8 - Cooling system Full Feature

IDRY:Y + (FREQ:50HZ + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:AS1210 + MDVAR:CU + MOVOL:400V , MAPPR:CE + MOVOL:230V) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)))

Ref	Part Number	Qty	Name	Validity
1060	0291 1185 28	2	NUT	**(25/09/2018 - ...)** FREQ:50HZ + (MDVAR:CU + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , MOVOL:400VN + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , MDVAR:FMOUNTED + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))
1070	6275 6142 10	1	FAN DUCT	**(25/09/2018 - 11/10/2018)** MODEL:G15L_18J + (FREQ:50HZ + (((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU + MOVOL:400V) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))) **(12/10/2018 - ...)** FREQ:50HZ + MODEL:G15L_18J + (((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU + MOVOL:400V) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:G15L_18J , MODEL:G18_18J)
1070	6275 6094 10	1	FAN DUCT	**(25/09/2018 - 11/10/2018)** (FREQ:50HZ + (((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU + MOVOL:400V) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))) + (MODEL:G18_18J , MODEL:G22_18J) **(12/10/2018 - ...)** FREQ:50HZ + (((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V) + (MDVAR:CU , MDVAR:FMOUNTED) + (MODEL:G18_18J , MODEL:G22_18J) , MAPPR:AS1210 + MDVAR:CU + MODEL:G18_18J + MOVOL:400V) , MODEL:G22_18J + (FREQ:50HZ + MAPPR:AS1210 + MDVAR:CU + MOVOL:400V , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)))
1080	2203 0400 00	1	COMBI-COOLER	**(25/09/2018 - ...)** FREQ:50HZ + (MDVAR:CU + (MAPPR:CE + MOVOL:230V , MOVOL:400V + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , MOVOL:400VN + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , MDVAR:FMOUNTED + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V)) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V))
1090	6224 4318 00	1	SPACER	**(11/03/2019 - 21/05/2019)** FREQ:50HZ + MODEL:G15L_18J + (((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU + MOVOL:400V) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:G15L_18J , MODEL:G18_18J)
1090	2204 1873 00	1	SPACER	**(22/05/2019 - ...)** FREQ:50HZ + MODEL:G15L_18J + (((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , MOVOL:400VN) , MAPPR:CE + MOVOL:230V) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU + MOVOL:400V) , FREQ:60HZ + (MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:G15L_18J , MODEL:G18_18J)

Legend:

FREQ:50HZ - Frequency:50 Hz
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:CE - Pressure Vessel Approval:CE
MDVAR:CU - Variant:Receiver mounted
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
FREQ:60HZ - Frequency:60 Hz
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MDVAR:FMOUNTED - Variant:Floor Mounted
MODEL:G22_18J - Model:G 22
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V



1010

Ref	Part Number	Qty	Name	Validity	R.
1010		1	OIL FILTER	**(25/09/2018 - 11/10/2018)** **(12/10/2018 - ...)** OILTYP:RIF	4000H
	Substituted by:	1625 4800 50 - OIL FILTER (quantity: 1)			
	Service kits:	2901 3536 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - PACK - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3538 00 - MAINTENANCE KIT - 4000H - G 22 - PACK - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID			
1010	~~1625 7526 00~~	1	OIL FILTER	**(12/10/2018 - ...)** OILTYP:RSXD	8000H
	Substituted by:	2903 7526 00 - OIL FILTER (quantity: 1)			

Legend:

OILTYP:RIF - Oil type:Roto inject fluid oil


OILTYP:RSXD - Oil type:Roto Synthetic Xtend Duty Fluid


1250
1150
1160
1180
1190
1230
1120
1100
1090
1080
1070
1130
1110
1010
1060
1170
1160
1220
1210
1200
1140

Ref	Part Number	Qty	Name	Validity
1010	~~2204 1772 01~~	1	AIR RECEIVER	**(25/09/2018 - ...)** MAPPR:CE
	Substituted by:	2202 9783 66 - SP.VESS.500L CE 16B C67 (quantity: 1)		
1010	~~2204 1772 04~~	1	AIR RECEIVER	**(25/09/2018 - ...)** MAPPR:AD2000
	Substituted by:	2202 9783 67 - SP.VESS.500L DIR 14B C67 (quantity: 1)		
1010	2204 1772 05	1	AIR RECEIVER	**(25/09/2018 - ...)** MAPPR:MOM
1010	~~2204 1772 02~~	1	AIR RECEIVER	**(25/09/2018 - ...)** MAPPR:AS1210
	Substituted by:	2202 9783 67 - SP.VESS.500L DIR 14B C67 (quantity: 1)		
1060	2202 8891 08	1	SAFETY VALVE	**(04/10/2018 - ...)** PRESS:10BAR , PRESS:7.5BAR
1060	2202 8891 09	1	SAFETY VALVE	**(04/10/2018 - ...)** PRESS:13BAR
1070	0661 1000 40	1	SEAL WASHER	**(25/09/2018 - ...)**
1080	9740 2027 33	1	FITTING TEE	**(25/09/2018 - ...)**
1090	0661 1000 40	1	SEAL WASHER	**(25/09/2018 - ...)**
1100	0605 8300 82	1	BUSHING	**(25/09/2018 - ...)**
1110	9090 1508 00	1	STRAIGHT COUPLING	**(25/09/2018 - ...)**
1120	0070 6002 48	1	HOSE	**(25/09/2018 - ...)**
1130	0605 8534 03	1	BUSHING	**(25/09/2018 - ...)**
1140	2200 7509 11	1	PLUG	**(25/09/2018 - ...)**
1150	2204 1776 00	3	SUPPORT	**(25/09/2018 - ...)**
1160	0300 0274 17	12	PLAIN WASHER	**(25/09/2018 - ...)**
1170	0266 2111 00	6	NUT	**(25/09/2018 - ...)**
1180	0333 4232 00	6	WASHER	**(25/09/2018 - ...)**
1190	0147 1362 03	6	SCREW	**(25/09/2018 - ...)**
1200	0605 9500 42	1	ELBOW COUPLING	**(25/09/2018 - ...)**
1210	0852 0010 09	1	BALL VALVE	**(25/09/2018 - ...)**
1220		1	DECAL WARNING	**(25/09/2018 - ...)**
1230	2202 9286 02	1	PLUG	**(25/09/2018 - ...)**
1250	0215 0010 85	6	SCREW	**(25/09/2018 - ...)**

Legend:


MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
PRESS:10BAR - Working pressure:10 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:7.5BAR - Working pressure:7.5 bar


1250
1150
1160
1180
1190
1230
1120
1100
1130
1090
1110
1080
1010
1070
1170
1060
1160
1220
1210
1200
1140

Ref	Part Number	Qty	Name	Validity
1010	2204 1772 03	1	AIR RECEIVER	(25/09/2018 - ...)
1060	0830 1010 58	1	SAFETY VALVE	(25/09/2018 - ...)
1070	0661 1000 40	1	SEAL WASHER	(25/09/2018 - ...)
1080	2202 9666 00	1	REDUCER	(25/09/2018 - ...)
1090	9740 2027 33	1	FITTING TEE	(25/09/2018 - ...)
1100	0605 8300 82	1	BUSHING	(25/09/2018 - ...)
1110	9090 1508 00	1	COUPLING	(25/09/2018 - ...)
1120	0070 6002 48	1	HOSE	(25/09/2018 - ...)
1130	0605 8534 03	1	BUSHING	(25/09/2018 - ...)
1140	2200 7509 11	1	PLUG	(25/09/2018 - ...)
1150	2204 1776 00	3	SUPPORT	(25/09/2018 - ...)
1160	0300 0274 17	12	PLAIN WASHER	(25/09/2018 - ...)
1170	0266 2111 00	6	NUT	(25/09/2018 - ...)
1180	0333 4232 00	6	WASHER	(25/09/2018 - ...)
1190	0147 1362 03	6	SCREW	(25/09/2018 - ...)
1200	0605 9500 42	1	ELBOW COUPLING	(25/09/2018 - ...)
1210	0852 0010 09	1	BALL VALVE	(25/09/2018 - ...)
1220		1	DECAL WARNING	(25/09/2018 - ...)
1230	2202 9286 02	1	PLUG	(25/09/2018 - ...)
1250	0215 0010 85	6	SCREW	(25/09/2018 - ...)

Legend:


MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar


1170
1180
1160
1100
1150
1090
1110
1120
1140
1020
1100
1130
1130
1020
1020
1040
1010
1040
1030
1030
1040
1070
1060
1080
1050
1050
1050

Ref	Part Number	Qty	Name	Validity
1010	2204 1527 00	1	PIPE	(25/09/2018 - ...)
1020	0580 0017 37	3	PIPE FITTING	(25/09/2018 - ...)
1030	2202 9325 01	2	HOSE	(25/09/2018 - ...)
1040	0580 0015 40	3	NIPPLE	(25/09/2018 - ...)
1050	0580 0015 41	3	NIPPLE	(25/09/2018 - ...)
1060	2202 9325 16	1	HOSE	(25/09/2018 - ...)
1070	2204 1713 01	1	HOSE	(25/09/2018 - ...)
1080	2202 7639 02	1	COUPLING	(25/09/2018 - ...)
1090	2204 1774 00	1	PIPE	(25/09/2018 - ...)
1100	0580 0018 48	2	PIPE COUPLING	(25/09/2018 - ...)
1110	0560 0200 24	1	ELBOW	(25/09/2018 - 18/11/2019)
1110	0560 0200 24	2	ELBOW	(19/11/2019 - ...)
1120	0571 0036 87	1	NIPPLE	(25/09/2018 - 18/11/2019)
1120	0571 0036 87	2	NIPPLE	(19/11/2019 - ...)
1130	0661 1000 44	2	SEAL WASHER	(25/09/2018 - ...)
1140	2204 1780 00	1	ADAPTOR COUPLING	(25/09/2018 - 18/11/2019)
1150	0560 1307 03	1	ELBOW	(25/09/2018 - 18/11/2019)
1160	2204 1774 07	1	PIPE	(25/09/2018 - ...)
1170	2204 1032 00	1	SLEEVE	(25/09/2018 - ...)
1180	0129 3270 38	4	RIVET	(25/09/2018 - ...)

Legend:


IDRY:Y - Integrated dryer:Yes | MDVAR:FMOUNTED - Variant:Floor Mounted | MODEL:G15L_18J - Model:G 15L


1170
1180
1160
1130
1140
1120
1090
1110
1020
1100
1120
1020
1020
1040
1010
1040
1030
1030
1040
1070
1060
1080
1050
1050
1050

Ref	Part Number	Qty	Name	Validity
1010	2204 1527 00	1	PIPE	(25/09/2018 - ...)
1020	0580 0017 37	3	PIPE FITTING	(25/09/2018 - ...)
1030	2202 9325 01	2	HOSE	(25/09/2018 - ...)
1040	0580 0015 40	3	NIPPLE	(25/09/2018 - ...)
1050	0580 0015 41	3	NIPPLE	(25/09/2018 - ...)
1060	2202 9325 16	1	HOSE	(25/09/2018 - ...)
1070	2204 1713 01	1	HOSE	(25/09/2018 - ...)
1080	2202 7639 02	1	COUPLING	(25/09/2018 - ...)
1090	2204 1774 00	1	PIPE	(25/09/2018 - ...)
1100	0580 0018 48	1	PIPE COUPLING	(25/09/2018 - ...)
1110	0560 1307 03	1	ELBOW	(25/09/2018 - 17/12/2019)
1110	0560 1307 03	2	ELBOW	(18/12/2019 - ...)
1120	2202 9285 04	2	REDUCER	(25/09/2018 - ...)
1130	0603 4106 03	1	NIPPLE	(25/09/2018 - 30/12/2040)
1140	0560 0200 24	1	ELBOW	(25/09/2018 - 30/12/2040)
1160	2204 1774 07	1	PIPE	(25/09/2018 - ...)
1170	2204 1032 00	1	SLEEVE	(25/09/2018 - ...)
1180	0129 3270 38	4	RIVET	(25/09/2018 - ...)

Legend:

IDRY:Y - Integrated dryer:Yes
MDVAR:FMOUNTED - Variant:Floor Mounted
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22



1100
1110
1020
1090
1020
1040
1070
1080
1060
1020
1010
1020
1050
1050
1040
1040
1030
1030
1050

Ref	Part Number	Qty	Name	Validity
1010	2204 1527 00	1	PIPE	(25/09/2018 - ...)
1020	0580 0017 37	4	PIPE FITTING	(25/09/2018 - ...)
1030	2202 9325 01	2	HOSE	(25/09/2018 - ...)
1040	0580 0015 40	3	NIPPLE	(25/09/2018 - ...)
1050	0580 0015 41	3	NIPPLE	(25/09/2018 - ...)
1060	2202 9325 16	1	HOSE	(25/09/2018 - ...)
1070	2204 1713 01	1	HOSE	(25/09/2018 - ...)
1080	2202 7639 02	1	COUPLING	(25/09/2018 - ...)
1090	2204 1855 01	1	PIPE	(25/09/2018 - ...)
1100	2203 0236 00	1	SUPPORT	(25/09/2018 - ...)
1110	0129 3270 38	4	RIVET	(25/09/2018 - ...)

Legend:

IDRY:N - Integrated dryer:No

MDVAR:FMOUNTED - Variant:Floor Mounted



1090
1020
1020
1020
1010
2140
2130
2120
2110
2070
2100
2050
2010
2080
2090
2180
1040
1040
1030
1030
1040
1070
1080
1060
1050
1050
1100
2040
2030
2020
1050
2060
2170
2160
2150

Ref	Part Number	Qty	Name	Validity
1010	2204 1527 00	1	PIPE	**(25/09/2018 - ...)**
1020	0580 0017 37	3	PIPE FITTING	**(25/09/2018 - ...)**
1030	2202 9325 01	2	HOSE	**(25/09/2018 - ...)**
1040	0580 0015 40	3	NIPPLE	**(25/09/2018 - ...)**
1050	0580 0015 41	3	NIPPLE	**(25/09/2018 - ...)**
1060	2202 9325 16	1	HOSE	**(25/09/2018 - ...)**
1070	2204 1713 01	1	HOSE	**(25/09/2018 - ...)**
1080	2202 7639 02	1	COUPLING	**(25/09/2018 - ...)**
1090	2204 1774 05	1	PIPE	**(25/09/2018 - ...)**
1100	0580 0018 48	1	PIPE COUPLING	**(25/09/2018 - ...)**
	2202 0256 69	1	TIMER DRAIN	**(28/09/2018 - ...)**
2010 •	2202 2513 57	1	SUPPORT	
2020 •	0211 1246 03	2	SCREW	
2030 •	0300 0274 64	2	WASHER	
2040 •	0333 4220 00	2	WASHER	
2050 •	2200 5996 21	1	VALVE	
2060 •	2205 0323 61	1	WIRE TIMER	
2070 •	~~2202 2610 18~~	1	TIMER CARD	
	Substituted by:	1089 9331 07 - TIMER (quantity: 1)		
2080 •	0147 1169 03	2	SCREW	
2090 •	0333 3100 26	2	LOCK WASHER	
2100 •	0603 5103 03	1	NIPPLE	**(28/09/2018 - 01/11/2021)**
2110 •	0803 5010 09	1	STRAINER	
2120 •	0852 0010 09	1	BALL VALVE	
2130 •	0583 8120 92	1	ELBOW	
2140 •	0070 6002 64	1	HOSE	
2150 •	0583 8100 89	1	STRAIGHT COUPLING	
2160 •	9740 2027 33	1	FITTING TEE	
2170 •	0852 0010 09	1	BALL VALVE	
2180 •	~~0583 8120 22~~	1	COUPLING	
	Substituted by:	2200 7505 77 - COUPLING RACC.R.L1/4"X10 G.CIL (quantity: 1)		

Legend:

IDRY:N - Integrated dryer:No


MDVAR:CU - Variant:Receiver mounted


1150
1090
1130
1110
1100
1020
1140
1100
1120
1120
1160
1020
1020
1100
1040
1040
1010
1030
1030
1040
1070
1060
1050
1050
1050

Ref	Part Number	Qty	Name	Validity
1010	2204 1527 00	1	PIPE	(25/09/2018 - ...)
1020	0580 0017 37	3	PIPE FITTING	(25/09/2018 - ...)
1030	2202 9325 01	2	HOSE	(25/09/2018 - ...)
1040	0580 0015 40	3	NIPPLE	(25/09/2018 - ...)
1050	0580 0015 41	3	NIPPLE	(25/09/2018 - ...)
1060	2202 9325 16	1	HOSE	(25/09/2018 - ...)
1070	2204 1713 01	1	HOSE	(25/09/2018 - ...)
1090	2204 1774 00	1	PIPE	(25/09/2018 - ...)
1100	0580 0018 48	3	PIPE COUPLING	(25/09/2018 - ...)
1110	0571 0036 87	1	NIPPLE	(25/09/2018 - ...)
1120	0661 1000 44	2	SEAL WASHER	(25/09/2018 - ...)
1130	0560 0200 24	1	ELBOW	(25/09/2018 - ...)
1140	2204 1780 00	1	ADAPTOR COUPLING	(25/09/2018 - ...)
1150	0560 1307 03	1	ELBOW	(25/09/2018 - ...)
1160	2204 1774 04	1	PIPE	(25/09/2018 - ...)

Legend:


IDRY:Y - Integrated dryer:Yes
MDVAR:CU - Variant:Receiver mounted
MODEL:G15L_18J - Model:G 15L


1140
1130
1120
1090
1110
1020
1100
1120
1160
1020
1020
1100
1040
1040
1010
1030
1030
1040
1070
1060
1050
1050
1050

Ref	Part Number	Qty	Name	Validity
1010	2204 1527 00	1	PIPE	(25/09/2018 - ...)
1020	0580 0017 37	3	PIPE FITTING	(25/09/2018 - ...)
1030	2202 9325 01	2	HOSE	(25/09/2018 - ...)
1040	0580 0015 40	3	NIPPLE	(25/09/2018 - ...)
1050	0580 0015 41	3	NIPPLE	(25/09/2018 - ...)
1060	2202 9325 16	1	HOSE	(25/09/2018 - ...)
1070	2204 1713 01	1	HOSE	(25/09/2018 - ...)
1090	2204 1774 00	1	PIPE	(25/09/2018 - ...)
1100	0580 0018 48	3	PIPE COUPLING	(25/09/2018 - ...)
1110	0560 1307 03	1	ELBOW	(25/09/2018 - ...)
1120	2202 9285 04	2	REDUCER	(25/09/2018 - ...)
1130	0603 4106 03	1	NIPPLE	(25/09/2018 - ...)
1140	0560 0200 24	1	ELBOW	(25/09/2018 - ...)
1160	2204 1774 04	1	PIPE	(25/09/2018 - ...)

Legend:

IDRY:Y - Integrated dryer:Yes
MDVAR:CU - Variant:Receiver mounted
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22


1010
1040
1060
1050
1030
1020


18.1 - Assembly

IDRY:Y + (EAPPR:IEC + FREQ:50HZ + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM , MAPPR:AS1210 + MDVAR:CU) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR) , FREQ:60HZ + (MAPPR:ASME , EAPPR:ULCUL + MAPPR:CRNASME) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
1010	-	1	AIR DRYER	
1020	0147 1325 03	4	SCREW	**(25/09/2018 - ...)** EAPPR:IEC + FREQ:50HZ + (MDVAR:CU + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , MDVAR:FMOUNTED + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR) , FREQ:60HZ + (MAPPR:ASME , EAPPR:ULCUL + MAPPR:CRNASME) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)
1030	2202 9045 01	4	WASHER	**(25/09/2018 - ...)** EAPPR:IEC + FREQ:50HZ + (MDVAR:CU + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , MDVAR:FMOUNTED + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR) , FREQ:60HZ + (MAPPR:ASME , EAPPR:ULCUL + MAPPR:CRNASME) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)
1040	2202 7765 00	2	LABEL	**(25/09/2018 - ...)** EAPPR:IEC + FREQ:50HZ + (MDVAR:CU + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , MDVAR:FMOUNTED + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR)
1040	2202 2610 00	1	LABEL	**(25/09/2018 - ...)** FREQ:60HZ + (EAPPR:ULCUL + MAPPR:CRNASME , MAPPR:ASME + MODEL:G15L_18J + (EAPPR:IEC , EAPPR:ULCUL)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)
1040	2202 2610 00	2	LABEL	**(25/09/2018 - ...)** FREQ:60HZ + MAPPR:ASME + (MODEL:G18_18J , MODEL:G22_18J) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)
1050	0698 5141 21	1	CABLE GLAND	**(05/12/2018 - ...)** EAPPR:IEC + FREQ:50HZ + (MDVAR:CU + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , MDVAR:FMOUNTED + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR) , FREQ:60HZ + (MAPPR:ASME , EAPPR:ULCUL + MAPPR:CRNASME) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)
1060	0697 9809 53	1	LOCKNUT	**(05/12/2018 - ...)** EAPPR:IEC + FREQ:50HZ + (MDVAR:CU + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) , MDVAR:FMOUNTED + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR) , FREQ:60HZ + (MAPPR:ASME , EAPPR:ULCUL + MAPPR:CRNASME) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Legend:


EAPPR:IEC - Electrical approval:IEC
EAPPR:ULCUL - Electrical approval:UL/cUL
FREQ:50HZ - Frequency:50 Hz
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MAPPR:MOM - Pressure Vessel Approval:MOM
MDVAR:CU - Variant:Receiver mounted
MDVAR:FMOUNTED - Variant:Floor Mounted
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:10BAR - Working pressure:10 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar


3030
1090
2010
1100
3010
3040
3050
3020
1090
3130
3120
1150
1170
3160
3150
2020
2030
3190
3180
1070
3070
3080
3060
2030
1120
1050
1040
1140
2030
2020
1070
2040
2030
3100
1050
1040
4020
3140
3110
1030
1060
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
	~~2200 9854 00~~	1	AIR DRYER	(25/09/2018 - ...)	R410A
	Substituted by:	2200 9037 00 - G-E8V 230/50 2200985400 SPARE (quantity: 1)			
1030	0215 0003 91	4	SCREW	(25/09/2018 - ...)	
1040	0333 3220 00	2	WASHER	(05/12/2018 - ...)	
1050	0266 2108 00	2	NUT	(25/09/2018 - ...)	
1060	0300 0274 64	4	WASHER	(05/12/2018 - ...)	
1070	0348 0101 20	10	CABLE TIE	(25/09/2018 - ...)	
1090	2202 7425 01	2	RING	(25/09/2018 - ...)	
1100	2202 7703 01	1	PIPE FITTING	(25/09/2018 - ...)	
1120	0348 0110 03	2	ANCHOR PLATE	(25/09/2018 - 30/12/2040)	
1140	0298 1000 22	4	INSERT	(25/09/2018 - ...)	
1150	0147 1169 03	1	SCREW	(25/09/2018 - ...)	
1170	0333 3114 00	1	WASHER	(25/09/2018 - ...)	
2010	2204 2070 81	1	FRAME	(25/09/2018 - ...)	
	• 1079 9903 48	1	WARNING LABEL		
	• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
2020	2202 7706 00	2	SUPPORT	(25/09/2018 - ...)	
2030	0129 3270 40	9	BLIND RIVET	(25/09/2018 - ...)	
2040	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - ...)	
3010	2204 2134 43	1	LDI DRAIN	(15/01/2019 - ...)	
	• 0663 9096 00	1	O-RING		
	•	1	KIT WEAR DRAIN		
	Service kits:	2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3534 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - FULL FEATURE - ROTO-XTEND DUTY FLUID		
	• 2902 0161 02	1	FILTER MESH		
3020	0070 6002 49	AR	PLASTIC TUBE	(04/10/2018 - 03/08/2020)	
3020	0070 6002 90	AR	PLASTIC TUBE	(04/08/2020 - ...)	
3030	2204 1844 81	1	HEAT EXCHANGER	(25/09/2018 - ...)	
3040	0147 1247 03	2	HEXAGON BOLT	(25/09/2018 - ...)	
3050	0300 0274 64	2	WASHER	(25/09/2018 - ...)	
3060	1624 2616 10	1	COMPRESSOR	(25/09/2018 - ...)	
	• 1624 2725 01	1	CAPACITOR		
3070	0291 1185 29	3	NUT	(25/09/2018 - ...)	
3080	0300 0274 64	3	WASHER	(25/09/2018 - ...)	
3100	2204 2163 01	1	CONDENSOR	(25/09/2018 - ...)	
3110	2202 7373 02	1	FAN ASSEMBLY	(25/09/2018 - ...)	
3120	2204 2062 80	1	PIPE ASSEMBLY	(25/09/2018 - ...)	
	• 1624 2486 03	1	HOT GAS BYPASS VALVE		
	• 2202 8516 00	3	SCHRADER VALVE	(07/02/2019 - ...)	
3130	2202 7413 02	1	CAPILLARY	(25/09/2018 - ...)	
3140	2202 7898 01	1	FILTER DRYER	(25/09/2018 - ...)	
3150	1627 1679 00	1	BRACKET	(25/09/2018 - ...)	
3160	0129 3270 40	2	BLIND RIVET	(25/09/2018 - ...)	
3180	1627 1843 00	1	INSULATION THERMAL	(25/09/2018 - ...)	
3190	1627 1844 00	1	INSULATION THERMAL	(25/09/2018 - ...)	

Legend:

EAPPR:IEC - Electrical approval:IEC
FREQ:50HZ - Frequency:50 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MDVAR:CU - Variant:Receiver mounted
MDVAR:FMOUNTED - Variant:Floor Mounted
MODEL:G15L_18J - Model:G 15L
PRESS:10BAR - Working pressure:10 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:7.5BAR - Working pressure:7.5 bar


3030
1090
2010
1100
3010
3040
3050
3020
1090
3130
3120
1150
1170
3160
3150
2020
2030
3190
3180
1070
3070
3080
3060
2030
1120
1050
1040
1140
2030
2020
1070
2040
2030
3100
1050
1040
4020
3140
3110
1030
1060
2030
2030


18.2 - Components G 15L – AS1210 – AD2000 – CE – MOM – 7.5BAR – 10BAR – 13BAR – IEC - 50HZ – Full Feature

EAPPR:IEC + FREQ:50HZ + IDRY:Y + MODEL:G15L_18J + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR)

Ref	Part Number	Qty	Name	Validity	R.
4020	2203 0780 87	1	DIGITAL CONTROLLER	**(25/09/2018 - 29/03/2021)**	
4020	2204 2396 87	1	DIGITAL CONTROLLER	**(30/03/2021 - ...)**	

Legend:


EAPPR:IEC - Electrical approval:IEC
FREQ:50HZ - Frequency:50 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MDVAR:CU - Variant:Receiver mounted
MDVAR:FMOUNTED - Variant:Floor Mounted
MODEL:G15L_18J - Model:G 15L
PRESS:10BAR - Working pressure:10 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:7.5BAR - Working pressure:7.5 bar


3040
1090
2010
3050
1100
3020
3060
3030
1090
3130
3140
2020
3180
3190
2030
3010
1070
1150
1170
3080
3090
3070
2030
1120
2030
2020
1050
1040
1070
2040
2030
1140
1050
1040
4020
3110
3150
3120
1030
1060
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
	~~2200 9854 03~~	1	AIR DRYER	(25/09/2018 - ...)	R410A
	Substituted by:	2200 9037 03 - G-E8/9V 230/50 2200985403 SPAR (quantity: 1)			
1030	0215 0003 91	4	SCREW	(25/09/2018 - ...)	
1040	0333 3220 00	2	WASHER	(05/12/2018 - ...)	
1050	0266 2108 00	2	NUT	(25/09/2018 - ...)	
1060	0300 0274 64	2	WASHER	(25/09/2018 - 04/12/2018)	
1060	0300 0274 64	4	WASHER	(05/12/2018 - ...)	
1070	0348 0101 20	10	CABLE TIE	(25/09/2018 - ...)	
1090	2202 7425 01	2	RING	(25/09/2018 - ...)	
1100	2202 7703 01	1	PIPE FITTING	(25/09/2018 - ...)	
1120	0348 0110 03	2	ANCHOR PLATE	(25/09/2018 - 30/12/2040)	
1140	0298 1000 22	4	INSERT	(25/09/2018 - ...)	
1150	0147 1169 03	1	SCREW	(25/09/2018 - ...)	
1170	0333 3114 00	1	WASHER	(25/09/2018 - ...)	
2010	2204 2070 81	1	FRAME ASSEMBLY	(25/09/2018 - ...)	
	• 1079 9903 48	1	WARNING LABEL		
	• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
2020	2202 7706 00	2	SUPPORT	(25/09/2018 - ...)	
2030	0129 3270 40	9	BLIND RIVET	(25/09/2018 - ...)	
2040	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - ...)	
3010	2204 2073 01	1	SUPPORT	(25/09/2018 - 14/06/2020)	
3010	2204 2073 02	1	STIRRUP	(15/06/2020 - ...)	
3020	2204 2134 43	1	LDI DRAIN	(15/01/2019 - ...)	
	• 0663 9096 00	1	O-RING		
	•	1	KIT WEAR DRAIN		
	Service kits:	2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3534 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - FULL FEATURE - ROTO-XTEND DUTY FLUID			
	• 2902 0161 02	1	FILTER MESH		
3030	0070 6002 49	AR	PLASTIC TUBE	(04/10/2018 - 03/08/2020)	
3030	0070 6002 90	AR	PLASTIC TUBE TRANSPARENT 10X15	(04/08/2020 - ...)	
3040	2204 1847 81	1	HEAT EXCHANGER	(25/09/2018 - ...)	
3050	0147 1325 03	4	SCREW	(25/09/2018 - ...)	
3060	0300 8019 00	4	PLAIN WASHER	(25/09/2018 - ...)	
3070	1624 2616 01	1	REFRIGERANT COMPRESSOR	(25/09/2018 - ...)	
	• 1624 2725 02	1	CAPACITOR		
3080	0291 1185 29	3	NUT	(25/09/2018 - ...)	
3090	0300 0274 64	3	WASHER	(25/09/2018 - ...)	
3110	2204 1678 01	1	CONDENSER	(25/09/2018 - ...)	
3120	2202 7373 02	1	FAN ASSEMBLY	(25/09/2018 - ...)	
3130	2204 2085 80	1	PIPE ASSEMBLY	(25/09/2018 - ...)	
	• 1624 2486 02	1	HOT GAS BYPASS VALVE		
	• 2202 8516 00	3	SCHRADER VALVE	(07/02/2019 - ...)	
3140	2202 7413 01	1	CAPILLARY TUBE	(25/09/2018 - ...)	
3150	2202 7898 01	1	FILTER DRYER	(25/09/2018 - ...)	
3180	1624 9614 00	1	INSULATION THERMAL	(25/09/2018 - ...)	

Legend:

EAPPR:IEC - Electrical approval:IEC
FREQ:50HZ - Frequency:50 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MDVAR:CU - Variant:Receiver mounted
MDVAR:FMOUNTED - Variant:Floor Mounted
MODEL:G18_18J - Model:G 18
PRESS:10BAR - Working pressure:10 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:7.5BAR - Working pressure:7.5 bar


3040
1090
2010
3050
1100
3020
3060
3030
1090
3130
3140
2020
3180
3190
2030
3010
1070
1150
1170
3080
3090
3070
2030
1120
2030
2020
1050
1040
1070
2040
2030
1050
1040
4020
1140
3110
3150
3120
1030
1060
2030
2030


18.3 - Components G 18 – AS1210 – AD2000 – CE – MOM – 7.5BAR – 10BAR – 13BAR – IEC – 50HZ – Full Feature

EAPPR:IEC + FREQ:50HZ + IDRY:Y + MODEL:G18_18J + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR)

Ref	Part Number	Qty	Name	Validity	R.
3190	1624 9710 00	1	INSULATION THERMAL	**(25/09/2018 - ...)**	
4020	2203 0780 87	1	DIGITAL CONTROLLER	**(25/09/2018 - 29/03/2021)**	
4020	2204 2396 87	1	DIGITAL CONTROLLER	**(30/03/2021 - ...)**	

Legend:


EAPPR:IEC - Electrical approval:IEC
FREQ:50HZ - Frequency:50 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MDVAR:CU - Variant:Receiver mounted
MDVAR:FMOUNTED - Variant:Floor Mounted
MODEL:G18_18J - Model:G 18
PRESS:10BAR - Working pressure:10 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:7.5BAR - Working pressure:7.5 bar


3040
1090
2010
3050
1100
3020
3060
3030
1090
3130
3140
2020
3180
3190
2030
3010
1070
1150
1170
3080
3090
3070
2030
1120
2030
2020
1050
1040
1070
2040
2030
1140
1050
1040
4020
3110
3150
3120
1030
1060
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
	~~2200 9854 06~~	1	AIR DRYER	(25/09/2018 - ...)	R410A
	Substituted by:	2200 9037 06 - G-E8/9V 230/50 2200985406 SPAR (quantity: 1)			
1030	0215 0003 91	4	SCREW	(25/09/2018 - ...)	
1040	0333 3220 00	2	WASHER	(05/12/2018 - ...)	
1050	0266 2108 00	2	NUT	(25/09/2018 - ...)	
1060	0300 0274 64	4	WASHER	(05/12/2018 - ...)	
1070	0348 0101 20	10	CABLE TIE	(25/09/2018 - ...)	
1090	2202 7425 01	2	RING	(25/09/2018 - ...)	
1100	2202 7703 01	1	PIPE FITTING	(25/09/2018 - ...)	
1120	0348 0110 03	2	ANCHOR PLATE	(25/09/2018 - 30/12/2040)	
1140	0298 1000 22	4	INSERT	(25/09/2018 - ...)	
1150	0147 1169 03	1	SCREW	(25/09/2018 - ...)	
1170	0333 3114 00	1	WASHER	(25/09/2018 - ...)	
2010	2204 2070 81	1	FRAME ASSEMBLY	(25/09/2018 - ...)	
	• 1079 9903 48	1	WARNING LABEL		
	• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
2020	2202 7706 00	2	SUPPORT	(25/09/2018 - ...)	
2030	0129 3270 40	9	BLIND RIVET	(25/09/2018 - ...)	
2040	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - ...)	
3010	2204 2073 01	1	SUPPORT	(25/09/2018 - 14/06/2020)	
3010	2204 2073 02	1	STIRRUP	(15/06/2020 - ...)	
3020	2204 2134 43	1	LDI DRAIN	(15/01/2019 - ...)	
	• 0663 9096 00	1	O-RING		
	•	1	KIT WEAR DRAIN		
	Service kits:	2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3534 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - FULL FEATURE - ROTO-XTEND DUTY FLUID		
	• 2902 0161 02	1	FILTER MESH		
3030	0070 6002 49	AR	PLASTIC TUBE	(04/10/2018 - 03/08/2020)	
3030	0070 6002 90	AR	PLASTIC TUBE TRANSPARENT 10X15	(04/08/2020 - ...)	
3040	2204 1847 81	1	HEAT EXCHANGER	(25/09/2018 - ...)	
3050	0147 1325 03	4	SCREW	(25/09/2018 - ...)	
3060	0300 8019 00	4	PLAIN WASHER	(25/09/2018 - ...)	
3070	1624 2616 01	1	REFRIGERANT COMPRESSOR	(25/09/2018 - ...)	
	• 1624 2725 02	1	CAPACITOR		
3080	0291 1185 29	3	NUT	(25/09/2018 - ...)	
3090	0300 0274 64	3	WASHER	(25/09/2018 - ...)	
3110	2204 1678 01	1	CONDENSER	(25/09/2018 - ...)	
3120	1624 2917 84	1	FAN ASSEMBLY	(25/09/2018 - ...)	
3130	2204 2085 80	1	PIPE ASSEMBLY	(25/09/2018 - ...)	
	• 1624 2486 02	1	HOT GAS BYPASS VALVE		
3140	2202 7413 01	1	CAPILLARY	(25/09/2018 - ...)	
3150	2202 7898 01	1	FILTER DRYER	(25/09/2018 - ...)	
3180	1624 9614 00	1	INSULATION THERMAL	(25/09/2018 - ...)	
3190	1624 9710 00	1	INSULATION THERMAL	(25/09/2018 - ...)	
4020	2203 0780 87	1	DIGITAL CONTROLLER	(25/09/2018 - 29/03/2021)	

Legend:

EAPPR:IEC - Electrical approval:IEC
FREQ:50HZ - Frequency:50 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MDVAR:CU - Variant:Receiver mounted
MDVAR:FMOUNTED - Variant:Floor Mounted
MODEL:G22_18J - Model:G 22
PRESS:10BAR - Working pressure:10 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:7.5BAR - Working pressure:7.5 bar


3040
1090
2010
3050
1100
3020
3060
3030
1090
3130
3140
2020
3180
3190
2030
3010
1070
1150
1170
3080
3090
3070
2030
1120
2030
2020
1050
1040
1070
2040
2030
1140
1050
1040
4020
3110
3150
3120
1030
1060
2030
2030


18.4 - Components G 22 – AS1210 – AD2000 – CE – MOM – 7.5BAR – 10BAR – 13BAR – IEC – 50HZ – Full Feature

EAPPR:IEC + FREQ:50HZ + IDRY:Y + MODEL:G22_18J + ((MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MDVAR:CU , MDVAR:FMOUNTED) , MAPPR:AS1210 + MDVAR:CU) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR)

Ref	Part Number	Qty	Name	Validity	R.
4020	2204 2396 87	1	DIGIT CTRL 230V FC CP TRIAC+PB	**(30/03/2021 - ...)**	

Legend:


EAPPR:IEC - Electrical approval:IEC
FREQ:50HZ - Frequency:50 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MDVAR:CU - Variant:Receiver mounted
MDVAR:FMOUNTED - Variant:Floor Mounted
MODEL:G22_18J - Model:G 22
PRESS:10BAR - Working pressure:10 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:7.5BAR - Working pressure:7.5 bar


3030
1090
2010
1100
3010
3040
3050
3020
1090
3130
3120
1150
1170
3210
3200
2020
2030
1070
3190
3180
3070
3080
3060
2030
1120
2030
2020
1050
1040
1140
1070
2040
2030
3100
1050
1040
4020
3140
3110
1030
1060
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
	~~2200 9854 02~~	1	AIR DRYER	(25/09/2018 - ...)	R410A
	Substituted by:	2200 9037 02 - G-E8V 230/60 2200985402 SPARE (quantity: 1)			
1030	0215 0003 91	4	SCREW	(25/09/2018 - ...)	
1040	0333 3220 00	4	WASHER	(25/09/2018 - 04/12/2018)	
1040	0333 3220 00	2	WASHER	(05/12/2018 - ...)	
1050	0266 2108 00	2	NUT	(25/09/2018 - ...)	
1060	0300 0274 64	2	WASHER	(25/09/2018 - 04/12/2018)	
1060	0300 0274 64	4	WASHER	(05/12/2018 - ...)	
1070	0348 0101 20	10	CABLE TIE	(25/09/2018 - ...)	
1090	2202 7425 01	2	RING	(25/09/2018 - ...)	
1100	2202 7703 01	1	PIPE FITTING	(25/09/2018 - ...)	
1120	0348 0110 03	2	ANCHOR PLATE	(25/09/2018 - 30/12/2040)	
1140	0298 1000 22	4	INSERT	(25/09/2018 - ...)	
1150	0147 1169 03	1	SCREW	(25/09/2018 - ...)	
1170	0333 3114 00	1	WASHER	(25/09/2018 - ...)	
2010	2204 2070 81	1	FRAME ASSEMBLY	(25/09/2018 - ...)	
	• 1079 9903 48	1	WARNING LABEL		
	• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
2020	2202 7706 00	2	SUPPORT	(25/09/2018 - ...)	
2030	0129 3270 40	9	BLIND RIVET	(25/09/2018 - ...)	
2040	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - ...)	
3010	2204 2134 43	1	LDI DRAIN	(15/01/2019 - ...)	
	• 0663 9096 00	1	O-RING		
	•	1	KIT WEAR DRAIN		
	Service kits:	2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3534 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - FULL FEATURE - ROTO-XTEND DUTY FLUID		
	• 2902 0161 02	1	FILTER MESH		
3020	0070 6002 49	AR	PLASTIC TUBE	(04/10/2018 - 03/08/2020)	
3020	0070 6002 90	AR	PLASTIC TUBE	(04/08/2020 - ...)	
3030	2204 1844 81	1	HEAT EXCHANGER	(25/09/2018 - ...)	
3040	0147 1247 03	2	HEXAGON BOLT	(25/09/2018 - ...)	
3050	0300 0274 64	2	WASHER	(25/09/2018 - ...)	
3060	1624 2616 14	1	REFRIGERANT COMPRESSOR	(25/09/2018 - ...)	
	• 1624 2725 01	1	CAPACITOR		
3070	0291 1185 29	3	NUT	(25/09/2018 - ...)	
3080	0300 0274 64	3	WASHER	(25/09/2018 - ...)	
3100	2204 2163 01	1	CONDENSOR	(25/09/2018 - ...)	
3110	2202 7373 05	1	FAN ASSEMBLY	(25/09/2018 - ...)	
3120	2204 2062 80	1	PIPE ASSEMBLY	(25/09/2018 - ...)	
	• 1624 2486 03	1	HOT GAS BYPASS VALVE		
3130	2202 7413 02	1	CAPILLARY	(25/09/2018 - ...)	
3140	2202 7898 01	1	FILTER DRYER	(25/09/2018 - ...)	
3180	1627 1843 00	1	INSULATION THERMAL	(25/09/2018 - ...)	
3190	1627 1844 00	1	INSULATION THERMAL	(25/09/2018 - ...)	
3200	1627 1679 00	1	BRACKET	(25/09/2018 - ...)	
3210	0129 3270 40	2	BLIND RIVET	(05/12/2018 - ...)	
4020	2203 0780 87	1	DIGITAL CONTROLLER	(25/09/2018 - 29/03/2021)	

Legend:


EAPPR:IEC - Electrical approval:IEC
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar


3030
1090
2010
1100
3010
3040
3050
3020
1090
3130
3120
1150
1170
3210
3200
2020
2030
3190
3180
1070
3070
3080
3060
2030
1120
2030
2020
1050
1040
1140
1050
1040
4020
1070
2040
2030
3100
3140
3110
1030
1060
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
4020	2204 2396 87	1	DIGITAL CONTROLLER	**(30/03/2021 - ...)**	

Legend:


EAPPR:IEC - Electrical approval:IEC
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar


3040
1090
2010
3050
3060
1100
3020
3030
1090
3130
3140
2020
2030
3180
3190
1070
3010
1150
1170
3080
3090
3070
2030
1120
2030
2020
1050
1040
1140
1070
2040
2030
3110
1050
1040
4020
3150
3120
1030
1060
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
	~~2200 9854 05~~	1	AIR DRYER	(25/09/2018 - ...)	R410A
	Substituted by:	2200 9037 05 - G-E8/9V 230/60 2200985405 SPAR (quantity: 1)			
1030	0215 0003 91	4	SCREW	(25/09/2018 - ...)	
1040	0333 3220 00	4	WASHER	(25/09/2018 - 04/12/2018)	
1040	0333 3220 00	2	WASHER	(05/12/2018 - ...)	
1050	0266 2108 00	2	NUT	(25/09/2018 - ...)	
1060	0300 0274 64	2	WASHER	(25/09/2018 - 04/12/2018)	
1060	0300 0274 64	4	WASHER	(05/12/2018 - ...)	
1070	0348 0101 20	10	CABLE TIE	(25/09/2018 - ...)	
1090	2202 7425 01	2	RING	(25/09/2018 - ...)	
1100	2202 7703 01	1	PIPE FITTING	(25/09/2018 - ...)	
1120	0348 0110 03	2	ANCHOR PLATE	(25/09/2018 - 30/12/2040)	
1140	0298 1000 22	4	INSERT	(25/09/2018 - ...)	
1150	0147 1169 03	1	SCREW	(25/09/2018 - ...)	
1170	0333 3114 00	1	WASHER	(25/09/2018 - ...)	
2010	2204 2070 81	1	FRAME ASSEMBLY	(25/09/2018 - ...)	
	• 1079 9903 48	1	WARNING LABEL		
	• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
2020	2202 7706 00	2	SUPPORT	(25/09/2018 - ...)	
2030	0129 3270 40	9	BLIND RIVET	(25/09/2018 - ...)	
2040	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - ...)	
3010	2204 2073 01	1	SUPPORT	(25/09/2018 - 14/06/2020)	
3010	2204 2073 02	1	STIRRUP	(15/06/2020 - ...)	
3020	2204 2134 43	1	LDI DRAIN	(15/01/2019 - ...)	
	• 0663 9096 00	1	O-RING		
	•	1	KIT WEAR DRAIN		
	Service kits:	2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3534 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - FULL FEATURE - ROTO-XTEND DUTY FLUID		
	• 2902 0161 02	1	FILTER MESH		
3030	0070 6002 49	AR	PLASTIC TUBE	(04/10/2018 - 03/08/2020)	
3030	0070 6002 90	AR	PLASTIC TUBE TRANSPARENT 10X15	(04/08/2020 - ...)	
3040	2204 1847 81	1	HEAT EXCHANGER	(25/09/2018 - ...)	
3050	0147 1325 03	4	SCREW	(25/09/2018 - ...)	
3060	0300 8019 00	4	PLAIN WASHER	(25/09/2018 - ...)	
3070	1624 2616 03	1	REFRIGERANT COMPRESSOR	(25/09/2018 - ...)	
	• 1624 2725 02	1	CAPACITOR		
3080	0291 1185 29	3	NUT	(25/09/2018 - ...)	
3090	0300 0274 64	3	WASHER	(25/09/2018 - ...)	
3110	2204 1678 01	1	CONDENSER	(25/09/2018 - ...)	
3120	2202 7373 05	1	FAN ASSEMBLY	(25/09/2018 - ...)	
3130	2204 2085 80	1	PIPE ASSEMBLY	(25/09/2018 - ...)	
	• 1624 2486 02	1	HOT GAS BYPASS VALVE		
3140	2202 7413 02	1	CAPILLARY	(25/09/2018 - ...)	
3150	2202 7898 01	1	FILTER DRYER	(25/09/2018 - ...)	
3180	1624 9614 00	1	INSULATION THERMAL	(25/09/2018 - ...)	
3190	1624 9710 00	1	INSULATION THERMAL	(25/09/2018 - ...)	
4020	2203 0780 87	1	DIGITAL CONTROLLER	(25/09/2018 - 29/03/2021)	

Legend:


EAPPR:IEC - Electrical approval:IEC
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar


3040
1090
2010
3050
3060
1100
3020
3030
1090
3130
3140
2020
2030
3180
3190
1070
3010
1150
1170
3080
3090
3070
2030
1120
2030
2020
1050
1040
1140
1070
2040
2030
3110
1050
1040
4020
3150
3120
1030
1060
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
4020	2204 2396 87	1	DIGITAL CONTROLLER	**(30/03/2021 - ...)**	

Legend:


EAPPR:IEC - Electrical approval:IEC
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar


3040
1090
2010
3050
3060
1100
3020
3030
1090
3130
3140
2020
2030
3180
3190
1070
3010
1150
1170
3080
3090
3070
2030
1120
2030
2020
1050
1040
1140
1050
1040
4020
1070
2040
2030
3110
3150
3120
1030
1060
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
	~~2200 9854 08~~	1	AIR DRYER	(25/09/2018 - ...)	R410A
	Substituted by:	2200 9037 08 - G-E8/9V 230/60 2200985408 SPAR (quantity: 1)			
1030	0215 0003 91	4	SCREW	(25/09/2018 - ...)	
1040	0333 3220 00	4	WASHER	(25/09/2018 - 04/12/2018)	
1040	0333 3220 00	2	WASHER	(05/12/2018 - ...)	
1050	0266 2108 00	2	NUT	(25/09/2018 - ...)	
1060	0300 0274 64	2	WASHER	(25/09/2018 - 04/12/2018)	
1060	0300 0274 64	4	WASHER	(05/12/2018 - ...)	
1070	0348 0101 20	10	CABLE TIE	(25/09/2018 - ...)	
1090	2202 7425 01	2	RING	(25/09/2018 - ...)	
1100	2202 7703 01	1	PIPE FITTING	(25/09/2018 - ...)	
1120	0348 0110 03	2	ANCHOR PLATE	(25/09/2018 - 30/12/2040)	
1140	0298 1000 22	4	INSERT	(25/09/2018 - ...)	
1150	0147 1169 03	1	SCREW	(25/09/2018 - ...)	
1170	0333 3114 00	1	WASHER	(25/09/2018 - ...)	
2010	2204 2070 81	1	FRAME ASSEMBLY	(25/09/2018 - ...)	
	• 1079 9903 48	1	WARNING LABEL		
	• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
2020	2202 7706 00	2	SUPPORT	(25/09/2018 - ...)	
2030	0129 3270 40	9	BLIND RIVET	(25/09/2018 - ...)	
2040	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - ...)	
3010	2204 2073 01	1	SUPPORT	(25/09/2018 - 14/06/2020)	
3010	2204 2073 02	1	STIRRUP	(15/06/2020 - ...)	
3020	2204 2134 43	1	LDI DRAIN	(15/01/2019 - ...)	
	• 0663 9096 00	1	O-RING		
	•	1	KIT WEAR DRAIN		
	Service kits:	2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3534 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - FULL FEATURE - ROTO-XTEND DUTY FLUID		
	• 2902 0161 02	1	FILTER MESH		
3030	0070 6002 49	AR	PLASTIC TUBE	(04/10/2018 - 03/08/2020)	
3030	0070 6002 90	AR	PLASTIC TUBE TRANSPARENT 10X15	(04/08/2020 - ...)	
3040	2204 1847 81	1	HEAT EXCHANGER	(25/09/2018 - ...)	
3050	0147 1325 03	4	SCREW	(25/09/2018 - ...)	
3060	0300 8019 00	4	PLAIN WASHER	(25/09/2018 - ...)	
3070	1624 2616 03	1	REFRIGERANT COMPRESSOR	(25/09/2018 - ...)	
	• 1624 2725 02	1	CAPACITOR		
3080	0291 1185 29	3	NUT	(25/09/2018 - ...)	
3090	0300 0274 64	3	WASHER	(25/09/2018 - ...)	
3110	2204 1678 01	1	CONDENSER	(25/09/2018 - ...)	
3120	1624 2917 84	1	FAN ASSEMBLY	(25/09/2018 - ...)	
3130	2204 2085 80	1	PIPE ASSEMBLY	(25/09/2018 - ...)	
	• 1624 2486 02	1	HOT GAS BYPASS VALVE		
3140	2202 7413 02	1	CAPILLARY	(25/09/2018 - ...)	
3150	2202 7898 01	1	FILTER DRYER	(25/09/2018 - ...)	
3180	1624 9614 00	1	INSULATION THERMAL	(25/09/2018 - ...)	
3190	1624 9710 00	1	INSULATION THERMAL	(25/09/2018 - ...)	
4020	2203 0780 87	1	DIGITAL CONTROLLER	(25/09/2018 - 29/03/2021)	

Legend:


EAPPR:IEC - Electrical approval:IEC
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar


3040
1090
2010
3050
3060
1100
3020
3030
1090
3130
3140
2020
2030
3180
3190
1070
3010
1150
1170
3080
3090
3070
2030
1120
2030
2020
1050
1040
1140
1070
2040
2030
1050
1040
4020
3110
3150
3120
1030
1060
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
4020	2204 2396 87	1	DIGITAL CONTROLLER	**(30/03/2021 - ...)**	

Legend:


EAPPR:IEC - Electrical approval:IEC
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar


3030
1090
3150
2010
1100
3010
3040
3050
3020
1090
3130
3120
1150
1170
3210
3200
2020
2030
1070
3190
3180
3070
3080
3060
2030
1120
2030
2020
1050
1040
1140
1070
2040
2030
3100
3110
1030
1060
3140
1050
1040
4020
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
	~~2200 9854 01~~	1	AIR DRYER	(25/09/2018 - ...)	R410A
	Substituted by:	2200 9037 01 - G-E8V 230/60 2200985401 SPARE (quantity: 1)			
1030	0215 0003 91	4	SCREW	(25/09/2018 - ...)	
1040	0333 3220 00	4	WASHER	(25/09/2018 - 04/12/2018)	
1040	0333 3220 00	2	WASHER	(05/12/2018 - ...)	
1050	0266 2108 00	2	NUT	(25/09/2018 - ...)	
1060	0300 0274 64	2	WASHER	(25/09/2018 - 04/12/2018)	
1060	0300 0274 64	4	WASHER	(05/12/2018 - ...)	
1070	0348 0101 20	10	CABLE TIE	(25/09/2018 - ...)	
1090	2202 7425 01	2	RING	(25/09/2018 - ...)	
1120	0348 0110 03	2	ANCHOR PLATE	(25/09/2018 - 30/12/2040)	
1140	0298 1000 22	4	INSERT	(25/09/2018 - ...)	
1150	0147 1169 03	1	SCREW	(25/09/2018 - ...)	
1170	0333 3114 00	1	WASHER	(25/09/2018 - ...)	
2010	2204 2070 81	1	FRAME ASSEMBLY	(25/09/2018 - ...)	
	• 1079 9903 48	1	WARNING LABEL		
	• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
2020	2202 7706 00	2	SUPPORT	(25/09/2018 - ...)	
2030	0129 3270 40	9	BLIND RIVET	(25/09/2018 - ...)	
2040	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - ...)	
3010	2204 2134 43	1	LDI DRAIN	(15/01/2019 - ...)	
	• 0663 9096 00	1	O-RING		
	•	1	KIT WEAR DRAIN		
	Service kits:	2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3534 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - FULL FEATURE - ROTO-XTEND DUTY FLUID		
	• 2902 0161 02	1	FILTER MESH		
3020	0070 6002 49	AR	PLASTIC TUBE	(04/10/2018 - 03/08/2020)	
3020	0070 6002 90	AR	PLASTIC TUBE TRANSPARENT 10X15	(04/08/2020 - ...)	
3030	2204 1844 81	1	HEAT EXCHANGER	(25/09/2018 - ...)	
3040	0147 1247 03	2	HEXAGON BOLT	(25/09/2018 - ...)	
3050	0300 0274 64	2	WASHER	(25/09/2018 - ...)	
3060	1624 2616 14	1	REFRIGERANT COMPRESSOR	(25/09/2018 - ...)	
	• 1624 2725 01	1	CAPACITOR		
3070	0291 1185 29	3	NUT	(25/09/2018 - ...)	
3080	0300 0274 64	3	WASHER	(25/09/2018 - ...)	
3100	2204 2163 01	1	CONDENSOR	(25/09/2018 - ...)	
3110	2202 7373 05	1	FAN ASSEMBLY	(25/09/2018 - ...)	
3120	2204 2062 80	1	PIPE ASSEMBLY	(25/09/2018 - ...)	
	• 1624 2486 03	1	HOT GAS BYPASS VALVE		
3130	2202 7413 02	1	CAPILLARY	(25/09/2018 - ...)	
3140	2202 7898 01	1	FILTER DRYER	(25/09/2018 - ...)	
3150	2202 2611 92	1	LABEL	(25/09/2018 - ...)	
3180	1627 1843 00	1	INSULATION THERMAL	(25/09/2018 - ...)	
3190	1627 1844 00	1	INSULATION THERMAL	(25/09/2018 - ...)	
3200	1627 1679 00	1	BRACKET	(25/09/2018 - ...)	
3210	0129 3270 40	2	BLIND RIVET	(05/12/2018 - ...)	
4020	2203 0780 86	1	DIGITAL CONTROLLER	(25/09/2018 - 21/02/2019)	

Legend:


EAPPR:ULCUL - Electrical approval:UL/cUL
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar


3030
1090
3150
2010
1100
3010
3040
3050
3020
1090
3130
3120
1150
1170
3210
3200
2020
2030
1070
3190
3180
3070
3080
3060
2030
1120
2030
2020
1050
1040
1140
1070
2040
2030
3100
3110
1030
1060
3140
1050
1040
4020
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
4020	2203 0780 87	1	DIGITAL CONTROLLER	**(22/02/2019 - 29/03/2021)**	
4020	2204 2396 87	1	DIGITAL CONTROLLER	**(30/03/2021 - ...)**	

Legend:


EAPPR:ULCUL - Electrical approval:UL/cUL
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar


3040
1090
3160
2010
1100
3020
3130
3050
3060
3030
1090
3140
3180
3190
2020
2030
1070
3010
1150
1170
3080
3090
3070
2030
1120
2030
2020
1050
1040
1140
1050
1040
4020
1070
2040
2030
3110
3150
3120
1030
1060
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
	~~2200 9854 04~~	1	AIR DRYER		R410A
	Substituted by:	2200 9037 04 - G-E8/9V 230/60 2200985404 SPAR (quantity: 1)			
1030	0215 0003 91	4	SCREW	**(25/09/2018 - ...)**	
1040	0333 3220 00	4	WASHER	**(25/09/2018 - 04/12/2018)**	
1040	0333 3220 00	2	WASHER	**(05/12/2018 - ...)**	
1050	0266 2108 00	2	NUT	**(25/09/2018 - ...)**	
1060	0300 0274 64	2	WASHER	**(25/09/2018 - 04/12/2018)**	
1060	0300 0274 64	4	WASHER	**(05/12/2018 - ...)**	
1070	0348 0101 20	10	CABLE TIE	**(25/09/2018 - ...)**	
1090	2202 7425 01	2	RING	**(25/09/2018 - ...)**	
1100	2202 7703 01	1	PIPE FITTING	**(25/09/2018 - ...)**	
1120	0348 0110 03	2	ANCHOR PLATE	**(25/09/2018 - 30/12/2040)**	
1140	0298 1000 22	4	INSERT	**(25/09/2018 - ...)**	
1150	0147 1169 03	1	SCREW	**(25/09/2018 - ...)**	
1170	0333 3114 00	1	WASHER	**(25/09/2018 - ...)**	
2010	2204 2070 81	1	FRAME ASSEMBLY	**(25/09/2018 - ...)**	
	• 1079 9903 48	1	WARNING LABEL		
	• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
2020	2202 7706 00	2	SUPPORT	**(25/09/2018 - ...)**	
2030	0129 3270 40	9	BLIND RIVET	**(25/09/2018 - ...)**	
2040	0348 0110 03	1	ANCHOR PLATE	**(25/09/2018 - ...)**	
3010	2204 2073 01	1	SUPPORT	**(25/09/2018 - 14/06/2020)**	
3010	2204 2073 02	1	STIRRUP	**(15/06/2020 - ...)**	
3020	2204 2134 43	1	LDI DRAIN	**(15/01/2019 - ...)**	
	• 0663 9096 00	1	O-RING		
	•	1	KIT WEAR DRAIN		
	Service kits:	2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3534 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - FULL FEATURE - ROTO-XTEND DUTY FLUID		
	• 2902 0161 02	1	FILTER MESH		
3030	0070 6002 49	AR	PLASTIC TUBE	**(04/10/2018 - 03/08/2020)**	
3030	0070 6002 90	AR	PLASTIC TUBE TRANSPARENT 10X15	**(04/08/2020 - ...)**	
3040	2204 1847 81	1	HEAT EXCHANGER	**(25/09/2018 - ...)**	
3050	0147 1325 03	4	SCREW	**(25/09/2018 - ...)**	
3060	0300 8019 00	4	PLAIN WASHER	**(25/09/2018 - ...)**	
3070	1624 2616 03	1	REFRIGERANT COMPRESSOR	**(25/09/2018 - ...)**	
	• 1624 2725 02	1	CAPACITOR		
3080	0291 1185 29	3	NUT	**(25/09/2018 - ...)**	
3090	0300 0274 64	3	WASHER	**(25/09/2018 - ...)**	
3110	2204 1678 01	1	CONDENSER	**(25/09/2018 - ...)**	
3120	2202 7373 05	1	FAN ASSEMBLY	**(25/09/2018 - ...)**	
3130	2204 2085 80	1	PIPE ASSEMBLY	**(25/09/2018 - ...)**	
	• 1624 2486 02	1	HOT GAS BYPASS VALVE		
3140	2202 7413 02	1	CAPILLARY	**(25/09/2018 - ...)**	
3150	2202 7898 01	1	FILTER DRYER	**(25/09/2018 - ...)**	
3160	2202 2611 92	1	LABEL	**(25/09/2018 - ...)**	
3180	1624 9614 00	1	INSULATION THERMAL	**(25/09/2018 - ...)**	
3190	1624 9710 00	1	INSULATION THERMAL	**(25/09/2018 - ...)**	

Legend:


EAPPR:ULCUL - Electrical approval:UL/cUL
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar


3040
1090
3160
2010
1100
3020
3130
3050
3060
3030
1090
3140
2020
2030
3180
3190
1070
3010
1150
1170
3080
3090
3070
2030
1120
2030
2020
1050
1040
1070
2040
2030
1140
1050
1040
4020
3110
3150
3120
1030
1060
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
4020	2203 0780 86	1	DIGITAL CONTROLLER	**(25/09/2018 - 21/02/2019)**	
4020	2203 0780 87	1	DIGITAL CONTROLLER	**(22/02/2019 - 29/03/2021)**	
4020	2204 2396 87	1	DIGITAL CONTROLLER	**(30/03/2021 - ...)**	

Legend:


EAPPR:ULCUL - Electrical approval:UL/cUL
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar


3040
1090
3160
2010
1100
3020
3130
3050
3060
3030
1090
3140
3180
3190
2020
2030
1070
3010
1150
1170
3080
3090
3070
2030
1120
2030
2020
1050
1040
1070
2040
2030
1050
1040
4020
1140
3110
3150
3120
1030
1060
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
	~~2200 9854 07~~	1	AIR DRYER	(25/09/2018 - ...)	R410A
	Substituted by:	2200 9037 07 - G-E8/9V 230/60 2200985407 SPAR (quantity: 1)			
1030	0215 0003 91	4	SCREW	(25/09/2018 - ...)	
1040	0333 3220 00	4	WASHER	(25/09/2018 - 04/12/2018)	
1040	0333 3220 00	2	WASHER	(05/12/2018 - ...)	
1050	0266 2108 00	2	NUT	(25/09/2018 - ...)	
1060	0300 0274 64	2	WASHER	(25/09/2018 - 04/12/2018)	
1060	0300 0274 64	4	WASHER	(05/12/2018 - ...)	
1070	0348 0101 20	10	CABLE TIE	(25/09/2018 - ...)	
1090	2202 7425 01	2	RING	(25/09/2018 - ...)	
1100	2202 7703 01	1	PIPE FITTING	(25/09/2018 - ...)	
1120	0348 0110 03	2	ANCHOR PLATE	(25/09/2018 - 30/12/2040)	
1140	0298 1000 22	4	INSERT	(25/09/2018 - ...)	
1150	0147 1169 03	1	SCREW	(25/09/2018 - ...)	
1170	0333 3114 00	1	WASHER	(25/09/2018 - ...)	
2010	2204 2070 81	1	FRAME ASSEMBLY	(25/09/2018 - ...)	
	• 1079 9903 48	1	WARNING LABEL		
	• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
2020	2202 7706 00	2	SUPPORT	(25/09/2018 - ...)	
2030	0129 3270 40	9	BLIND RIVET	(25/09/2018 - ...)	
2040	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - ...)	
3010	2204 2073 01	1	SUPPORT	(25/09/2018 - 14/06/2020)	
3010	2204 2073 02	1	STIRRUP	(15/06/2020 - ...)	
3020	2204 2134 43	1	LDI DRAIN	(15/01/2019 - ...)	
	• 0663 9096 00	1	O-RING		
	•	1	KIT WEAR DRAIN		
	Service kits:	2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3534 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - FULL FEATURE - ROTO-XTEND DUTY FLUID		
	• 2902 0161 02	1	FILTER MESH		
3030	0070 6002 49	AR	PLASTIC TUBE	(04/10/2018 - 03/08/2020)	
3030	0070 6002 90	AR	PLASTIC TUBE TRANSPARENT 10X15	(04/08/2020 - ...)	
3040	2204 1847 81	1	HEAT EXCHANGER	(25/09/2018 - ...)	
3050	0147 1325 03	4	SCREW	(25/09/2018 - ...)	
3060	0300 8019 00	4	PLAIN WASHER	(25/09/2018 - ...)	
3070	1624 2616 03	1	REFRIGERANT COMPRESSOR	(25/09/2018 - ...)	
	• 1624 2725 02	1	CAPACITOR		
3080	0291 1185 29	3	NUT	(25/09/2018 - ...)	
3090	0300 0274 64	3	WASHER	(25/09/2018 - ...)	
3110	2204 1678 01	1	CONDENSER	(25/09/2018 - ...)	
3120	1624 2917 85	1	FAN ASSEMBLY	(25/09/2018 - ...)	
3130	2204 2085 80	1	PIPE ASSEMBLY	(25/09/2018 - ...)	
	• 1624 2486 02	1	HOT GAS BYPASS VALVE		
3140	2202 7413 02	1	CAPILLARY	(25/09/2018 - ...)	
3150	2202 7898 01	1	FILTER DRYER	(25/09/2018 - ...)	
3160	2202 2611 92	1	LABEL	(25/09/2018 - ...)	
3180	1624 9614 00	1	INSULATION THERMAL	(25/09/2018 - ...)	
3190	1624 9710 00	1	INSULATION THERMAL	(25/09/2018 - ...)	

Legend:


EAPPR:ULCUL - Electrical approval:UL/cUL
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar


3040
1090
3160
2010
1100
3020
3130
3050
3060
3030
1090
3140
3180
2020
2030
3190
1070
3010
1150
1170
3080
3090
3070
2030
1120
2030
2020
1050
1040
1050
1040
4020
1140
1070
2040
2030
3110
3150
3120
1030
1060
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
4020	2203 0780 86	1	DIGITAL CONTROLLER	**(25/09/2018 - 21/02/2019)**	
4020	2203 0780 87	1	DIGITAL CONTROLLER	**(22/02/2019 - 29/03/2021)**	
4020	2204 2396 87	1	DIGITAL CONTROLLER	**(30/03/2021 - ...)**	

Legend:


EAPPR:ULCUL - Electrical approval:UL/cUL
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar


3040
1090
3160
2010
1100
3020
3130
3050
3060
3030
1090
3140
3180
3190
2020
2030
1070
3010
1150
1170
3080
3090
3070
2030
1120
2030
2020
1050
1040
1070
2040
2030
1140
1050
1040
4020
3110
3150
3120
1030
1060
2030
2030

Ref	Part Number	Qty	Name	Validity	R.
	~~2200 9854 45~~	1	AIR DRYER	(25/09/2018 - ...)	R134A
	Substituted by:	2200 9037 45 - E8/9V 230/60 2200985445 SPARE (quantity: 1)			
1030	0215 0003 91	4	SCREW	(25/09/2018 - ...)	
1040	0333 3220 00	2	WASHER	(05/12/2018 - ...)	
1050	0266 2108 00	2	NUT	(25/09/2018 - ...)	
1060	0300 0274 64	4	WASHER	(05/12/2018 - ...)	
1070	0348 0101 20	10	CABLE TIE	(25/09/2018 - ...)	
1090	2202 7425 01	2	RING	(25/09/2018 - ...)	
1100	2202 7703 01	1	PIPE FITTING	(25/09/2018 - ...)	
1120	0348 0110 03	2	ANCHOR PLATE	(25/09/2018 - 30/12/2040)	
1140	0298 1000 22	4	INSERT	(25/09/2018 - ...)	
1150	0147 1169 03	1	SCREW	(25/09/2018 - ...)	
1170	0333 3114 00	1	WASHER	(25/09/2018 - ...)	
2010	2204 2070 81	1	FRAME ASSEMBLY	(25/09/2018 - 14/06/2020)	
	• 1079 9903 48	1	WARNING LABEL		
	• 1627 1828 00	1	WARNING DECAL		
2010	2204 2070 21	1	FRAME ASSEMBLY	(15/06/2020 - ...)	
2020	2202 7706 00	2	SUPPORT	(25/09/2018 - ...)	
2030	0129 3270 40	9	BLIND RIVET	(25/09/2018 - ...)	
2040	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - ...)	
3010	2204 2073 01	1	SUPPORT	(25/09/2018 - 14/06/2020)	
3010	2204 2073 02	1	STIRRUP HE E8/9V	(15/06/2020 - ...)	
3020	2204 2134 43	1	LDI DRAIN	(15/01/2019 - ...)	
	• 0663 9096 00	1	O-RING		
	•	1	KIT WEAR DRAIN		
	Service kits:	2901 3535 00 - MAINTENANCE KIT - 4000H - G 15L, G 18 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3537 00 - MAINTENANCE KIT - 4000H - G 22 - FULL FEATURE - ROTO-INJECT FLUID NDURANCE/ROTO-FOOD GRADE FLUID 2901 3534 00 - MAINTENANCE KIT - 4000H - G 15L, G 18, G 22 - FULL FEATURE - ROTO-XTEND DUTY FLUID		
	• 2902 0161 02	1	FILTER MESH		
3030	0070 6002 49	AR	PLASTIC TUBE	(04/10/2018 - 03/08/2020)	
3030	0070 6002 90	AR	PLASTIC TUBE TRANSPARENT 10X15	(04/08/2020 - ...)	
3040	2204 1847 81	1	HEAT EXCHANGER	(25/09/2018 - ...)	
3050	0147 1325 03	4	SCREW	(25/09/2018 - ...)	
3060	0300 8019 00	4	PLAIN WASHER	(25/09/2018 - ...)	
3070	2204 2164 01	1	REFRIGERANT COMPRESSOR	(25/09/2018 - 14/06/2020)	
3070	2204 2164 02	1	COMPRESSOR	(15/06/2020 - ...)	
3080	0291 1185 29	3	NUT	(25/09/2018 - ...)	
3090	0300 0274 64	3	WASHER	(25/09/2018 - ...)	
3110	2204 1678 01	1	CONDENSER	(25/09/2018 - 25/03/2019)	
3110	2204 1678 11	1	CONDENSER	(26/03/2019 - ...)	
3120	2202 7373 05	1	FAN ASSEMBLY	(25/09/2018 - ...)	
3130	2204 2165 80	1	PIPE ASSEMBLY	(25/09/2018 - ...)	
	• 1617 1524 02	1	HOT GAS BYPASS VALVE		
3140	2202 7413 08	1	CAPILLARY	(25/09/2018 - 14/06/2020)	
3140	2202 7413 04	1	CAPILLARY	(15/06/2020 - ...)	
3150	2202 7898 01	1	FILTER DRYER	(25/09/2018 - ...)	
3160	2202 2611 92	1	LABEL	(25/09/2018 - ...)	
3180	1624 9614 00	1	INSULATION THERMAL	(25/09/2018 - ...)	

Legend:

EAPPR:ULCUL - Electrical approval:UL/cUL
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar


3040
1090
3160
2010
1100
3020
3130
3050
3060
3030
1090
3140
3180
3190
2020
2030
1070
3010
1150
1170
3080
3090
3070
2030
1120
2030
2020
1050
1040
1070
2040
2030
1140
1050
1040
4020
3110
3150
3120
1030
1060
2030
2030


Ref	Part Number	Qty	Name	Validity	R.
3190	2204 2215 01	1	INSULATION THERMAL	**(25/09/2018 - 18/10/2020)**	
3190	1624 9711 00	1	INSULATION THERMAL	**(19/10/2020 - ...)**	
4020	2203 0780 87	1	DIGITAL CONTROLLER	**(25/09/2018 - 29/03/2021)**	
4020	2204 2396 87	1	DIGITAL CONTROLLER	**(30/03/2021 - ...)**	

Legend:

EAPPR:ULCUL - Electrical approval:UL/cUL
FREQ:60HZ - Frequency:60 Hz
IDRY:Y - Integrated dryer:Yes
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

19 - Cubicle assembly

(MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , IDRY:Y + MOVOL:400VN) , MAPPR:AS1210 + MOVOL:400V , MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CE + MOVOL:230V , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)




19 - Cubicle assembly

(MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) + (MOVOL:400V , IDRY:Y + MOVOL:400VN) , MAPPR:AS1210 + MOVOL:400V , MAPPR:ASME + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:460V) , MAPPR:CE + MOVOL:230V , MAPPR:CRNASME + (MOVOL:200230460V , MOVOL:575V)

Ref	Part Number	Qty	Name	Validity
1010	-	1	CUBICLE	
1020	2202 7766 00	1	LABEL	**(25/09/2018 - ...)** MAPPR:CE + MOVOL:230V
1020	2202 7767 00	2	LABEL	**(25/09/2018 - 10/01/2021)** IDRY:Y + MOVOL:400VN + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM) , MOVOL:400V + (MAPPR:AD2000 , MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM) **(11/01/2021 - ...)** IDRY:Y + MOVOL:400VN + (MAPPR:CE , MAPPR:MOM) , MOVOL:400V + (MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM)
1020	2202 2610 70	1	LABEL	**(25/09/2018 - ...)** MAPPR:ASME + MOVOL:230V , MOVOL:200230460V + (MAPPR:ASME , MAPPR:CRNASME)
1020	2202 2610 03	1	LABEL	**(25/09/2018 - ...)** MAPPR:ASME + MOVOL:380V
1020	2202 2610 04	1	LABEL	**(25/09/2018 - ...)** MAPPR:ASME + MOVOL:460V
1020	2202 2610 02	1	LABEL	**(25/09/2018 - ...)** MAPPR:CRNASME + MOVOL:575V
1020	2202 7767 00	1	LABEL	**(11/01/2021 - ...)** MAPPR:AD2000 + (IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN))
1030	2204 1209 01	1	TEMPERATURE SWITCH	**(25/09/2018 - ...)**

Legend:


IDRY:N - Integrated dryer:No
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MAPPR:MOM - Pressure Vessel Approval:MOM
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
MOVOL:380V - Supply voltage:380 V
MOVOL:400V - Supply voltage:400 V
MOVOL:400VN - Supply voltage:400 V+N
MOVOL:460V - Supply voltage:460 V
MOVOL:575V - Supply voltage:575 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
F2
1X3
PE
K25
K5
TT11+ TSHH11
F21
K21
1X0
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 15	1	CUBICLE	(25/09/2018 - ...)	
	1089 9496 92	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9496 92	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9205 83	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 96	1	SUPPLY BLOCK	(25/09/2018 - 31/01/2022)	1X0
	1088 0031 74	6	TERMINAL WAGO	(08/08/2019 - 31/01/2022)	-
	1088 0031 99	1	END PLATE	(08/08/2019 - 31/01/2022)	-
	~~1088 0031 81~~	2	END STOP WAGO	(08/08/2019 - 31/01/2022)	-
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2202 9691 06	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 24	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 0612 27	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 39	1	END SECTION	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR FEMALE	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
F2
1X3
PE
K25
K5
TT11+ TSHH11
F21
K21
1X0
PC
K23
PC
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN1
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 20	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V


Cubicle data plate inner side
PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
X2 TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Anchor inner side
T1
Fix T1 in 2 additional holes
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
1X3
PE
X2
F1
RS485
F2
K25
TT11+
TSHH11
F21
1X0
K21
PC
K23
K22
F7
K11
M1
1X3
M8
GND for motor connection
Anchor inner side
1XM
230
M6
95
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 15	1	CUBICLE	(01/02/2022 - ...)	
	1089 9496 92	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9496 92	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9205 83	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9267 96	1	SUPPLY BLOCK	(01/02/2022 - ...)	1X0
	1088 0031 74	6	TERMINAL WAGO	(01/02/2022 - ...)	-
	1088 0031 99	1	END PLATE	(01/02/2022 - ...)	-
	~~1088 0031 81~~	2	END STOP WAGO	(01/02/2022 - ...)	-
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	0698 5142 09	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 24	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR FEMALE	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	PT20
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK	(01/02/2022 - ...)	CN2

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V


Cubicle data plate inner side
PT20
PT20 GND
S3
CN1
gnd
M6
Anchor
inner side
PT20
TT11
cable
shield
CN2
Anchor
inner side
T1
Fix T1 in 2 additional holes
PT20 cable
routing
RW
Clamp only
for RS485
Anchor
inner side
cable
routing
Y1
Ext side mounted
1X3
PE
X2
F1
RS485
F2
K25
TT11+
TSHH11
TSHH12
Anchor
ext side
Anchor
inner side
F21
1X0
K21
PC
K23
K22
F7
K11
M1
1X3
M8
GND for motor
connection
Anchor
inner side
1XM
X2
TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
M6
1X3
230
95

Ref	Part Number	Qty	Name	Validity	EL
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 20	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
F2
1X3
PE
K25
K5
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 16	1	CUBICLE	(25/09/2018 - ...)	
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9205 87	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 96	1	SUPPLY BLOCK	(25/09/2018 - 31/01/2022)	1X0
	1088 0039 33	6	TERMINAL WAGO	(08/08/2019 - 31/01/2022)	-
	1088 0039 33	6	TERMINAL WAGO	(08/08/2019 - 31/01/2022)	-
	0698 5142 73	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	~~0697 9745 82~~	1	FITTING	(25/09/2018 - 31/01/2022)	
	Substituted by:	1088 0254 44 - ADAPTER (quantity: 1)			
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2202 9691 06	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 24	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0612 27	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 39	1	END SECTION	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR FEMALE	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3


Legend:

IDRY:N - Integrated dryer:No
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
F2
1X3
PE
K25
K5
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 20	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	


Legend:
IDRY:N - Integrated dryer:No
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


Cubicle data plate inner side
PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
X2 TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Anchor inner side
T1
Fix T1 in 2 additional holes
PT20 cable routing
E3 E5 E6
RW
Anchor inner side
Clamp only for RS485
cable routing
1X3
PE
X2
F1
F2
K25
RS485
TT11+
TSHH11
F21
1X0
K21
PC
K23
PC
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
230
95
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 16	1	CUBICLE	(01/02/2022 - ...)	
	1089 9496 93	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9496 93	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9205 87	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9267 96	1	SUPPLY BLOCK	(01/02/2022 - ...)	1X0
	1088 0039 33	6	TERMINAL WAGO	(01/02/2022 - ...)	-
	~~1088 0031 81~~	2	END STOP WAGO	(01/02/2022 - ...)	
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	0698 5142 73	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 24	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR FEMALE	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	PT20
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


Cubicle data plate inner side
PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
X2 TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Anchor inner side
T1
Fix T1 in 2 additional holes
PT20 cable routing
RW
Anchor inner side
Clamp only for RS485
cable routing
1X3
PE
X2
F1
F2
K25
RS485
TT11+
TSHH11
F21
1X0
K21
PC
K23
K22
M1
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
230
95
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 20	2	LIST EL C67BD 15-22KW 230V CE	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	

Legend:

IDRY:N - Integrated dryer:No
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V



PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F5
F6
F3
F1
F2
K25
K5
1X3
PE
TT11+ TSHH11
F21
1X0
K21
PC
K23
PC
PC
K22
F7
K11
M1
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6

1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 17	1	CUBICLE	(25/09/2018 - ...)	
	1089 9496 92	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9496 92	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9205 83	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 96	1	SUPPLY BLOCK	(25/09/2018 - 31/01/2022)	1X0
	1088 0031 74	6	TERMINAL WAGO	(08/08/2019 - 31/01/2022)	
	1088 0031 99	1	END PLATE	(08/08/2019 - 31/01/2022)	
	~~1088 0031 81~~	2	END STOP	(08/08/2019 - 31/01/2022)	
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2202 9691 06	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 24	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 0612 27	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 39	1	END SECTION	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3

Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V



PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
1X3
PE
F2
K25
K5
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6

1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN2
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	XY1
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 20	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F7
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
X2
TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Cubicle data plate inner side
Anchor inner side
T1
Fix T1 in 2 additional holes
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
1X3
PE
X2
RS485
F1
F2
K25
TT11+
TSHH11
F21
1X0
K2
PC
K23
PC
PC
K22
M1
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6
1X3
230
95

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 17	1	CUBICLE	(01/02/2022 - ...)	
	1089 9496 92	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9496 92	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9205 83	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9267 96	1	SUPPLY BLOCK	(01/02/2022 - ...)	1X0
	1088 0031 74	6	TERMINAL WAGO	(01/02/2022 - ...)	
	1088 0031 99	1	END PLATE	(01/02/2022 - ...)	
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	0698 5142 09	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 24	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 09	2	FUSE 5X20 1A SLOW	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	PT20
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
X2
TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Cubicle data plate inner side
Anchor inner side
T1
Fix T1 in 2 additional holes
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
1X3
PE
X2
RS485
F1
F2
K25
TT11+
TSHH11
F21
1X0
K2
PC
K23
PC
PC
K22
M1
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
230
95
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F7
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCK NUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
F2
K25
K5
1X3
PE
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 18	1	CUBICLE	(25/09/2018 - ...)	
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9205 87	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 96	1	SUPPLY BLOCK	(25/09/2018 - 31/01/2022)	1X0
	~~1088 0031 81~~	2	END STOP	(08/08/2019 - 31/01/2022)	
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	0698 5142 73	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	~~0697 9745 82~~	1	FITTING	(25/09/2018 - 31/01/2022)	
	Substituted by:	1088 0254 44 - ADAPTER (quantity: 1)			
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2202 9691 06	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 24	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0612 27	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9594 02	1	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 39	1	END SECTION	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3


Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
F2
K25
K5
1X3
PE
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 20	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 24/10/2018)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F7
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD


Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


Cubicle data plate inner side
PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Anchor inner side
Fix T1 in 2 additional holes
T1
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
Y1
Ext side mounted
1X3
PE
X2
F1
F2
K25
RS485
TT11+ TSHH11
TSHH12
Anchor ext side
Anchor inner side
F21
1X0
K24
PC
K23
M1
K22
F7
K11
X2
TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
1X3
M8
GND for motor connection
Anchor inner side
1XM
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
M6
1X3
230
95

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 18	1	CUBICLE	(01/02/2022 - ...)	
	1089 9496 93	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9496 93	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9205 87	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9267 96	1	SUPPLY BLOCK	(01/02/2022 - ...)	1X0
	1088 0039 33	6	TERMINAL WAGO	(01/02/2022 - ...)	
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	0698 5142 73	1	CABLE GLAND	(01/02/2022 - ...)	
	~~0697 9745 82~~	1	FITTING	(01/02/2022 - ...)	
	Substituted by:	1088 0254 44 - ADAPTER (quantity: 1)			
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 24	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 09	2	FUSE 5X20 1A SLOW	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	PT20
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
X2
TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Cubicle data plate inner side
Anchor inner side
T1
Fix T1 in 2 additional holes
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
1X3
PE
X2
F1
RS485
F2
K25
TT11+
TSHH11
F21
1X0
K24
PC
K23
PC
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
230
M6
95
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F7
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCK NUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR


Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:CE - Pressure Vessel Approval:CE
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
1X3
PE
F2
K25
K5
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 11	1	CUBICLE		
	1089 9496 92	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9496 92	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9205 83	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 96	1	SUPPLY BLOCK	(25/09/2018 - 31/01/2022)	1X0
	1088 0031 74	6	TERMINAL	(25/09/2018 - 07/08/2019)	1XM
	1088 0031 74	12	TERMINAL	(08/08/2019 - 31/01/2022)	
	1088 0031 96	3	JUMPER	(25/09/2018 - 07/08/2019)	1XM
	1088 0031 96	6	JUMPER	(08/08/2019 - 31/01/2022)	
	1088 0031 99	1	END PLATE	(25/09/2018 - 31/01/2022)	1XM
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	1XM
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2202 9691 06	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 24	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0612 27	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9594 02	1	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 39	1	END SECTION	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2


Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
1X3
PE
F2
K25
K5
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 20	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V


Cubicle data plate inner side
PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
X2 TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Anchor inner side
T1
Fix T1 in 2 additional holes
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
1X3
PE
X2
F1
RS485
F2
K25
TT11+
TSHH11
F21
1X0
K24
PC
K23
PC
PC
K22
F7
K11
M1
1X3
M8
GND for motor connection
Anchor inner side
1XM
230
95
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 11	1	CUBICLE	(01/02/2022 - ...)	
	1089 9496 92	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9496 92	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9205 83	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9267 96	1	SUPPLY BLOCK	(01/02/2022 - ...)	1X0
	1088 0031 74	12	TERMINAL	(01/02/2022 - ...)	
	1088 0031 96	6	JUMPER	(01/02/2022 - ...)	
	1088 0031 99	1	END PLATE	(01/02/2022 - ...)	1XM
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	1XM
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	0698 5142 09	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 24	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	PT20
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1

Legend:


IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V


Cubicle data plate inner side
PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
X2
TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Anchor inner side
T1
Fix T1 in 2 additional holes
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
1X3
PE
X2
F1
RS485
F2
K25
TT11+
TSHH11
F21
1X0
K24
PC
K23
PC
PC
K22
F7
K11
M1
1X3
M8
GND for motor connection
Anchor inner side
1XM
230
95
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERV DIAGR C67BD 15-22KW MB CE	(01/02/2022 - ...)	
	2205 0195 20	2	LIST EL C67BD 15-22KW 230V CE	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	

Legend:

IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V



PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
F2
K25
K5
1X3
PE
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6

1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 12	1	CUBICLE	(25/09/2018 - ...)	
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9205 87	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 96	1	SUPPLY BLOCK	(25/09/2018 - 31/01/2022)	1X0
	1088 0031 74	6	TERMINAL	(25/09/2018 - 07/08/2019)	1XM
	1088 0031 74	12	TERMINAL	(08/08/2019 - 31/01/2022)	
	1088 0031 99	1	END PLATE	(25/09/2018 - 31/01/2022)	1XM
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	1XM
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	0698 5142 73	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	~~0697 9745 82~~	1	FITTING	(25/09/2018 - 31/01/2022)	
	Substituted by:	1088 0254 44 - ADAPTER (quantity: 1)			
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2202 9691 06	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 24	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0612 27	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 39	1	END SECTION	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2

Legend:


IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
F2
K25
K5
1X3
PE
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6

1X3


Ref	Part Number	Qty	Name	Validity	EL
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 20	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


Cubicle data plate inner side
PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
X2
TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Anchor inner side
T1
Fix T1 in 2 additional holes
RW
Clamp only for RS485
Anchor inner side
PT20 cable routing
cable routing
1X3
PE
X2
RS485
TT11+
TSHH11
F2
K25
F1
F21
1X0
K24
PC
K23
K22
F7
K11
M1
1X3
M8
GND for motor connection
Anchor inner side
1XM
230
95
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 12	1	CUBICLE	(01/02/2022 - ...)	
	1089 9496 93	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9496 93	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9205 87	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9267 96	1	SUPPLY BLOCK	(01/02/2022 - ...)	1X0
	1088 0031 74	12	TERMINAL	(01/02/2022 - ...)	
	1088 0031 99	1	END PLATE	(01/02/2022 - ...)	1XM
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	1XM
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	0698 5142 73	1	CABLE GLAND	(01/02/2022 - ...)	
	~~0697 9745 82~~	1	FITTING	(01/02/2022 - ...)	
	Substituted by:	1088 0254 44 - ADAPTER (quantity: 1)			
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER MULTIVOLTAGE 250VA	(01/02/2022 - ...)	T1
	1089 0612 24	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 09	2	FUSE 5X20 1A SLOW	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


Cubicle data plate inner side
PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Anchor inner side
T1
Fix T1 in 2 additional holes
PT20 cable routing
Anchor inner side
RW
Clamp only for RS485
cable routing
Y1
Ext side mounted
1X3
PE
X2
F1
RS485
F2
K25
TT11+ TSHH11
TSHH12
Anchor ext side
F21
1X0
K2
PC
K23
PC
PC
Anchor inner side
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
X2
TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
M6
1X3
230
95

Ref	Part Number	Qty	Name	Validity	EL
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERV DIAGR C67BD 15-22KW MB CE	(01/02/2022 - ...)	
	2205 0195 20	2	LIST EL C67BD 15-22KW 230V CE	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	


Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
PT20 TT11 cable shield
CN2
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
F2
K25
K5
1X3
PE
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 13	1	CUBICLE	(25/09/2018 - ...)	
	1089 9496 92	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9496 92	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9205 83	1	OVER RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 96	1	SUPPLY BLOCK	(25/09/2018 - 31/01/2022)	1X0
	1088 0031 74	6	TERMINAL	(25/09/2018 - 07/08/2019)	1XM
	1088 0031 74	12	TERMINAL	(08/08/2019 - 31/01/2022)	
	1088 0031 96	3	JUMPER	(25/09/2018 - 07/08/2019)	1XM
	1088 0031 96	6	JUMPER	(08/08/2019 - 31/01/2022)	
	1088 0031 99	1	END PLATE	(25/09/2018 - 31/01/2022)	1XM
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	1XM
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2202 9691 06	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 24	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0612 27	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 39	1	END SECTION	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESS SENSOR SENSATA	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
PT20 TT11 cable shield
CN2
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
F2
K25
K5
1X3
PE
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
K22
M1
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	
	Electrical legend:	XTT11-TSHH1			
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 20	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 24/10/2018)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F7
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V


Cubicle data plate inner side
PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Anchor inner side
T1
Fix T1 in 2 additional holes
PT20 cable routing
RW
Anchor inner side
Clamp only for RS485
cable routing
Y1
Ext side mounted
1X3
PE
X2
F1
RS485
F2
K25
TT11+ TSHH11
TSHH12
Anchor ext side
F21
1X0
K24
PC
K23
PC
PC
Anchor inner side
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
X2
TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
M6
1X3
230
95

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 13	1	CUBICLE	(01/02/2022 - ...)	
	1089 9496 92	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9496 92	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9205 83	1	OVER RELAY	(01/02/2022 - ...)	F21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9267 96	1	SUPPLY BLOCK	(01/02/2022 - ...)	1X0
	1088 0031 74	12	TERMINAL	(01/02/2022 - ...)	
	1088 0031 96	6	JUMPER	(01/02/2022 - ...)	
	1088 0031 99	1	END PLATE	(01/02/2022 - ...)	1XM
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	1XM
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	0698 5142 09	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 24	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESS SENSOR SENSATA	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	PT20
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V


Cubicle data plate inner side
PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Anchor inner side
T1
Fix T1 in 2 additional holes
PT20 cable routing
Anchor inner side
RW
Clamp only for RS485
cable routing
Y1
Ext side mounted
1X3
PE
X2
F1
RS485
F2
K25
TT11+ TSHH11
TSHH12
Anchor ext side
F21
1X0
K24
PC
K23
PC
PC
Anchor inner side
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
X2
TERMINAL BOARD
1XM
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
M6
1X3
230
95

Ref	Part Number	Qty	Name	Validity	EL
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F7
	0698 5141 21	2	CABLE GLAND M20X1,5 CSA/UL	(01/02/2022 - ...)	
	0697 9809 53	2	LOCK NUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
F2
K25
K5
1X3
PE
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6

1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 14	1	CUBICLE	(25/09/2018 - ...)	
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9205 87	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9216 15	1	COVER	(25/09/2018 - 31/01/2022)	PC
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 96	1	SUPPLY BLOCK 3RV2935-5A	(25/09/2018 - 31/01/2022)	1X0
	1088 0031 74	6	TERMINAL	(25/09/2018 - 07/08/2019)	1XM
	1088 0031 74	12	TERMINAL WAGO 283-601	(08/08/2019 - 31/01/2022)	
	1088 0031 99	1	END PLATE	(25/09/2018 - 31/01/2022)	1XM
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	1XM
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	0698 5142 73	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	1XM
	~~0697 9745 82~~	1	FITTING	(25/09/2018 - 31/01/2022)	
	Substituted by:	1088 0254 44 - ADAPTER (quantity: 1)			
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2202 9691 06	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 24	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0612 27	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F5-6
	1088 1510 39	1	END SECTION	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR FEMALE	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2


Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Fix T1 in 2 additional holes
Anchor inner side
T1
RW
Anchor inner side
X2
F6
F5
F3
F1
F2
K25
K5
1X3
PE
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
M6

1X3


Ref	Part Number	Qty	Name	Validity	EL
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 20	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 24/10/2018)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F7
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


Cubicle data plate inner side
PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Anchor inner side
T1
Fix T1 in 2 additional holes
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
Y1
Ext side mounted
1X3
PE
X2
F1
RS485
F2
K25
TT11+ TSHH11
TSHH12
Anchor ext side
F21
1X0
K24
PC
K23
Anchor inner side
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
X2
TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
M6
1X3
230
95

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 14	1	CUBICLE	(01/02/2022 - ...)	
	1089 9496 93	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9496 93	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9205 87	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9267 96	1	SUPPLY BLOCK	(01/02/2022 - ...)	1X0
	1088 0031 74	12	TERMINAL WAGO	(01/02/2022 - ...)	
	1088 0031 99	1	END PLATE	(01/02/2022 - ...)	1XM
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	1XM
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	0698 5142 73	1	CABLE GLAND	(01/02/2022 - ...)	1XM
	~~0697 9745 82~~	1	FITTING	(01/02/2022 - ...)	
	Substituted by:	1088 0254 44 - ADAPTER (quantity: 1)			
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 24	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR FEMALE	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	PT20
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3


Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


Cubicle data plate inner side
PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
X2
TERMINAL BOARD
11 19 19 19 8
12 3 0 0 0
REMOTE START STOP
TSHH11
OPTION EWD
OPTION WSD
Y1
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Anchor inner side
T1
Fix T1 in 2 additional holes
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
1X3
PE
X2
F1
F2
K25
RS485
TT11+
TSHH11
F21
1X0
K24
PC
K23
PC
PC
M1
K22
F7
K11
1X3
M8
GND for motor connection
Anchor inner side
1XM
230
M6
1X3
95

Ref	Part Number	Qty	Name	Validity	EL
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F7
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCK NUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR


Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:230V - Supply voltage:230 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
1XM
T2
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 21	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 91	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 02	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
K22
M1
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
1XM
T2
1X3


36 - Cubicle components G 15L, G 18 - ASME - 380V - Pack (25/09/2018 - 31/01/2022)

IDRY:N + MAPPR:ASME + MODEL:G15L_18J + MOVOL:380V

Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 30	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	


Legend:

IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
gnd M6
CN1
PT20 TT11 cable shield
CN2
VALID FOR
440V/60Hz
ONLY
1XM
T4 T5 T6
T7 T8 T9
Cubicle data plate inner side
Anchor inner side
T1
PT20 cable routing
Anchor inner side
RW
Clamp only for RS485
cable routing
1X3
PE
X2
F1
RS485
F2
K25
TT11+
TSHH11
F21
1X0
K21
PC
K23
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
1XM
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 21	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 91	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
gnd M6
CN1
PT20 TT11 cable shield
CN2
VALID FOR 440V/60Hz ONLY
1XM
T4 T5 T6
T7 T8 T9
Cubicle data plate inner side
Anchor inner side
T1
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
X2
RS485
TT11+ TSHH11
1X3
PE
F2
K25
F1
F21
1X0
K21
PC
K23
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
1XM
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 30	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	


Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor
inner side
S3
CN1
CN2
PT20
TT11
cable
shield
Y1
Ext side mounted
TSHH12
Anchor
ext side
Anchor
inner side
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
Cubicle data plate inner side
T1
RW
Anchor
inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
F21
1X0
K21
PC
PC
K23
PC
K22
M1
F7
K11
1X3
M8
F8
GND for motor
connection
Anchor
inner side
1XM
T2
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 22	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 70	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9267 80	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 02	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25

Legend:


IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor
inner side
S3
CN1
CN2
PT20
TT11
cable
shield
Y1
Ext side mounted
TSHH12
Anchor
ext side
Anchor
inner side
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
Cubicle data plate inner side
T1
RW
Anchor
inner side
X2
F1
F2
K25
K5
1X3
PE
TT11+
TSHH11
F21
1X0
K21
PC
PC
K23
PC
K22
F7
K11
F8
M1
1X3
M8
GND for motor
connection
Anchor
inner side
1XM
T2
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 30	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
VALID FOR 440V/60Hz ONLY
1XM
T4 T5 T6
T7 T8 T9
1X3
Cubicle data plate inner side
Anchor inner side
T1
E3 E5 E6
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
F21
1X0
K21
PC
K23
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
1XM
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 22	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 70	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9267 80	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25

Legend:


IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
VALID FOR 440V/60Hz ONLY
1XM
T4 T5 T6
T7 T8 T9
1X3
Cubicle data plate inner side
Anchor inner side
T1
E3 E5 E6
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
F21
1X0
K21
PC
K23
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
1XM
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 30	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	


Legend:

IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor
inner side
S3
CN1
PT20
TT11
cable
shield
CN2
Y1
Ext side mounted
TSHH12
Anchor
ext side
Anchor
inner side
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
Cubicle data plate inner side
T1
RW
Anchor
inner side
X2
F1
F2
K25
K5
1X3
PE
TT11+
TSHH11
F21
1X0
K21
PC
PC
K23
PC
K22
F7
K11
F8
M1
1X3
M8
GND for motor
connection
Anchor
inner side
1XM
T2
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 23	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 91	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 02	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor
inner side
S3
CN1
PT20
TT11
cable
shield
CN2
Y1
Ext side mounted
TSHH12
Anchor
ext side
Anchor
inner side
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
Cubicle data plate inner side
T1
RW
Anchor
inner side
X2
F1
F2
K25
K5
1X3
PE
TT11+
TSHH11
F21
1X0
K21
PC
PC
K23
PC
K22
F7
K11
F8
M1
1X3
M8
GND for motor
connection
Anchor
inner side
1XM
T2
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 30	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 24/10/2018)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F7
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F8
	1089 9594 02	1	FUSE HOLDER	(25/09/2018 - 31/01/2022)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(25/09/2018 - 31/01/2022)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
VALID FOR 440V/60Hz ONLY
1XM
T4 T5 T6
T7 T8 T9
Cubicle data plate inner side
Anchor inner side
T1
PT20 cable routing
Anchor inner side
RW
Clamp only for RS485
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+ TSHH11
F21
1X0
K21
PC
K23
PC
PC
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
1XM
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 23	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 91	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
VALID FOR 440V/60Hz ONLY
1XM
T4 T5 T6
T7 T8 T9
Cubicle data plate inner side
Anchor inner side
T1
PT20 cable routing
Anchor inner side
RW
Clamp only for RS485
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+ TSHH11
F21
1X0
K21
PC
K23
PC
PC
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
1XM
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 30	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F7
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F8
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(01/02/2022 - ...)	T2
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCK NUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	CONVERTER	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
1XM
T2
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 24	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 70	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9267 80	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 02	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	


Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
1XM
T2
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 30	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 24/10/2018)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F7
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F8
	2204 1228 01	1	AUTOTRANSFORMER	(25/09/2018 - 31/01/2022)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD


Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
gnd M6
CN1
PT20 TT11 cable shield
CN2
VALID FOR 440V/60Hz ONLY
1XM
T4 T5 T6
T7 T8 T9
Cubicle data plate inner side
Anchor inner side
T1
PT20 cable routing
Anchor inner side
RW
Clamp only for RS485
cable routing
X2
RS485
TT11+ TSHH11
1X3
PE
F2
K25
F1
F21
1X0
K21
PC
K23
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
1XM
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 24	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 70	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9267 80	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25


Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
VALID FOR 440V/60Hz ONLY
1XM
T4 T5 T6
T7 T8 T9
Cubicle data plate inner side
Anchor inner side
T1
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
X2
RS485
TT11+ TSHH11
1X3
PE
F2
K25
F1
F21
1X0
K21
PC
K23
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
1XM
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 30	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F7
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F8
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F8
	2204 1228 01	1	AUTOTRANSFORMER	(01/02/2022 - ...)	T2
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCK NUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR


Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
MOVOL:380V - Supply voltage:380 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
F21
K23
M1
K22
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 01	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 90	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
F21
K23
K22
M1
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3


44 - Cubicle components G 15L - AS1210 - CE - MOM - 400V - Pack (25/09/2018 - 31/01/2022)

IDRY:N + MODEL:G15L_18J + MOVOL:400V + (MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM)

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 01	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 90	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25

Legend:


IDRY:N - Integrated dryer:No
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
CN2
PT20 TT11 cable shield
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0416 02	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 70	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 92	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	
	Electrical legend:	XTT11-TSHH1			

Legend:

IDRY:N - Integrated dryer:No
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


46 - Cubicle components G 18 - AS1210 - CE - MOM - 400V - Pack (25/09/2018 - 31/01/2022)

IDRY:N + MODEL:G18_18J + MOVOL:400V + (MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM)

Ref	Part Number	Qty	Name	Validity	EL
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 02	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 70	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 92	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 03	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 93	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	PT20
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	X2
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	S3
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	S3
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	CN1
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	CN2
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	

Legend:

IDRY:N - Integrated dryer:No
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


48 - Cubicle components G 22 - AS1210 - CE - MOM - 400V - Pack (25/09/2018 - 31/01/2022)

IDRY:N + MODEL:G22_18J + MOVOL:400V + (MAPPR:AS1210 , MAPPR:CE , MAPPR:MOM)

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 03	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 93	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F5-6
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	X2
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	S3
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	S3
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 04	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 90	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 24/10/2018)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F7
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(25/09/2018 - 31/01/2022)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
X2
cable routing
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 04	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 90	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
X2
cable routing
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F7
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F8
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(01/02/2022 - ...)	T2
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCK NUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 05	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 70	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 92	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F7
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(25/09/2018 - 31/01/2022)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
K22
M1
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 05	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 70	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 92	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
K22
M1
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F7
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F8
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(01/02/2022 - ...)	T2
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCK NUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
F21
K23
M1
K22
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 06	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 93	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
F21
K23
M1
K22
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F7
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(25/09/2018 - 31/01/2022)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 06	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 93	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F7
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(01/02/2022 - ...)	T2
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
F21
K23
M1
K22
F7
K11
F8
1X3 M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 07	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 90	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	
	1088 0061 52	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	

Legend:


IDRY:Y - Integrated dryer:Yes
MODEL:G15L_18J - Model:G 15L
MAPPR:CE - Pressure Vessel Approval:CE
MOVOL:400VN - Supply voltage:400 V+N
MAPPR:MOM - Pressure Vessel Approval:MOM


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
F21
K23
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	XTT11-TSHH1			
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 24/10/2018)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F7
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MODEL:G15L_18J - Model:G 15L
MAPPR:CE - Pressure Vessel Approval:CE
MOVOL:400VN - Supply voltage:400 V+N
MAPPR:MOM - Pressure Vessel Approval:MOM


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
RS485
F2
K25
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 07	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 90	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	
	1088 0061 52	1	TERMINAL BLOCK	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1

Legend:


IDRY:Y - Integrated dryer:Yes
MODEL:G15L_18J - Model:G 15L
MAPPR:CE - Pressure Vessel Approval:CE
MOVOL:400VN - Supply voltage:400 V+N
MAPPR:MOM - Pressure Vessel Approval:MOM


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
X2
cable routing
1X3
PE
F1
RS485
F2
K25
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F7
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR


Legend:

IDRY:Y - Integrated dryer:Yes
MODEL:G15L_18J - Model:G 15L
MAPPR:CE - Pressure Vessel Approval:CE
MOVOL:400VN - Supply voltage:400 V+N
MAPPR:MOM - Pressure Vessel Approval:MOM


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
F21
K23
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 08	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 70	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 92	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	1X0
	1088 0061 52	1	TERMINAL BLOK	(25/09/2018 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1

Legend:
IDRY:Y - Integrated dryer:Yes
MODEL:G18_18J - Model:G 18
MAPPR:CE - Pressure Vessel Approval:CE
MOVOL:400VN - Supply voltage:400 V+N
MAPPR:MOM - Pressure Vessel Approval:MOM


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
F21
K23
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


58 - Cubicle components G 18 - CE - MOM - 400V+N - Full feature (25/09/2018 - 31/01/2022)

IDRY:Y + MODEL:G18_18J + MOVOL:400VN + (MAPPR:CE , MAPPR:MOM)

Ref	Part Number	Qty	Name	Validity	EL
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F7
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G18_18J - Model:G 18
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
Anchor inner side
PT20 cable routing
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 08	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 70	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 92	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	1088 0061 52	1	TERMINAL BLOK	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	

Legend:


IDRY:Y - Integrated dryer:Yes
MODEL:G18_18J - Model:G 18
MAPPR:CE - Pressure Vessel Approval:CE
MOVOL:400VN - Supply voltage:400 V+N
MAPPR:MOM - Pressure Vessel Approval:MOM


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
Anchor inner side
PT20 cable routing
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	LECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F7
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G18_18J - Model:G 18
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
F21
K23
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 09	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 93	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	1X0
	1088 0061 52	1	TERMINAL BLOK	(25/09/2018 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	

Legend:


IDRY:Y - Integrated dryer:Yes
MODEL:G22_18J - Model:G 22
MAPPR:CE - Pressure Vessel Approval:CE
MOVOL:400VN - Supply voltage:400 V+N
MAPPR:MOM - Pressure Vessel Approval:MOM


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
F21
K23
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	XTT11-TSHH1			
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 24/10/2018)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F7
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MODEL:G22_18J - Model:G 22
MAPPR:CE - Pressure Vessel Approval:CE
MOVOL:400VN - Supply voltage:400 V+N
MAPPR:MOM - Pressure Vessel Approval:MOM


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
RS485
F2
K25
TT11+
TSHH11
1X0
K21
F21
K23
M1
K22
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 09	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 93	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	1088 0061 52	1	TERMINAL BLOK	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1

Legend:


IDRY:Y - Integrated dryer:Yes
MODEL:G22_18J - Model:G 22
MAPPR:CE - Pressure Vessel Approval:CE
MOVOL:400VN - Supply voltage:400 V+N
MAPPR:MOM - Pressure Vessel Approval:MOM


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
RS485
F2
K25
TT11+
TSHH11
1X0
K21
F21
K23
M1
K22
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F7
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR


Legend:

IDRY:Y - Integrated dryer:Yes
MODEL:G22_18J - Model:G 22
MAPPR:CE - Pressure Vessel Approval:CE
MOVOL:400VN - Supply voltage:400 V+N
MAPPR:MOM - Pressure Vessel Approval:MOM


Cubicle data plate inner side
PT20
PT20 GND
S3
CN1
CN2
Anchor inner side
PT20 TT11 cable shield
Y1
Ext side mounted
Anchor ext side
TSHH12
Ext side mounted
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
T1
Anchor inner side
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 31	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 79	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	
	0698 5141 26	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9745 75	1	REDUCER	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 03	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:460V - Supply voltage:460 V


Cubicle data plate inner side
PT20
PT20 GND
S3
CN1
CN2
Anchor inner side
PT20 TT11 cable shield
Y1
Ext side mounted
Anchor ext side
TSHH12
Ext side mounted
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
T1
Anchor inner side
RW
Anchor inner side
X2
F1
F2
K25
K5
1X3
PE
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K26
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 40	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:460V - Supply voltage:460 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
CN2
PT20 TT11 cable shield
Cubicle data plate inner side
T1
PT20 cable routing
Anchor inner side
RW
Clamp only for RS485
cable routing
X2
RS485
TT11+ TSHH11
1X3
PE
F2
K25
F1
F21
1X0
K24
PC
K23
PC
PC
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 31	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 79	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	
	0698 5141 26	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9745 75	1	REDUCER	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:460V - Supply voltage:460 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
PT20 TT11 cable shield
CN2
Cubicle data plate inner side
T1
E3
E5
E6
PT20 cable routing
Anchor inner side
RW
Clamp only for RS485
cable routing
X2
RS485
TT11+ TSHH11
1X3
PE
F2
K25
F1
F21
1X0
K24
PC
K23
PC
PC
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K26
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 40	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:460V - Supply voltage:460 V


PT20
PT20 GND
Anchor inner side
S3
CN1
CN2
PT20 TT11 cable shield
Y1
Ext side mounted
Anchor ext side
TSHH12
Ext side mounted
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
F3
F5
F6
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 32	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 91	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	
	0698 5141 26	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9745 75	1	REDUCER	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 03	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:460V - Supply voltage:460 V


PT20
PT20 GND
Anchor inner side
S3
CN1
CN2
PT20 TT11 cable shield
Y1
Ext side mounted
Anchor ext side
TSHH12
Ext side mounted
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
F3 F5 F6
Anchor inner side
X2
F1
1X3
PE
F2
K25
K5
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 40	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:460V - Supply voltage:460 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
T1
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
X2
RS485
TT11+
TSHH11
1X3
PE
F2
K25
F1
F21
1X0
K2
PC
K23
PC
PC
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 32	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 91	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	
	0698 5141 26	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9745 75	1	REDUCER	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:460V - Supply voltage:460 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
T1
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
X2
RS485
TT11+
TSHH11
1X3
PE
F2
K25
F1
F21
1X0
K2
PC
K23
PC
PC
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 40	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:460V - Supply voltage:460 V


Cubicle data plate inner side
PT20
PT20 GND
S3
CN1
CN2
Anchor inner side
PT20 TT11 cable shield
Anchor inner side
T1
RW
F3
F5
F6
Anchor inner side
Y1
Ext side mounted
1X3
PE
X2
F1
F2
K25
K5
TT11+ TSHH11
Anchor ext side
TSHH12
Ext side mounted
F21
1X0
K21
PC
PC
K23
PC
Anchor inner side
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
T2
Options
Dryer
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 33	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 70	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 92	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 03	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:460V - Supply voltage:460 V


Cubicle data plate inner side
PT20
PT20 GND
S3
CN1
CN2
Anchor inner side
PT20 TT11 cable shield
Anchor inner side
T1
RW
Anchor inner side
X2
F1
F2
K25
K5
1X3
PE
TT11+ TSHH11
Y1
Ext side mounted
Anchor ext side
TSHH12
Ext side mounted
Anchor inner side
F21
1X0
K21
PC
K23
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 40	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:460V - Supply voltage:460 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
T1
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
F21
1X0
K21
PC
K23
PC
PC
M1
K22
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 33	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 70	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 92	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2204 2132 03	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:460V - Supply voltage:460 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
T1
PT20 cable routing
RW
Clamp only for RS485
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
F21
1X0
K21
PC
K23
PC
PC
M1
K22
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 40	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:460V - Supply voltage:460 V


Cubicle data plate inner side
PT20
PT20 GND
S3
CN1
CN2
PT20
TT11
cable
shield
Anchor
inner side
Anchor
inner side
T1
RW
F3
F5
F6
Anchor
inner side
Y1
Ext side mounted
X2
F1
1X3
PE
F2
K25
K5
TT11+
TSHH11
Anchor
ext side
TSHH12
Ext side
mounted
F21
1X0
K21
PC
PC
K23
PC
Anchor
inner side
M1
K22
F7
K11
1X3
M8
F8
GND for motor
connection
Anchor
inner side
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 34	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 79	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	
	0698 5141 26	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9745 75	1	REDUCER	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 03	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESS SENSOR SENSATA	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	


Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:460V - Supply voltage:460 V


Cubicle data plate inner side
PT20
PT20 GND
S3
CN1
CN2
Anchor inner side
PT20 TT11 cable shield
Anchor inner side
T1
RW
F3
F5
F6
Anchor inner side
Y1
Ext side mounted
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
TSHH12
Ext side mounted
Anchor ext side
Anchor inner side
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 40	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 24/10/2018)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F7
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(25/09/2018 - 31/01/2022)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD


Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:460V - Supply voltage:460 V


Cubicle data plate inner side
PT20
PT20 GND
S3
CN1
CN2
Anchor
inner side
PT20
TT11
cable
shield
Anchor
inner side
T1
RW
F3
F5
F6
Anchor
inner side
Y1
Ext side mounted
1X3
PE
X2
F1
F2
K25
K5
TT11+
TSHH11
Anchor
ext side
TSHH12
Ext side
mounted
F21
1X0
K21
PC
PC
K23
PC
Anchor
inner side
M1
K22
F7
K11
1X3
M8
F8
GND for motor
connection
Anchor
inner side
Anchor
inner side
T2
Anchor
inner side
Anchor
ext side
Options
Dryer
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 34	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 79	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	
	0698 5141 26	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9745 75	1	REDUCER	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESS SENSOR SENSATA	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:460V - Supply voltage:460 V


Cubicle data plate inner side
PT20
PT20 GND
S3
CN1
CN2
PT20
TT11
cable
shield
Anchor
inner side
Anchor
inner side
T1
F3
F5
F6
Anchor
inner side
RW
Y1
Ext side mounted
1X3
PE
X2
F1
F2
K25
K5
TT11+
TSHH11
Anchor
ext side
TSHH12
Ext side
mounted
Anchor
inner side
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
F8
1X3
M8
GND for motor
connection
Anchor
inner side
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 40	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F7
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(01/02/2022 - ...)	T2
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:460V - Supply voltage:460 V


Cubicle data plate inner side
PT20
PT20 GND
S3
CN1
CN2
Anchor inner side
PT20 TT11 cable shield
Y1
Ext side mounted
Anchor ext side
TSHH12
Ext side mounted
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Anchor inner side
T1
RW
E35X6
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 35	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 91	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	
	0698 5141 26	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9745 75	1	REDUCER	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 03	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	


Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:460V - Supply voltage:460 V


PT20
PT20 GND
Anchor inner side
S3
CN1
CN2
PT20 TT11 cable shield
Y1
Ext side mounted
Anchor ext side
TSHH12
Ext side mounted
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
E35X6
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 40	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 24/10/2018)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F7
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(25/09/2018 - 31/01/2022)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD


Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:460V - Supply voltage:460 V


PT20
PT20 GND
Anchor inner side
PT20 TT11 cable shield
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
CN2
Cubicle data plate inner side
T1
RW
Clamp only for RS485
Anchor inner side
PT20 cable routing
cable routing
X2
RS485
TT11+
TSHH11
1X3
PE
F2
K25
F1
F21
1X0
K21
PC
K23
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 35	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 91	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	
	0698 5141 26	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9745 75	1	REDUCER	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9105 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:460V - Supply voltage:460 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
T1
RW
Clamp only for RS485
Anchor inner side
PT20 cable routing
cable routing
X2
F1
RS485
TT11+ TSHH11
1X3
PE
F2
K25
F21
1X0
K21
PC
K23
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 40	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F7
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(01/02/2022 - ...)	T2
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:460V - Supply voltage:460 V


Cubicle data plate inner side
PT20
PT20 GND
Anchor inner side
S3
CN1
CN2
PT20 TT11 cable shield
Anchor inner side
T1
RW
E3
E5
E6
Anchor inner side
Y1
Ext side mounted
1X3
PE
X2
F1
F2
K25
K5
TT11+ TSHH11
Anchor ext side
TSHH12
Ext side mounted
F21
1X0
K21
PC
PC
K23
PC
Anchor inner side
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
T2
Options
Dryer
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 36	1	CUBICLE	(25/09/2018 - ...)	
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K21
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K23
	1089 9438 70	1	CONTACTOR	(25/09/2018 - 31/01/2022)	K22
	1089 9446 92	1	OVERLOAD RELAY	(25/09/2018 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 31/01/2022)	
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 64	1	NUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	0698 5148 14	1	SEAL	(25/09/2018 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	2204 2132 03	1	TRANSFORMER	(25/09/2018 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 31/01/2022)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 31/01/2022)	K25

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:460V - Supply voltage:460 V


Cubicle data plate inner side
PT20
PT20 GND
Anchor inner side
S3
CN1
CN2
PT20 TT11 cable shield
Anchor inner side
T1
RW
E35
E36
Anchor inner side
Y1
Ext side mounted
1X3
PE
X2
F1
F2
K25
K5
TT11+ TSHH11
TSHH12
Ext side mounted
Anchor ext side
Anchor inner side
F21
1X0
K21
PC
PC
K23
PC
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(25/09/2018 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 31/01/2022)	
	2205 0146 40	2	ELECTRICAL LIST	(25/09/2018 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 31/01/2022)	
	1089 9438 47	1	CONTACTOR	(25/10/2018 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(14/05/2019 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(14/05/2019 - 31/01/2022)	
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F7
	1089 0612 27	2	FUSE	(25/09/2018 - 31/01/2022)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 31/01/2022)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(25/09/2018 - 31/01/2022)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 31/01/2022)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:460V - Supply voltage:460 V


PT20
PT20 GND
Anchor inner side
S3
CN1
CN2
PT20 TT11 cable shield
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
T1
RW
Clamp only for RS485
Anchor inner side
PT20 cable routing
cable routing
X2
RS485
TT11+
TSHH11
1X3
PE
F1
F2
K25
F21
1X0
K21
K23
PC
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 36	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 70	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 92	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2204 2132 03	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:460V - Supply voltage:460 V


PT20
PT20 GND
Anchor inner side
S3
CN1
CN2
PT20 TT11 cable shield
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
T1
RW
Clamp only for RS485
Anchor inner side
PT20 cable routing
cable routing
X2
F1
RS485
TT11+
TSHH11
1X3
PE
F2
K25
F21
1X0
K2
PC
K23
PC
PC
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 40	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F7
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(01/02/2022 - ...)	T2
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:460V - Supply voltage:460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+ TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
M1
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1


Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 01	1	CUBICLE	(25/09/2018 - 03/09/2020)	
	1089 9216 14	1	TERMINAL BLOCK	(25/09/2018 - 03/09/2020)	1X0
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 03/09/2020)	PC
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K22
	1089 9216 15	1	COVER	(25/09/2018 - 03/09/2020)	F21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K5
	1089 9205 16	1	OVERLOAD RELAY	(25/09/2018 - 03/09/2020)	
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 03/09/2020)	
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 64	1	NUT	(25/09/2018 - 03/09/2020)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5148 14	1	SEAL	(25/09/2018 - 03/09/2020)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	2202 9691 04	1	TRANSFORMER	(25/09/2018 - 03/09/2020)	T1
	1089 9168 63	2	FUSE	(25/09/2018 - 03/09/2020)	F1
	1089 9168 53	2	FUSE	(25/09/2018 - 03/09/2020)	F1
	1089 9594 02	1	FUSE HOLDER	(25/09/2018 - 03/09/2020)	F1
	1089 9168 48	1	FUSE	(25/09/2018 - 03/09/2020)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 03/09/2020)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(25/09/2018 - 03/09/2020)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 03/09/2020)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(02/10/2018 - 03/09/2020)	F4
	1088 1510 38	1	FUSE HOLDER	(02/10/2018 - 03/09/2020)	F4
	1088 1510 39	1	END SECTION	(02/10/2018 - 03/09/2020)	F4
	1089 9168 74	2	CONTROLLER FUSE	(25/09/2018 - 03/09/2020)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 03/09/2020)	F5-6
	1088 1510 39	2	END SECTION	(25/09/2018 - 03/09/2020)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 03/09/2020)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 03/09/2020)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 03/09/2020)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 03/09/2020)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 03/09/2020)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 03/09/2020)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 03/09/2020)	1X3
	1088 1510 17	4	JUMPER	(25/09/2018 - 03/09/2020)	X2
	~~1088 0031 81~~	4	END STOP	(25/09/2018 - 03/09/2020)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(25/09/2018 - 03/09/2020)	1X1

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+ TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
M1
F7
F8
K11
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD


Ref	Part Number	Qty	Name	Validity	EL
	1088 0031 99	1	END PLATE	(25/09/2018 - 03/09/2020)	1X1
	1088 0031 96	6	JUMPER	(25/09/2018 - 03/09/2020)	1X1
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 03/09/2020)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 03/09/2020)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 03/09/2020)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 03/09/2020)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 03/09/2020)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 03/09/2020)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 03/09/2020)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 03/09/2020)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 03/09/2020)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 03/09/2020)	
	Electrical legend:	XTT11-TSHH1			
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 03/09/2020)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 03/09/2020)	K25
	1079 9906 09	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 11	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 21	1	FUSES LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 31	1	ELECTRICAL LIST	(25/09/2018 - 03/09/2020)	
	2202 8788 01	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 2610 04	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 2610 70	1	LABEL	(25/09/2018 - 03/09/2020)	
	2203 0541 10	1	LABEL	(25/09/2018 - 03/09/2020)	
	2205 0323 00	2	SERVICE DIAGRAM	(25/09/2018 - 03/09/2020)	
	2205 0323 10	2	ELECTRICAL LIST	(25/09/2018 - 03/09/2020)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 03/09/2020)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
RW 25x60
T1
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
F7
F8
K11
M1
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2


Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 71	1	CUBICLE	(04/09/2020 - ...)	
	1089 9216 14	1	TERMINAL BLOCK	(04/09/2020 - 31/01/2022)	1X0
	1089 9496 93	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K21
	1089 9216 15	1	COVER	(04/09/2020 - 31/01/2022)	PC
	1089 9496 93	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K23
	1089 9216 15	1	COVER	(04/09/2020 - 31/01/2022)	PC
	1089 9438 73	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K22
	1089 9205 16	1	OVERLOAD RELAY	(04/09/2020 - 31/01/2022)	K21
	1089 9421 85	1	AUXILIARY RELAY	(04/09/2020 - 31/01/2022)	K5
	0698 5142 09	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 64	1	NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 55	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5148 14	1	SEAL	(04/09/2020 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 55	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	2202 9691 04	1	TRANSFORMER	(04/09/2020 - 31/01/2022)	T1
	1089 9168 63	2	FUSE	(04/09/2020 - 31/01/2022)	F1
	1089 9168 53	2	FUSE	(04/09/2020 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F1
	1089 9168 48	1	FUSE	(04/09/2020 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(04/09/2020 - 31/01/2022)	F3
	~~1089 9594 01~~	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(04/09/2020 - 31/01/2022)	F4
	1088 1510 38	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F4
	1088 1510 39	1	END SECTION	(04/09/2020 - 31/01/2022)	F4
	1089 9168 74	2	CONTROLLER FUSE	(04/09/2020 - 31/01/2022)	F5-6
	1088 1510 38	2	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F5-6
	1088 1510 39	2	END SECTION	(04/09/2020 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESS SENSOR	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR FEMALE	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(04/09/2020 - 31/01/2022)	PT20
	2204 1407 00	1	STRAIGHT FITTING	(04/09/2020 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(04/09/2020 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(04/09/2020 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(04/09/2020 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(04/09/2020 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(04/09/2020 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(04/09/2020 - 31/01/2022)	X2
	~~1088 0031 81~~	4	END STOP WAGO	(04/09/2020 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(04/09/2020 - 31/01/2022)	1X1

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+ TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
M1
F7
F8
K11
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD

Ref	Part Number	Qty	Name	Validity	EL
	1088 0031 99	1	END PLATE	(04/09/2020 - 31/01/2022)	1X1
	1088 0031 96	6	JUMPER	(04/09/2020 - 31/01/2022)	1X1
	~~1088 0031 81~~	2	END STOP	(04/09/2020 - 31/01/2022)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(04/09/2020 - 31/01/2022)	S3
	1089 9482 98	2	MODULE	(04/09/2020 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(04/09/2020 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(04/09/2020 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(04/09/2020 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(04/09/2020 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(04/09/2020 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(04/09/2020 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(04/09/2020 - 31/01/2022)	XTT11-TSHH1
	~~2204 2379 02~~	1	GATEWAY	(04/09/2020 - 29/03/2021)	
	Substituted by:	2204 2379 01 - GATEWAY NAVEL+ CE/UL WI-FI BT (quantity: 1)			
	2204 2379 01	1	GATEWAY	(30/03/2021 - 31/01/2022)	GW
	1089 0716 01	1	TERMINAL	(04/09/2020 - 31/01/2022)	GW
	2205 0313 32	1	WIRING	(04/09/2020 - 31/01/2022)	GW
	2204 2380 01	1	STIRRUP	(04/09/2020 - 31/01/2022)	GW
	2202 9321 00	1	CLAMP	(04/09/2020 - 31/01/2022)	GW
	2204 1486 00	1	BOX CUBICLE BELT DRIVEN	(04/09/2020 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(04/09/2020 - 31/01/2022)	K25
	1079 9906 09	1	TIGHTENING TORQUES LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 11	1	CON LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 21	1	FUSES LAB	(04/09/2020 - 31/01/2022)	
	2204 2155 31	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 8788 01	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 2610 04	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 2610 70	1	LABEL	(04/09/2020 - 31/01/2022)	
	2203 0541 10	1	LABEL	(04/09/2020 - 31/01/2022)	
	2205 0323 00	2	SERVICE DIAGRAM	(04/09/2020 - 31/01/2022)	
	2205 0323 80	2	ELECTRICAL LIST	(04/09/2020 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(04/09/2020 - 31/01/2022)	
	2204 2392 00	1	FCC LABEL	(04/09/2020 - 31/01/2022)	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	(04/09/2020 - 31/01/2022)	
	9828 0842 07	1	INSTRUCTION	(04/09/2020 - 31/01/2022)	


Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
Inner
side
PT20 GND
SFD wires
use
insulated
faston
S3
S3
CN1
gnd
M6
PT20
TT11
cable
shield
CN2
SFD
Y1
TSHH12
Anchor
115V
1PHASE
1XD
K11
GND
1X3
1X0
L1
L2
L3
T1
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
GND
1X3
TT11+
TSHH11
RS485
F21
230V
3PHASE
1X0
K21
PC
anchor
PC
K23
PC
M1
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
K22
Cubicle
UL Label
(line assembly)
F7
F8
1X3
GND
K11
1X1
TERMINAL BOARD - X2
11 19 19 8 21 23
12 0 0 0 15 15
REMOTE
START STOP
DRAIN
OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
LD
GND1
EWD
1X3
M6
GND2
GND1

Ref	Part Number	Qty	Name	Validity	EL
	2205 0360 01	1	CUBICLE	(01/02/2022 - ...)	
	1089 9216 14	1	TERMINAL BLOCK	(01/02/2022 - ...)	1X0
	1089 9496 93	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9496 93	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(01/02/2022 - ...)	K21
	1089 9421 85	1	AUXILIARY RELAY	(01/02/2022 - ...)	K5
	0698 5142 09	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCK NUT	(01/02/2022 - ...)	
	2202 9691 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 9168 63	2	FUSE	(01/02/2022 - ...)	F1
	1089 9168 53	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 9168 48	1	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(01/02/2022 - ...)	F3
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(01/02/2022 - ...)	F4
	1088 1510 38	1	FUSE HOLDER	(01/02/2022 - ...)	F4
	1088 1510 39	1	END SECTION	(01/02/2022 - ...)	F4
	1089 9168 74	2	CONTROLLER FUSE	(01/02/2022 - ...)	F5-6
	1088 1510 38	2	FUSE HOLDER	(01/02/2022 - ...)	F5-6
	1088 1510 39	2	END SECTION	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESS SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR FEMALE	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	STRAIGHT FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	6	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	4	END STOP WAGO	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(01/02/2022 - ...)	1X1


Legend:

IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
Inner
side
PT20 GND
SFD wires
use
insulated
faston
S3
S3
CN1
gnd
M6
PT20
TT11
cable
shield
CN2
SFD
Y1
TSHH12
Anchor
115V
1PHASE
1XD
K11
GND
1X3
1X0
L1
L2
L3
T1
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
GND
1X3
TT11+
TSHH11
RS485
F21
230V
3PHASE
1X0
K21
PC
anchor
PC
K23
PC
M1
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
K22
Cubicle
UL Label
(line assembly)
F7
F8
1X3
GND
K11
1X1
TERMINAL BOARD - X2
11 19 19 8 21 23
12 0 0 0 15 15
REMOTE
START STOP
DRAIN
OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
LD
GND1
EWD
GND1
1X3
M6
GND2


Ref	Part Number	Qty	Name	Validity	EL
	1088 0031 99	1	END PLATE	(01/02/2022 - ...)	1X1
	1088 0031 96	6	JUMPER	(01/02/2022 - ...)	1X1
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	MODULE	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	BOX CUBICLE BELT DRIVEN	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 2155 11	1	CON LABEL	(01/02/2022 - ...)	
	2204 2155 21	1	FUSES LAB	(01/02/2022 - ...)	
	2204 2155 35	1	LABEL EL EQ. C67 PACK NC	(01/02/2022 - ...)	
	2202 8788 01	2	LABEL 200V/60HZ 3PHASE	(01/02/2022 - ...)	
	2202 2610 04	2	LABEL 460V-60HZ THREE PHASE	(01/02/2022 - ...)	
	2202 2610 70	2	LABEL 230V-60HZ TRIFASE	(01/02/2022 - ...)	
	2203 0541 10	1	LABEL	(01/02/2022 - ...)	
	2205 0360 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0360 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
M1
F7
F8
K11
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD


Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 02	1	CUBICLE	(25/09/2018 - 03/09/2020)	
	1089 9216 14	1	TERMINAL BLOCK	(25/09/2018 - 03/09/2020)	1X0
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 03/09/2020)	PC
	1089 9496 94	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K23
	1089 9216 15	1	COVER	(25/09/2018 - 03/09/2020)	PC
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K22
	1089 9205 16	1	OVERLOAD RELAY	(25/09/2018 - 03/09/2020)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 03/09/2020)	K5
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 64	1	NUT	(25/09/2018 - 03/09/2020)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5148 14	1	SEAL	(25/09/2018 - 03/09/2020)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	2202 9691 04	1	TRANSFORMER	(25/09/2018 - 03/09/2020)	T1
	1089 9168 63	2	FUSE	(25/09/2018 - 03/09/2020)	F1
	1089 9168 53	2	FUSE	(25/09/2018 - 03/09/2020)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 03/09/2020)	F1
	1089 9168 48	1	FUSE	(25/09/2018 - 03/09/2020)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 03/09/2020)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(25/09/2018 - 03/09/2020)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 03/09/2020)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(02/10/2018 - 03/09/2020)	F4
	1088 1510 38	1	FUSE HOLDER	(02/10/2018 - 03/09/2020)	F4
	1088 1510 39	1	END SECTION	(02/10/2018 - 03/09/2020)	F4
	1089 9168 74	2	CONTROLLER FUSE	(25/09/2018 - 03/09/2020)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 03/09/2020)	F5-6
	1088 1510 39	2	END SECTION	(25/09/2018 - 03/09/2020)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 03/09/2020)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 03/09/2020)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 03/09/2020)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 03/09/2020)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 03/09/2020)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 03/09/2020)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 03/09/2020)	1X3
	1088 1510 17	4	JUMPER	(25/09/2018 - 03/09/2020)	X2
	~~1088 0031 81~~	4	END STOP	(25/09/2018 - 03/09/2020)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(25/09/2018 - 03/09/2020)	1X1

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
F7
F8
K11
M1
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2


Ref	Part Number	Qty	Name	Validity	EL
	1088 0031 99	1	END PLATE	(25/09/2018 - 03/09/2020)	1X1
	1088 0031 96	6	JUMPER	(25/09/2018 - 03/09/2020)	1X1
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 03/09/2020)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 03/09/2020)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 03/09/2020)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 03/09/2020)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 03/09/2020)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 03/09/2020)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 03/09/2020)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 03/09/2020)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 03/09/2020)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 03/09/2020)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 03/09/2020)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 03/09/2020)	K25
	1079 9906 09	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 11	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 21	1	FUSES LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 31	1	ELECTRICAL LIST	(25/09/2018 - 03/09/2020)	
	2202 8788 01	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 2610 04	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 2610 70	1	LABEL	(25/09/2018 - 03/09/2020)	
	2203 0541 10	1	LABEL	(25/09/2018 - 03/09/2020)	
	2205 0323 00	2	SERVICE DIAGRAM	(25/09/2018 - 03/09/2020)	
	2205 0323 10	2	ELECTRICAL LIST	(25/09/2018 - 03/09/2020)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 03/09/2020)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
M1
F7
F8
K11
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD


Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 72	1	CUBICLE	(04/09/2020 - ...)	
	1089 9216 14	1	TERMINAL BLOCK	(04/09/2020 - 31/01/2022)	1X0
	1089 9496 93	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K21
	1089 9216 15	1	COVER	(04/09/2020 - 31/01/2022)	PC
	1089 9496 94	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K23
	1089 9216 15	1	COVER	(04/09/2020 - 31/01/2022)	PC
	1089 9438 75	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K22
	1089 9205 16	1	OVERLOAD RELAY	(04/09/2020 - 31/01/2022)	K21
	1089 9421 85	1	AUXILIARY RELAY	(04/09/2020 - 31/01/2022)	K5
	0698 5142 09	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 64	1	NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 55	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5148 14	1	SEAL	(04/09/2020 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 55	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	2202 9691 04	1	TRANSFORMER	(04/09/2020 - 31/01/2022)	T1
	1089 9168 63	2	FUSE	(04/09/2020 - 31/01/2022)	F1
	1089 9168 53	2	FUSE	(04/09/2020 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F1
	1089 9168 48	1	FUSE	(04/09/2020 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(04/09/2020 - 31/01/2022)	F3
	~~1089 9594 01~~	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(04/09/2020 - 31/01/2022)	F4
	1088 1510 38	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F4
	1088 1510 39	1	END SECTION	(04/09/2020 - 31/01/2022)	F4
	1089 9168 74	2	CONTROLLER FUSE	(04/09/2020 - 31/01/2022)	F5-6
	1088 1510 38	2	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F5-6
	1088 1510 39	2	END SECTION	(04/09/2020 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESS SENSOR	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(04/09/2020 - 31/01/2022)	PT20
	2204 1407 00	1	STRAIGHT FITTING	(04/09/2020 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(04/09/2020 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(04/09/2020 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(04/09/2020 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(04/09/2020 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(04/09/2020 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(04/09/2020 - 31/01/2022)	X2
	~~1088 0031 81~~	4	END STOP	(04/09/2020 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(04/09/2020 - 31/01/2022)	1X1

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
M1
F7
F8
K11
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD


Ref	Part Number	Qty	Name	Validity	EL
	1088 0031 99	1	END PLATE	(04/09/2020 - 31/01/2022)	1X1
	1088 0031 96	6	JUMPER	(04/09/2020 - 31/01/2022)	1X1
	~~1088 0031 81~~	2	END STOP	(04/09/2020 - 31/01/2022)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(04/09/2020 - 31/01/2022)	S3
	1089 9482 98	2	MODULE	(04/09/2020 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(04/09/2020 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(04/09/2020 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(04/09/2020 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(04/09/2020 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(04/09/2020 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(04/09/2020 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(04/09/2020 - 31/01/2022)	XTT11-TSHH1
	2204 2379 01	1	GATEWAY	(30/03/2021 - 31/01/2022)	GW
	~~2204 2379 02~~	1	GATEWAY	(04/09/2020 - 29/03/2021)	
	Substituted by:	2204 2379 01 - GATEWAY NAVEL+ CE/UL WI-FI BT (quantity: 1)			
	1089 0716 01	1	TERMINAL	(04/09/2020 - 31/01/2022)	GW
	2205 0313 32	1	WIRING	(04/09/2020 - 31/01/2022)	GW
	2204 2380 01	1	STIRRUP	(04/09/2020 - 31/01/2022)	GW
	2202 9321 00	1	CLAMP FOR SHIELDED CABLE	(04/09/2020 - 31/01/2022)	GW
	2204 1486 00	1	BOX CUBICLE BELT DRIVEN	(04/09/2020 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(04/09/2020 - 31/01/2022)	K25
	1079 9906 09	1	TIGHTENING TORQUES LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 11	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 21	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 31	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 8788 01	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 2610 04	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 2610 70	1	LABEL	(04/09/2020 - 31/01/2022)	
	2203 0541 10	1	LABEL	(04/09/2020 - 31/01/2022)	
	2205 0323 00	2	SERVICE DIAGRAM	(04/09/2020 - 31/01/2022)	
	2205 0323 80	2	ELECTRICAL LIST	(04/09/2020 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(04/09/2020 - 31/01/2022)	
	2204 2392 00	1	FCC LABEL	(04/09/2020 - 31/01/2022)	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	(04/09/2020 - 31/01/2022)	
	9828 0842 07	1	INSTRUCTION	(04/09/2020 - 31/01/2022)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
Inner
side
PT20 GND
SFD wires
use
insulated
faston
S3
S3
CN1
CN2
PT20
TT11
cable
shield
gnd
M6
SFD
Y1
TSHH12
Anchor
115V
1PHASE
1XD
K11
GND
1X3
1X0
L1
L2
L3
T1
X2
RW 25x60
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
RS485
F21
230V
3PHASE
1X0
K21
PC
anchor
K23
K22
F7
F8
K11
M1
1X3
GND
1X1
Cubicle
UL Label
(line assembly)
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
11 19 19 8 21 23
12 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD


Ref	Part Number	Qty	Name	Validity	EL
	2205 0360 02	1	CUBICLE	(01/02/2022 - ...)	
	1089 9216 14	1	TERMINAL BLOCK	(01/02/2022 - ...)	1X0
	1089 9496 93	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9496 94	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(01/02/2022 - ...)	K21
	1089 9421 85	1	AUXILIARY RELAY	(01/02/2022 - ...)	K5
	0698 5142 09	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCK NUT	(01/02/2022 - ...)	
	2202 9691 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 9168 63	2	FUSE	(01/02/2022 - ...)	F1
	1089 9168 53	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 9168 48	1	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 0591 31	1	FUSE	(01/02/2022 - ...)	F3
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F3
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9168 79	1	FUSE	(01/02/2022 - ...)	F4
	1088 1510 38	1	FUSE HOLDER	(01/02/2022 - ...)	F4
	1088 1510 39	1	END SECTION	(01/02/2022 - ...)	F4
	1089 9168 74	2	CONTROLLER FUSE	(01/02/2022 - ...)	F5-6
	1088 1510 38	2	FUSE HOLDER	(01/02/2022 - ...)	F5-6
	1088 1510 39	2	END SECTION	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESS SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	STRAIGHT FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	6	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	4	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1088 0031 74	12	TERMINAL	(01/02/2022 - ...)	1X1

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
Inner
side
PT20 GND
SFD wires
use
insulated
faston
S3
S3
CN1
CN2
PT20
TT11
cable
shield
gnd
M6
SFD
Y1
TSHH12
Anchor
115V
1PHASE
1XD
K11
GND
1X3
1X0
L1
L2
L3
T1
X2
RW 25x60
F4-5-6
F3
F1
F2
K25
K5
GND
1X3
TT11+
TSHH11
RS485
F21
230V
3PHASE
1X0
K21
PC
anchor
PC
K23
PC
M1
1X1
T1
T7
T4
T10
T2
T8
T5
T11
T3
T9
T6
T12
K22
Cubicle
UL Label
(line assembly)
F7
F8
1X3
GND
K11
TERMINAL BOARD - X2
11
19
19
8
21
23
12
0
0
0
15
15
REMOTE
START STOP
DRAIN
OPTION
DRYER
Y1
TSHH12
TSHH11
1X1
T2
Opt
Dry
LD
GND1
EWD
1X3
M6
GND2
GND1


Ref	Part Number	Qty	Name	Validity	EL
	1088 0031 99	1	END PLATE	(01/02/2022 - ...)	1X1
	1088 0031 96	6	JUMPER	(01/02/2022 - ...)	1X1
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	MODULE	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	BOX CUBICLE BELT DRIVEN	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 2155 11	1	LABEL	(01/02/2022 - ...)	
	2204 2155 21	1	LABEL	(01/02/2022 - ...)	
	2204 2155 35	1	LABEL EL EQ. C67 PACK NC	(01/02/2022 - ...)	
	2202 8788 01	2	LABEL 200V/60HZ 3PHASE	(01/02/2022 - ...)	
	2202 2610 04	2	LABEL 460V-60HZ THREE PHASE	(01/02/2022 - ...)	
	2202 2610 70	2	LABEL 230V-60HZ TRIFASE	(01/02/2022 - ...)	
	2203 0541 10	1	LABEL	(01/02/2022 - ...)	
	2205 0360 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0360 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
F7
F8
M1
1X3
GND
K11
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
LD
GND1
EWD
1X3
M6
GND2


Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 03	1	CUBICLE	(25/09/2018 - 03/09/2020)	
	1089 9366 30	3	TERMINAL	(25/09/2018 - 03/09/2020)	1X0
	1089 9496 94	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K21
	1089 9216 15	2	COVER	(25/09/2018 - 03/09/2020)	PC
	1089 9496 96	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K23
	1089 9216 16	2	COVER	(25/09/2018 - 03/09/2020)	PC
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K22
	1089 9446 97	1	OVERLOAD RELAY	(25/09/2018 - 03/09/2020)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 03/09/2020)	K5
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 64	1	NUT	(25/09/2018 - 03/09/2020)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5148 14	1	SEAL	(25/09/2018 - 03/09/2020)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	2202 9691 04	1	TRANSFORMER	(25/09/2018 - 03/09/2020)	T1
	1089 9168 63	2	FUSE	(25/09/2018 - 03/09/2020)	F1
	1089 9168 53	2	FUSE	(25/09/2018 - 03/09/2020)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 03/09/2020)	F1
	1089 9168 48	1	FUSE	(25/09/2018 - 03/09/2020)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 03/09/2020)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(25/09/2018 - 03/09/2020)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 03/09/2020)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(02/10/2018 - 03/09/2020)	F4
	1088 1510 38	1	FUSE HOLDER	(02/10/2018 - 03/09/2020)	F4
	1088 1510 39	1	END SECTION	(02/10/2018 - 03/09/2020)	F4
	1089 9168 74	2	CONTROLLER FUSE	(25/09/2018 - 03/09/2020)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 03/09/2020)	F5-6
	1088 1510 39	2	END SECTION	(25/09/2018 - 03/09/2020)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 03/09/2020)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 03/09/2020)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 03/09/2020)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 03/09/2020)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 03/09/2020)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 03/09/2020)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 03/09/2020)	1X3
	1088 1510 17	4	JUMPER	(25/09/2018 - 03/09/2020)	X2
	~~1088 0031 81~~	4	END STOP	(25/09/2018 - 03/09/2020)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(25/09/2018 - 03/09/2020)	1X1

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
M1
K22
F7
F8
K11
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD


Ref	Part Number	Qty	Name	Validity	EL
	1088 0031 99	1	END PLATE	(25/09/2018 - 03/09/2020)	1X1
	1088 0031 96	6	JUMPER	(25/09/2018 - 03/09/2020)	1X1
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 03/09/2020)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 03/09/2020)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 03/09/2020)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 03/09/2020)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 03/09/2020)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 03/09/2020)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 03/09/2020)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 03/09/2020)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 03/09/2020)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 03/09/2020)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 03/09/2020)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 03/09/2020)	K25
	1079 9906 09	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 11	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 21	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 31	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 8788 01	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 2610 04	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 2610 70	1	LABEL	(25/09/2018 - 03/09/2020)	
	2203 0541 10	1	LABEL	(25/09/2018 - 03/09/2020)	
	2205 0323 00	2	SERVICE DIAGRAM	(25/09/2018 - 03/09/2020)	
	2205 0323 10	2	ELECTRICAL LIST	(25/09/2018 - 03/09/2020)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 03/09/2020)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
M1
K22
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2


Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 73	1	CUBICLE	(04/09/2020 - ...)	
	1089 9366 30	3	TERMINAL	(04/09/2020 - 31/01/2022)	1X0
	1089 9496 94	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K21
	1089 9216 15	2	COVER	(04/09/2020 - 31/01/2022)	PC
	1089 9496 96	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K23
	1089 9216 16	2	COVER	(04/09/2020 - 31/01/2022)	PC
	1089 9438 75	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K22
	1089 9446 97	1	OVERLOAD RELAY	(04/09/2020 - 31/01/2022)	K21
	1089 9421 85	1	AUXILIARY RELAY	(04/09/2020 - 31/01/2022)	K5
	0698 5142 09	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 64	1	NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 55	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5148 14	1	SEAL	(04/09/2020 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 55	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	2202 9691 04	1	TRANSFORMER	(04/09/2020 - 31/01/2022)	T1
	1089 9168 63	2	FUSE	(04/09/2020 - 31/01/2022)	F1
	1089 9168 53	2	FUSE	(04/09/2020 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F1
	1089 9168 48	1	FUSE	(04/09/2020 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(04/09/2020 - 31/01/2022)	F3
	~~1089 9594 01~~	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(04/09/2020 - 31/01/2022)	F4
	1088 1510 38	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F4
	1088 1510 39	1	END SECTION	(04/09/2020 - 31/01/2022)	F4
	1089 9168 74	2	CONTROLLER FUSE	(04/09/2020 - 31/01/2022)	F5-6
	1088 1510 38	2	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F5-6
	1088 1510 39	2	END SECTION	(04/09/2020 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESS SENSOR	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(04/09/2020 - 31/01/2022)	PT20
	2204 1407 00	1	STRAIGHT FITTING	(04/09/2020 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(04/09/2020 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(04/09/2020 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(04/09/2020 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(04/09/2020 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(04/09/2020 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(04/09/2020 - 31/01/2022)	X2
	~~1088 0031 81~~	4	END STOP WAGO	(04/09/2020 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL WAGO	(04/09/2020 - 31/01/2022)	1X1

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
M1
K22
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2


Ref	Part Number	Qty	Name	Validity	EL
	1088 0031 99	1	END PLATE	(04/09/2020 - 31/01/2022)	1X1
	1088 0031 96	6	JUMPER	(04/09/2020 - 31/01/2022)	1X1
	~~1088 0031 81~~	2	END STOP WAGO	(04/09/2020 - 31/01/2022)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(04/09/2020 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(04/09/2020 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(04/09/2020 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(04/09/2020 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(04/09/2020 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(04/09/2020 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(04/09/2020 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(04/09/2020 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(04/09/2020 - 31/01/2022)	XTT11-TSHH1
	~~2204 2379 02~~	1	GATEWAY	(04/09/2020 - 29/03/2021)	
	Substituted by:	2204 2379 01 - GATEWAY NAVEL+ CE/UL WI-FI BT (quantity: 1)			
	2204 2379 01	1	GATEWAY	(30/03/2021 - 31/01/2022)	GW
	1089 0716 01	1	TERMINAL	(04/09/2020 - 31/01/2022)	GW
	2205 0313 32	1	WIRING	(04/09/2020 - 31/01/2022)	GW
	2204 2380 01	1	STIRRUP	(04/09/2020 - 31/01/2022)	GW
	2202 9321 00	1	CLAMP	(04/09/2020 - 31/01/2022)	GW
	2204 1486 00	1	BOX CUBICLE BELT DRIVEN	(04/09/2020 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(04/09/2020 - 31/01/2022)	K25
	1079 9906 09	1	TIGHTENING TORQUES LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 11	1	CON LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 21	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 31	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 8788 01	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 2610 04	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 2610 70	1	LABEL	(04/09/2020 - 31/01/2022)	
	2203 0541 10	1	LABEL	(04/09/2020 - 31/01/2022)	
	2205 0323 00	2	SERVICE DIAGRAM	(04/09/2020 - 31/01/2022)	
	2205 0323 80	2	ELECTRICAL LIST	(04/09/2020 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(04/09/2020 - 31/01/2022)	
	2204 2392 00	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	(04/09/2020 - 31/01/2022)	
	9828 0842 07	1	INSTRUCTION	(04/09/2020 - 31/01/2022)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
Inner
side
PT20 GND
SFD wires
use
insulated
faston
S3
S3
CN1
gnd
M6
PT20
TT11
cable
shield
CN2
SFD
Y1
TSHH12
Anchor
115V
1PHASE
1XD
K11
GND
1X3
1X0
L1
L2
L3
T1
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
GND
1X3
TT11+
TSHH11
RS485
F21
230V
3PHASE
1X0
K21
PC
PC
K23
PC
anchor
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
M1
K22
Cubicle
UL Label
(line assembly)
F7
F8
K11
1X3
GND
1X1
TERMINAL BOARD - X2
11 19 19 8 21 23
12 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
LD
GND1
EWD
1X3
M6
GND2
GND1


Ref	Part Number	Qty	Name	Validity	EL
	2205 0360 03	1	CUBICLE	(01/02/2022 - ...)	
	1089 9366 30	3	TERMINAL	(01/02/2022 - ...)	1X0
	1089 9496 94	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9216 15	2	COVER	(01/02/2022 - ...)	PC
	1089 9496 96	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9216 16	2	COVER	(01/02/2022 - ...)	PC
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 97	1	OVERLOAD RELAY	(01/02/2022 - ...)	K21
	1089 9421 85	1	AUXILIARY RELAY	(01/02/2022 - ...)	K5
	0698 5142 09	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCK NUT	(01/02/2022 - ...)	
	2202 9691 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 9168 63	2	FUSE	(01/02/2022 - ...)	F1
	1089 9168 53	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 9168 48	1	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(01/02/2022 - ...)	F3
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(01/02/2022 - ...)	F4
	1088 1510 38	1	FUSE HOLDER	(01/02/2022 - ...)	F4
	1088 1510 39	1	END SECTION	(01/02/2022 - ...)	F4
	1089 9168 74	2	CONTROLLER FUSE	(01/02/2022 - ...)	F5-6
	1088 1510 38	2	FUSE HOLDER	(01/02/2022 - ...)	F5-6
	1088 1510 39	2	END SECTION	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESS SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	STRAIGHT FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	6	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	4	END STOP WAGO	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL WAGO	(01/02/2022 - ...)	1X1

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
Inner
side
PT20 GND
SFD wires
use
insulated
faston
S3
S3
CN1
gnd
M6
PT20
TT11
cable
shield
CN2
SFD
Y1
TSHH12
Anchor
115V
1PHASE
1XD
K11
GND
1X3
1X0
L1
L2
L3
T1
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
GND
1X3
TT11+
TSHH11
RS485
F21
230V
3PHASE
1X0
K21
PC
PC
K23
PC
anchor
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
K22
F7
F8
K11
Cubicle
UL Label
(line assembly)
M1
1X3
GND
1X1
TERMINAL BOARD - X2
11 19 19 8 21 23
12 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
LD
GND1
EWD
1X3
M6
GND2
GND1


Ref	Part Number	Qty	Name	Validity	EL
	1088 0031 99	1	END PLATE	(01/02/2022 - ...)	1X1
	1088 0031 96	6	JUMPER	(01/02/2022 - ...)	1X1
	~~1088 0031 81~~	2	END STOP WAGO	(01/02/2022 - ...)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	BOX CUBICLE BELT DRIVEN	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 2155 11	1	CON LABEL	(01/02/2022 - ...)	
	2204 2155 21	1	LABEL	(01/02/2022 - ...)	
	2204 2155 35	1	LABEL EL EQ. C67 PACK NC	(01/02/2022 - ...)	
	2202 8788 01	2	LABEL 200V/60HZ 3PHASE	(01/02/2022 - ...)	
	2202 2610 04	2	LABEL 460V-60HZ THREE PHASE	(01/02/2022 - ...)	
	2202 2610 70	2	LABEL 230V-60HZ TRIFASE	(01/02/2022 - ...)	
	2203 0541 10	1	LABEL	(01/02/2022 - ...)	
	2205 0360 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0360 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND 1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+ TSHH11
F21
230V 3PHASE
1X0
K21
PC
PC
K23
PC
M1
K22
F7
F8
K11
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD


Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 04	1	CUBICLE	(25/09/2018 - 03/09/2020)	
	1089 9216 14	1	TERMINAL BLOCK	(25/09/2018 - 03/09/2020)	1X0
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 03/09/2020)	PC
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K22
	1089 9216 15	1	COVER	(25/09/2018 - 03/09/2020)	F21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K5
	1089 9205 16	1	OVERLOAD RELAY	(25/09/2018 - 03/09/2020)	
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 03/09/2020)	
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 64	1	NUT	(25/09/2018 - 03/09/2020)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5148 14	1	SEAL	(25/09/2018 - 03/09/2020)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	2202 9691 04	1	TRANSFORMER	(25/09/2018 - 03/09/2020)	T1
	1089 9168 63	2	FUSE	(25/09/2018 - 03/09/2020)	F1
	1089 9168 53	2	FUSE	(25/09/2018 - 03/09/2020)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 03/09/2020)	F1
	1089 9168 48	1	FUSE	(25/09/2018 - 03/09/2020)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 03/09/2020)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(25/09/2018 - 03/09/2020)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 03/09/2020)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(02/10/2018 - 03/09/2020)	F4
	1088 1510 38	1	FUSE HOLDER	(02/10/2018 - 03/09/2020)	F4
	1088 1510 39	1	END SECTION	(02/10/2018 - 03/09/2020)	F4
	1089 9168 74	2	CONTROLLER FUSE	(25/09/2018 - 03/09/2020)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 03/09/2020)	F5-6
	1088 1510 39	2	END SECTION	(25/09/2018 - 03/09/2020)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 03/09/2020)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 03/09/2020)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 03/09/2020)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 03/09/2020)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 03/09/2020)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 03/09/2020)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 03/09/2020)	1X3
	1088 1510 17	4	JUMPER	(25/09/2018 - 03/09/2020)	X2
	1088 1510 14	1	TERMINAL	(25/09/2018 - 03/09/2020)	
	1088 1510 10	1	EARTH TERMINAL	(25/09/2018 - 03/09/2020)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND 1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+ TSHH11
F21
230V 3PHASE
1X0
K21
PC
PC
K23
PC
M1
K22
F7
F8
K11
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD


Ref	Part Number	Qty	Name	Validity	EL
	~~1088 0031 81~~	4	END STOP	(25/09/2018 - 03/09/2020)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(25/09/2018 - 03/09/2020)	1X1
	1088 0031 99	1	END PLATE	(25/09/2018 - 03/09/2020)	1X1
	1088 0031 96	6	JUMPER	(25/09/2018 - 03/09/2020)	1X1
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 03/09/2020)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 03/09/2020)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 03/09/2020)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 03/09/2020)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 03/09/2020)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 03/09/2020)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 03/09/2020)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 03/09/2020)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 03/09/2020)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 03/09/2020)	
	Electrical legend:	XTT11-TSHH1			
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 03/09/2020)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 03/09/2020)	K25
	1079 9906 09	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 12	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 21	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 32	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 8788 01	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 2610 04	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 2610 70	1	LABEL	(25/09/2018 - 03/09/2020)	
	2203 0541 10	1	LABEL	(25/09/2018 - 03/09/2020)	
	2205 0324 00	2	SERVICE DIAGRAM	(25/09/2018 - 03/09/2020)	
	2205 0323 10	2	ELECTRICAL LIST	(25/09/2018 - 03/09/2020)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 03/09/2020)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K11
	1089 9168 42	2	FUSE	(25/09/2018 - 03/09/2020)	F7
	1089 9168 45	2	FUSE 25A	(25/09/2018 - 03/09/2020)	F7
	1089 9594 04	1	FUSES HOLDER	(25/09/2018 - 03/09/2020)	F7
	1089 9168 43	2	FUSE	(25/09/2018 - 03/09/2020)	F8
	1089 9594 04	1	FUSES HOLDER	(25/09/2018 - 03/09/2020)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(25/09/2018 - 03/09/2020)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 03/09/2020)	SFD
	1624 2217 01	1	WATERPROOF CAP	(02/10/2018 - 03/09/2020)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
RW 25x60
T1
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
PC
PC
M1
K22
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1


Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 74	1	CUBICLE	(04/09/2020 - ...)	
	1089 9216 14	1	TERMINAL BLOCK	(04/09/2020 - 31/01/2022)	1X0
	1089 9496 93	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K21
	1089 9216 15	1	COVER	(04/09/2020 - 31/01/2022)	PC
	1089 9496 93	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K23
	1089 9216 15	1	COVER	(04/09/2020 - 31/01/2022)	PC
	1089 9438 73	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K22
	1089 9205 16	1	OVERLOAD RELAY	(04/09/2020 - 31/01/2022)	K21
	1089 9421 85	1	AUXILIARY RELAY	(04/09/2020 - 31/01/2022)	K5
	0698 5142 09	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 64	1	NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 55	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5148 14	1	SEAL	(04/09/2020 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 55	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	2202 9691 04	1	TRANSFORMER	(04/09/2020 - 31/01/2022)	T1
	1089 9168 63	2	FUSE	(04/09/2020 - 31/01/2022)	F1
	1089 9168 53	2	FUSE	(04/09/2020 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F1
	1089 9168 48	1	FUSE	(04/09/2020 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(04/09/2020 - 31/01/2022)	F3
	~~1089 9594 01~~	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(04/09/2020 - 31/01/2022)	F4
	1088 1510 38	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F4
	1088 1510 39	1	END SECTION	(04/09/2020 - 31/01/2022)	F4
	1089 9168 74	2	CONTROLLER FUSE	(04/09/2020 - 31/01/2022)	F5-6
	1088 1510 38	2	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F5-6
	1088 1510 39	2	END SECTION	(04/09/2020 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESS SENSOR SENSATA	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(04/09/2020 - 31/01/2022)	PT20
	2204 1407 00	1	STRAIGHT FITTING	(04/09/2020 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(04/09/2020 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(04/09/2020 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(04/09/2020 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(04/09/2020 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(04/09/2020 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(04/09/2020 - 31/01/2022)	X2
	1088 1510 14	1	TERMINAL	(04/09/2020 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(04/09/2020 - 31/01/2022)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
RW 25x60
T1
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
PC
PC
M1
K22
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1


Ref	Part Number	Qty	Name	Validity	EL
	~~1088 0031 81~~	4	END STOP	(04/09/2020 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(04/09/2020 - 31/01/2022)	1X1
	1088 0031 99	1	END PLATE	(04/09/2020 - 31/01/2022)	1X1
	1088 0031 96	6	JUMPER	(04/09/2020 - 31/01/2022)	1X1
	~~1088 0031 81~~	2	END STOP	(04/09/2020 - 31/01/2022)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(04/09/2020 - 31/01/2022)	S3
	1089 9482 98	2	MODULE	(04/09/2020 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(04/09/2020 - 31/01/2022)	S3
	1089 9125 13	1	DECAL	(04/09/2020 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(04/09/2020 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(04/09/2020 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(04/09/2020 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(04/09/2020 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(04/09/2020 - 31/01/2022)	XTT11-TSHH1
	~~2204 2379 02~~	1	GATEWAY	(04/09/2020 - 29/03/2021)	
	Substituted by:	2204 2379 01 - GATEWAY NAVEL+ CE/UL WI-FI BT (quantity: 1)			
	2204 2379 01	1	GATEWAY	(30/03/2021 - 31/01/2022)	GW
	1089 0716 01	1	TERMINAL	(04/09/2020 - 31/01/2022)	GW
	2205 0313 32	1	WIRING	(04/09/2020 - 31/01/2022)	GW
	2204 2380 01	1	STIRRUP	(04/09/2020 - 31/01/2022)	GW
	2202 9321 00	1	CLAMP	(04/09/2020 - 31/01/2022)	GW
	2204 1486 00	1	BOX CUBICLE BELT DRIVEN	(04/09/2020 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(04/09/2020 - 31/01/2022)	K25
	1079 9906 09	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 12	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 21	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 32	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 8788 01	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 2610 04	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 2610 70	1	LABEL	(04/09/2020 - 31/01/2022)	
	2203 0541 10	1	LABEL	(04/09/2020 - 31/01/2022)	
	2205 0324 00	2	SERVICE DIAGRAM	(04/09/2020 - 31/01/2022)	
	2205 0323 80	2	ELECTRICAL LIST	(04/09/2020 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(04/09/2020 - 31/01/2022)	
	2204 2392 00	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	(04/09/2020 - 31/01/2022)	
	9828 0842 07	1	INSTRUCTION	(04/09/2020 - 31/01/2022)	
	1089 9438 41	1	CONTACTOR	(04/09/2020 - 31/01/2022)	
	1089 9168 42	2	FUSE	(04/09/2020 - 31/01/2022)	K11
	1089 9168 45	2	FUSE	(04/09/2020 - 31/01/2022)	F7
	1089 9594 04	1	FUSES HOLDER BCC 2X38	(04/09/2020 - 31/01/2022)	F7
	1089 9168 43	2	FUSE	(04/09/2020 - 31/01/2022)	F8
	1089 9594 04	1	FUSES HOLDER BCC 2X38	(04/09/2020 - 31/01/2022)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(04/09/2020 - 31/01/2022)	T2
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(04/09/2020 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP EVEREL	(04/09/2020 - 31/01/2022)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
Inner side
PT20 GND
SFD wires use insulated faston
S3
S3
CN1
CN2
PT20 TT11 cable shield
gnd M6
SFD
Y1
TSHH12
Anchor
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1
L2
L3
T1
X2
RW 25x60
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
RS485
F21
230V 3PHASE
K21
PC
anchor
K23
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
K22
M1
Cubicle UL Label (line assembly)
F7
F8
1X3
GND
K11
TERMINAL BOARD - X2
11 19 19 8 21 23
12 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
1X1
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD


Ref	Part Number	Qty	Name	Validity	EL
	2205 0360 04	1	CUBICLE	(01/02/2022 - ...)	
	1089 9216 14	1	TERMINAL BLOCK	(01/02/2022 - ...)	1X0
	1089 9496 93	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9496 93	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(01/02/2022 - ...)	K21
	1089 9421 85	1	AUXILIARY RELAY	(01/02/2022 - ...)	K5
	0698 5142 09	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCK NUT	(01/02/2022 - ...)	
	2202 9691 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 9168 63	2	FUSE	(01/02/2022 - ...)	F1
	1089 9168 53	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 9168 48	1	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(01/02/2022 - ...)	F3
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(01/02/2022 - ...)	F4
	1088 1510 38	1	FUSE HOLDER	(01/02/2022 - ...)	F4
	1088 1510 39	1	END SECTION	(01/02/2022 - ...)	F4
	1089 9168 74	2	CONTROLLER FUSE	(01/02/2022 - ...)	F5-6
	1088 1510 38	2	FUSE HOLDER	(01/02/2022 - ...)	F5-6
	1088 1510 39	2	END SECTION	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESS SENSOR SENSATA	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	STRAIGHT FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	6	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	~~1088 0031 81~~	4	END STOP	(01/02/2022 - ...)	X2

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
Inner side
PT20 GND
SFD wires use insulated faston
S3
S3
CN1
CN2
PT20 TT11 cable shield
gnd M6
SFD
Y1
TSHH12
Anchor
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1
L2
L3
T1
X2
RW 25x60
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
RS485
F21
230V 3PHASE
K21
PC
anchor
K23
M1
K22
F7
F8
Cubicle UL Label (line assembly)
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
11 19 19 8 21 23
12 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
LD
GND1
EWD
M6
GND2


Ref	Part Number	Qty	Name	Validity	EL
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(01/02/2022 - ...)	1X1
	1088 0031 99	1	END PLATE	(01/02/2022 - ...)	1X1
	1088 0031 96	6	JUMPER	(01/02/2022 - ...)	1X1
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	MODULE	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	BOX CUBICLE BELT DRIVEN	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 2155 12	1	LABEL	(01/02/2022 - ...)	
	2204 2155 21	1	LABEL	(01/02/2022 - ...)	
	2204 2155 34	1	LABEL EL EQ. G15-22 FF NC	(01/02/2022 - ...)	
	2202 8788 01	2	LABEL 200V/60HZ 3PHASE	(01/02/2022 - ...)	
	2202 2610 04	2	LABEL 460V-60HZ THREE PHASE	(01/02/2022 - ...)	
	2202 2610 70	2	LABEL 230V-60HZ TRIFASE	(01/02/2022 - ...)	
	2203 0541 10	1	LABEL	(01/02/2022 - ...)	
	2205 0360 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0360 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	
	1089 9168 42	2	FUSE	(01/02/2022 - ...)	K11
	1089 9168 45	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 04	1	FUSES HOLDER BCC 2X38	(01/02/2022 - ...)	F7
	1089 9168 43	2	FUSE	(01/02/2022 - ...)	F8
	1089 9594 04	1	FUSES HOLDER BCC 2X38	(01/02/2022 - ...)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(01/02/2022 - ...)	T2
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP EVEREL	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
TT11+
TSHH11
K5
F21
230V 3PHASE
1X0
K21
PC
K23
K22
F7
F8
K11
M1
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2


Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 05	1	CUBICLE	(25/09/2018 - 03/09/2020)	
	1089 9216 14	1	TERMINAL BLOCK	(25/09/2018 - 03/09/2020)	1X0
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 03/09/2020)	PC
	1089 9496 94	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K23
	1089 9216 15	1	COVER	(25/09/2018 - 03/09/2020)	PC
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K22
	1089 9205 16	1	OVERLOAD RELAY	(25/09/2018 - 03/09/2020)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 03/09/2020)	K5
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 64	1	NUT	(25/09/2018 - 03/09/2020)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5148 14	1	SEAL	(25/09/2018 - 03/09/2020)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	2202 9691 04	1	TRANSFORMER	(25/09/2018 - 03/09/2020)	T1
	1089 9168 63	2	FUSE	(25/09/2018 - 03/09/2020)	F1
	1089 9168 53	2	FUSE	(25/09/2018 - 03/09/2020)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 03/09/2020)	F1
	1089 9168 48	1	FUSE	(25/09/2018 - 03/09/2020)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 03/09/2020)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(25/09/2018 - 03/09/2020)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 03/09/2020)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(02/10/2018 - 03/09/2020)	F4
	1088 1510 38	1	FUSE HOLDER	(02/10/2018 - 03/09/2020)	F4
	1088 1510 39	1	END SECTION	(02/10/2018 - 03/09/2020)	F4
	1089 9168 74	2	CONTROLLER FUSE	(25/09/2018 - 03/09/2020)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 03/09/2020)	F5-6
	1088 1510 39	2	END SECTION	(25/09/2018 - 03/09/2020)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 03/09/2020)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 03/09/2020)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 03/09/2020)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 03/09/2020)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 03/09/2020)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 03/09/2020)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 03/09/2020)	1X3
	1088 1510 17	4	JUMPER	(25/09/2018 - 03/09/2020)	X2
	1088 1510 14	1	TERMINAL	(25/09/2018 - 03/09/2020)	X2
	1088 1510 10	1	EARTH TERMINAL	(25/09/2018 - 03/09/2020)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
RW 25x60
T1
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
PC
PC
M1
K22
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2


Ref	Part Number	Qty	Name	Validity	EL
	~~1088 0031 81~~	4	END STOP	(25/09/2018 - 03/09/2020)	
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(25/09/2018 - 03/09/2020)	1X1
	1088 0031 99	1	END PLATE	(25/09/2018 - 03/09/2020)	1X1
	1088 0031 96	6	JUMPER	(25/09/2018 - 03/09/2020)	1X1
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 03/09/2020)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 03/09/2020)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 03/09/2020)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 03/09/2020)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 03/09/2020)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 03/09/2020)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 03/09/2020)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 03/09/2020)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 03/09/2020)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 03/09/2020)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 03/09/2020)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 03/09/2020)	K25
	1079 9906 09	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 12	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 21	1	FUSES LAB	(25/09/2018 - 03/09/2020)	
	2204 2155 32	1	ELECTRICAL LIST	(25/09/2018 - 03/09/2020)	
	2202 8788 01	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 2610 04	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 2610 70	1	LABEL	(25/09/2018 - 03/09/2020)	
	2203 0541 10	1	LABEL	(25/09/2018 - 03/09/2020)	
	2205 0324 00	2	SERVICE DIAGRAM	(25/09/2018 - 03/09/2020)	
	2205 0323 10	2	ELECTRICAL LIST	(25/09/2018 - 03/09/2020)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 03/09/2020)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K11
	1089 9168 42	2	FUSE	(25/09/2018 - 03/09/2020)	F7
	1089 9168 45	2	FUSE	(25/09/2018 - 03/09/2020)	F7
	1089 9594 04	1	FUSES HOLDER	(25/09/2018 - 03/09/2020)	F7
	1089 9168 43	2	FUSE	(25/09/2018 - 03/09/2020)	F8
	1089 9594 04	1	FUSE HOLDER	(25/09/2018 - 03/09/2020)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(25/09/2018 - 03/09/2020)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 03/09/2020)	SFD
	1624 2217 01	1	WATERPROOF CAP	(02/10/2018 - 03/09/2020)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
TT11+
TSHH11
K5
F21
230V 3PHASE
1X0
K21
PC
PC
K23
PC
M1
K22
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2


Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 75	1	CUBICLE	(04/09/2020 - ...)	
	1089 9216 14	1	TERMINAL BLOCK	(04/09/2020 - 31/01/2022)	1X0
	1089 9496 93	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K21
	1089 9216 15	1	COVER	(04/09/2020 - 31/01/2022)	PC
	1089 9496 94	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K23
	1089 9216 15	1	COVER	(04/09/2020 - 31/01/2022)	PC
	1089 9438 75	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K22
	1089 9205 16	1	OVERLOAD RELAY	(04/09/2020 - 31/01/2022)	K21
	1089 9421 85	1	AUXILIARY RELAY	(04/09/2020 - 31/01/2022)	K5
	0698 5142 09	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 64	1	NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 55	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5148 14	1	SEAL	(04/09/2020 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 55	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	2202 9691 04	1	TRANSFORMER	(04/09/2020 - 31/01/2022)	T1
	1089 9168 63	2	FUSE	(04/09/2020 - 31/01/2022)	F1
	1089 9168 53	2	FUSE	(04/09/2020 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F1
	1089 9168 48	1	FUSE	(04/09/2020 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(04/09/2020 - 31/01/2022)	F3
	~~1089 9594 01~~	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(04/09/2020 - 31/01/2022)	F4
	1088 1510 38	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F4
	1088 1510 39	1	END SECTION	(04/09/2020 - 31/01/2022)	F4
	1089 9168 74	2	CONTROLLER FUSE	(04/09/2020 - 31/01/2022)	F5-6
	1088 1510 38	2	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F5-6
	1088 1510 39	2	END SECTION	(04/09/2020 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESS SENSOR	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(04/09/2020 - 31/01/2022)	PT20
	2204 1407 00	1	STRAIGHT FITTING	(04/09/2020 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(04/09/2020 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(04/09/2020 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(04/09/2020 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(04/09/2020 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(04/09/2020 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(04/09/2020 - 31/01/2022)	X2
	1088 1510 14	1	TERMINAL	(04/09/2020 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(04/09/2020 - 31/01/2022)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
TT11+
TSHH11
K5
F21
230V 3PHASE
1X0
K21
PC
K23
K22
F7
F8
M1
1X3
GND
K11
1X1
T2
LD
GND1
EWD
1X3
M6
GND2


Ref	Part Number	Qty	Name	Validity	EL
	~~1088 0031 81~~	4	END STOP	(04/09/2020 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(04/09/2020 - 31/01/2022)	1X1
	1088 0031 99	1	END PLATE	(04/09/2020 - 31/01/2022)	1X1
	1088 0031 96	6	JUMPER	(04/09/2020 - 31/01/2022)	1X1
	~~1088 0031 81~~	2	END STOP	(04/09/2020 - 31/01/2022)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(04/09/2020 - 31/01/2022)	S3
	1089 9482 98	2	MODULE	(04/09/2020 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(04/09/2020 - 31/01/2022)	S3
	1089 9125 13	1	DECAL	(04/09/2020 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(04/09/2020 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(04/09/2020 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(04/09/2020 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(04/09/2020 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(04/09/2020 - 31/01/2022)	XTT11-TSHH1
	~~2204 2379 02~~	1	GATEWAY	(04/09/2020 - 29/03/2021)	
	Substituted by:	2204 2379 01 - GATEWAY NAVEL+ CE/UL WI-FI BT (quantity: 1)			
	2204 2379 01	1	GATEWAY	(30/03/2021 - 31/01/2022)	GW
	1089 0716 01	1	TERMINAL	(04/09/2020 - 31/01/2022)	GW
	2205 0313 32	1	WIRING	(04/09/2020 - 31/01/2022)	GW
	2204 2380 01	1	STIRRUP	(04/09/2020 - 31/01/2022)	GW
	2202 9321 00	1	CLAMP	(04/09/2020 - 31/01/2022)	GW
	2204 1486 00	1	BOX CUBICLE BELT DRIVEN	(04/09/2020 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(04/09/2020 - 31/01/2022)	K25
	1079 9906 09	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 12	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 21	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 32	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 8788 01	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 2610 04	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 2610 70	1	LABEL	(04/09/2020 - 31/01/2022)	
	2203 0541 10	1	LABEL	(04/09/2020 - 31/01/2022)	
	2205 0324 00	2	SERVICE DIAGRAM	(04/09/2020 - 31/01/2022)	
	2205 0323 80	2	ELECTRICAL LIST	(04/09/2020 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(04/09/2020 - 31/01/2022)	
	2204 2392 00	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	(04/09/2020 - 31/01/2022)	
	9828 0842 07	1	INSTRUCTION	(04/09/2020 - 31/01/2022)	
	1089 9438 41	1	CONTACTOR	(04/09/2020 - 31/01/2022)	
	1089 9168 42	2	FUSE	(04/09/2020 - 31/01/2022)	K11
	1089 9168 45	2	FUSE	(04/09/2020 - 31/01/2022)	F7
	1089 9594 04	1	FUSES HOLDER BCC 2X38	(04/09/2020 - 31/01/2022)	F7
	1089 9168 43	2	FUSE	(04/09/2020 - 31/01/2022)	F8
	1089 9594 04	1	FUSES HOLDER BCC 2X38	(04/09/2020 - 31/01/2022)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(04/09/2020 - 31/01/2022)	T2
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(04/09/2020 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(04/09/2020 - 31/01/2022)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
Inner
side
PT20 GND
SFD wires
use
insulated
faston
S3
S3
CN1
CN2
gnd
M6
PT20
TT11
cable
shield
SFD
Y1
TSHH12
Anchor
115V
1PHASE
1XD
K11
GND
1X3
1X0
L1
L2
L3
T1
X2
RW 25x60
F4-5-6
F3
F1
F2
K25
K5
GND
1X3
TT11+
TSHH11
RS485
F21
230V
3PHASE
1X0
K21
PC
anchor
PC
K23
PC
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
K22
M1
Cubicle
UL Label
(line assembly)
F7
F8
1X3
GND
K11
TERMINAL BOARD - X2
11 19 19 8 21 23
12 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
1X1
T2
Opt
Dry
LD
GND1
EWD
1X3
M6
GND2
GND1


Ref	Part Number	Qty	Name	Validity	EL
	2205 0360 05	1	CUBICLE	(01/02/2022 - ...)	
	1089 9216 14	1	TERMINAL BLOCK	(01/02/2022 - ...)	1X0
	1089 9496 93	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9496 94	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9216 15	1	COVER	(01/02/2022 - ...)	PC
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(01/02/2022 - ...)	K21
	1089 9421 85	1	AUXILIARY RELAY	(01/02/2022 - ...)	K5
	0698 5142 09	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCK NUT	(01/02/2022 - ...)	
	2202 9691 01	1	TRANSFORMER 250VA TRI-V UL	(01/02/2022 - ...)	T1
	1089 9168 63	2	FUSE	(01/02/2022 - ...)	F1
	1089 9168 53	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 9168 48	1	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(01/02/2022 - ...)	F3
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(01/02/2022 - ...)	F4
	1088 1510 38	1	FUSE HOLDER	(01/02/2022 - ...)	F4
	1088 1510 39	1	END SECTION	(01/02/2022 - ...)	F4
	1089 9168 74	2	CONTROLLER FUSE	(01/02/2022 - ...)	F5-6
	1088 1510 38	2	FUSE HOLDER	(01/02/2022 - ...)	F5-6
	1088 1510 39	2	END SECTION	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESS SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	STRAIGHT FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	6	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	~~1088 0031 81~~	4	END STOP	(01/02/2022 - ...)	X2

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
Inner
side
PT20 GND
SFD wires
use
insulated
faston
S3
S3
CN1
CN2
gnd
M6
PT20
TT11
cable
shield
SFD
Y1
TSHH12
Anchor
115V
1PHASE
1XD
K11
GND
1X3
1X0
L1
L2
L3
T1
X2
RW 25x60
F4-5-6
F3
F1
F2
K25
K5
GND
1X3
TT11+
TSHH11
RS485
F21
230V
3PHASE
1X0
K21
PC
anchor
PC
K23
PC
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
K22
M1
Cubicle
UL Label
(line assembly)
F7
F8
1X3
GND
K11
TERMINAL BOARD - X2
11 19 19 8 21 23
12 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
1X1
T2
Opt
Dry
LD
GND1
EWD
1X3
M6
GND2
GND1


Ref	Part Number	Qty	Name	Validity	EL
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(01/02/2022 - ...)	1X1
	1088 0031 99	1	END PLATE	(01/02/2022 - ...)	1X1
	1088 0031 96	6	JUMPER	(01/02/2022 - ...)	1X1
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	MODULE	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	BOX CUBICLE BELT DRIVEN	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 2155 12	1	LABEL	(01/02/2022 - ...)	
	2204 2155 21	1	LABEL	(01/02/2022 - ...)	
	2204 2155 34	1	LABEL EL EQ. G15-22 FF NC	(01/02/2022 - ...)	
	2202 8788 01	2	LABEL 200V/60HZ 3PHASE	(01/02/2022 - ...)	
	2202 2610 04	2	LABEL 460V-60HZ THREE PHASE	(01/02/2022 - ...)	
	2202 2610 70	2	LABEL 230V-60HZ TRIFASE	(01/02/2022 - ...)	
	2203 0541 10	1	LABEL	(01/02/2022 - ...)	
	2205 0360 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0360 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	
	1089 9168 42	2	FUSE	(01/02/2022 - ...)	K11
	1089 9168 45	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 04	1	FUSES HOLDER BCC 2X38	(01/02/2022 - ...)	F7
	1089 9168 43	2	FUSE	(01/02/2022 - ...)	F8
	1089 9594 04	1	FUSES HOLDER	(01/02/2022 - ...)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(01/02/2022 - ...)	T2
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	CONV1-2
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	CONV1-2
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+ TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
F7
F8
K11
M1
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD


Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 06	1	CUBICLE	(25/09/2018 - 03/09/2020)	
	1089 9366 30	3	TERMINAL	(25/09/2018 - 03/09/2020)	1X0
	1089 9496 94	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K21
	1089 9216 15	2	COVER	(25/09/2018 - 03/09/2020)	PC
	1089 9496 96	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K23
	1089 9216 16	2	COVER	(25/09/2018 - 03/09/2020)	PC
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K22
	1089 9446 97	1	OVERLOAD RELAY	(25/09/2018 - 03/09/2020)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 03/09/2020)	K5
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 64	1	NUT	(25/09/2018 - 03/09/2020)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	0698 5148 14	1	SEAL	(25/09/2018 - 03/09/2020)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	2202 9691 04	1	TRANSFORMER	(25/09/2018 - 03/09/2020)	T1
	1089 9168 63	2	FUSE	(25/09/2018 - 03/09/2020)	F1
	1089 9168 53	2	FUSE	(25/09/2018 - 03/09/2020)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 03/09/2020)	F1
	1089 9168 48	1	FUSE	(25/09/2018 - 03/09/2020)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 03/09/2020)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(25/09/2018 - 03/09/2020)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 03/09/2020)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(02/10/2018 - 03/09/2020)	F4
	1088 1510 38	1	FUSE HOLDER	(02/10/2018 - 03/09/2020)	F4
	1088 1510 39	1	END SECTION	(02/10/2018 - 03/09/2020)	F4
	1089 9168 74	2	CONTROLLER FUSE	(25/09/2018 - 03/09/2020)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 03/09/2020)	F5-6
	1088 1510 39	2	END SECTION	(25/09/2018 - 03/09/2020)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 03/09/2020)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 03/09/2020)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 03/09/2020)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 03/09/2020)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 03/09/2020)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 03/09/2020)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 03/09/2020)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 03/09/2020)	1X3
	1088 1510 17	4	JUMPER	(25/09/2018 - 03/09/2020)	X2
	1088 1510 14	1	TERMINAL	(25/09/2018 - 03/09/2020)	
	1088 1510 10	1	EARTH TERMINAL	(25/09/2018 - 03/09/2020)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+ TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
F7
F8
K11
M1
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD


Ref	Part Number	Qty	Name	Validity	EL
	~~1088 0031 81~~	4	END STOP	(25/09/2018 - 03/09/2020)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(25/09/2018 - 03/09/2020)	1X1
	1088 0031 99	1	END PLATE	(25/09/2018 - 03/09/2020)	1X1
	1088 0031 96	6	JUMPER	(25/09/2018 - 03/09/2020)	1X1
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 03/09/2020)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 03/09/2020)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 03/09/2020)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 03/09/2020)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 03/09/2020)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 03/09/2020)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 03/09/2020)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 03/09/2020)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 03/09/2020)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 03/09/2020)	
	Electrical legend:	XTT11-TSHH1			
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 03/09/2020)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 03/09/2020)	K25
	1079 9906 09	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 12	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 21	1	LABEL	(25/09/2018 - 03/09/2020)	
	2204 2155 32	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 8788 01	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 2610 04	1	LABEL	(25/09/2018 - 03/09/2020)	
	2202 2610 70	1	LABEL	(25/09/2018 - 03/09/2020)	
	2203 0541 10	1	LABEL	(25/09/2018 - 03/09/2020)	
	2205 0324 00	2	SERVICE DIAGRAM	(25/09/2018 - 03/09/2020)	
	2205 0323 10	2	ELECTRICAL LIST	(25/09/2018 - 03/09/2020)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 03/09/2020)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 03/09/2020)	K11
	1089 9168 42	2	FUSE	(25/09/2018 - 03/09/2020)	F7
	1089 9168 45	2	FUSE 25A	(25/09/2018 - 03/09/2020)	F7
	1089 9594 04	1	FUSES HOLDER	(25/09/2018 - 03/09/2020)	F7
	1089 9168 43	2	FUSE	(25/09/2018 - 03/09/2020)	F8
	1089 9594 04	1	FUSES HOLDER	(25/09/2018 - 03/09/2020)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(25/09/2018 - 03/09/2020)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 03/09/2020)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 03/09/2020)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 03/09/2020)	SFD
	1624 2217 01	1	WATERPROOF CAP	(02/10/2018 - 03/09/2020)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
RW 25x60
T1
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
M1
K22
F7
F8
K11
1X1
T2
1X3
GND
LD
GND1
EWD
1X3
M6
GND2


Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 76	1	CUBICLE	(04/09/2020 - ...)	
	1089 9366 30	3	TERMINAL BLOCK	(04/09/2020 - 31/01/2022)	1X0
	1089 9496 94	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K21
	1089 9216 15	2	COVER	(04/09/2020 - 31/01/2022)	PC
	1089 9496 96	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K23
	1089 9216 16	2	COVER	(04/09/2020 - 31/01/2022)	PC
	1089 9438 75	1	CONTACTOR	(04/09/2020 - 31/01/2022)	K22
	1089 9446 97	1	OVERLOAD RELAY	(04/09/2020 - 31/01/2022)	K21
	1089 9421 85	1	AUXILIARY RELAY	(04/09/2020 - 31/01/2022)	K5
	0698 5142 09	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 64	1	NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 55	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	0698 5148 14	1	SEAL	(04/09/2020 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 55	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	2202 9691 04	1	TRANSFORMER	(04/09/2020 - 31/01/2022)	T1
	1089 9168 63	2	FUSE	(04/09/2020 - 31/01/2022)	F1
	1089 9168 53	2	FUSE	(04/09/2020 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F1
	1089 9168 48	1	FUSE	(04/09/2020 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(04/09/2020 - 31/01/2022)	F3
	~~1089 9594 01~~	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE 3A	(04/09/2020 - 31/01/2022)	F4
	1088 1510 38	1	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F4
	1088 1510 39	1	END SECTION	(04/09/2020 - 31/01/2022)	F4
	1089 9168 74	2	CONTROLLER FUSE	(04/09/2020 - 31/01/2022)	F5-6
	1088 1510 38	2	FUSE HOLDER	(04/09/2020 - 31/01/2022)	F5-6
	1088 1510 39	2	END SECTION	(04/09/2020 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESS SENSOR	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(04/09/2020 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(04/09/2020 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(04/09/2020 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(04/09/2020 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(04/09/2020 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(04/09/2020 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(04/09/2020 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(04/09/2020 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(04/09/2020 - 31/01/2022)	X2
	1088 1510 14	1	TERMINAL	(04/09/2020 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(04/09/2020 - 31/01/2022)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+ TSHH11
F21
230V 3PHASE
1X0
K21
PC
PC
K23
PC
M1
K22
F7
F8
K11
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD


Ref	Part Number	Qty	Name	Validity	EL
	~~1088 0031 81~~	4	END STOP	(04/09/2020 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(04/09/2020 - 31/01/2022)	1X1
	1088 0031 99	1	END PLATE	(04/09/2020 - 31/01/2022)	1X1
	1088 0031 96	6	JUMPER	(04/09/2020 - 31/01/2022)	1X1
	~~1088 0031 81~~	2	END STOP	(04/09/2020 - 31/01/2022)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(04/09/2020 - 31/01/2022)	S3
	1089 9482 98	2	MODULE	(04/09/2020 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(04/09/2020 - 31/01/2022)	S3
	1089 9125 13	1	DECAL	(04/09/2020 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(04/09/2020 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(04/09/2020 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(04/09/2020 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(04/09/2020 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(04/09/2020 - 31/01/2022)	XTT11-TSHH1
	~~2204 2379 02~~	1	GATEWAY	(04/09/2020 - 29/03/2021)	
	Substituted by:	2204 2379 01 - GATEWAY NAVEL+ CE/UL WI-FI BT (quantity: 1)			
	2204 2379 01	1	GATEWAY	(30/03/2021 - 31/01/2022)	GW
	1089 0716 01	1	TERMINAL	(04/09/2020 - 31/01/2022)	GW
	2205 0313 32	1	WIRING	(04/09/2020 - 31/01/2022)	GW
	2204 2380 01	1	STIRRUP	(04/09/2020 - 31/01/2022)	GW
	2202 9321 00	1	CLAMP	(04/09/2020 - 31/01/2022)	GW
	2204 1486 00	1	BOX CUBICLE BELT DRIVEN	(04/09/2020 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(04/09/2020 - 31/01/2022)	K25
	1079 9906 09	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 12	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 21	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2155 32	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 8788 01	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 2610 04	1	LABEL	(04/09/2020 - 31/01/2022)	
	2202 2610 70	1	LABEL	(04/09/2020 - 31/01/2022)	
	2203 0541 10	1	LABEL	(04/09/2020 - 31/01/2022)	
	2205 0324 00	2	SERVICE DIAGRAM	(04/09/2020 - 31/01/2022)	
	2205 0323 80	2	ELECTRICAL LIST	(04/09/2020 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(04/09/2020 - 31/01/2022)	
	2204 2392 00	1	LABEL	(04/09/2020 - 31/01/2022)	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	(04/09/2020 - 31/01/2022)	
	9828 0842 07	1	INSTRUCTION	(04/09/2020 - 31/01/2022)	
	1089 9438 41	1	CONTACTOR	(04/09/2020 - 31/01/2022)	
	1089 9168 42	2	FUSE	(04/09/2020 - 31/01/2022)	K11
	1089 9168 45	2	FUSE	(04/09/2020 - 31/01/2022)	F7
	1089 9594 04	1	FUSES HOLDER BCC 2X38	(04/09/2020 - 31/01/2022)	F7
	1089 9168 43	2	FUSE	(04/09/2020 - 31/01/2022)	F8
	1089 9594 04	1	FUSES HOLDER BCC 2X38	(04/09/2020 - 31/01/2022)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(04/09/2020 - 31/01/2022)	T2
	0698 5141 21	1	CABLE GLAND	(04/09/2020 - 31/01/2022)	
	0697 9809 53	1	LOCK NUT	(04/09/2020 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(04/09/2020 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(04/09/2020 - 31/01/2022)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
Inner
side
PT20 GND
SFD wires
use
insulated
faston
S3
S3
CN1
CN2
gnd
M6
PT20
TT11
cable
shield
SFD
Y1
TSHH12
Anchor
115V
1PHASE
1XD
K11
GND
1X3
1X0
T1
X2
RW 25x60
F4-5-6
F3
F1
F2
K25
K5
GND
1X3
TT11+
TSHH11
RS485
F21
230V
3PHASE
1X0
K21
PC
anchor
PC
K23
PC
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
K22
M1
Cubicle
UL Label
(line assembly)
F7
F8
1X3
GND
K11
TERMINAL BOARD - X2
11 19 19 8 21 23
12 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
1X1
T2
LD
GND1
EWD
Opt
Dry
GND1
1X3
M6
GND2


Ref	Part Number	Qty	Name	Validity	EL
	2205 0360 06	1	CUBICLE	(01/02/2022 - ...)	
	1089 9366 30	3	TERMINAL BLOCK	(01/02/2022 - ...)	1X0
	1089 9496 94	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9216 15	2	COVER	(01/02/2022 - ...)	PC
	1089 9496 96	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9216 16	2	COVER	(01/02/2022 - ...)	PC
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 97	1	OVERLOAD RELAY	(01/02/2022 - ...)	K21
	1089 9421 85	1	AUXILIARY RELAY	(01/02/2022 - ...)	K5
	0698 5142 09	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCK NUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCK NUT	(01/02/2022 - ...)	
	2202 9691 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 9168 63	2	FUSE	(01/02/2022 - ...)	F1
	1089 9168 53	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(01/02/2022 - ...)	F1
	1089 9168 48	1	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(01/02/2022 - ...)	F3
	~~1089 9594 01~~	1	FUSE HOLDER	(01/02/2022 - ...)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE 3A	(01/02/2022 - ...)	F4
	1088 1510 38	1	FUSE HOLDER	(01/02/2022 - ...)	F4
	1088 1510 39	1	END SECTION	(01/02/2022 - ...)	F4
	1089 9168 74	2	CONTROLLER FUSE	(01/02/2022 - ...)	F5-6
	1088 1510 38	2	FUSE HOLDER	(01/02/2022 - ...)	F5-6
	1088 1510 39	2	END SECTION	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESS SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	6	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	~~1088 0031 81~~	4	END STOP	(01/02/2022 - ...)	X2

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
Inner side
PT20 GND
SFD wires use insulated faston
S3
S3
CN1
CN2
PT20 TT11 cable shield
gnd M6
SFD
Y1
TSHH12
Anchor
115V 1PHASE
1XD
K11
GND
1X3
1X0
T1
X2
RW 25x60
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
RS485
F21
230V 3PHASE
K21
PC
anchor
K23
M1
1X1
K22
Cubicle UL Label (line assembly)
F7
F8
K11
TERMINAL BOARD - X2
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
LD
GND1
EWD
Opt
Dry
GND1
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(01/02/2022 - ...)	1X1
	1088 0031 99	1	END PLATE	(01/02/2022 - ...)	1X1
	1088 0031 96	6	JUMPER	(01/02/2022 - ...)	1X1
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	MODULE	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	BOX CUBICLE BELT DRIVEN	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 2155 12	1	LABEL	(01/02/2022 - ...)	
	2204 2155 21	1	LABEL	(01/02/2022 - ...)	
	2204 2155 34	1	LABEL EL EQ. G15-22 FF NC	(01/02/2022 - ...)	
	2202 8788 01	2	LABEL 200V/60HZ 3PHASE	(01/02/2022 - ...)	
	2202 2610 04	2	LABEL 460V-60HZ THREE PHASE	(01/02/2022 - ...)	
	2202 2610 70	2	LABEL 230V-60HZ TRIFASE	(01/02/2022 - ...)	
	2203 0541 10	1	LABEL	(01/02/2022 - ...)	
	2205 0360 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0360 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	
	1089 9168 42	2	FUSE	(01/02/2022 - ...)	K11
	1089 9168 45	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 04	1	FUSES HOLDER BCC 2X38	(01/02/2022 - ...)	F7
	1089 9168 43	2	FUSE	(01/02/2022 - ...)	F8
	1089 9594 04	1	FUSES HOLDER BCC 2X38	(01/02/2022 - ...)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(01/02/2022 - ...)	T2
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	CONV1-2
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	CONV1-2
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR


Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25X60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
M1
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 01	1	CUBICLE	(25/09/2018 - 21/02/2019)	
	1089 9216 14	1	TERMINAL BLOCK	(25/09/2018 - 21/02/2019)	1X0
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 21/02/2019)	PC
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K22
	1089 9216 15	1	COVER	(25/09/2018 - 21/02/2019)	F21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K5
	1089 9205 16	1	OVERLOAD RELAY	(25/09/2018 - 21/02/2019)	
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 21/02/2019)	
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 64	1	NUT	(25/09/2018 - 21/02/2019)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5148 14	1	SEAL	(25/09/2018 - 21/02/2019)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	2202 9691 04	1	TRANSFORMER	(25/09/2018 - 21/02/2019)	T1
	1089 9168 63	2	FUSE	(25/09/2018 - 21/02/2019)	F1
	1089 9168 53	2	FUSE	(25/09/2018 - 21/02/2019)	F1
	1089 9594 02	1	FUSE HOLDER	(25/09/2018 - 21/02/2019)	F1
	1089 9168 48	1	FUSE	(25/09/2018 - 21/02/2019)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 21/02/2019)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(25/09/2018 - 21/02/2019)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 21/02/2019)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(02/10/2018 - 21/02/2019)	F4
	1088 1510 38	1	FUSE HOLDER	(02/10/2018 - 21/02/2019)	F4
	1088 1510 39	1	END SECTION	(02/10/2018 - 21/02/2019)	F4
	1089 9168 74	2	CONTROLLER FUSE	(25/09/2018 - 21/02/2019)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 21/02/2019)	F5-6
	1088 1510 39	2	END SECTION	(25/09/2018 - 21/02/2019)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 21/02/2019)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 21/02/2019)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 21/02/2019)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 21/02/2019)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 21/02/2019)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 21/02/2019)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 21/02/2019)	1X3
	1088 1510 17	4	JUMPER	(25/09/2018 - 21/02/2019)	X2
	~~1088 0031 81~~	4	END STOP	(25/09/2018 - 21/02/2019)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(25/09/2018 - 21/02/2019)	1X1

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25X60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
M1
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	1088 0031 99	1	END PLATE	(25/09/2018 - 21/02/2019)	1X1
	1088 0031 96	6	JUMPER	(25/09/2018 - 21/02/2019)	1X1
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 21/02/2019)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 21/02/2019)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 21/02/2019)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 21/02/2019)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 21/02/2019)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 21/02/2019)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 21/02/2019)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 21/02/2019)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 21/02/2019)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 21/02/2019)	
	Electrical legend:	XTT11-TSHH1			
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 21/02/2019)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 21/02/2019)	K25
	1079 9906 09	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 11	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 21	1	FUSES LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 31	1	ELECTRICAL LIST	(25/09/2018 - 21/02/2019)	
	2202 8788 01	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 2610 04	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 2610 70	1	LABEL	(25/09/2018 - 21/02/2019)	
	2203 0541 10	1	LABEL	(25/09/2018 - 21/02/2019)	
	2205 0323 00	2	SERVICE DIAGRAM	(25/09/2018 - 21/02/2019)	
	2205 0323 10	2	ELECTRICAL LIST	(25/09/2018 - 21/02/2019)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 21/02/2019)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
M1
K22
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 11	1	CUBICLE	(22/02/2019 - ...)	
	1089 9216 14	1	TERMINAL BLOCK	(22/02/2019 - ...)	1X0
	1089 9496 93	1	CONTACTOR	(22/02/2019 - ...)	K21
	1089 9216 15	1	COVER	(22/02/2019 - ...)	PC
	1089 9496 93	1	CONTACTOR	(22/02/2019 - ...)	K22
	1089 9216 15	1	COVER	(22/02/2019 - ...)	F21
	1089 9438 73	1	CONTACTOR	(22/02/2019 - ...)	K5
	1089 9205 16	1	OVERLOAD RELAY	(22/02/2019 - ...)	
	1089 9421 85	1	AUXILIARY RELAY	(22/02/2019 - ...)	
	0698 5142 09	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 64	1	NUT	(22/02/2019 - ...)	
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5141 24	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 55	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5148 14	1	SEAL	(22/02/2019 - ...)	
	0698 5141 24	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 55	1	LOCKNUT	(22/02/2019 - ...)	
	2202 9691 04	1	TRANSFORMER	(22/02/2019 - ...)	T1
	1089 9168 63	2	FUSE	(22/02/2019 - ...)	F1
	1089 9168 53	2	FUSE	(22/02/2019 - ...)	F1
	1089 9594 02	1	FUSE HOLDER	(22/02/2019 - ...)	F1
	1089 9168 48	1	FUSE	(22/02/2019 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(22/02/2019 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 0591 31	1	FUSE	(22/02/2019 - ...)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(22/02/2019 - ...)	F3
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9168 79	1	FUSE	(22/02/2019 - ...)	F4
	1088 1510 38	1	FUSE HOLDER	(22/02/2019 - ...)	F4
	1088 1510 39	1	END SECTION	(22/02/2019 - ...)	F4
	1089 9168 74	2	CONTROLLER FUSE	(22/02/2019 - ...)	F5-6
	1088 1510 38	2	FUSE HOLDER	(22/02/2019 - ...)	F5-6
	1088 1510 39	2	END SECTION	(22/02/2019 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(22/02/2019 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(22/02/2019 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(22/02/2019 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(22/02/2019 - ...)	PT20
	2204 1407 00	1	FITTING	(22/02/2019 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(22/02/2019 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(22/02/2019 - ...)	PT20
	1088 1510 13	6	TERMINAL	(22/02/2019 - ...)	X2
	1088 1515 16	1	END PLATE	(22/02/2019 - ...)	X2
	0694 5900 05	2	TAB	(22/02/2019 - ...)	1X3
	1088 1510 17	4	JUMPER	(22/02/2019 - ...)	X2
	1088 1510 10	2	EARTH TERMINAL	(22/02/2019 - ...)	
	1088 1510 14	2	TERMINAL	(22/02/2019 - ...)	
	~~1088 0031 81~~	4	END STOP	(22/02/2019 - ...)	X2

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
M1
K22
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(22/02/2019 - ...)	1X1
	1088 0031 99	1	END PLATE	(22/02/2019 - ...)	1X1
	1088 0031 96	6	JUMPER	(22/02/2019 - ...)	1X1
	~~1088 0031 81~~	2	END STOP	(22/02/2019 - ...)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(22/02/2019 - ...)	S3
	1089 9482 98	2	NC CONTACT	(22/02/2019 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(22/02/2019 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(22/02/2019 - ...)	S3
	1089 0716 04	1	TERMINAL	(22/02/2019 - ...)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(22/02/2019 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(22/02/2019 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(22/02/2019 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(22/02/2019 - ...)	
	Electrical legend:	XTT11-TSHH1			
	2204 1486 00	1	CUBICLE BOX	(22/02/2019 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(22/02/2019 - ...)	K25
	2204 2155 11	1	LABEL	(22/02/2019 - ...)	
	2204 2155 21	1	FUSES LABEL	(22/02/2019 - ...)	
	2204 2155 31	1	ELECTRICAL LIST	(22/02/2019 - ...)	
	2202 8788 01	2	LABEL	(22/02/2019 - ...)	
	2202 2610 04	2	LABEL	(22/02/2019 - ...)	
	2202 2610 70	2	LABEL	(22/02/2019 - ...)	
	2203 0541 10	1	LABEL	(22/02/2019 - ...)	
	2205 0324 10	2	SERVICE DIAGRAM	(22/02/2019 - ...)	
	2205 0324 20	2	ELECTRICAL LIST	(22/02/2019 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(22/02/2019 - ...)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
F7
F8
K11
M1
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 02	1	CUBICLE	(25/09/2018 - 21/02/2019)	
	1089 9216 14	1	TERMINAL BLOCK	(25/09/2018 - 21/02/2019)	1X0
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 21/02/2019)	PC
	1089 9496 94	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K23
	1089 9216 15	1	COVER	(25/09/2018 - 21/02/2019)	PC
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K22
	1089 9205 16	1	OVERLOAD RELAY	(25/09/2018 - 21/02/2019)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 21/02/2019)	K5
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 64	1	NUT	(25/09/2018 - 21/02/2019)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5148 14	1	SEAL	(25/09/2018 - 21/02/2019)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	2202 9691 04	1	TRANSFORMER	(25/09/2018 - 21/02/2019)	T1
	1089 9168 63	2	FUSE	(25/09/2018 - 21/02/2019)	F1
	1089 9168 53	2	FUSE	(25/09/2018 - 21/02/2019)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 21/02/2019)	F1
	1089 9168 48	1	FUSE	(25/09/2018 - 21/02/2019)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 21/02/2019)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(25/09/2018 - 21/02/2019)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 21/02/2019)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(02/10/2018 - 21/02/2019)	F4
	1088 1510 38	1	FUSE HOLDER	(02/10/2018 - 21/02/2019)	F4
	1088 1510 39	1	END SECTION	(02/10/2018 - 21/02/2019)	F4
	1089 9168 74	2	CONTROLLER FUSE	(25/09/2018 - 21/02/2019)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 21/02/2019)	F5-6
	1088 1510 39	2	END SECTION	(25/09/2018 - 21/02/2019)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 21/02/2019)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 21/02/2019)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 21/02/2019)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 21/02/2019)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 21/02/2019)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 21/02/2019)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 21/02/2019)	1X3
	1088 1510 17	4	JUMPER	(25/09/2018 - 21/02/2019)	X2
	~~1088 0031 81~~	4	END STOP	(25/09/2018 - 21/02/2019)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(25/09/2018 - 21/02/2019)	1X1

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
F7
F8
K11
M1
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	1088 0031 99	1	END PLATE	(25/09/2018 - 21/02/2019)	1X1
	1088 0031 96	6	JUMPER	(25/09/2018 - 21/02/2019)	1X1
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 21/02/2019)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 21/02/2019)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 21/02/2019)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 21/02/2019)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 21/02/2019)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 21/02/2019)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 21/02/2019)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 21/02/2019)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 21/02/2019)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 21/02/2019)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 21/02/2019)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 21/02/2019)	K25
	1079 9906 09	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 11	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 21	1	FUSES LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 31	1	ELECTRICAL LIST	(25/09/2018 - 21/02/2019)	
	2202 8788 01	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 2610 04	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 2610 70	1	LABEL	(25/09/2018 - 21/02/2019)	
	2203 0541 10	1	LABEL	(25/09/2018 - 21/02/2019)	
	2205 0323 00	2	SERVICE DIAGRAM	(25/09/2018 - 21/02/2019)	
	2205 0323 10	2	ELECTRICAL LIST	(25/09/2018 - 21/02/2019)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 21/02/2019)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
T1
RW 25X60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
M1
K22
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 12	1	CUBICLE	(25/09/2018 - ...)	
	1089 9216 14	1	TERMINAL BLOCK	(22/02/2019 - ...)	1X0
	1089 9496 93	1	CONTACTOR	(22/02/2019 - ...)	K21
	1089 9216 15	1	COVER	(22/02/2019 - ...)	PC
	1089 9496 94	1	CONTACTOR	(22/02/2019 - ...)	K23
	1089 9216 15	1	COVER	(22/02/2019 - ...)	PC
	1089 9438 75	1	CONTACTOR	(22/02/2019 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(22/02/2019 - ...)	F21
	1089 9421 85	1	AUXILIARY RELAY	(22/02/2019 - ...)	K5
	0698 5142 09	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 64	1	NUT	(22/02/2019 - ...)	
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5141 24	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 55	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5148 14	1	SEAL	(22/02/2019 - ...)	
	0698 5141 24	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 55	1	LOCKNUT	(22/02/2019 - ...)	
	2202 9691 04	1	TRANSFORMER	(22/02/2019 - ...)	T1
	1089 9168 63	2	FUSE	(22/02/2019 - ...)	F1
	1089 9168 53	2	FUSE	(22/02/2019 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(22/02/2019 - ...)	F1
	1089 9168 48	1	FUSE	(22/02/2019 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(22/02/2019 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(22/02/2019 - ...)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(22/02/2019 - ...)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(22/02/2019 - ...)	F4
	1088 1510 38	1	FUSE HOLDER	(22/02/2019 - ...)	F4
	1088 1510 39	1	END SECTION	(22/02/2019 - ...)	F4
	1089 9168 74	2	CONTROLLER FUSE	(22/02/2019 - ...)	F5-6
	1088 1510 38	2	FUSE HOLDER	(22/02/2019 - ...)	F5-6
	1088 1510 39	2	END SECTION	(22/02/2019 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(22/02/2019 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(22/02/2019 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(22/02/2019 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(22/02/2019 - ...)	PT20
	2204 1407 00	1	FITTING	(22/02/2019 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(22/02/2019 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(22/02/2019 - ...)	PT20
	1088 1510 13	6	TERMINAL	(22/02/2019 - ...)	X2
	1088 1515 16	1	END PLATE	(22/02/2019 - ...)	X2
	0694 5900 05	2	TAB	(22/02/2019 - ...)	1X3
	1088 1510 17	4	JUMPER	(22/02/2019 - ...)	X2
	1088 1510 10	2	EARTH TERMINAL	(22/02/2019 - ...)	
	1088 1510 14	2	TERMINAL	(22/02/2019 - ...)	
	~~1088 0031 81~~	4	END STOP	(22/02/2019 - ...)	X2

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
T1
RW 25X60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
K21
PC
K23
K22
F7
F8
M1
1X3
GND
K11
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(22/02/2019 - ...)	1X1
	1088 0031 99	1	END PLATE	(22/02/2019 - ...)	1X1
	1088 0031 96	6	JUMPER	(22/02/2019 - ...)	1X1
	~~1088 0031 81~~	2	END STOP	(22/02/2019 - ...)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(22/02/2019 - ...)	S3
	1089 9482 98	2	NC CONTACT	(22/02/2019 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(22/02/2019 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(22/02/2019 - ...)	S3
	1089 0716 04	1	TERMINAL	(22/02/2019 - ...)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(22/02/2019 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(22/02/2019 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(22/02/2019 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(22/02/2019 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(22/02/2019 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(22/02/2019 - ...)	K25
	2204 2155 11	1	LABEL	(22/02/2019 - ...)	
	2204 2155 21	1	FUSES LABEL	(22/02/2019 - ...)	
	2204 2155 31	1	ELECTRICAL LIST	(22/02/2019 - ...)	
	2202 8788 01	2	LABEL	(22/02/2019 - ...)	
	2202 2610 04	2	LABEL	(22/02/2019 - ...)	
	2202 2610 70	2	LABEL	(22/02/2019 - ...)	
	2203 0541 10	1	LABEL	(22/02/2019 - ...)	
	2205 0324 10	2	SERVICE DIAGRAM	(22/02/2019 - ...)	
	2205 0324 20	2	ELECTRICAL LIST	(22/02/2019 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(22/02/2019 - ...)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
M1
K22
F7
F8
K11
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 03	1	CUBICLE	(25/09/2018 - 21/02/2019)	
	1089 9366 30	3	TERMINAL	(25/09/2018 - 21/02/2019)	1X0
	1089 9496 94	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K21
	1089 9216 15	2	COVER	(25/09/2018 - 21/02/2019)	PC
	1089 9496 96	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K23
	1089 9216 16	2	COVER	(25/09/2018 - 21/02/2019)	PC
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K22
	1089 9446 97	1	OVERLOAD RELAY	(25/09/2018 - 21/02/2019)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 21/02/2019)	K5
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 64	1	NUT	(25/09/2018 - 21/02/2019)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5148 14	1	SEAL	(25/09/2018 - 21/02/2019)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	2202 9691 04	1	TRANSFORMER	(25/09/2018 - 21/02/2019)	T1
	1089 9168 63	2	FUSE	(25/09/2018 - 21/02/2019)	F1
	1089 9168 53	2	FUSE	(25/09/2018 - 21/02/2019)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 21/02/2019)	F1
	1089 9168 48	1	FUSE	(25/09/2018 - 21/02/2019)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 21/02/2019)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(25/09/2018 - 21/02/2019)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 21/02/2019)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(02/10/2018 - 21/02/2019)	F4
	1088 1510 38	1	FUSE HOLDER	(02/10/2018 - 21/02/2019)	F4
	1088 1510 39	1	END SECTION	(02/10/2018 - 21/02/2019)	F4
	1089 9168 74	2	CONTROLLER FUSE	(25/09/2018 - 21/02/2019)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 21/02/2019)	F5-6
	1088 1510 39	2	END SECTION	(25/09/2018 - 21/02/2019)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 21/02/2019)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 21/02/2019)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 21/02/2019)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 21/02/2019)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 21/02/2019)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 21/02/2019)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 21/02/2019)	1X3
	1088 1510 17	4	JUMPER	(25/09/2018 - 21/02/2019)	X2
	~~1088 0031 81~~	4	END STOP	(25/09/2018 - 21/02/2019)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(25/09/2018 - 21/02/2019)	1X1

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
M1
K22
F7
F8
K11
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	1088 0031 99	1	END PLATE	(25/09/2018 - 21/02/2019)	1X1
	1088 0031 96	6	JUMPER	(25/09/2018 - 21/02/2019)	1X1
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 21/02/2019)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 21/02/2019)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 21/02/2019)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 21/02/2019)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 21/02/2019)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 21/02/2019)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 21/02/2019)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 21/02/2019)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 21/02/2019)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 21/02/2019)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 21/02/2019)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 21/02/2019)	K25
	1079 9906 09	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 11	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 21	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 31	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 8788 01	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 2610 04	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 2610 70	1	LABEL	(25/09/2018 - 21/02/2019)	
	2203 0541 10	1	LABEL	(25/09/2018 - 21/02/2019)	
	2205 0323 00	2	SERVICE DIAGRAM	(25/09/2018 - 21/02/2019)	
	2205 0323 10	2	ELECTRICAL LIST	(25/09/2018 - 21/02/2019)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 21/02/2019)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
RW 25x60
T1
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
F7
F8
K11
M1
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 13	1	CUBICLE	(22/02/2019 - ...)	
	1089 9366 30	3	TERMINAL	(22/02/2019 - ...)	1X0
	1089 9496 94	1	CONTACTOR	(22/02/2019 - ...)	K21
	1089 9216 15	2	COVER	(22/02/2019 - ...)	PC
	1089 9496 96	1	CONTACTOR	(22/02/2019 - ...)	K23
	1089 9216 16	2	COVER	(22/02/2019 - ...)	PC
	1089 9438 75	1	CONTACTOR	(22/02/2019 - ...)	K22
	1089 9446 97	1	OVERLOAD RELAY	(22/02/2019 - ...)	F21
	1089 9421 85	1	AUXILIARY RELAY	(22/02/2019 - ...)	K5
	0698 5142 09	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 64	1	NUT	(22/02/2019 - ...)	
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5141 24	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 55	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5148 14	1	SEAL	(22/02/2019 - ...)	
	0698 5141 24	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 55	1	LOCKNUT	(22/02/2019 - ...)	
	2202 9691 04	1	TRANSFORMER	(22/02/2019 - ...)	T1
	1089 9168 63	2	FUSE	(22/02/2019 - ...)	F1
	1089 9168 53	2	FUSE	(22/02/2019 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(22/02/2019 - ...)	F1
	1089 9168 48	1	FUSE	(22/02/2019 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(22/02/2019 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 0591 31	1	FUSE	(22/02/2019 - ...)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(22/02/2019 - ...)	F3
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9168 79	1	FUSE	(22/02/2019 - ...)	F4
	1088 1510 38	1	FUSE HOLDER	(22/02/2019 - ...)	F4
	1088 1510 39	1	END SECTION	(22/02/2019 - ...)	F4
	1089 9168 74	2	CONTROLLER FUSE	(22/02/2019 - ...)	F5-6
	1088 1510 38	2	FUSE HOLDER	(22/02/2019 - ...)	F5-6
	1088 1510 39	2	END SECTION	(22/02/2019 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(22/02/2019 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(22/02/2019 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(22/02/2019 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(22/02/2019 - ...)	PT20
	2204 1407 00	1	FITTING	(22/02/2019 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(22/02/2019 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(22/02/2019 - ...)	PT20
	1088 1510 13	6	TERMINAL	(22/02/2019 - ...)	X2
	1088 1515 16	1	END PLATE	(22/02/2019 - ...)	X2
	0694 5900 05	2	TAB	(22/02/2019 - ...)	1X3
	1088 1510 17	4	JUMPER	(22/02/2019 - ...)	X2
	1088 1510 10	2	EARTH TERMINAL	(22/02/2019 - ...)	
	1088 1510 14	2	TERMINAL	(22/02/2019 - ...)	
	~~1088 0031 81~~	4	END STOP	(22/02/2019 - ...)	X2

Legend:


IDRY:N - Integrated dryer:No
MOVOL:200230460V - Supply voltage:200-230-460 V
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G22_18J - Model:G 22


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
RW 25x60
T1
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
F7
F8
K11
M1
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(22/02/2019 - ...)	1X1
	1088 0031 99	1	END PLATE	(22/02/2019 - ...)	1X1
	1088 0031 96	6	JUMPER	(22/02/2019 - ...)	1X1
	~~1088 0031 81~~	2	END STOP	(22/02/2019 - ...)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(22/02/2019 - ...)	S3
	1089 9482 98	2	NC CONTACT	(22/02/2019 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(22/02/2019 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(22/02/2019 - ...)	S3
	1089 0716 04	1	TERMINAL	(22/02/2019 - ...)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(22/02/2019 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(22/02/2019 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(22/02/2019 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(22/02/2019 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(22/02/2019 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(22/02/2019 - ...)	K25
	2204 2155 11	1	LABEL	(22/02/2019 - ...)	
	2204 2155 21	1	LABEL	(22/02/2019 - ...)	
	2204 2155 31	1	LABEL	(22/02/2019 - ...)	
	2202 8788 01	2	LABEL	(22/02/2019 - ...)	
	2202 2610 04	2	LABEL	(22/02/2019 - ...)	
	2202 2610 70	2	LABEL	(22/02/2019 - ...)	
	2203 0541 10	1	LABEL	(22/02/2019 - ...)	
	2205 0324 10	2	SERVICE DIAGRAM	(22/02/2019 - ...)	
	2205 0324 20	2	ELECTRICAL LIST	(22/02/2019 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(22/02/2019 - ...)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
RW 25x60
T1
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
PC
PC
M1
K22
F7
F8
K11
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD

Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 04	1	CUBICLE	(25/09/2018 - ...)	
	1089 9216 14	1	TERMINAL BLOCK	(25/09/2018 - 21/02/2019)	1X0
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 21/02/2019)	PC
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K22
	1089 9216 15	1	COVER	(25/09/2018 - 21/02/2019)	F21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K5
	1089 9205 16	1	OVERLOAD RELAY	(25/09/2018 - 21/02/2019)	
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 21/02/2019)	
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 64	1	NUT	(25/09/2018 - 21/02/2019)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5148 14	1	SEAL	(25/09/2018 - 21/02/2019)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	2202 9691 04	1	TRANSFORMER	(25/09/2018 - 21/02/2019)	T1
	1089 9168 63	2	FUSE	(25/09/2018 - 21/02/2019)	F1
	1089 9168 53	2	FUSE	(25/09/2018 - 21/02/2019)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 21/02/2019)	F1
	1089 9168 48	1	FUSE	(25/09/2018 - 21/02/2019)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 21/02/2019)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(25/09/2018 - 21/02/2019)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 21/02/2019)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(02/10/2018 - 21/02/2019)	F4
	1088 1510 38	1	FUSE HOLDER	(02/10/2018 - 21/02/2019)	F4
	1088 1510 39	1	END SECTION	(02/10/2018 - 21/02/2019)	F4
	1089 9168 74	2	CONTROLLER FUSE	(25/09/2018 - 21/02/2019)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 21/02/2019)	F5-6
	1088 1510 39	2	END SECTION	(25/09/2018 - 21/02/2019)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 21/02/2019)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 21/02/2019)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 21/02/2019)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 21/02/2019)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 21/02/2019)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 21/02/2019)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 21/02/2019)	1X3
	1088 1510 17	4	JUMPER	(25/09/2018 - 21/02/2019)	X2
	1088 1510 14	1	TERMINAL	(25/09/2018 - 21/02/2019)	
	1088 1510 10	1	EARTH TERMINAL	(25/09/2018 - 21/02/2019)	

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
RW 25x60
T1
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
PC
PC
M1
K22
F7
F8
K11
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD

Ref	Part Number	Qty	Name	Validity	EL
	~~1088 0031 81~~	4	END STOP	(25/09/2018 - 21/02/2019)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(25/09/2018 - 21/02/2019)	1X1
	1088 0031 99	1	END PLATE	(25/09/2018 - 21/02/2019)	1X1
	1088 0031 96	6	JUMPER	(25/09/2018 - 21/02/2019)	1X1
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 21/02/2019)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 21/02/2019)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 21/02/2019)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 21/02/2019)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 21/02/2019)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 21/02/2019)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 21/02/2019)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 21/02/2019)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 21/02/2019)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 21/02/2019)	
	Electrical legend:	XTT11-TSHH1			
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 21/02/2019)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 21/02/2019)	K25
	1079 9906 09	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 12	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 21	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 32	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 8788 01	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 2610 04	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 2610 70	1	LABEL	(25/09/2018 - 21/02/2019)	
	2203 0541 10	1	LABEL	(25/09/2018 - 21/02/2019)	
	2205 0324 00	2	SERVICE DIAGRAM	(25/09/2018 - 21/02/2019)	
	2205 0323 10	2	ELECTRICAL LIST	(25/09/2018 - 21/02/2019)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 21/02/2019)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K11
	1089 9168 42	2	FUSE	(25/09/2018 - 21/02/2019)	F7
	1089 9168 45	2	FUSE 25A	(25/09/2018 - 21/02/2019)	F7
	1089 9594 04	1	FUSES HOLDER	(25/09/2018 - 21/02/2019)	F7
	1089 9168 43	2	FUSE	(25/09/2018 - 21/02/2019)	F8
	1089 9594 04	1	FUSES HOLDER	(25/09/2018 - 21/02/2019)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(25/09/2018 - 21/02/2019)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 21/02/2019)	SFD
	1624 2217 01	1	WATERPROOF CAP	(02/10/2018 - 21/02/2019)	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
RW 25x60
T1
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
PC
K23
PC
K22
F7
F8
K11
M1
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 14	1	CUBICLE	(22/02/2019 - ...)	
	1089 9216 14	1	TERMINAL BLOCK	(22/02/2019 - ...)	1X0
	1089 9496 93	1	CONTACTOR	(22/02/2019 - ...)	K21
	1089 9216 15	1	COVER	(22/02/2019 - ...)	PC
	1089 9496 93	1	CONTACTOR	(22/02/2019 - ...)	K22
	1089 9216 15	1	COVER	(22/02/2019 - ...)	F21
	1089 9438 73	1	CONTACTOR	(22/02/2019 - ...)	K5
	1089 9205 16	1	OVERLOAD RELAY	(22/02/2019 - ...)	
	1089 9421 85	1	AUXILIARY RELAY	(22/02/2019 - ...)	
	0698 5142 09	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 64	1	NUT	(22/02/2019 - ...)	
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5141 24	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 55	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5148 14	1	SEAL	(22/02/2019 - ...)	
	0698 5141 24	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 55	1	LOCKNUT	(22/02/2019 - ...)	
	2202 9691 04	1	TRANSFORMER	(22/02/2019 - ...)	T1
	1089 9168 63	2	FUSE	(22/02/2019 - ...)	F1
	1089 9168 53	2	FUSE	(22/02/2019 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(22/02/2019 - ...)	F1
	1089 9168 48	1	FUSE	(22/02/2019 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(22/02/2019 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 0591 31	1	FUSE	(22/02/2019 - ...)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(22/02/2019 - ...)	F3
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9168 79	1	FUSE	(22/02/2019 - ...)	F4
	1088 1510 38	1	FUSE HOLDER	(22/02/2019 - ...)	F4
	1088 1510 39	1	END SECTION	(22/02/2019 - ...)	F4
	1089 9168 74	2	CONTROLLER FUSE	(22/02/2019 - ...)	F5-6
	1088 1510 38	2	FUSE HOLDER	(22/02/2019 - ...)	F5-6
	1088 1510 39	2	END SECTION	(22/02/2019 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(22/02/2019 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(22/02/2019 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(22/02/2019 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(22/02/2019 - ...)	PT20
	2204 1407 00	1	FITTING	(22/02/2019 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(22/02/2019 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(22/02/2019 - ...)	PT20
	1088 1510 13	6	TERMINAL	(22/02/2019 - ...)	X2
	1088 1515 16	1	END PLATE	(22/02/2019 - ...)	X2
	0694 5900 05	2	TAB	(22/02/2019 - ...)	1X3
	1088 1510 17	4	JUMPER	(22/02/2019 - ...)	X2
	1088 1510 10	2	EARTH TERMINAL	(22/02/2019 - ...)	
	1088 1510 14	2	TERMINAL	(22/02/2019 - ...)	
	1088 1510 14	1	TERMINAL	(22/02/2019 - ...)	

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
RW 25x60
T1
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
PC
K23
PC
K22
F7
F8
K11
M1
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	1088 1510 10	1	EARTH TERMINAL	(22/02/2019 - ...)	
	~~1088 0031 81~~	4	END STOP	(22/02/2019 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(22/02/2019 - ...)	1X1
	1088 0031 99	1	END PLATE	(22/02/2019 - ...)	1X1
	1088 0031 96	6	JUMPER	(22/02/2019 - ...)	1X1
	~~1088 0031 81~~	2	END STOP	(22/02/2019 - ...)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(22/02/2019 - ...)	S3
	1089 9482 98	2	NC CONTACT	(22/02/2019 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(22/02/2019 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(22/02/2019 - ...)	S3
	1089 0716 04	1	TERMINAL	(22/02/2019 - ...)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(22/02/2019 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(22/02/2019 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(22/02/2019 - ...)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(22/02/2019 - ...)	
	Electrical legend:	XTT11-TSHH1			
	2204 1486 00	1	CUBICLE BOX	(22/02/2019 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(22/02/2019 - ...)	K25
	2204 2155 12	1	LABEL	(22/02/2019 - ...)	
	2204 2155 21	1	LABEL	(22/02/2019 - ...)	
	2204 2155 32	1	LABEL	(22/02/2019 - ...)	
	2202 8788 01	2	LABEL	(22/02/2019 - ...)	
	2202 2610 04	2	LABEL	(22/02/2019 - ...)	
	2202 2610 70	2	LABEL	(22/02/2019 - ...)	
	2203 0541 10	1	LABEL	(22/02/2019 - ...)	
	2205 0324 30	2	SERVICE DIAGRAM	(22/02/2019 - ...)	
	2205 0324 20	2	ELECTRICAL LIST	(22/02/2019 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(22/02/2019 - ...)	
	1089 9438 47	1	CONTACTOR	(22/02/2019 - ...)	
	1089 9168 42	2	FUSE	(22/02/2019 - ...)	F7
	1089 9168 45	2	FUSE 25A	(22/02/2019 - ...)	F7
	1089 9594 04	1	FUSES HOLDER	(22/02/2019 - ...)	F7
	1089 9168 43	2	FUSE	(22/02/2019 - ...)	F8
	1089 9594 04	1	FUSES HOLDER	(22/02/2019 - ...)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(22/02/2019 - ...)	T2
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(22/02/2019 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(22/02/2019 - ...)	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G15L_18J - Model:G 15L
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
TT11+
TSHH11
K5
F21
230V 3PHASE
1X0
K21
PC
PC
K23
PC
M1
K22
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 05	1	CUBICLE	(25/09/2018 - 21/02/2019)	
	1089 9216 14	1	TERMINAL BLOCK	(25/09/2018 - 21/02/2019)	1X0
	1089 9496 93	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K21
	1089 9216 15	1	COVER	(25/09/2018 - 21/02/2019)	PC
	1089 9496 94	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K23
	1089 9216 15	1	COVER	(25/09/2018 - 21/02/2019)	PC
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K22
	1089 9205 16	1	OVERLOAD RELAY	(25/09/2018 - 21/02/2019)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 21/02/2019)	K5
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 64	1	NUT	(25/09/2018 - 21/02/2019)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5148 14	1	SEAL	(25/09/2018 - 21/02/2019)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	2202 9691 04	1	TRANSFORMER	(25/09/2018 - 21/02/2019)	T1
	1089 9168 63	2	FUSE	(25/09/2018 - 21/02/2019)	F1
	1089 9168 53	2	FUSE	(25/09/2018 - 21/02/2019)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 21/02/2019)	F1
	1089 9168 48	1	FUSE	(25/09/2018 - 21/02/2019)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 21/02/2019)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(25/09/2018 - 21/02/2019)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 21/02/2019)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(02/10/2018 - 21/02/2019)	F4
	1088 1510 38	1	FUSE HOLDER	(02/10/2018 - 21/02/2019)	F4
	1088 1510 39	1	END SECTION	(02/10/2018 - 21/02/2019)	F4
	1089 9168 74	2	CONTROLLER FUSE	(25/09/2018 - 21/02/2019)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 21/02/2019)	F5-6
	1088 1510 39	2	END SECTION	(25/09/2018 - 21/02/2019)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 21/02/2019)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 21/02/2019)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 21/02/2019)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 21/02/2019)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 21/02/2019)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 21/02/2019)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 21/02/2019)	1X3
	1088 1510 17	4	JUMPER	(25/09/2018 - 21/02/2019)	X2
	1088 1510 14	1	TERMINAL	(25/09/2018 - 21/02/2019)	X2
	1088 1510 10	1	EARTH TERMINAL	(25/09/2018 - 21/02/2019)	

Legend:


IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G18_18J - Model:G 18


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
RW 25x60
T1
X2
F4-5-6
F3
F1
F2
K25
TT11+
TSHH11
K5
F21
230V 3PHASE
1X0
K21
PC
K23
M1
K22
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	~~1088 0031 81~~	4	END STOP	(25/09/2018 - 21/02/2019)	
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(25/09/2018 - 21/02/2019)	1X1
	1088 0031 99	1	END PLATE	(25/09/2018 - 21/02/2019)	1X1
	1088 0031 96	6	JUMPER	(25/09/2018 - 21/02/2019)	1X1
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 21/02/2019)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 21/02/2019)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 21/02/2019)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 21/02/2019)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 21/02/2019)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 21/02/2019)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 21/02/2019)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 21/02/2019)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 21/02/2019)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 21/02/2019)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 21/02/2019)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 21/02/2019)	K25
	1079 9906 09	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 12	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 21	1	FUSES LAB	(25/09/2018 - 21/02/2019)	
	2204 2155 32	1	ELECTRICAL LIST	(25/09/2018 - 21/02/2019)	
	2202 8788 01	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 2610 04	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 2610 70	1	LABEL	(25/09/2018 - 21/02/2019)	
	2203 0541 10	1	LABEL	(25/09/2018 - 21/02/2019)	
	2205 0324 00	2	SERVICE DIAGRAM	(25/09/2018 - 21/02/2019)	
	2205 0323 10	2	ELECTRICAL LIST	(25/09/2018 - 21/02/2019)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 21/02/2019)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K11
	1089 9168 42	2	FUSE	(25/09/2018 - 21/02/2019)	F7
	1089 9168 45	2	FUSE	(25/09/2018 - 21/02/2019)	F7
	1089 9594 04	1	FUSES HOLDER	(25/09/2018 - 21/02/2019)	F7
	1089 9168 43	2	FUSE	(25/09/2018 - 21/02/2019)	F8
	1089 9594 04	1	FUSE HOLDER	(25/09/2018 - 21/02/2019)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(25/09/2018 - 21/02/2019)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 21/02/2019)	SFD
	1624 2217 01	1	WATERPROOF CAP	(02/10/2018 - 21/02/2019)	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
M1
K22
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 15	1	CUBICLE	(22/02/2019 - ...)	
	1089 9366 30	3	TERMINAL	(22/02/2019 - ...)	
	1089 9496 93	1	CONTACTOR	(22/02/2019 - ...)	K21
	1089 9216 15	1	COVER	(22/02/2019 - ...)	PC
	1089 9496 94	1	CONTACTOR	(22/02/2019 - ...)	K23
	1089 9216 15	1	COVER	(22/02/2019 - ...)	PC
	1089 9438 75	1	CONTACTOR	(22/02/2019 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(22/02/2019 - ...)	F21
	1089 9421 85	1	AUXILIARY RELAY	(22/02/2019 - ...)	K5
	0698 5142 09	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 64	1	NUT	(22/02/2019 - ...)	
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5141 24	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 55	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5148 14	1	SEAL	(22/02/2019 - ...)	
	0698 5141 24	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 55	1	LOCKNUT	(22/02/2019 - ...)	
	2202 9691 04	1	TRANSFORMER	(22/02/2019 - ...)	T1
	1089 9168 63	2	FUSE	(22/02/2019 - ...)	F1
	1089 9168 53	2	FUSE	(22/02/2019 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(22/02/2019 - ...)	F1
	1089 9168 48	1	FUSE	(22/02/2019 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(22/02/2019 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(22/02/2019 - ...)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(22/02/2019 - ...)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(22/02/2019 - ...)	F4
	1088 1510 38	1	FUSE HOLDER	(22/02/2019 - ...)	F4
	1088 1510 39	1	END SECTION	(22/02/2019 - ...)	F4
	1089 9168 74	2	CONTROLLER FUSE	(22/02/2019 - ...)	F5-6
	1088 1510 38	2	FUSE HOLDER	(22/02/2019 - ...)	F5-6
	1088 1510 39	2	END SECTION	(22/02/2019 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(22/02/2019 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(22/02/2019 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(22/02/2019 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(22/02/2019 - ...)	PT20
	2204 1407 00	1	FITTING	(22/02/2019 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(22/02/2019 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(22/02/2019 - ...)	PT20
	1088 1510 13	6	TERMINAL	(22/02/2019 - ...)	X2
	1088 1515 16	1	END PLATE	(22/02/2019 - ...)	X2
	0694 5900 05	2	TAB	(22/02/2019 - ...)	1X3
	1088 1510 17	4	JUMPER	(22/02/2019 - ...)	X2
	1088 1510 10	2	EARTH TERMINAL	(22/02/2019 - ...)	
	1088 1510 14	2	TERMINAL	(22/02/2019 - ...)	
	1088 1510 14	1	TERMINAL	(22/02/2019 - ...)	X2

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
M1
K22
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	1088 1510 10	1	EARTH TERMINAL	(22/02/2019 - ...)	
	~~1088 0031 81~~	4	END STOP	(22/02/2019 - ...)	
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(22/02/2019 - ...)	1X1
	1088 0031 99	1	END PLATE	(22/02/2019 - ...)	1X1
	1088 0031 96	6	JUMPER	(22/02/2019 - ...)	1X1
	~~1088 0031 81~~	2	END STOP	(22/02/2019 - ...)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(22/02/2019 - ...)	S3
	1089 9482 98	2	NC CONTACT	(22/02/2019 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(22/02/2019 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(22/02/2019 - ...)	S3
	1089 0716 04	1	TERMINAL	(22/02/2019 - ...)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(22/02/2019 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(22/02/2019 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(22/02/2019 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(22/02/2019 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(22/02/2019 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(22/02/2019 - ...)	K25
	2204 2155 12	1	LABEL	(22/02/2019 - ...)	
	2204 2155 21	1	FUSES LAB	(22/02/2019 - ...)	
	2204 2155 32	1	ELECTRICAL LIST	(22/02/2019 - ...)	
	2202 8788 01	2	LABEL	(22/02/2019 - ...)	
	2202 2610 04	2	LABEL	(22/02/2019 - ...)	
	2202 2610 70	2	LABEL	(22/02/2019 - ...)	
	2203 0541 10	1	LABEL	(22/02/2019 - ...)	
	2205 0324 30	2	SERVICE DIAGRAM	(22/02/2019 - ...)	
	2205 0324 20	2	ELECTRICAL LIST	(22/02/2019 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(22/02/2019 - ...)	
	1089 9438 47	1	CONTACTOR	(22/02/2019 - ...)	
	1089 9168 42	2	FUSE	(22/02/2019 - ...)	F7
	1089 9168 45	2	FUSE	(22/02/2019 - ...)	F7
	1089 9594 04	1	FUSES HOLDER	(22/02/2019 - ...)	F7
	1089 9168 43	2	FUSE	(22/02/2019 - ...)	F8
	1089 9594 04	1	FUSE HOLDER	(22/02/2019 - ...)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(22/02/2019 - ...)	T2
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(22/02/2019 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(22/02/2019 - ...)	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G18_18J - Model:G 18
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
TT11+
TSHH11
K5
F21
230V 3PHASE
1X0
K21
PC
K23
K22
F7
F8
K11
M1
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD

Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 06	1	CUBICLE	(25/09/2018 - ...)	
	1089 9366 30	3	TERMINAL	(25/09/2018 - 21/02/2019)	1X0
	1089 9496 94	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K21
	1089 9216 15	2	COVER	(25/09/2018 - 21/02/2019)	PC
	1089 9496 96	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K23
	1089 9216 16	2	COVER	(25/09/2018 - 21/02/2019)	PC
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K22
	1089 9446 97	1	OVERLOAD RELAY	(25/09/2018 - 21/02/2019)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 21/02/2019)	K5
	0698 5142 09	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 64	1	NUT	(25/09/2018 - 21/02/2019)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	0698 5148 14	1	SEAL	(25/09/2018 - 21/02/2019)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	2202 9691 04	1	TRANSFORMER	(25/09/2018 - 21/02/2019)	T1
	1089 9168 63	2	FUSE	(25/09/2018 - 21/02/2019)	F1
	1089 9168 53	2	FUSE	(25/09/2018 - 21/02/2019)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 21/02/2019)	F1
	1089 9168 48	1	FUSE	(25/09/2018 - 21/02/2019)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 21/02/2019)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(25/09/2018 - 21/02/2019)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 21/02/2019)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(02/10/2018 - 21/02/2019)	F4
	1088 1510 38	1	FUSE HOLDER	(02/10/2018 - 21/02/2019)	F4
	1088 1510 39	1	END SECTION	(02/10/2018 - 21/02/2019)	F4
	1089 9168 74	2	CONTROLLER FUSE	(25/09/2018 - 21/02/2019)	F5-6
	1088 1510 38	2	FUSE HOLDER	(25/09/2018 - 21/02/2019)	F5-6
	1088 1510 39	2	END SECTION	(25/09/2018 - 21/02/2019)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 21/02/2019)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 21/02/2019)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 21/02/2019)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 21/02/2019)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 21/02/2019)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 21/02/2019)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 21/02/2019)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 21/02/2019)	1X3
	1088 1510 17	4	JUMPER	(25/09/2018 - 21/02/2019)	X2
	1088 1510 14	1	TERMINAL	(25/09/2018 - 21/02/2019)	
	1088 1510 10	1	EARTH TERMINAL	(25/09/2018 - 21/02/2019)	

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
50
RW 25x60
T1
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
F7
F8
K11
M1
1X3
GND
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
1X3
M6
GND2
LD
GND1
EWD

Ref	Part Number	Qty	Name	Validity	EL
	~~1088 0031 81~~	4	END STOP	(25/09/2018 - 21/02/2019)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(25/09/2018 - 21/02/2019)	1X1
	1088 0031 99	1	END PLATE	(25/09/2018 - 21/02/2019)	1X1
	1088 0031 96	6	JUMPER	(25/09/2018 - 21/02/2019)	1X1
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 21/02/2019)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 21/02/2019)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 21/02/2019)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 21/02/2019)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 21/02/2019)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 21/02/2019)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 21/02/2019)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 21/02/2019)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 21/02/2019)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 21/02/2019)	
	Electrical legend:	XTT11-TSHH1			
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 21/02/2019)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 21/02/2019)	K25
	1079 9906 09	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 12	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 21	1	LABEL	(25/09/2018 - 21/02/2019)	
	2204 2155 32	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 8788 01	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 2610 04	1	LABEL	(25/09/2018 - 21/02/2019)	
	2202 2610 70	1	LABEL	(25/09/2018 - 21/02/2019)	
	2203 0541 10	1	LABEL	(25/09/2018 - 21/02/2019)	
	2205 0324 00	2	SERVICE DIAGRAM	(25/09/2018 - 21/02/2019)	
	2205 0323 10	2	ELECTRICAL LIST	(25/09/2018 - 21/02/2019)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 21/02/2019)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 21/02/2019)	K11
	1089 9168 42	2	FUSE	(25/09/2018 - 21/02/2019)	F7
	1089 9168 45	2	FUSE 25A	(25/09/2018 - 21/02/2019)	F7
	1089 9594 04	1	FUSES HOLDER	(25/09/2018 - 21/02/2019)	F7
	1089 9168 43	2	FUSE	(25/09/2018 - 21/02/2019)	F8
	1089 9594 04	1	FUSES HOLDER	(25/09/2018 - 21/02/2019)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(25/09/2018 - 21/02/2019)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 21/02/2019)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 21/02/2019)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 21/02/2019)	SFD
	1624 2217 01	1	WATERPROOF CAP	(02/10/2018 - 21/02/2019)	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
Opt
Dry
GND1
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
GND
1X3
TT11+
TSHH11
K5
F21
230V 3PHASE
1X0
K21
PC
PC
K23
PC
M1
K22
F7
F8
K11
1X3
GND
1X1
T2
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 16	1	CUBICLE	(22/09/2019 - ...)	
	1089 9366 30	3	TERMINAL	(22/02/2019 - ...)	1X0
	1089 9496 94	1	CONTACTOR	(22/02/2019 - ...)	K21
	1089 9216 15	2	COVER	(22/02/2019 - ...)	PC
	1089 9496 96	1	CONTACTOR	(22/02/2019 - ...)	K23
	1089 9216 16	2	COVER	(22/02/2019 - ...)	PC
	1089 9438 75	1	CONTACTOR	(22/02/2019 - ...)	K22
	1089 9446 97	1	OVERLOAD RELAY	(22/02/2019 - ...)	F21
	1089 9421 85	1	AUXILIARY RELAY	(22/02/2019 - ...)	K5
	0698 5142 09	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 64	1	NUT	(22/02/2019 - ...)	
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5141 24	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 55	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	0698 5148 14	1	SEAL	(22/02/2019 - ...)	
	0698 5141 24	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 55	1	LOCKNUT	(22/02/2019 - ...)	
	2202 9691 04	1	TRANSFORMER	(22/02/2019 - ...)	T1
	1089 9168 63	2	FUSE	(22/02/2019 - ...)	F1
	1089 9168 53	2	FUSE	(22/02/2019 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(22/02/2019 - ...)	F1
	1089 9168 48	1	FUSE	(22/02/2019 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(22/02/2019 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	(22/02/2019 - ...)	F3
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(22/02/2019 - ...)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	(22/02/2019 - ...)	F4
	1088 1510 38	1	FUSE HOLDER	(22/02/2019 - ...)	F4
	1088 1510 39	1	END SECTION	(22/02/2019 - ...)	F4
	1089 9168 74	2	CONTROLLER FUSE	(22/02/2019 - ...)	F5-6
	1088 1510 38	2	FUSE HOLDER	(22/02/2019 - ...)	F5-6
	1088 1510 39	2	END SECTION	(22/02/2019 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(22/02/2019 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(22/02/2019 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(22/02/2019 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(22/02/2019 - ...)	PT20
	2204 1407 00	1	FITTING	(22/02/2019 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(22/02/2019 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(22/02/2019 - ...)	PT20
	1088 1510 13	6	TERMINAL	(22/02/2019 - ...)	X2
	1088 1515 16	1	END PLATE	(22/02/2019 - ...)	X2
	0694 5900 05	2	TAB	(22/02/2019 - ...)	1X3
	1088 1510 17	4	JUMPER	(22/02/2019 - ...)	X2
	1088 1510 10	2	EARTH TERMINAL	(22/02/2019 - ...)	
	1088 1510 14	2	TERMINAL	(22/02/2019 - ...)	
	1088 1510 14	1	TERMINAL	(22/02/2019 - ...)	

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
PT20 GND
SFD wires use insulated faston
S3
S3
gnd M6
PT20 TT11 cable shield
CN1
CN2
SFD
Y1
TSHH12
1X1
T1 T7 T4 T10 T2 T8 T5 T11 T3 T9 T6 T12
115V 1PHASE
1XD
K11
GND
1X3
1X0
L1 L2 L3
T1
50
RW 25x60
X2
F4-5-6
F3
F1
F2
K25
K5
TT11+
TSHH11
F21
230V 3PHASE
1X0
K21
PC
K23
K22
F7
F8
M1
1X3
GND
K11
1X1
TERMINAL BOARD - X2
13 19 19 20 21 14
27 0 0 0 15 15
REMOTE START STOP
DRAIN OPTION
DRYER
Y1
TSHH12
TSHH11
T2
Opt
Dry
GND1
LD
GND1
EWD
1X3
M6
GND2

Ref	Part Number	Qty	Name	Validity	EL
	1088 1510 10	1	EARTH TERMINAL	(22/02/2019 - ...)	
	~~1088 0031 81~~	4	END STOP	(22/02/2019 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1088 0031 74	12	TERMINAL	(22/02/2019 - ...)	1X1
	1088 0031 99	1	END PLATE	(22/02/2019 - ...)	1X1
	1088 0031 96	6	JUMPER	(22/02/2019 - ...)	1X1
	~~1088 0031 81~~	2	END STOP	(22/02/2019 - ...)	1X1
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(22/02/2019 - ...)	S3
	1089 9482 98	2	NC CONTACT	(22/02/2019 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(22/02/2019 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(22/02/2019 - ...)	S3
	1089 0716 04	1	TERMINAL	(22/02/2019 - ...)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(22/02/2019 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(22/02/2019 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(22/02/2019 - ...)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(22/02/2019 - ...)	
	Electrical legend:	XTT11-TSHH1			
	2204 1486 00	1	CUBICLE BOX	(22/02/2019 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(22/02/2019 - ...)	K25
	2204 2155 12	1	LABEL	(22/02/2019 - ...)	
	2204 2155 21	1	LABEL	(22/02/2019 - ...)	
	2204 2155 32	1	LABEL	(22/02/2019 - ...)	
	2202 8788 01	2	LABEL	(22/02/2019 - ...)	
	2202 2610 04	2	LABEL	(22/02/2019 - ...)	
	2202 2610 70	2	LABEL	(22/02/2019 - ...)	
	2203 0541 10	1	LABEL	(22/02/2019 - ...)	
	2205 0324 30	2	SERVICE DIAGRAM	(22/02/2019 - ...)	
	2205 0324 20	2	ELECTRICAL LIST	(22/02/2019 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(22/02/2019 - ...)	
	1089 9438 47	1	CONTACTOR	(22/02/2019 - ...)	
	1089 9168 42	2	FUSE	(22/02/2019 - ...)	F7
	1089 9168 45	2	FUSE 25A	(22/02/2019 - ...)	F7
	1089 9594 04	1	FUSES HOLDER	(22/02/2019 - ...)	F7
	1089 9168 43	2	FUSE	(22/02/2019 - ...)	F8
	1089 9594 04	1	FUSES HOLDER	(22/02/2019 - ...)	F8
	2204 1228 01	1	AUTO TRANSFORMER	(22/02/2019 - ...)	T2
	0698 5141 21	1	CABLE GLAND	(22/02/2019 - ...)	
	0697 9809 53	1	LOCKNUT	(22/02/2019 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(22/02/2019 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(22/02/2019 - ...)	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V


PT20
Anchor
PT20 GND
Anchor
Y1
TSHH12
Anchor
Ext Side
Anchor
Ext Side
Opt
Dry
Inner
side
S3
S3
CN1
CN2
150
280
115V
1PHASE
1XD
K11
anchor
T1
X2
RW 25x60
F4-5-6
anchor
anchor
anchor
F3
F1
F2
K25
TT11+
TSHH11
1X3
K5
F21
K21
1X0
PC
K23
PC
M1
K22
F7
F8
1X3
GND
K11
T2
LD
EWD
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 21	1	CUBICLE	**(19/10/2018 - ...)** MODEL:G15L_18J	
	2205 0323 22	1	CUBICLE	**(19/10/2018 - ...)** MODEL:G18_18J	
	2205 0323 23	1	CUBICLE	**(19/10/2019 - ...)** MODEL:G22_18J	
	1089 9267 61	1	TERMINAL	**(25/09/2018 - ...)**	1X0
	1089 9438 70	1	CONTACTOR	**(25/09/2018 - ...)** MODEL:G15L_18J , MODEL:G18_18J	K21
	1089 9438 73	1	CONTACTOR	**(25/09/2018 - ...)** MODEL:G22_18J	K21
	1089 9438 73	1	CONTACTOR	**(25/09/2018 - ...)** MODEL:G15L_18J	K23
	1089 9438 75	1	CONTACTOR	**(25/09/2018 - ...)** MODEL:G18_18J	K23
	1089 9496 92	1	CONTACTOR	**(25/09/2018 - ...)** MODEL:G22_18J	K23
	1089 9216 15	2	COVER	**(25/09/2018 - ...)** MODEL:G22_18J	PC
	1089 9438 50	1	CONTACTOR	**(25/09/2018 - ...)** MODEL:G15L_18J	K22
	1089 9438 56	1	CONTACTOR	**(25/09/2018 - ...)** MODEL:G18_18J , MODEL:G22_18J	K22
	1089 9267 79	1	OVERLOAD RELAY	**(25/09/2018 - ...)**	F21
	1089 9421 85	1	AUX RELAY	**(25/09/2018 - ...)**	K5
	0698 5141 04	1	CABLE GLAND	**(25/09/2018 - ...)**	
	0697 9809 64	1	NUT	**(25/09/2018 - ...)**	
	0698 5141 21	1	CABLE GLAND	**(25/09/2018 - ...)**	Y1
	0697 9809 53	1	LOCK NUT	**(25/09/2018 - ...)**	Y1
	0698 5141 24	1	CABLE GLAND	**(25/09/2018 - ...)**	PT20
	0697 9809 55	1	LOCK NUT	**(25/09/2018 - ...)**	PT20
	0698 5141 21	1	CABLE GLAND	**(25/09/2018 - ...)**	TT11-TSHH11
	0697 9809 53	1	LOCK NUT	**(25/09/2018 - ...)**	TT11-TSHH11
	0698 5148 14	1	SEAL	**(25/09/2018 - ...)**	TT11-TSHH11
	0698 5141 24	1	CABLE GLAND	**(25/09/2018 - ...)**	TSHH12
	0697 9809 55	1	LOCK NUT	**(25/09/2018 - ...)**	TSHH12
	2202 9691 05	1	TRANSFORMER	**(25/09/2018 - ...)**	T1
	1089 9168 63	2	FUSE	**(25/09/2018 - ...)**	F1
	1089 9594 02	1	FUSE HOLDER	**(25/09/2018 - ...)**	F1
	1089 9168 48	1	FUSE	**(25/09/2018 - ...)**	F2
	~~1089 9594 01~~	1	FUSE HOLDER	**(25/09/2018 - ...)**	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	**(25/09/2018 - ...)**	F3
	~~1089 9594 01~~	1	FUSE HOLDER	**(25/09/2018 - ...)**	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	**(02/10/2018 - ...)**	F4
	1088 1510 38	1	FUSE HOLDER	**(02/10/2018 - ...)**	F4
	1088 1510 39	1	END SECTION	**(02/10/2018 - ...)**	F4
	1089 9168 74	2	CONTROLLER FUSE	**(25/09/2018 - ...)**	F5-6
	1088 1510 38	2	FUSE HOLDER	**(25/09/2018 - ...)**	F5-6
	1088 1510 39	2	END SECTION	**(25/09/2018 - ...)**	F5-6
	2204 1039 00	1	PRESSURE SENSOR	**(25/09/2018 - ...)**	PT20
	1088 0021 59	1	CONNECTOR FEMALE	**(25/09/2018 - ...)**	PT20
	1088 0021 60	3	WIRE SEAL	**(25/09/2018 - ...)**	PT20
	1088 0021 61	3	TERMINAL PIN	**(25/09/2018 - ...)**	PT20
	2204 1407 00	1	FITTING	**(25/09/2018 - ...)**	PT20
	0348 0101 13	1	CABLE TIE	**(25/09/2018 - ...)**	PT20
	0348 0110 03	1	ANCHOR PLATE TYPE C	**(25/09/2018 - ...)**	PT20
	1088 1510 13	6	TERMINAL	**(25/09/2018 - ...)**	X2
	1088 1515 16	1	END PLATE	**(25/09/2018 - ...)**	X2

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
MOVOL:575V - Supply voltage:575 V


PT20
Anchor
PT20 GND
Anchor
Y1
TSHH12
Anchor
Ext Side
Anchor
Ext Side
Opt
Dry
Inner
side
S3
S3
CN1
CN2
150
280
115V
1PHASE
1XD
K11
anchor
T1
X2
RW 25x60
F4-5-6
anchor
anchor
anchor
F3
F1
F2
K25
TT11+
TSHH11
1X3
K5
F21
K21
1X0
PC
K23
PC
M1
K22
F7
F8
1X3
GND
K11
T2
LD
EWD
1X3

Ref	Part Number	Qty	Name	Validity	EL
	0694 5900 05	2	TAB	(25/09/2018 - ...)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - ...)	X2
	1088 1510 10	2	EARTH TERMINAL	(22/02/2019 - ...)	X2
	1088 1510 14	2	TERMINAL	(22/02/2019 - ...)	X2
	~~1088 0031 81~~	4	END STOP	(25/09/2018 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - ...)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - ...)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - ...)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - ...)	
	1089 9461 07	1	PHASE SEQUENCE RELAY	(25/09/2018 - ...)	K25
	2204 2155 22	1	LABEL	(25/09/2018 - ...)	
	2204 2155 31	1	LABEL	(25/09/2018 - ...)	
	2202 2610 02	2	LABEL	(25/09/2018 - ...)	
	2203 0541 10	1	LABEL CAUTION: ELEC. HAZARD	(25/09/2018 - ...)	
	2205 0323 00	2	SERVICE DIAGRAM	(25/09/2018 - 21/02/2019)	
	2205 0324 10	2	SERVICE DIAGRAM	(22/02/2019 - ...)	
	2205 0323 20	2	ELECTRICAL LIST	(25/09/2018 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - ...)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
MOVOL:575V - Supply voltage:575 V


PT20
Anchor
PT20 GND
Anchor
Y1
TSHH12
Anchor
Ext Side
Anchor
Ext Side
Opt
Dry
Inner
side
S3
S3
CN1
CN2
150
280
115V
1PHASE
1XD
K11
anchor
T1
X2
RW 25x60
F4-5-6
anchor
F3
anchor
F1
anchor
F2
K25
TT11+
TSHH11
1X3
K5
F21
K21
1X0
PC
K23
PC
M1
K22
F7
F8
1X3
GND
K11
T2
LD
EWD
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0323 24	1	CUBICLE	**(19/10/2018 - ...)** MODEL:G15L_18J	
	2205 0323 25	1	CUBICLE	**(19/10/2018 - ...)** MODEL:G18_18J	
	2205 0323 26	1	CUBICLE	**(19/10/2019 - ...)** MODEL:G22_18J	
	1089 9267 61	1	TERMINAL	**(25/09/2018 - ...)**	1X0
	1089 9438 70	1	CONTACTOR	**(25/09/2018 - ...)** MODEL:G15L_18J , MODEL:G18_18J	K21
	1089 9438 73	1	CONTACTOR	**(25/09/2018 - ...)** MODEL:G22_18J	K21
	1089 9438 73	1	CONTACTOR	**(25/09/2018 - ...)** MODEL:G15L_18J	K23
	1089 9438 75	1	CONTACTOR	**(25/09/2018 - ...)** MODEL:G18_18J	K23
	1089 9496 92	1	CONTACTOR	**(25/09/2018 - ...)** MODEL:G22_18J	K23
	1089 9216 15	2	COVER	**(25/09/2018 - ...)** MODEL:G22_18J	PC
	1089 9438 50	1	CONTACTOR	**(25/09/2018 - ...)** MODEL:G15L_18J	K22
	1089 9438 56	1	CONTACTOR	**(25/09/2018 - ...)** MODEL:G18_18J , MODEL:G22_18J	K22
	1089 9267 79	1	OVERLOAD RELAY	**(25/09/2018 - ...)**	F21
	1089 9421 85	1	AUX RELAY	**(25/09/2018 - ...)**	K5
	0698 5141 04	1	CABLE GLAND	**(25/09/2018 - ...)**	
	0697 9809 64	1	NUT	**(25/09/2018 - ...)**	
	0698 5141 21	1	CABLE GLAND	**(25/09/2018 - ...)**	Y1
	0697 9809 53	1	LOCK NUT	**(25/09/2018 - ...)**	Y1
	0698 5141 24	1	CABLE GLAND	**(25/09/2018 - ...)**	PT20
	0697 9809 55	1	LOCK NUT	**(25/09/2018 - ...)**	PT20
	0698 5141 21	1	CABLE GLAND	**(25/09/2018 - ...)**	TT11-TSHH11
	0697 9809 53	1	LOCK NUT	**(25/09/2018 - ...)**	TT11-TSHH11
	0698 5148 14	1	SEAL	**(25/09/2018 - ...)**	TT11-TSHH11
	0698 5141 24	1	CABLE GLAND	**(25/09/2018 - ...)**	TSHH12
	0697 9809 55	1	LOCK NUT	**(25/09/2018 - ...)**	TSHH12
	2202 9691 05	1	TRANSFORMER	**(25/09/2018 - ...)**	T1
	1089 9168 63	2	FUSE	**(25/09/2018 - ...)**	F1
	1089 9594 02	1	FUSE HOLDER	**(25/09/2018 - ...)**	F1
	1089 9168 48	1	FUSE	**(25/09/2018 - ...)**	F2
	~~1089 9594 01~~	1	FUSE HOLDER	**(25/09/2018 - ...)**	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 0591 31	1	FUSE	**(25/09/2018 - ...)**	F3
	~~1089 9594 01~~	1	FUSE HOLDER	**(25/09/2018 - ...)**	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9168 79	1	FUSE	**(02/10/2018 - ...)**	F4
	1088 1510 38	1	FUSE HOLDER	**(02/10/2018 - ...)**	F4
	1088 1510 39	1	END SECTION	**(02/10/2018 - ...)**	F4
	1089 9168 74	2	CONTROLLER FUSE	**(25/09/2018 - ...)**	F5-6
	1088 1510 38	2	FUSE HOLDER	**(25/09/2018 - ...)**	F5-6
	1088 1510 39	2	END SECTION	**(25/09/2018 - ...)**	F5-6
	2204 1039 00	1	PRESSURE SENSOR	**(25/09/2018 - ...)**	PT20
	1088 0021 59	1	CONNECTOR FEMALE	**(25/09/2018 - ...)**	PT20
	1088 0021 60	3	WIRE SEAL	**(25/09/2018 - ...)**	PT20
	1088 0021 61	3	TERMINAL PIN	**(25/09/2018 - ...)**	PT20
	2204 1407 00	1	FITTING	**(25/09/2018 - ...)**	PT20
	0348 0101 13	1	CABLE TIE	**(25/09/2018 - ...)**	PT20
	0348 0110 03	1	ANCHOR PLATE TYPE C	**(25/09/2018 - ...)**	PT20
	1088 1510 13	6	TERMINAL	**(25/09/2018 - ...)**	X2
	1088 1515 16	1	END PLATE	**(25/09/2018 - ...)**	X2

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
MOVOL:575V - Supply voltage:575 V


PT20
Anchor
PT20 GND
Anchor
Y1
TSHH12
Anchor
Ext Side
Anchor
Ext Side
Opt
Dry
Inner
side
S3
S3
CN1
CN2
150
280
115V
1PHASE
1XD
K11
anchor
T1
X2
RW 25x60
F4-5-6
anchor
F3
F1
F2
K25
anchor
anchor
TT11+
TSHH11
1X3
K5
F21
1X0
K21
PC
K23
PC
M1
K22
F7
F8
1X3
GND
K11
T2
LD
EWD
1X3

Ref	Part Number	Qty	Name	Validity	EL
	0694 5900 05	2	TAB	(25/09/2018 - ...)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - ...)	X2
	1088 1510 10	2	EARTH TERMINAL	(22/02/2019 - ...)	X2
	1088 1510 14	2	TERMINAL	(22/02/2019 - ...)	X2
	1088 1510 14	1	TERMINAL	(25/09/2018 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(25/09/2018 - ...)	
	~~1088 0031 81~~	4	END STOP	(25/09/2018 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - ...)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - ...)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - ...)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - ...)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - ...)	
	1089 9461 07	1	PHASE SEQUENCE RELAY	(25/09/2018 - ...)	K25
	2204 2155 22	1	LABEL	(25/09/2018 - ...)	
	2204 2155 32	1	LABEL	(25/09/2018 - ...)	
	2202 2610 02	2	LABEL	(25/09/2018 - ...)	
	2203 0541 10	1	LABEL CAUTION: ELEC. HAZARD	(25/09/2018 - ...)	
	2205 0324 00	2	SERVICE DIAGRAM	(25/09/2018 - 21/02/2019)	
	2205 0324 30	2	SERVICE DIAGRAM	(22/02/2019 - ...)	
	2205 0323 20	2	ELECTRICAL LIST	(25/09/2018 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - ...)	
	1089 9438 47	1	CONTACTOR	(25/09/2018 - ...)	K11
	1089 9168 41	2	FUSE	(25/09/2018 - ...)	F7
	1089 9594 04	1	FUSES HOLDER BCC 2X38	(25/09/2018 - ...)	F7
	1089 9168 43	2	FUSE	(25/09/2018 - ...)	F8
	1089 9594 04	1	FUSES HOLDER BCC 2X38	(25/09/2018 - ...)	F8
	2204 1228 01	1	AUTOTRANSFORMER	(25/09/2018 - ...)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - ...)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(02/10/2018 - ...)	SFD


Legend:

IDRY:Y - Integrated dryer:Yes
MODEL:G18_18J - Model:G 18
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MODEL:G22_18J - Model:G 22
MODEL:G15L_18J - Model:G 15L
MOVOL:575V - Supply voltage:575 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3 M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 01	1	CUBICLE	(25/09/2018 - 10/01/2021)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K23
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K22
	1089 9446 90	1	OVERLOAD RELAY	(25/09/2018 - 10/01/2021)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 10/01/2021)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 10/01/2021)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 64	1	NUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5148 14	1	SEAL	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 10/01/2021)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 10/01/2021)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 10/01/2021)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 10/01/2021)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 10/01/2021)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 10/01/2021)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 10/01/2021)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 10/01/2021)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 10/01/2021)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 10/01/2021)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 10/01/2021)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 10/01/2021)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 10/01/2021)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 10/01/2021)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 10/01/2021)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 10/01/2021)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 10/01/2021)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 10/01/2021)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 10/01/2021)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 10/01/2021)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 10/01/2021)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 10/01/2021)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 10/01/2021)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 10/01/2021)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 10/01/2021)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 10/01/2021)	K25

Legend:
IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3 M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(25/09/2018 - 10/01/2021)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 10/01/2021)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 10/01/2021)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 10/01/2021)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3 M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 71	1	CUBICLE	(11/01/2021 - ...)	
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K23
	1089 9438 67	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K22
	1089 9446 90	1	OVERLOAD RELAY	(11/01/2021 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(11/01/2021 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(11/01/2021 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 64	1	NUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5148 14	1	SEAL	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(11/01/2021 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(11/01/2021 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(11/01/2021 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(11/01/2021 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(11/01/2021 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(11/01/2021 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(11/01/2021 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(11/01/2021 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(11/01/2021 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(11/01/2021 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(11/01/2021 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(11/01/2021 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(11/01/2021 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(11/01/2021 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(11/01/2021 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(11/01/2021 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(11/01/2021 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(11/01/2021 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(11/01/2021 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(11/01/2021 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(11/01/2021 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(11/01/2021 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(11/01/2021 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(11/01/2021 - 31/01/2022)	XTT11-TSHH1
	2204 2379 01	1	GATEWAY NAVEL+ CE/UL WI-FI BT	(11/01/2021 - 31/01/2022)	
	1089 0716 01	1	TERMINAL	(11/01/2021 - 31/01/2022)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3 M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0313 32	1	WIRING TTL NAVEL+ TO BASE C67	(11/01/2021 - 31/01/2022)	
	2204 2380 01	1	SUPPORT	(11/01/2021 - 31/01/2022)	
	2202 9321 00	1	CLAMP FOR SHIELDED CABLE 4MM	(11/01/2021 - 31/01/2022)	
	2204 1486 00	1	CUBICLE BOX	(11/01/2021 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(11/01/2021 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(11/01/2021 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(11/01/2021 - 31/01/2022)	
	2205 0146 80	2	ELECTRICAL LIST	(11/01/2021 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(11/01/2021 - 31/01/2022)	
	2204 2392 00	1	FCC LABEL AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	(11/01/2021 - 31/01/2022)	
	9828 0842 07	1	INSTRUCTION AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 01	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 90	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE 5X20 1A SLOW	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25

Legend:
IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	


Legend:
IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor
inner side
S3
CN1
PT20
TT11
cable
shield
CN2
Y1
Ext side mounted
TSHH12
Anchor
ext side
Anchor
inner side
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
Cubicle data plate inner side
Anchor
inner side
T1
RW
Anchor
inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor
connection
Anchor
inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0416 02	1	CUBICLE	(25/09/2018 - 10/01/2021)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K23
	1089 9438 70	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K22
	1089 9446 92	1	OVERLOAD RELAY	(25/09/2018 - 10/01/2021)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 10/01/2021)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 10/01/2021)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 64	1	NUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5148 14	1	SEAL	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 10/01/2021)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 10/01/2021)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 10/01/2021)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 10/01/2021)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 10/01/2021)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 10/01/2021)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 10/01/2021)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 10/01/2021)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 10/01/2021)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 10/01/2021)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 10/01/2021)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 10/01/2021)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 10/01/2021)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 10/01/2021)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 10/01/2021)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 10/01/2021)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 10/01/2021)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 10/01/2021)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 10/01/2021)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 10/01/2021)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 10/01/2021)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 10/01/2021)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 10/01/2021)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 10/01/2021)	
	Electrical legend:	XTT11-TSHH1			

Legend:


IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor
inner side
S3
CN1
PT20
TT11
cable
shield
CN2
Y1
Ext side mounted
TSHH12
Anchor
ext side
Anchor
inner side
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
Cubicle data plate inner side
Anchor
inner side
T1
RW
Anchor
inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor
connection
Anchor
inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 10/01/2021)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 10/01/2021)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 10/01/2021)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 10/01/2021)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 10/01/2021)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 10/01/2021)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor
inner side
S3
CN1
PT20
TT11
cable
shield
CN2
Y1
Ext side mounted
TSHH12
Anchor
ext side
Anchor
inner side
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
Cubicle data plate inner side
Anchor
inner side
T1
RW
Anchor
inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor
connection
Anchor
inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 72	1	CUBICLE		
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K23
	1089 9438 70	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K22
	1089 9446 92	1	OVERLOAD RELAY	(11/01/2021 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(11/01/2021 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(11/01/2021 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 64	1	NUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5148 14	1	SEAL	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(11/01/2021 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(11/01/2021 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(11/01/2021 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(11/01/2021 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(11/01/2021 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(11/01/2021 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(11/01/2021 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(11/01/2021 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(11/01/2021 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(11/01/2021 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(11/01/2021 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(11/01/2021 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(11/01/2021 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(11/01/2021 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(11/01/2021 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(11/01/2021 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(11/01/2021 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(11/01/2021 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(11/01/2021 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(11/01/2021 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(11/01/2021 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(11/01/2021 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(11/01/2021 - 31/01/2022)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(11/01/2021 - 31/01/2022)	
	Electrical legend:	XTT11-TSHH1			

Legend:


IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor
inner side
S3
CN1
PT20
TT11
cable
shield
CN2
Y1
Ext side mounted
TSHH12
Anchor
ext side
Anchor
inner side
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
Cubicle data plate inner side
Anchor
inner side
T1
RW
Anchor
inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor
connection
Anchor
inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2204 2379 01	1	GATEWAY NAVEL+ CE/UL WI-FI BT	(11/01/2021 - 31/01/2022)	
	1089 0716 01	1	TERMINAL	(11/01/2021 - 31/01/2022)	
	2205 0313 32	1	WIRING TTL NAVEL+ TO BASE C67	(11/01/2021 - 31/01/2022)	
	2204 2380 01	1	SUPPORT	(11/01/2021 - 31/01/2022)	
	2202 9321 00	1	CLAMP FOR SHIELDED CABLE 4MM	(11/01/2021 - 31/01/2022)	
	2204 1486 00	1	CUBICLE BOX	(11/01/2021 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(11/01/2021 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(11/01/2021 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(11/01/2021 - 31/01/2022)	
	2205 0146 80	2	ELECTRICAL LIST	(11/01/2021 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(11/01/2021 - 31/01/2022)	
	2204 2392 00	1	FCC LABEL AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	(11/01/2021 - 31/01/2022)	
	9828 0842 07	1	INSTRUCTION AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	

Legend:


IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F2
K25
F1
RS485
TT11+
TSHH11
1X0
K21
F21
K23
K22
M1
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 02	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 70	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 92	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE 5X20 1A SLOW	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	


Legend:

IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F2
K25
F1
RS485
TT11+
TSHH11
1X0
K21
K23
F21
K22
M1
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	


Legend:
IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor
inner side
S3
CN1
PT20
TT11
cable
shield
CN2
Y1
Ext side mounted
TSHH12
Anchor
ext side
Anchor
inner side
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
Cubicle data plate inner side
Anchor
inner side
T1
RW
Anchor
inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor
connection
Anchor
inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 03	1	CUBICLE	(25/09/2018 - 10/01/2021)	
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K21
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K23
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K22
	1089 9446 93	1	OVERLOAD RELAY	(25/09/2018 - 10/01/2021)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 10/01/2021)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 10/01/2021)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 64	1	NUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5148 14	1	SEAL	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 10/01/2021)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 10/01/2021)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 10/01/2021)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 10/01/2021)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 10/01/2021)	F5-6
	1089 9037 19	2	FUSE	(25/09/2018 - 10/01/2021)	PT20
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 10/01/2021)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 10/01/2021)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 10/01/2021)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 10/01/2021)	X2
	1088 1510 13	6	TERMINAL	(25/09/2018 - 10/01/2021)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 10/01/2021)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 10/01/2021)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 10/01/2021)	S3
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 10/01/2021)	S3
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 10/01/2021)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 10/01/2021)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 10/01/2021)	CN1
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 10/01/2021)	CN2
	1089 0716 04	1	TERMINAL	(25/09/2018 - 10/01/2021)	
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 10/01/2021)	
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 10/01/2021)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 10/01/2021)	XTT11-TSHH1
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 10/01/2021)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 10/01/2021)	


Legend:

IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor
inner side
S3
CN1
PT20
TT11
cable
shield
CN2
Y1
Ext side mounted
TSHH12
Anchor
ext side
Anchor
inner side
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
Cubicle data plate inner side
Anchor
inner side
T1
RW
Anchor
inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor
connection
Anchor
inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 10/01/2021)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 10/01/2021)	
	2205 0146 00	2	SERVICE DIAGRAM	(25/09/2018 - 10/01/2021)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 10/01/2021)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 10/01/2021)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor
inner side
S3
CN1
PT20
TT11
cable
shield
CN2
Y1
Ext side mounted
TSHH12
Anchor
ext side
Anchor
inner side
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
Cubicle data plate inner side
Anchor
inner side
T1
RW
Anchor
inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor
connection
Anchor
inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 73	1	CUBICLE	(11/01/2021 - ...)	
	1089 9438 75	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K21
	1089 9438 75	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K23
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K22
	1089 9446 93	1	OVERLOAD RELAY	(11/01/2021 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(11/01/2021 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(11/01/2021 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 64	1	NUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5148 14	1	SEAL	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(11/01/2021 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(11/01/2021 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(11/01/2021 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(11/01/2021 - 31/01/2022)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(11/01/2021 - 31/01/2022)	F5-6
	1089 9037 19	2	FUSE	(11/01/2021 - 31/01/2022)	PT20
	2204 1039 00	1	PRESSURE SENSOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(11/01/2021 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(11/01/2021 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(11/01/2021 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(11/01/2021 - 31/01/2022)	X2
	1088 1510 13	6	TERMINAL	(11/01/2021 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(11/01/2021 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(11/01/2021 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(11/01/2021 - 31/01/2022)	S3
	~~1088 0031 81~~	2	END STOP	(11/01/2021 - 31/01/2022)	S3
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(11/01/2021 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(11/01/2021 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(11/01/2021 - 31/01/2022)	CN1
	1089 9125 13	1	DECAL YELLOW RING	(11/01/2021 - 31/01/2022)	CN2
	1089 0716 04	1	TERMINAL	(11/01/2021 - 31/01/2022)	
	1089 0716 10	1	TERMINAL BLOCK	(11/01/2021 - 31/01/2022)	
	1088 0153 03	1	CONNECTION HEAD	(11/01/2021 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(11/01/2021 - 31/01/2022)	XTT11-TSHH1
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(11/01/2021 - 31/01/2022)	XTT11-TSHH1
	2204 2379 01	1	GATEWAY NAVEL+ CE/UL WI-FI BT	(11/01/2021 - 31/01/2022)	


Legend:
IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor
inner side
S3
CN1
PT20
TT11
cable
shield
CN2
Y1
Ext side mounted
TSHH12
Anchor
ext side
Anchor
inner side
Anchor
inner side
Anchor
inner side
Anchor
ext side
Options
Dryer
Cubicle data plate inner side
Anchor
inner side
T1
RW
Anchor
inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor
connection
Anchor
inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 0716 01	1	TERMINAL	(11/01/2021 - 31/01/2022)	
	2205 0313 32	1	WIRING TTL NAVEL+ TO BASE C67	(11/01/2021 - 31/01/2022)	
	2204 2380 01	1	STIRRUP NAVEL+ C67	(11/01/2021 - 31/01/2022)	
	2202 9321 00	1	CLAMP FOR SHIELDED CABLE 4MM	(11/01/2021 - 31/01/2022)	
	2204 1486 00	1	CUBICLE BOX	(11/01/2021 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(11/01/2021 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(11/01/2021 - 31/01/2022)	
	2205 0146 00	2	SERVICE DIAGRAM	(11/01/2021 - 31/01/2022)	
	2205 0146 80	2	ELECTRICAL LIST	(11/01/2021 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(11/01/2021 - 31/01/2022)	
	2204 2392 00	1	FCC LABEL AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	(11/01/2021 - 31/01/2022)	
	9828 0842 07	1	INSTRUCTION AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	


Legend:

IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
X2
cable routing
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 03	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 93	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F3
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F5-6
	1089 9037 09	2	FUSE 5X20 1A SLOW	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	X2
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	S3
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	S3
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
X2
cable routing
1X3
PE
F2
K25
F1
RS485
TT11+
TSHH11
1X0
K21
K23
F21
K22
F7
K11
F8
M1
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 00	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	

Legend:
IDRY:N - Integrated dryer:No
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 04	1	CUBICLE	(25/09/2018 - 10/01/2021)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K23
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K22
	1089 9446 90	1	OVERLOAD RELAY	(25/09/2018 - 10/01/2021)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 10/01/2021)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 10/01/2021)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 64	1	NUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5148 14	1	SEAL	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 10/01/2021)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 10/01/2021)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 10/01/2021)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 10/01/2021)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(25/09/2018 - 10/01/2021)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 10/01/2021)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 10/01/2021)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 10/01/2021)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 10/01/2021)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 10/01/2021)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 10/01/2021)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 10/01/2021)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 10/01/2021)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 10/01/2021)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 10/01/2021)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 10/01/2021)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 10/01/2021)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 10/01/2021)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 10/01/2021)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 10/01/2021)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 10/01/2021)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 10/01/2021)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 10/01/2021)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 10/01/2021)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 10/01/2021)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 10/01/2021)	K25

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(25/09/2018 - 10/01/2021)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 10/01/2021)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 10/01/2021)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 10/01/2021)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 10/01/2021)	
	1089 9438 47	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K11
	1088 1510 14	1	TERMINAL	(25/09/2018 - 10/01/2021)	
	1088 1510 10	1	EARTH TERMINAL	(25/09/2018 - 10/01/2021)	
	1089 0612 27	2	FUSE	(25/09/2018 - 10/01/2021)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F7
	1089 0612 27	2	FUSE	(25/09/2018 - 10/01/2021)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(25/09/2018 - 10/01/2021)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 10/01/2021)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 10/01/2021)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 74	1	CUBICLE	(11/01/2021 - ...)	
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K23
	1089 9438 67	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K22
	1089 9446 90	1	OVERLOAD RELAY	(11/01/2021 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(11/01/2021 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(11/01/2021 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 64	1	NUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5148 14	1	SEAL	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(11/01/2021 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(11/01/2021 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(11/01/2021 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(11/01/2021 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(11/01/2021 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(11/01/2021 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(11/01/2021 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(11/01/2021 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(11/01/2021 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(11/01/2021 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(11/01/2021 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(11/01/2021 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(11/01/2021 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(11/01/2021 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(11/01/2021 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(11/01/2021 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(11/01/2021 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(11/01/2021 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(11/01/2021 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(11/01/2021 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(11/01/2021 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(11/01/2021 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(11/01/2021 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(11/01/2021 - 31/01/2022)	XTT11-TSHH1
	2204 2379 01	1	GATEWAY NAVEL+ CE/UL WI-FI BT	(11/01/2021 - 31/01/2022)	
	1089 0716 01	1	TERMINAL	(11/01/2021 - 31/01/2022)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0313 32	1	WIRING TTL NAVEL+ TO BASE C67	(11/01/2021 - 31/01/2022)	
	2204 2380 01	1	STIRRUP NAVEL+ C67	(11/01/2021 - 31/01/2022)	
	2202 9321 00	1	CLAMP FOR SHIELDED CABLE 4MM	(11/01/2021 - 31/01/2022)	
	2204 1486 00	1	CUBICLE BOX	(11/01/2021 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(11/01/2021 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(11/01/2021 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(11/01/2021 - 31/01/2022)	
	2205 0146 80	2	LIST EL C67BD 400V CE 2.0	(11/01/2021 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(11/01/2021 - 31/01/2022)	
	2204 2392 00	1	FCC LABEL AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	(11/01/2021 - 31/01/2022)	
	9828 0842 07	1	INSTRUCTION AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	
	1089 9438 47	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(11/01/2021 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(11/01/2021 - 31/01/2022)	
	1089 0612 27	2	FUSE	(11/01/2021 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F7
	1089 0612 27	2	FUSE	(11/01/2021 - 31/01/2022)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(11/01/2021 - 31/01/2022)	T2
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(11/01/2021 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(11/01/2021 - 31/01/2022)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
Anchor inner side
PT20 cable routing
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
K22
M1
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 04	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 90	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE 5X20 1A SLOW	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
Anchor inner side
PT20 cable routing
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
K22
M1
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F7
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(01/02/2022 - ...)	T2
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR


Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G15L_18J - Model:G 15L
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 05	1	CUBICLE	(25/09/2018 - 10/01/2021)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K23
	1089 9438 70	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K22
	1089 9446 92	1	OVERLOAD RELAY	(25/09/2018 - 10/01/2021)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 10/01/2021)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 10/01/2021)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 64	1	NUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5148 14	1	SEAL	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 10/01/2021)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 10/01/2021)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 10/01/2021)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 10/01/2021)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 10/01/2021)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 10/01/2021)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 10/01/2021)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 10/01/2021)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 10/01/2021)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 10/01/2021)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 10/01/2021)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 10/01/2021)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 10/01/2021)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 10/01/2021)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 10/01/2021)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 10/01/2021)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 10/01/2021)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 10/01/2021)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 10/01/2021)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 10/01/2021)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 10/01/2021)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 10/01/2021)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 10/01/2021)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 10/01/2021)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 10/01/2021)	


Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 10/01/2021)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 10/01/2021)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 10/01/2021)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 10/01/2021)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 10/01/2021)	
	1089 9438 47	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K11
	1088 1510 14	1	TERMINAL	(25/09/2018 - 10/01/2021)	
	1088 1510 10	1	EARTH TERMINAL	(25/09/2018 - 10/01/2021)	
	1089 0612 27	2	FUSE	(25/09/2018 - 10/01/2021)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F7
	1089 0612 27	2	FUSE	(25/09/2018 - 10/01/2021)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(25/09/2018 - 10/01/2021)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 10/01/2021)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 10/01/2021)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 75	1	CUBICLE	(11/01/2021 - ...)	
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K23
	1089 9438 70	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K22
	1089 9446 92	1	OVERLOAD RELAY	(11/01/2021 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(11/01/2021 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(11/01/2021 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 64	1	NUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5148 14	1	SEAL	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(11/01/2021 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(11/01/2021 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(11/01/2021 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(11/01/2021 - 31/01/2022)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(11/01/2021 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(11/01/2021 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(11/01/2021 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(11/01/2021 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(11/01/2021 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(11/01/2021 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(11/01/2021 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(11/01/2021 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(11/01/2021 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(11/01/2021 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(11/01/2021 - 31/01/2022)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(11/01/2021 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(11/01/2021 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(11/01/2021 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(11/01/2021 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(11/01/2021 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(11/01/2021 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(11/01/2021 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(11/01/2021 - 31/01/2022)	
	Electrical legend:		XTT11-TSHH1		
	1088 0021 93	4	TERMINAL PIN	(11/01/2021 - 31/01/2022)	XTT11-TSHH1
	2204 2379 01	1	GATEWAY NAVEL+ CE/UL WI-FI BT	(11/01/2021 - 31/01/2022)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 0716 01	1	TERMINAL	(11/01/2021 - 31/01/2022)	
	2205 0313 32	1	WIRING TTL NAVEL+ TO BASE C67	(11/01/2021 - 31/01/2022)	
	2204 2380 01	1	STIRRUP NAVEL+ C67	(11/01/2021 - 31/01/2022)	
	2202 9321 00	1	CLAMP FOR SHIELDED CABLE 4MM	(11/01/2021 - 31/01/2022)	
	2204 1486 00	1	CUBICLE BOX	(11/01/2021 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(11/01/2021 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(11/01/2021 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(11/01/2021 - 31/01/2022)	
	2205 0146 80	2	ELECTRICAL LIST	(11/01/2021 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(11/01/2021 - 31/01/2022)	
	2204 2392 00	1	FCC LABEL AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	(11/01/2021 - 31/01/2022)	
	9828 0842 07	1	INSTRUCTION AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	
	1089 9438 47	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(11/01/2021 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(11/01/2021 - 31/01/2022)	
	1089 0612 27	2	FUSE	(11/01/2021 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F7
	1089 0612 27	2	FUSE	(11/01/2021 - 31/01/2022)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(11/01/2021 - 31/01/2022)	T2
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(11/01/2021 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(11/01/2021 - 31/01/2022)	SFD


Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
K22
M1
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 05	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 70	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 92	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE 5X20 1A SLOW	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	


Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F7
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(01/02/2022 - ...)	T2
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 06	1	CUBICLE	(25/09/2018 - 10/01/2021)	
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K21
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K23
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K22
	1089 9446 93	1	OVERLOAD RELAY	(25/09/2018 - 10/01/2021)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 10/01/2021)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 10/01/2021)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 64	1	NUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5148 14	1	SEAL	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 10/01/2021)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 10/01/2021)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 10/01/2021)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 10/01/2021)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(25/09/2018 - 10/01/2021)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 10/01/2021)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 10/01/2021)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 10/01/2021)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 10/01/2021)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 10/01/2021)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 10/01/2021)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 10/01/2021)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 10/01/2021)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 10/01/2021)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 10/01/2021)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 10/01/2021)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 10/01/2021)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 10/01/2021)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 10/01/2021)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 10/01/2021)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 10/01/2021)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 10/01/2021)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 10/01/2021)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 10/01/2021)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 10/01/2021)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 10/01/2021)	K25

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(25/09/2018 - 10/01/2021)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 10/01/2021)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 10/01/2021)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 10/01/2021)	
	1089 9438 47	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K11
	1088 1510 14	1	TERMINAL	(25/09/2018 - 10/01/2021)	
	1088 1510 10	1	EARTH TERMINAL	(25/09/2018 - 10/01/2021)	
	1089 0612 27	2	FUSE	(25/09/2018 - 10/01/2021)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F7
	1089 0612 27	2	FUSE	(25/09/2018 - 10/01/2021)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(25/09/2018 - 10/01/2021)	T2
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 10/01/2021)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 10/01/2021)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 76	1	CUBICLE	(11/01/2021 - ...)	
	1089 9438 75	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K21
	1089 9438 75	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K23
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K22
	1089 9446 93	1	OVERLOAD RELAY	(11/01/2021 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(11/01/2021 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(11/01/2021 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 64	1	NUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5148 14	1	SEAL	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(11/01/2021 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(11/01/2021 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(11/01/2021 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(11/01/2021 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(11/01/2021 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(11/01/2021 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(11/01/2021 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(11/01/2021 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(11/01/2021 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(11/01/2021 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(11/01/2021 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(11/01/2021 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(11/01/2021 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(11/01/2021 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(11/01/2021 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(11/01/2021 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(11/01/2021 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(11/01/2021 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(11/01/2021 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(11/01/2021 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(11/01/2021 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(11/01/2021 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(11/01/2021 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(11/01/2021 - 31/01/2022)	XTT11-TSHH1
	2204 2379 01	1	GATEWAY NAVEL+ CE/UL WI-FI BT	(11/01/2021 - 31/01/2022)	
	1089 0716 01	1	TERMINAL	(11/01/2021 - 31/01/2022)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0313 32	1	WIRING TTL NAVEL+ TO BASE C67	(11/01/2021 - 31/01/2022)	
	2204 2380 01	1	STIRRUP NAVEL+ C67	(11/01/2021 - 31/01/2022)	
	2202 9321 00	1	CLAMP FOR SHIELDED CABLE 4MM	(11/01/2021 - 31/01/2022)	
	2204 1486 00	1	CUBICLE BOX	(11/01/2021 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(11/01/2021 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(11/01/2021 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(11/01/2021 - 31/01/2022)	
	2205 0146 80	2	ELECTRICAL LIST	(11/01/2021 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(11/01/2021 - 31/01/2022)	
	2204 2392 00	1	FCC LABEL AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	(11/01/2021 - 31/01/2022)	
	9828 0842 07	1	INSTRUCTION AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	
	1089 9438 47	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(11/01/2021 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(11/01/2021 - 31/01/2022)	
	1089 0612 27	2	FUSE	(11/01/2021 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F7
	1089 0612 27	2	FUSE	(11/01/2021 - 31/01/2022)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(11/01/2021 - 31/01/2022)	T2
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(11/01/2021 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(11/01/2021 - 31/01/2022)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 06	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 93	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE 5X20 1A SLOW	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F2
K25
F1
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F7
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F8
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F8
	2204 1228 11	1	AUTO TRANSFORMER	(01/02/2022 - ...)	T2
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400V - Supply voltage:400 V


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3 M8
GND for motor connection
Anchor inner side
T2
M6

1X3


124 - Cubicle components G 15L - AD2000 - 400V+N - Full feature (25/09/2018 - 10/01/2021)

IDRY:Y + MODEL:G15L_18J + MOVOL:400VN + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 07	1	CUBICLE	(25/09/2018 - 10/01/2021)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K23
	1089 9438 67	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K22
	1089 9446 90	1	OVERLOAD RELAY	(25/09/2018 - 10/01/2021)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 10/01/2021)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 10/01/2021)	
	1088 0061 52	1	TERMINAL BLOCK	(25/09/2018 - 10/01/2021)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 64	1	NUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5148 14	1	SEAL	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 10/01/2021)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 10/01/2021)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 10/01/2021)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 10/01/2021)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 10/01/2021)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 10/01/2021)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 10/01/2021)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 10/01/2021)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 10/01/2021)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 10/01/2021)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 10/01/2021)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 10/01/2021)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 10/01/2021)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 10/01/2021)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 10/01/2021)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 10/01/2021)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 10/01/2021)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 10/01/2021)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 10/01/2021)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 10/01/2021)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 10/01/2021)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 10/01/2021)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 10/01/2021)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 10/01/2021)	

Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


124 - Cubicle components G 15L - AD2000 - 400V+N - Full feature (25/09/2018 - 10/01/2021)

IDRY:Y + MODEL:G15L_18J + MOVOL:400VN + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	XTT11-TSHH1			
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 10/01/2021)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 10/01/2021)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 10/01/2021)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 10/01/2021)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 10/01/2021)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 10/01/2021)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 10/01/2021)	
	1089 9438 47	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K11
	1088 1510 14	1	TERMINAL	(25/09/2018 - 10/01/2021)	
	1088 1510 10	1	EARTH TERMINAL	(25/09/2018 - 10/01/2021)	
	1089 0612 27	2	FUSE	(25/09/2018 - 10/01/2021)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F7
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 10/01/2021)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 10/01/2021)	SFD

Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:400VN - Supply voltage:400 V+N



PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3 M8
GND for motor connection
Anchor inner side
T2
M6

1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 77	1	CUBICLE	(11/01/2021 - ...)	
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022) MAPPR:AD2000	K21
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022) MAPPR:AD2000	K23
	1089 9438 67	1	CONTACTOR	(11/01/2021 - 31/01/2022) MAPPR:AD2000	K22
	1089 9446 90	1	OVERLOAD RELAY	(11/01/2021 - 31/01/2022) MAPPR:AD2000	F21
	1089 9421 85	1	AUXILIARY RELAY	(11/01/2021 - 31/01/2022) MAPPR:AD2000	K5
	1089 9267 86	1	TERMINAL	(11/01/2021 - 31/01/2022) MAPPR:AD2000	
	1088 0061 52	1	TERMINAL BLOCK	(11/01/2021 - 31/01/2022) MAPPR:AD2000	1X0
	0698 5142 06	1	CABLE GLAND	(11/01/2021 - 31/01/2022) MAPPR:AD2000	
	0697 9809 64	1	NUT	(11/01/2021 - 31/01/2022) MAPPR:AD2000	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022) MAPPR:AD2000	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022) MAPPR:AD2000	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022) MAPPR:AD2000	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022) MAPPR:AD2000	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022) MAPPR:AD2000	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022) MAPPR:AD2000	
	0698 5148 14	1	SEAL	(11/01/2021 - 31/01/2022) MAPPR:AD2000	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022) MAPPR:AD2000	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022) MAPPR:AD2000	
	2204 2132 01	1	TRANSFORMER	(11/01/2021 - 31/01/2022) MAPPR:AD2000	T1
	1089 0612 23	2	FUSE	(11/01/2021 - 31/01/2022) MAPPR:AD2000	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022) MAPPR:AD2000	F1
	1089 0612 22	2	FUSE	(11/01/2021 - 31/01/2022) MAPPR:AD2000	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(11/01/2021 - 31/01/2022) MAPPR:AD2000	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(11/01/2021 - 31/01/2022) MAPPR:AD2000	F3
	1089 9037 19	2	FUSE	(11/01/2021 - 31/01/2022) MAPPR:AD2000	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(11/01/2021 - 31/01/2022) MAPPR:AD2000	PT20
	1088 0021 59	1	CONNECTOR	(11/01/2021 - 31/01/2022) MAPPR:AD2000	PT20
	1088 0021 60	3	WIRE SEAL	(11/01/2021 - 31/01/2022) MAPPR:AD2000	PT20
	1088 0021 61	3	TERMINAL PIN	(11/01/2021 - 31/01/2022) MAPPR:AD2000	PT20
	2204 1407 00	1	FITTING	(11/01/2021 - 31/01/2022) MAPPR:AD2000	PT20
	0348 0101 13	1	CABLE TIE	(11/01/2021 - 31/01/2022) MAPPR:AD2000	PT20
	0348 0110 03	1	ANCHOR PLATE	(11/01/2021 - 31/01/2022) MAPPR:AD2000	PT20
	1088 1510 13	6	TERMINAL	(11/01/2021 - 31/01/2022) MAPPR:AD2000	X2
	1088 1515 16	1	END PLATE	(11/01/2021 - 31/01/2022) MAPPR:AD2000	X2
	0694 5900 05	2	TAB	(11/01/2021 - 31/01/2022) MAPPR:AD2000	X2
	1088 1510 17	4	JUMPER	(11/01/2021 - 31/01/2022) MAPPR:AD2000	X2
	~~1088 0031 81~~	2	END STOP	(11/01/2021 - 31/01/2022) MAPPR:AD2000	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(11/01/2021 - 31/01/2022) MAPPR:AD2000	S3
	1089 9482 98	2	NC CONTACT	(11/01/2021 - 31/01/2022) MAPPR:AD2000	S3
	1089 9482 95	1	MODULE HOLDER	(11/01/2021 - 31/01/2022) MAPPR:AD2000	S3
	1089 9125 13	1	DECAL YELLOW RING	(11/01/2021 - 31/01/2022) MAPPR:AD2000	S3
	1089 0716 04	1	TERMINAL	(11/01/2021 - 31/01/2022) MAPPR:AD2000	CN1
	1089 0716 10	1	TERMINAL BLOCK	(11/01/2021 - 31/01/2022) MAPPR:AD2000	CN2
	1088 0153 03	1	CONNECTION HEAD	(11/01/2021 - 31/01/2022) MAPPR:AD2000	XY1
	1088 0021 92	1	CONNECTOR	(11/01/2021 - 31/01/2022) MAPPR:AD2000	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(11/01/2021 - 31/01/2022) MAPPR:AD2000	

Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:400VN - Supply voltage:400 V+N



PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3 M8
GND for motor connection
Anchor inner side
T2
M6

1X3

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	XTT11-TSHH1			
	2204 2379 01	1	GATEWAY NAVEL+ CE/UL WI-FI BT	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	1089 0716 01	1	TERMINAL	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	2205 0313 32	1	WIRING TTL NAVEL+ TO BASE C67	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	2204 2380 01	1	STIRRUP NAVEL+ C67	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	2202 9321 00	1	CLAMP FOR SHIELDED CABLE 4MM	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	2204 1486 00	1	CUBICLE BOX	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	1089 9575 16	1	PHASE SEQUENCE RELAY	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	K25
	2204 1227 51	1	LABEL	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	2205 0147 00	2	SERVICE DIAGRAM	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	2205 0146 80	2	ELECTRICAL LIST	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	2204 2392 00	1	FCC LABEL AIRKEEPER 2.0	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	9828 0842 07	1	INSTRUCTION AIRKEEPER 2.0	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	1089 9438 47	1	CONTACTOR	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	K11
	1088 1510 14	1	TERMINAL	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	1088 1510 10	1	EARTH TERMINAL	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	1089 0612 27	2	FUSE	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	F7
	0698 5141 21	1	CABLE GLAND	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	0697 9809 53	1	LOCKNUT	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	
	1624 2217 00	1	ON/OFF SWITCH	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	SFD
	1624 2217 01	1	WATERPROOF CAP	**(11/01/2021 - 31/01/2022)** MAPPR:AD2000	SFD

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
X2
cable routing
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 07	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 67	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 90	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	
	1088 0061 52	1	TERMINAL BLOCK	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE 5X20 1A SLOW	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	
	Electrical legend:		XTT11-TSHH1		
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
X2
cable routing
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F7
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:


IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:MOM - Pressure Vessel Approval:MOM
MODEL:G15L_18J - Model:G 15L
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6

1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 08	1	CUBICLE	(25/09/2018 - 10/01/2021)	
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K21
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K23
	1089 9438 70	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K22
	1089 9446 92	1	OVERLOAD RELAY	(25/09/2018 - 10/01/2021)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 10/01/2021)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 10/01/2021)	1X0
	1088 0061 52	1	TERMINAL BLOK	(25/09/2018 - 10/01/2021)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 64	1	NUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5148 14	1	SEAL	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 10/01/2021)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 10/01/2021)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 10/01/2021)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 10/01/2021)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 10/01/2021)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 10/01/2021)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 10/01/2021)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 10/01/2021)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 10/01/2021)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 10/01/2021)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 10/01/2021)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 10/01/2021)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 10/01/2021)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 10/01/2021)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 10/01/2021)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 10/01/2021)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 10/01/2021)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 10/01/2021)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 10/01/2021)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 10/01/2021)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 10/01/2021)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 10/01/2021)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 10/01/2021)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 10/01/2021)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 10/01/2021)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400VN - Supply voltage:400 V+N



PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6

1X3

Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 10/01/2021)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 10/01/2021)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 10/01/2021)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 10/01/2021)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 10/01/2021)	
	1089 9438 47	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K11
	1088 1510 14	1	TERMINAL	(25/09/2018 - 10/01/2021)	
	1088 1510 10	1	EARTH TERMINAL	(25/09/2018 - 10/01/2021)	
	1089 0612 27	2	FUSE	(25/09/2018 - 10/01/2021)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F7
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 10/01/2021)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 10/01/2021)	SFD


Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 78	1	CUBICLE	(11/01/2021 - ...)	
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K21
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K23
	1089 9438 70	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K22
	1089 9446 92	1	OVERLOAD RELAY	(11/01/2021 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(11/01/2021 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(11/01/2021 - 31/01/2022)	1X0
	1088 0061 52	1	TERMINAL BLOK	(11/01/2021 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 64	1	NUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5148 14	1	SEAL	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(11/01/2021 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(11/01/2021 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(11/01/2021 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(11/01/2021 - 31/01/2022)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(11/01/2021 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(11/01/2021 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(11/01/2021 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(11/01/2021 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(11/01/2021 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(11/01/2021 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(11/01/2021 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(11/01/2021 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(11/01/2021 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(11/01/2021 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(11/01/2021 - 31/01/2022)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(11/01/2021 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(11/01/2021 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(11/01/2021 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(11/01/2021 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(11/01/2021 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(11/01/2021 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(11/01/2021 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(11/01/2021 - 31/01/2022)	XTT11-TSHH1
	1088 0021 93	4	TERMINAL PIN	(11/01/2021 - 31/01/2022)	XTT11-TSHH1
	2204 2379 01	1	GATEWAY NAVEL+ CE/UL WI-FI BT	(11/01/2021 - 31/01/2022)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
F21
K23
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	1089 0716 01	1	TERMINAL	(11/01/2021 - 31/01/2022)	
	2205 0313 32	1	WIRING TTL NAVEL+ TO BASE C67	(11/01/2021 - 31/01/2022)	
	2204 2380 01	1	STIRRUP NAVEL+ C67	(11/01/2021 - 31/01/2022)	
	2202 9321 00	1	CLAMP FOR SHIELDED CABLE 4MM	(11/01/2021 - 31/01/2022)	
	2204 1486 00	1	CUBICLE BOX	(11/01/2021 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(11/01/2021 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(11/01/2021 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(11/01/2021 - 31/01/2022)	
	2205 0146 80	2	ELECTRICAL LIST	(11/01/2021 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(11/01/2021 - 31/01/2022)	
	2204 2392 00	1	FCC LABEL AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	(11/01/2021 - 31/01/2022)	
	9828 0842 07	1	INSTRUCTION AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	
	1089 9438 47	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(11/01/2021 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(11/01/2021 - 31/01/2022)	
	1089 0612 27	2	FUSE	(11/01/2021 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F7
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(11/01/2021 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(11/01/2021 - 31/01/2022)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 08	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 70	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 92	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	1088 0061 52	1	TERMINAL BLOK	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE 5X20 1A SLOW	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F7
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G18_18J - Model:G 18
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 09	1	CUBICLE	(25/09/2018 - 10/01/2021)	
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K21
	1089 9438 75	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K23
	1089 9438 73	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K22
	1089 9446 93	1	OVERLOAD RELAY	(25/09/2018 - 10/01/2021)	F21
	1089 9421 85	1	AUXILIARY RELAY	(25/09/2018 - 10/01/2021)	K5
	1089 9267 86	1	TERMINAL	(25/09/2018 - 10/01/2021)	1X0
	1088 0061 52	1	TERMINAL BLOK	(25/09/2018 - 10/01/2021)	1X0
	0698 5142 06	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 64	1	NUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	0698 5148 14	1	SEAL	(25/09/2018 - 10/01/2021)	
	0698 5141 24	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 55	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	2204 2132 01	1	TRANSFORMER	(25/09/2018 - 10/01/2021)	T1
	1089 0612 23	2	FUSE	(25/09/2018 - 10/01/2021)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F1
	1089 0612 22	2	FUSE	(25/09/2018 - 10/01/2021)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(25/09/2018 - 10/01/2021)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(25/09/2018 - 10/01/2021)	F3
	1089 9037 19	2	FUSE	(25/09/2018 - 10/01/2021)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 59	1	CONNECTOR	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 60	3	WIRE SEAL	(25/09/2018 - 10/01/2021)	PT20
	1088 0021 61	3	TERMINAL PIN	(25/09/2018 - 10/01/2021)	PT20
	2204 1407 00	1	FITTING	(25/09/2018 - 10/01/2021)	PT20
	0348 0101 13	1	CABLE TIE	(25/09/2018 - 10/01/2021)	PT20
	0348 0110 03	1	ANCHOR PLATE	(25/09/2018 - 10/01/2021)	PT20
	1088 1510 13	6	TERMINAL	(25/09/2018 - 10/01/2021)	X2
	1088 1515 16	1	END PLATE	(25/09/2018 - 10/01/2021)	X2
	0694 5900 05	2	TAB	(25/09/2018 - 10/01/2021)	X2
	1088 1510 17	4	JUMPER	(25/09/2018 - 10/01/2021)	X2
	~~1088 0031 81~~	2	END STOP	(25/09/2018 - 10/01/2021)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(25/09/2018 - 10/01/2021)	S3
	1089 9482 98	2	NC CONTACT	(25/09/2018 - 10/01/2021)	S3
	1089 9482 95	1	MODULE HOLDER	(25/09/2018 - 10/01/2021)	S3
	1089 9125 13	1	DECAL YELLOW RING	(25/09/2018 - 10/01/2021)	S3
	1089 0716 04	1	TERMINAL	(25/09/2018 - 10/01/2021)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(25/09/2018 - 10/01/2021)	CN2
	1088 0153 03	1	CONNECTION HEAD	(25/09/2018 - 10/01/2021)	XY1
	1088 0021 92	1	CONNECTOR	(25/09/2018 - 10/01/2021)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(25/09/2018 - 10/01/2021)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+ TSHH11
N supply terminal
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	XTT11-TSHH1			
	2204 1486 00	1	CUBICLE BOX	(25/09/2018 - 10/01/2021)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(25/09/2018 - 10/01/2021)	K25
	2204 1227 51	1	LABEL	(25/09/2018 - 10/01/2021)	
	2205 0147 00	2	SERVICE DIAGRAM	(25/09/2018 - 10/01/2021)	
	2205 0146 10	2	ELECTRICAL LIST	(25/09/2018 - 10/01/2021)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(25/09/2018 - 10/01/2021)	
	1089 9438 41	1	CONTACTOR	(25/09/2018 - 10/01/2021)	
	1089 9438 47	1	CONTACTOR	(25/09/2018 - 10/01/2021)	K11
	1088 1510 14	1	TERMINAL	(25/09/2018 - 10/01/2021)	
	1088 1510 10	1	EARTH TERMINAL	(25/09/2018 - 10/01/2021)	
	1089 0612 27	2	FUSE	(25/09/2018 - 10/01/2021)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(25/09/2018 - 10/01/2021)	F7
	0698 5141 21	1	CABLE GLAND	(25/09/2018 - 10/01/2021)	
	0697 9809 53	1	LOCKNUT	(25/09/2018 - 10/01/2021)	
	1624 2217 00	1	ON/OFF SWITCH	(25/09/2018 - 10/01/2021)	SFD
	1624 2217 01	1	WATERPROOF CAP	(25/09/2018 - 10/01/2021)	SFD

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
F21
K23
M1
K22
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2205 0146 79	1	CUBICLE	(11/01/2021 - ...)	
	1089 9438 75	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K21
	1089 9438 75	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K23
	1089 9438 73	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K22
	1089 9446 93	1	OVERLOAD RELAY	(11/01/2021 - 31/01/2022)	F21
	1089 9421 85	1	AUXILIARY RELAY	(11/01/2021 - 31/01/2022)	K5
	1089 9267 86	1	TERMINAL	(11/01/2021 - 31/01/2022)	1X0
	1088 0061 52	1	TERMINAL BLOK	(11/01/2021 - 31/01/2022)	1X0
	0698 5142 06	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 64	1	NUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	0698 5148 14	1	SEAL	(11/01/2021 - 31/01/2022)	
	0698 5141 24	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 55	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	2204 2132 01	1	TRANSFORMER	(11/01/2021 - 31/01/2022)	T1
	1089 0612 23	2	FUSE	(11/01/2021 - 31/01/2022)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F1
	1089 0612 22	2	FUSE	(11/01/2021 - 31/01/2022)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(11/01/2021 - 31/01/2022)	F2
	Substituted by:	1089 9594 30 - FUSE HOLDER (quantity: 1)			
	1089 9037 04	1	FUSE	(11/01/2021 - 31/01/2022)	F3
	1089 9037 19	2	FUSE	(11/01/2021 - 31/01/2022)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 59	1	CONNECTOR	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 60	3	WIRE SEAL	(11/01/2021 - 31/01/2022)	PT20
	1088 0021 61	3	TERMINAL PIN	(11/01/2021 - 31/01/2022)	PT20
	2204 1407 00	1	FITTING	(11/01/2021 - 31/01/2022)	PT20
	0348 0101 13	1	CABLE TIE	(11/01/2021 - 31/01/2022)	PT20
	0348 0110 03	1	ANCHOR PLATE	(11/01/2021 - 31/01/2022)	PT20
	1088 1510 13	6	TERMINAL	(11/01/2021 - 31/01/2022)	X2
	1088 1515 16	1	END PLATE	(11/01/2021 - 31/01/2022)	X2
	0694 5900 05	2	TAB	(11/01/2021 - 31/01/2022)	X2
	1088 1510 17	4	JUMPER	(11/01/2021 - 31/01/2022)	X2
	~~1088 0031 81~~	2	END STOP	(11/01/2021 - 31/01/2022)	X2
	Substituted by:	1089 0577 82 - CHAPA TERMINAL (quantity: 1)			
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(11/01/2021 - 31/01/2022)	S3
	1089 9482 98	2	NC CONTACT	(11/01/2021 - 31/01/2022)	S3
	1089 9482 95	1	MODULE HOLDER	(11/01/2021 - 31/01/2022)	S3
	1089 9125 13	1	DECAL YELLOW RING	(11/01/2021 - 31/01/2022)	S3
	1089 0716 04	1	TERMINAL	(11/01/2021 - 31/01/2022)	CN1
	1089 0716 10	1	TERMINAL BLOCK	(11/01/2021 - 31/01/2022)	CN2
	1088 0153 03	1	CONNECTION HEAD	(11/01/2021 - 31/01/2022)	XY1
	1088 0021 92	1	CONNECTOR	(11/01/2021 - 31/01/2022)	
	Electrical legend:	XTT11-TSHH1			
	1088 0021 93	4	TERMINAL PIN	(11/01/2021 - 31/01/2022)	

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
S3
CN1
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
RW
Anchor inner side
X2
1X3
PE
F1
F2
K25
K5
TT11+
TSHH11
N supply terminal
1X0
K21
F21
K23
M1
K22
F7
K11
1X3
M8
F8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	XTT11-TSHH1			
	2204 2379 01	1	GATEWAY NAVEL+ CE/UL WI-FI BT	(11/01/2021 - 31/01/2022)	
	1089 0716 01	1	TERMINAL	(11/01/2021 - 31/01/2022)	
	2205 0313 32	1	WIRING TTL NAVEL+ TO BASE C67	(11/01/2021 - 31/01/2022)	
	2204 2380 01	1	STIRRUP NAVEL+ C67	(11/01/2021 - 31/01/2022)	
	2202 9321 00	1	CLAMP FOR SHIELDED CABLE 4MM	(11/01/2021 - 31/01/2022)	
	2204 1486 00	1	CUBICLE BOX	(11/01/2021 - 31/01/2022)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(11/01/2021 - 31/01/2022)	K25
	2204 1227 51	1	LABEL	(11/01/2021 - 31/01/2022)	
	2205 0147 00	2	SERVICE DIAGRAM	(11/01/2021 - 31/01/2022)	
	2205 0146 80	2	ELECTRICAL LIST	(11/01/2021 - 31/01/2022)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(11/01/2021 - 31/01/2022)	
	2204 2392 00	1	FCC LABEL AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	
	2204 2392 01	1	QR CODE APPLICATION AIRKEEPER	(11/01/2021 - 31/01/2022)	
	9828 0842 07	1	INSTRUCTION AIRKEEPER 2.0	(11/01/2021 - 31/01/2022)	
	1089 9438 47	1	CONTACTOR	(11/01/2021 - 31/01/2022)	K11
	1088 1510 14	1	TERMINAL	(11/01/2021 - 31/01/2022)	
	1088 1510 10	1	EARTH TERMINAL	(11/01/2021 - 31/01/2022)	
	1089 0612 27	2	FUSE	(11/01/2021 - 31/01/2022)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(11/01/2021 - 31/01/2022)	F7
	0698 5141 21	1	CABLE GLAND	(11/01/2021 - 31/01/2022)	
	0697 9809 53	1	LOCKNUT	(11/01/2021 - 31/01/2022)	
	1624 2217 00	1	ON/OFF SWITCH	(11/01/2021 - 31/01/2022)	SFD
	1624 2217 01	1	WATERPROOF CAP	(11/01/2021 - 31/01/2022)	SFD


Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3

Ref	Part Number	Qty	Name	Validity	EL
	2205 0195 09	1	CUBICLE	(01/02/2022 - ...)	
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K21
	1089 9438 75	1	CONTACTOR	(01/02/2022 - ...)	K23
	1089 9438 73	1	CONTACTOR	(01/02/2022 - ...)	K22
	1089 9446 93	1	OVERLOAD RELAY	(01/02/2022 - ...)	F21
	1089 9267 86	1	TERMINAL	(01/02/2022 - ...)	1X0
	1088 0061 52	1	TERMINAL BLOK	(01/02/2022 - ...)	1X0
	0698 5142 06	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 64	1	NUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5141 21	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	1	LOCKNUT	(01/02/2022 - ...)	
	0698 5148 14	1	SEAL	(01/02/2022 - ...)	
	0698 5141 24	1	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 55	1	LOCKNUT	(01/02/2022 - ...)	
	2202 9106 01	1	TRANSFORMER	(01/02/2022 - ...)	T1
	1089 0612 23	2	FUSE	(01/02/2022 - ...)	F1
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F1
	1089 0612 22	2	FUSE	(01/02/2022 - ...)	F2
	~~1089 9594 01~~	1	FUSE HOLDER 32A 1P	(01/02/2022 - ...)	F2
	Substituted by:		1089 9594 30 - FUSE HOLDER (quantity: 1)		
	1089 9037 04	1	FUSE	(01/02/2022 - ...)	F3
	1089 9037 09	2	FUSE 5X20 1A SLOW	(01/02/2022 - ...)	F5-6
	2204 1039 00	1	PRESSURE SENSOR	(01/02/2022 - ...)	PT20
	1088 0021 59	1	CONNECTOR	(01/02/2022 - ...)	PT20
	1088 0021 60	3	WIRE SEAL	(01/02/2022 - ...)	PT20
	1088 0021 61	3	TERMINAL PIN	(01/02/2022 - ...)	PT20
	2204 1407 00	1	FITTING	(01/02/2022 - ...)	PT20
	0348 0101 13	1	CABLE TIE	(01/02/2022 - ...)	PT20
	0348 0110 03	1	ANCHOR PLATE	(01/02/2022 - ...)	PT20
	1088 1510 13	5	TERMINAL	(01/02/2022 - ...)	X2
	1088 1515 16	1	END PLATE	(01/02/2022 - ...)	X2
	0694 5900 05	2	TAB	(01/02/2022 - ...)	X2
	1088 1510 17	4	JUMPER	(01/02/2022 - ...)	X2
	~~1088 0031 81~~	2	END STOP	(01/02/2022 - ...)	X2
	Substituted by:		1089 0577 82 - CHAPA TERMINAL (quantity: 1)		
	1089 9513 89	1	EMERGENCY STOP PUSH BUTTON	(01/02/2022 - ...)	S3
	1089 9482 98	2	NC CONTACT	(01/02/2022 - ...)	S3
	1089 9482 95	1	MODULE HOLDER	(01/02/2022 - ...)	S3
	1089 9125 13	1	DECAL YELLOW RING	(01/02/2022 - ...)	S3
	1089 0716 04	1	TERMINAL	(01/02/2022 - ...)	CN1
	1089 0716 12	1	TERMINAL BLOCK 11P	(01/02/2022 - ...)	CN2
	1088 0153 03	1	CONNECTION HEAD	(01/02/2022 - ...)	XY1
	1088 0021 92	1	CONNECTOR	(01/02/2022 - ...)	
	Electrical legend:		XTT11-TSHH1		
	1088 0021 93	2	TERMINAL PIN	(01/02/2022 - ...)	XTT11-TSHH1
	1088 0015 01	2	CRIMP TERMINAL	(01/02/2022 - ...)	XTT11-TSHH1


Legend:

IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400VN - Supply voltage:400 V+N


PT20
PT20 GND
Anchor inner side
S3
CN1
gnd M6
PT20 TT11 cable shield
CN2
Y1
Ext side mounted
TSHH12
Anchor ext side
Anchor inner side
Anchor inner side
Anchor inner side
Anchor ext side
Options
Dryer
Cubicle data plate inner side
Anchor inner side
T1
Clamp only for RS485
RW
PT20 cable routing
Anchor inner side
cable routing
X2
1X3
PE
F1
F2
K25
RS485
TT11+
TSHH11
1X0
K21
K23
F21
M1
K22
F7
K11
F8
1X3
M8
GND for motor connection
Anchor inner side
T2
M6
1X3


Ref	Part Number	Qty	Name	Validity	EL
	2204 1486 00	1	CUBICLE BOX	(01/02/2022 - ...)	
	1089 9575 16	1	PHASE SEQUENCE RELAY	(01/02/2022 - ...)	K25
	2204 1227 51	1	LABEL	(01/02/2022 - ...)	
	2205 0195 80	2	SERVICE DIAGRAM	(01/02/2022 - ...)	
	2205 0195 10	2	ELECTRICAL LIST	(01/02/2022 - ...)	
	2200 7723 35	1	GLOSSARY ELECTRICAL PARTS	(01/02/2022 - ...)	
	1089 9438 47	1	CONTACTOR	(01/02/2022 - ...)	K11
	1088 1510 14	1	TERMINAL	(01/02/2022 - ...)	
	1088 1510 10	1	EARTH TERMINAL	(01/02/2022 - ...)	
	1089 0612 27	2	FUSE	(01/02/2022 - ...)	F7
	1089 9594 02	1	FUSE HOLDER 32A 2P	(01/02/2022 - ...)	F7
	0698 5141 21	2	CABLE GLAND	(01/02/2022 - ...)	
	0697 9809 53	2	LOCKNUT	(01/02/2022 - ...)	
	1624 2217 00	1	ON/OFF SWITCH	(01/02/2022 - ...)	SFD
	1624 2217 01	1	WATERPROOF CAP	(01/02/2022 - ...)	SFD
	2204 2513 01	2	TTL/RS485 CONVERTER + JST WIRE	(01/02/2022 - ...)	CONV1-2
	0989 4220 83	1	GROMMET	(01/02/2022 - ...)	GR

Legend:
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MODEL:G22_18J - Model:G 22
MOVOL:400VN - Supply voltage:400 V+N


1010

Ref	Part Number	Qty	Name	Validity
1010	2204 1351 01	1	CONTROLLER	**(25/09/2018 - 30/12/2040)**

Legend:
UAPPR:CCSAUS - Unit approval:CCSAus



1010

Ref	Part Number	Qty	Name	Validity
1010	2204 2497 01	1	CONTROLLER	**(01/02/2022 - ...)**

Legend:

UAPPR:N - Unit approval:N

UAPPR:UCE - Unit approval:CE


1070
1090
1030
1020
1050
1010
1090
1110
1120
1040
1100
1080
1090


Ref	Part Number	Qty	Name	Validity
1010	2204 1862 00	1	COOLER DEFLECTOR	(25/09/2018 - ...)
1020	0147 1246 03	2	SCREW	(25/09/2018 - ...)
1030	~~6210 0362 00~~	2	WASHER	(25/09/2018 - ...)
	Substituted by:	0333 3100 05 - SC LOCK WASHER 6.1-14-2.1 FZB (quantity: 1)		
1040	2204 1518 00	1	BAFFLE	(25/09/2018 - ...)
1050	2204 1860 00	1	DEFLECTOR	(25/09/2018 - ...)
	6236 3126 00	6	ANCHOR	(25/09/2018 - ...)
1070	6275 6068 10	1	BRACKET LOCK	(25/09/2018 - ...)
1080	0129 3270 38	2	RIVET	(25/09/2018 - ...)
1090	0129 3270 46	10	RIVET BLIND	(25/09/2018 - ...)
1100	2204 1863 00	1	PULLEY PROTECTION	(05/12/2018 - ...)
1110	0147 1365 03	3	SCREW	(05/12/2018 - ...)
1120	~~6210 0364 00~~	3	WASHER	(05/12/2018 - ...)
	Substituted by:	0333 3100 07 - SC LOCK WASHER 10.2-22-2.7 FZB (quantity: 1)		

Remarks:

SELF-ADHESIVE INSULATION FOAM: THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM


Legend:

IDRY:N - Integrated dryer:No


1070
1090
1030
1020
1050
1010
1100
1130
1140
1090
1040
1120
1080
1090

Ref	Part Number	Qty	Name	Validity
1010	2204 1862 00	1	DEFLECTOR COOLER	**(25/09/2018 - ...)**
1020	0147 1246 03	2	SCREW	**(25/09/2018 - ...)**
1030	~~6210 0362 00~~	2	WASHER	**(25/09/2018 - ...)**
	Substituted by:	0333 3100 05 - SC LOCK WASHER 6.1-14-2.1 FZB (quantity: 1)		
1040	2204 1442 00	1	BAFFLE	**(25/09/2018 - ...)**
1050	2204 1448 00	1	BAFFLE	**(25/09/2018 - ...)**
1070	6275 6068 10	1	BRACKET LOCK	**(25/09/2018 - ...)**
1080	0129 3270 38	2	RIVET	**(25/09/2018 - ...)**
1090	0129 3270 46	14	RIVET	**(25/09/2018 - ...)**
1100	2204 1858 00	1	BAFFLE	**(25/09/2018 - ...)**
1120	2204 1871 04	1	PULLEY PROTECTION	**(05/12/2018 - ...)**
1130	0147 1365 03	3	SCREW	**(05/12/2018 - ...)**
1140	~~6210 0364 00~~	3	WASHER	**(05/12/2018 - ...)**
	Substituted by:	0333 3100 07 - SC LOCK WASHER 10.2-22-2.7 FZB (quantity: 1)		

Legend:
IDRY:Y - Integrated dryer:Yes


1040
1030
1040
1030
2010
2040
2030
2065
2060
2050
2055
1020
2020


Ref	Part Number	Qty	Name	Validity
1020	2204 1447 85	1	FRAME	**(25/09/2018 - ...)**
1030	2202 9392 01	12	WASHER	**(25/09/2018 - ...)**
1040	2202 9021 00	12	SCREW	**(25/09/2018 - ...)**
		1	PANEL SET	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
				(01/02/2022 - ...) UAPPR:N , UAPPR:UCE
2010	• 2204 1449 05	1	ROOF	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
2020	• 2204 1531 05	1	LEFT PANEL	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
	•• 6215 4353 00	2	HINGE	
2030	• 2204 1535 05	1	RIGHT PANEL	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
2040	• 2204 1450 05	1	BACK PANEL	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
2050	• 2204 1488 05	1	DOOR	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
2055	•• 0353 1100 12	1	LOCK	**(25/09/2018 - ...)**
2050	• 2204 2437 05	1	DOOR	**(01/02/2022 - ...)** UAPPR:N , UAPPR:UCE
2055	•• 0353 1100 12	1	LOCK	**(01/02/2022 - ...)**
2060	• ~~2204 1451 05~~	1	FRONT PANEL	**(25/09/2018 - 19/04/2020)**
	Substituted by:		2204 1451 85 - PANEL ASSY FRONT G15L-22 (quantity: 1)	
2065	•• 0353 1100 12	2	LOCK	**(25/09/2018 - ...)**
2060	• 2204 1451 85	1	PANEL	**(20/04/2020 - ...)**
2065	•• 0353 1100 12	2	LOCK	

Remarks:

SELF-ADHESIVE INSULATION FOAM: THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:

IDRY:N - Integrated dryer:No
MDVAR:FMOUNTED - Variant:Floor Mounted
UAPPR:CCSAUS - Unit approval:CCSAus
UAPPR:N - Unit approval:N
UAPPR:UCE - Unit approval:CE


1040
1030
1040
1030
2010
2040
2030
2060
2065
1020
2050
2055
2020


Ref	Part Number	Qty	Name	Validity
1020	2204 1447 05	1	FRAME	**(25/09/2018 - ...)**
1030	2202 9392 01	12	WASHER	**(25/09/2018 - ...)**
1040	2202 9021 00	12	SCREW	**(25/09/2018 - ...)**
		1	PANEL SET	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
				(01/02/2022 - ...) UAPPR:N , UAPPR:UCE
2010	• 2204 1449 05	1	ROOF	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
2020	• 2204 1531 05	1	LEFT PANEL	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
	•• 6215 4353 00	2	HINGE	**(25/09/2018 - ...)**
2030	• 2204 1535 05	1	RIGHT PANEL	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
2040	• 2204 1450 05	1	BACK PANEL	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
2050	• 2204 1488 05	1	DOOR	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
2055	•• 0353 1100 12	1	LOCK	**(25/09/2018 - ...)**
2050	• 2204 2437 05	1	DOOR	**(01/02/2022 - ...)** UAPPR:N , UAPPR:UCE
2055	•• 0353 1100 12	1	LOCK	
2060	• ~~2204 1451 05~~	1	FRONT PANEL	**(25/09/2018 - 19/04/2020)**
	Substituted by:		2204 1451 85 - PANEL ASSY FRONT G15L-22 (quantity: 1)	
2065	•• 0353 1100 12	2	LOCK	**(25/09/2018 - ...)**
2060	• 2204 1451 85	1	PANEL	**(20/04/2020 - ...)**
2065	•• 0353 1100 12	2	LOCK	

Remarks:

SELF-ADHESIVE INSULATION FOAM: THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:

IDRY:N - Integrated dryer:No
MDVAR:CU - Variant:Receiver mounted
UAPPR:CCSAUS - Unit approval:CCSAus
UAPPR:N - Unit approval:N
UAPPR:UCE - Unit approval:CE


1040
1030
1040
1030
2010
2040
2030
2070
2065
2055
1020
2060
2020
2050


Ref	Part Number	Qty	Name	Validity
1020	2204 1765 85	1	FRAME	**(25/09/2018 - ...)**
1030	2202 9392 01	12	WASHER	**(25/09/2018 - ...)**
1040	2202 9021 00	12	SCREW	**(25/09/2018 - ...)**
		1	PANEL SET	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
				(01/02/2022 - ...) UAPPR:N , UAPPR:UCE
2010	• 2204 1536 05	1	ROOF	**(25/09/2018 - ...)**
2020	• 2204 1531 05	1	LEFT PANEL	**(25/09/2018 - ...)**
	•• 6215 4353 00	2	HINGE	
2030	• 2204 1539 05	1	RIGHT PANEL	**(25/09/2018 - ...)**
2040	• 2204 1543 05	1	BACK PANEL	**(25/09/2018 - ...)**
2050	• 2204 1490 05	1	DOOR	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
2055	•• 0353 1100 12	1	LOCK	**(25/09/2018 - ...)**
2050	• 2204 2438 05	1	DOOR	**(01/02/2022 - ...)** UAPPR:N , UAPPR:UCE
2055	•• 0353 1100 12	1	LOCK	**(01/02/2022 - ...)**
2060	• ~~2204 1519 05~~	1	FRONT PANEL	**(25/09/2018 - 19/04/2020)**
	Substituted by:	2204 1519 85 - ASSY P.FRONT C67 AC FF (quantity: 1)		
2065	•• 0353 1100 12	2	LOCK	**(25/09/2018 - ...)**
2060	• 2204 1519 85	1	FRONT PANEL	**(20/04/2020 - ...)**
2065	•• 0353 1100 12	2	LOCK	
2070	• 2204 1773 00	1	BAFFLE	**(15/11/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
2070	• 2204 2514 00	1	BAFFLE	**(01/02/2022 - ...)** UAPPR:N , UAPPR:UCE

Remarks:

SELF-ADHESIVE INSULATION FOAM: THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:

IDRY:Y - Integrated dryer:Yes
MDVAR:FMOUNTED - Variant:Floor Mounted
UAPPR:CCSAUS - Unit approval:CCSAus
UAPPR:N - Unit approval:N
UAPPR:UCE - Unit approval:CE


1060
1050
1060
1050
2010
2040
2030
1030
2070
2065
2055
1020
2020
2060
2050


Ref	Part Number	Qty	Name	Validity
1020	2204 1765 05	1	FRAME	**(25/09/2018 - ...)**
1030	1088 0803 08	1	GROMMET	**(25/09/2018 - ...)**
1050	2202 9392 01	12	WASHER	**(25/09/2018 - ...)**
1060	2202 9021 00	12	SCREW	**(25/09/2018 - ...)**
		1	PANEL SET	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
				(01/02/2022 - ...) UAPPR:N , UAPPR:UCE
2010	• 2204 1536 05	1	ROOF	**(25/09/2018 - ...)**
2020	• 2204 1531 05	1	LEFT PANEL	**(25/09/2018 - ...)**
	•• 6215 4353 00	2	HINGE	
2030	• 2204 1539 05	1	RIGHT PANEL	**(25/09/2018 - ...)**
2040	• 2204 1543 05	1	BACK PANEL	**(25/09/2018 - ...)**
2050	• 2204 1490 05	1	DOOR	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
2055	•• 0353 1100 12	1	LOCK	
2050	• 2204 2438 05	1	DOOR	**(01/02/2022 - ...)** UAPPR:N , UAPPR:UCE
2055	•• 0353 1100 12	1	LOCK	**(01/02/2022 - ...)**
2060	• ~~2204 1519 05~~	1	FRONT PANEL	**(25/09/2018 - 19/04/2020)**
	Substituted by:	2204 1519 85 - ASSY P.FRONT C67 AC FF (quantity: 1)		
2065	•• 0353 1100 12	2	LOCK	**(25/09/2018 - ...)**
2060	• 2204 1519 85	1	PANEL	**(20/04/2020 - ...)**
2065	•• 0353 1100 12	2	LOCK	**(01/02/2022 - ...)**
2070	• 2204 1773 00	1	BAFFLE	**(15/11/2018 - 31/01/2022)** **(01/02/2022 - ...)** UAPPR:CCSAUS
2070	• 2204 2514 00	1	BAFFLE	**(01/02/2022 - ...)** UAPPR:N , UAPPR:UCE

Remarks:

SELF-ADHESIVE INSULATION FOAM: THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM
SELF-ADHESIVE INSULATION FOAM: THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:


IDRY:Y - Integrated dryer:Yes
MDVAR:CU - Variant:Receiver mounted
UAPPR:CCSAUS - Unit approval:CCSAus
UAPPR:N - Unit approval:N
UAPPR:UCE - Unit approval:CE


1040
1010
1010
1080
1050
1020

Ref	Part Number	Qty	Name	Validity
1010	1088 1001 02	2	WARNING MARK	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** EAPPR:IEC + (MAPPR:ASME , AIRRECMOU:Y + MAPPR:AS1210 , IDRY:N + (MAPPR:AD2000 , MAPPR:CE) , IDRY:Y + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , EAPPR:ULCUL + (MAPPR:CRNASME , MAPPR:ASME + (IDRY:N , IDRY:Y))
1020	2202 2512 93	1	LABEL OIL LEVEL	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** EAPPR:IEC + (MAPPR:ASME , AIRRECMOU:Y + MAPPR:AS1210 , IDRY:N + (MAPPR:AD2000 , MAPPR:CE) , IDRY:Y + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , EAPPR:ULCUL + (MAPPR:CRNASME , MAPPR:ASME + (IDRY:N , IDRY:Y))
1040	2203 0116 00	1	DECAL PULLEY GUARD	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** EAPPR:IEC + (MAPPR:ASME , AIRRECMOU:Y + MAPPR:AS1210 , IDRY:N + (MAPPR:AD2000 , MAPPR:CE) , IDRY:Y + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , EAPPR:ULCUL + (MAPPR:CRNASME , MAPPR:ASME + (IDRY:N , IDRY:Y))
1050	2202 2607 91	1	WARNING DECAL	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** EAPPR:IEC + (MAPPR:ASME , AIRRECMOU:Y + MAPPR:AS1210 , IDRY:N + (MAPPR:AD2000 , MAPPR:CE) , IDRY:Y + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , EAPPR:ULCUL + (MAPPR:CRNASME , MAPPR:ASME + (IDRY:N , IDRY:Y))
1080	2202 2042 89	1	LABEL	**(25/09/2018 - 31/01/2022)** **(01/02/2022 - ...)** EAPPR:IEC + (MAPPR:ASME , AIRRECMOU:Y + MAPPR:AS1210 , IDRY:N + (MAPPR:AD2000 , MAPPR:CE) , IDRY:Y + (MAPPR:AD2000 , MAPPR:CE , MAPPR:MOM)) , EAPPR:ULCUL + (MAPPR:CRNASME , MAPPR:ASME + (IDRY:N , IDRY:Y))

Legend:


AIRRECMOU:Y - Air receiver mounted:Receiver mounted
EAPPR:IEC - Electrical approval:IEC
EAPPR:ULCUL - Electrical approval:UL/cUL
IDRY:N - Integrated dryer:No
IDRY:Y - Integrated dryer:Yes
MAPPR:AD2000 - Pressure Vessel Approval:AD2000
MAPPR:AS1210 - Pressure Vessel Approval:AS1210
MAPPR:ASME - Pressure Vessel Approval:ASME (U Stamp)
MAPPR:CE - Pressure Vessel Approval:CE
MAPPR:CRNASME - Pressure Vessel Approval:CRN (based on ASME)
MAPPR:MOM - Pressure Vessel Approval:MOM


1010
1020

Ref	Part Number	Qty	Name	Validity
1010	0690 1140 01	1	HOUSE MARK	**(17/01/2019 - ...)** MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:400V , MOVOL:460V , MOVOL:575V
1020	2204 1867 01	1	DECAL	**(25/09/2018 - ...)** MODEL:G15L_18J + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:400V , MOVOL:460V , MOVOL:575V)
1020	2204 1867 02	1	DECAL	**(25/09/2018 - ...)** MODEL:G18_18J + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:400V , MOVOL:460V , MOVOL:575V)
1020	2204 1867 03	1	DECAL	**(25/09/2018 - ...)** MODEL:G22_18J + (MOVOL:200230460V , MOVOL:230V , MOVOL:380V , MOVOL:400V , MOVOL:460V , MOVOL:575V)


Legend:

IDRY:N - Integrated dryer:No
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
MOVOL:380V - Supply voltage:380 V
MOVOL:400V - Supply voltage:400 V
MOVOL:460V - Supply voltage:460 V
MOVOL:575V - Supply voltage:575 V



1040
1010
1020

Ref	Part Number	Qty	Name	Validity
1010	0690 1140 01	1	HOUSE MARK	**(17/01/2019 - ...)**
1020	2204 1867 04	1	DECAL	**(25/09/2018 - ...)** MODEL:G15L_18J
1020	2204 1867 05	1	DECAL	**(25/09/2018 - ...)** MODEL:G18_18J
1020	2204 1867 06	1	DECAL	**(25/09/2018 - ...)** MODEL:G22_18J
1040	1079 9915 89	1	LABEL AUTOMATIC DRAIN	**(11/03/2019 - ...)**

Legend:
IDRY:Y - Integrated dryer:Yes
MODEL:G15L_18J - Model:G 15L
MODEL:G18_18J - Model:G 18
MODEL:G22_18J - Model:G 22


1150
1160
1170
1030
1030
1210
1200
1020
1020
1180
1190
1120
1140
1110
1130
1100
1060
1040
1050
1040
1010
1090
1070

Ref	Part Number	Qty	Name	Validity
1010	2202 9374 05	2	SUPPORT	(29/01/2019 - ...)
1020	2203 0402 05	1	STIRRUP	(29/01/2019 - ...)
1030	0147 1400 03	4	SCREW	(29/01/2019 - ...)
1040	0266 2112 00	4	HEXAGON NUT	(29/01/2019 - ...)
1050	0147 1323 03	2	SCREW	(29/01/2019 - ...)
1060	0291 1128 18	2	LOCK NUT	(29/01/2019 - ...)
1070	~~1613 8913 07~~	1	EWD	(29/01/2019 - ...)
	Substituted by:	8102 0432 24 - EWD50 A 24V 50-60HZ (quantity: 1)		
1090	0160 6066 00	2	SCREW VITE TCI M5X30 6107 4.8	(29/01/2019 - ...)
1100	0661 1000 39	1	SEAL WASHER	(29/01/2019 - ...)
1110	0605 8995 02	1	BUSHING	(29/01/2019 - ...)
1120	9740 2027 33	1	FITTING TEE	(29/01/2019 - ...)
1130	0583 8120 65	1	COUPLING	(29/01/2019 - ...)
1140	0070 6002 09	AR	HOSE	(29/01/2019 - ...)
1150	0583 8120 65	1	COUPLING	(29/01/2019 - ...)
1160	0605 8700 09	1	BUSHING	(29/01/2019 - ...)
1170	2202 9285 01	1	REDUCER	(29/01/2019 - ...)
1180	0583 8100 89	1	COUPLING	(29/01/2019 - ...)
1190	0070 6002 64	AR	HOSE	(29/01/2019 - ...)
1200	0583 8100 89	1	COUPLING	(29/01/2019 - ...)
1210	9740 2027 33	1	FITTING	(29/01/2019 - ...)



1050
1040
1030
1020
1010

Ref	Part Number	Qty	Name	Validity
1010	1622 7064 03	1	THERMOSTATIC VALVE 75°C	**(29/01/2019 - ...)** EAPPR:IEC , EAPPR:ULCUL
1020	~~1625 7526 00~~	1	OIL FILTER	**(29/01/2019 - ...)** EAPPR:IEC
	Substituted by:	2903 7526 00 - OIL FILTER (quantity: 1)		
1030	~~0663 2108 33~~	1	O-RING	**(29/01/2019 - ...)** EAPPR:IEC
	Substituted by:	0663 2122 61 - O-RING (quantity: 1)		
1040	1625 4817 80	1	NIPPLE OSE	**(29/01/2019 - ...)** EAPPR:IEC
1050	~~1625 4811 01~~	1	AIR SEPARATOR	**(29/01/2019 - ...)** EAPPR:IEC
	Substituted by:	1625 4811 51 - OIL SEPARATOR (quantity: 1)		


Legend:

EAPPR:IEC - Electrical approval:IEC

EAPPR:ULCUL - Electrical approval:UL/cUL


1040
1030
1020
1010


Ref	Part Number	Qty	Name	Validity
1010	~~1625 7526 00~~	1	OIL FILTER	**(29/01/2019 - ...)**
	Substituted by:	2903 7526 00 - OIL FILTER (quantity: 1)		
1020	~~0663 2108 33~~	1	O-RING	**(29/01/2019 - ...)**
	Substituted by:	0663 2122 61 - O-RING (quantity: 1)		
1030	1625 4817 80	1	NIPPLE OSE	**(29/01/2019 - ...)**
1040	~~1625 4811 01~~	1	AIR SEPARATOR	**(29/01/2019 - ...)**
	Substituted by:	1625 4811 51 - OIL SEPARATOR (quantity: 1)		


1050
1040
1030


Ref	Part Number	Qty	Name	Validity
1030	~~1625 4800 00~~	1	OIL FILTER	**(29/01/2019 - ...)**
	Substituted by:	1625 4800 50 - OIL FILTER (quantity: 1)		
1040	2204 2082 81	1	PIPE ASSEMBLY	**(30/01/2019 - ...)** MODEL:G15L_18J , MODEL:G18_18J
1040	1622 6543 80	1	NIPPLE OSE	**(29/01/2019 - ...)** MODEL:G22_18J
1050	~~1625 7753 00~~	1	OIL SEPARATOR	**(29/01/2019 - ...)** MODEL:G15L_18J , MODEL:G18_18J
	Substituted by:	2903 7753 00 - SEPARATOR OIL SPARE PART (quantity: 1)		
1050	~~1625 7754 00~~	1	OIL SEPARATOR	**(29/01/2019 - ...)** MODEL:G22_18J
	Substituted by:	2903 7754 00 - SEPARATOR OIL SPARE PART (quantity: 1)		

Legend:


MODEL:G15L_18J - Model:G 15L | MODEL:G18_18J - Model:G 18 | MODEL:G22_18J - Model:G 22


1040
1010
1030
1020
1010
1050
1060
1070
Atlas Copco
GA15FF


Ref	Part Number	Qty	Name	Validity
1010	0661 1000 44	2	SEAL WASHER	(29/01/2019 - ...)
1020	0571 0035 77	1	NIPPLE	(29/01/2019 - ...)
1030	0606 0000 05	1	PIPE FITTING	(29/01/2019 - ...)
1040	8102 2601 66	1	FILTER DD70+	(29/01/2019 - ...)
1050	1617 7082 02	1	QUICK COUPLING	(29/01/2019 - ...)
1060	0583 8120 70	1	ELBOW COUPLING	(29/01/2019 - ...)
1070	0070 7250 07	AR	HOSE	(29/01/2019 - ...)


4040
1010
2010
1040
3010
3020
1030
1100
1200
1070
1100
1060
1200
1050
1080
3030

Ref	Part Number	Qty	Name	Validity
1010	1617 7003 00	1	HEAD	(29/01/2019 - ...)
1030	1617 7012 00	1	BOWL	(29/01/2019 - ...)
1040	0663 2110 26	1	O-RING 76X3.2	(29/01/2019 - ...)
1050	0160 0996 06	2	SCREW	(29/01/2019 - ...)
1060	0661 1010 00	2	SEAL WASHER	(29/01/2019 - ...)
1070	0663 9095 00	1	O-RING 32X2	(29/01/2019 - ...)
1080	1617 7114 00	1	SIGHT GLASS	(29/01/2019 - ...)
1100	0690 1106 01	2	HOUSE DECAL	(29/01/2019 - ...)
1200	1079 9921 10	2	LABEL	(29/01/2019 - ...)
2010	~~1617 7040 07~~	1	FILTER ELEMENT	(29/01/2019 - ...)
	Substituted by:	2901 3000 05 - FILTER KIT DD/DDP 70+ (quantity: 1)		
3010	~~1617 7047 00~~	1	AUTOMATIC DRAIN VALVE	(29/01/2019 - ...)
	Substituted by:	1624 1552 00 - AUTOMATIC DRAIN (quantity: 1)		
3020	0663 2111 29	1	O-RING	(29/01/2019 - ...)
3030	1617 7046 00	1	NUT	(29/01/2019 - ...)
4040	1624 1172 00	1	DIFFERENTIAL PRESSURE GAUGE	(29/01/2019 - ...)
	1617 7052 07	1	LABEL	(29/01/2019 - ...)


1040
1010
1030
1020
1010
1050
1060
1070
Atlas Copco
GA5 FF

Ref	Part Number	Qty	Name	Validity
1010	0661 1000 44	2	SEAL WASHER	(29/01/2019 - ...)
1020	0571 0035 77	1	NIPPLE	(29/01/2019 - ...)
1030	0606 0000 05	1	PIPE FITTING	(29/01/2019 - ...)
1040	8102 2977 05	1	FILTER UD60+	(29/01/2019 - ...)
1050	1617 7082 02	1	QUICK COUPLING	(29/01/2019 - ...)
1060	0583 8120 70	1	ELBOW COUPLING	(29/01/2019 - ...)
1070	0070 7250 07	AR	HOSE	(29/01/2019 - ...)


5010
4010
3010
1040
1010
1020
2010
2020
3020
4020
6010
2030

Ref	Part Number	Qty	Name	Validity
	~~2901 2072 04~~	1	ELEMENT KIT	
	Substituted by:	2901 3004 05 - FILTER KIT UD 60+ (quantity: 1)		
1010	• -	1	FILTER ELEMENT	
1020	• 0663 2110 26	1	O-RING	
1040	• 0663 2100 18	2	O-RING	
	2901 0563 00	1	DRAIN VALVE KIT	
2010	• -	1	DRAIN VALVE	
2020	• 0663 2111 29	1	O-RING	
2030	• -	1	NUT	
3010	-	1	HEAD	
3020	-	1	BOWL	
4010	1629 0267 00	1	DECAL HEAD	
4020	1629 0265 03	1	DECAL BOWL	
5010	~~1629 0298 04~~	1	DIFFERENTIAL PRESSURE INDICATOR	
	Substituted by:	1624 1172 00 - DIFF. PRESS. GAUGE (quantity: 1)		
6010	0690 1104 01	1	HOUSE MARK	

In order to be First in Mind—First in Choice® for all your quality compressed air needs, Atlas Copco delivers the products and services that help to increase your business' efficiency and profitability.

Atlas Copco's pursuit of innovation never ceases, driven by our need for reliability and efficiency. Always working with you, we are committed to providing you the customized quality air solution that is the driving force behind your business.

30/03/2022
No. 2930 7171 23
www.atlascopco.com