

Atlas Copco

Oil-injected compressors



GA 11+, GA 15+, GA 18+, GA 22+, GA 26+, GA 30

Parts List



Atlas Copco

Oil-injected compressors

GA 11+, GA 15+, GA 18+, GA 22+, GA 26+, GA 30

Parts List

Edition: 5

Copyright, Atlas Copco Airpower n.v., Antwerp, Belgium.
Any unauthorized use or copying of the contents or any part thereof is prohibited. This applies in particular to trademarks, model denominations, part numbers and drawings.

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.

Instructions	6
1 Service Kits	20
2 Oil.....	26
3 Drive train.....	28
3.1 Element.....	28
3.2 Motor (GA 11+ - 460V/60Hz, (230V, 380V/60Hz) IEC, (200-230-460V/60Hz, 575V/60Hz) UL-cUL), (GA 15+ - 460V/60Hz, (230V/50Hz, 380V/60Hz) IEC, 575V/60Hz UL-cUL), (GA 18+ - 460V/60Hz, (230V, 380V/60Hz), 200-230-460V/60Hz UL-cUL), (GA 22+ - 460V/60Hz, 230V IEC, 575V/60Hz UL-cUL).....	30
3.3 Motor GA 11+, GA 15+, GA 18+, GA 22+ - 400V-400V+N/50Hz IEC.....	34
3.4 Motor GA 15+ - 230V/60Hz IEC, GA 18+ - 575V/60Hz UL-cUL, GA 22+ - 380V/60Hz IEC.....	38
3.5 Motor GA 15+, GA 22+ - 200-230-460V/60Hz UL-cUL.....	40
3.6 Motor GA 26+, GA 30 - (230V/50Hz, 230V-380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL.....	42
3.7 Motor GA 26+ - 200-230-460V/60Hz UL-cUL, 400V-400V+N/50Hz IEC, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL, 400V-400V+N/50Hz IEC.....	44
3.8 Gears.....	48
4 Air system.....	52
4.1 Air Filter.....	52
4.2 Air Inlet.....	54
4.3 Unloader Valve.....	56
4.4 Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (21/08/2018 - 30/12/2019).....	58
4.5 Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (31/12/2019 - ...).....	62
4.6 Vessel assembly AD 2000 - 7.5bar, 8.5bar, 10bar, 13bar.....	66
4.7 Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar.....	70
4.8 Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar.....	78
5 Cooling system.....	86
5.1 Cooler	86
5.2 Fan (GA 11+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V-575V/60Hz) UL-cUL), (GA 15+ - (230V/50Hz, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL), (GA 18+, GA 26+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V/60Hz) UL-cUL), (GA 22+ - (230V, 460V-60Hz) IEC, 460V-575V/60Hz UL-cUL), GA 30 - (230V, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL.....	88
5.3 Fan GA 15+ - 230V/60Hz IEC, GA 18+ - 575V/60Hz UL-cUL, GA 22+ - 380V/60Hz IEC.....	92
5.4 Fan GA 11+-30 - 400V-400V+N/50Hz IEC, GA 15+, GA 22+, GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL.....	94
6 Liquid filtration.....	98
7 Condensate drain Pack.....	130
8 Condensate drain Full-Feature.....	132
9 Fluid transport (12/03/2018 - 16/11/2020).....	134

10	Fluid transport (17/11/2020 - ...)	136
11	Fluid transport - Air dryer ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))	138
12	Fluid transport - Air dryer ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))	142
13	Loose parts Pack	148
14	Loose parts Full-Feature - ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))	150
15	Loose parts Full-Feature - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))	152
16	Air dryer	154
16.1	Assembly ID 40	154
16.2	Assembly ID 73	162
16.3	Assembly ID 96	170
16.4	Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)	178
16.5	Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)	182
16.6	Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)	188
16.7	Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)	192
16.8	Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)	202
16.9	Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)	210
16.10	Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)	216
16.11	Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - 04/10/2020)	224
16.12	Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (05/10/2020 - ...)	230
16.13	Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)	234
16.14	Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (01/03/2019 - ...)	244
16.15	Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar)) – 575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)	248

16.16	Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar)) – 575V/60Hz UL-cUL (01/03/2019 - ...)...	252
16.17	Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018).....	256
16.18	Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019).....	262
16.19	Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - 04/10/2020).....	268
16.20	Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (05/10/2020 - ...).....	272
16.21	Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019).....	276
16.22	Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (01/03/2019 - ...).....	286
17	Regulation.....	292
17.1	Electrical components.....	292
17.2	Cubicle components GA 11+, GA 15+ - 230V IEC	300
17.3	Cubicle components GA 18+, GA 22+ - 230V IEC.....	308
17.4	Cubicle components GA 26+, GA 30 - 230V IEC.....	314
17.5	Cubicle components GA 11+, GA 15+ - 380V/60Hz IEC.....	320
17.6	Cubicle components GA 18+, GA 22+ - 380V/60Hz IEC.....	326
17.7	Cubicle components GA 26+, GA 30 - 380V/60Hz IEC.....	332
17.8	Cubicle components GA 11+ - 400V-400V+N/50Hz IEC.....	338
17.9	Cubicle components GA 15+ - 400V-400V+N/50Hz IEC.....	348
17.10	Cubicle components GA 18+ - 400V-400V+N/50Hz IEC.....	354
17.11	Cubicle components GA 22+ - 400V-400V+N/50Hz IEC.....	360
17.12	Cubicle components GA 26+ - 400V-400V+N/50Hz IEC.....	368
17.13	Cubicle components GA 30 - 400V-400V+N/50Hz IEC.....	374
17.14	Cubicle components GA 11+, GA 15+ - 460V/60Hz IEC.....	380
17.15	Cubicle components GA 18+, GA 22+ - 460V/60Hz IEC.....	386
17.16	Cubicle components GA 26+, GA 30 - 460V/60Hz IEC.....	392
17.17	Cubicle components GA 11+, GA 15+ - 200-230-460V/60Hz UL-cUL.....	398
17.18	Cubicle components GA 18+, GA 22+ - 200-230-460V/60Hz UL-cUL.....	410
17.19	Cubicle components GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - 230-460V/60Hz UL-cUL.....	416
17.20	Cubicle components GA 30 - 200V/60Hz UL-cUL.....	422
17.21	Cubicle components GA 11+, GA 15+ - 460V/60Hz UL-cUL.....	428
17.22	Cubicle components GA 18+, GA 22+ - 460V/60Hz UL-cUL.....	434
17.23	Cubicle components GA 26+, GA 30 - 460V/60Hz UL-cUL.....	440
17.24	Cubicle components GA 11+, GA 15+ - 575V/60Hz UL-cUL.....	446

17.25	Cubicle components GA 18+, GA 22+ - 575V/60Hz UL-cUL.....	452
17.26	Cubicle components GA 26+, GA 30 - 575V/60Hz UL-cUL.....	458
17.27	Controller.....	464
18	Ammann Cubicle.....	468
18.1	Electrical components - Ammann.....	468
18.2	Cubicle components - Ammann GA 11+, GA 15+.....	470
18.3	Cubicle components - Ammann GA 18+, GA 22+.....	476
18.4	Cubicle components - Ammann GA 26+, GA 30.....	482
19	Bodywork.....	488
20	Markings.....	510
21	Standard Options.....	526
21.1	Modulating control.....	526
21.2	Energy recovery.....	530
21.3	Dryer bypass ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar)).....	532
21.4	Dryer bypass ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar, 10bar, 10.8bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)).....	534
21.5	Freeze protection.....	536
21.6	Heavy duty inlet filter.....	538
21.7	Pre-filter.....	540
21.8	Tropical thermostat.....	542
21.9	DD Filter ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar)).....	544
21.10	DD Filter ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)).....	546
21.11	DD filter - Parts DD 50+ - ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar)).....	548
21.12	DD filter - Parts DD 130+ - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)).....	550
21.13	UD+ filter ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))).....	552
21.14	UD+ filter ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar)).....	554
21.15	UD+ filter - Parts UD 45+ - ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar)).....	556
21.16	UD+ filter - Parts UD 140+ - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))).....	558
21.17	ES100 relay.....	560
21.18	HAV - Gears.....	562
21.19	HAV - Dryer connection.....	566
21.20	Thermistors & Anti-condensation heaters GA 11+, GA 15+, GA 18+, GA 22+.....	580
21.21	Thermistors & Anti-condensation heaters GA 26+, GA 30.....	584
21.22	Nema 4x GA 11+, GA 15+ - 400V IEC.....	588

21.23	Nema 4x GA 18+, GA 22+ -400V IEC	594
21.24	Nema 4x GA 26+, GA 30 -400V IEC.....	600
21.25	Nema 4x GA 11+, GA 15+ - 230V IEC	606
21.26	Nema 4x GA 18+, GA 22+- 230V IEC.....	612
21.27	Nema 4x GA 26+, GA 30 - 230V IEC.....	618
21.28	Nema 4x GA 11+, GA15+ - 380V-460V/60Hz.....	624
21.29	Nema 4x GA 18+, GA12+, GA 26+, GA 30 - 380V-460V/60Hz.....	630
21.30	Nema 4x GA 11+, GA 15+ - 575V/60Hz UL-cUL.....	636
21.31	Nema 4x GA 18+, GA 22+, GA 26+, GA 30 - 575V/60Hz UL-cUL.....	642
21.32	Nema 4x GA 11+, GA 15+ TRI UL/CUL.....	648
21.33	Nema 4x GA 18+, GA 22+ TRI UL/CUL.....	654
21.34	Nema 4x GA 26+, GA 30 DUO & TRY UL/CUL.....	660
21.35	Nema 4x GA 30 - 200V/60Hz UL-cUL.....	666
21.36	Nema 4 G11+, GA 15+ - 400V IEC.....	672
21.37	Nema 4 GA 18+, GA 22+ -400V IEC	678
21.38	Nema 4 GA 26+, GA 30 - 400V IEC.....	684
21.39	Nema 4 GA 11+, GA 15+ -230V IEC	690
21.40	Nema 4 GA 18+, GA 22+-230V IEC.....	696
21.41	Nema 4 GA 26+, GA 30 - 230V IEC.....	702
21.42	Nema 4 GA 11+, GA15+ -380-460V	708
21.43	Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 380-460V.....	714
21.44	Nema 4 GA 11+, GA 15+ - 575V/60Hz UL-cUL.....	720
21.45	Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 575V/60Hz UL-cUL.....	726
21.46	Nema 4 GA 11+, GA 15+ TRI UL/CUL.....	732
21.47	Nema 4 GA 18+, GA 22+ TRI UL/CUL.....	738
21.48	Nema 4 GA 26+, GA 30 DUO & TRI UL/CUL.....	744
21.49	Nema 4 GA 30 - 200V/60Hz UL-cUL.....	750
21.50	Upgrade to Touch controller.....	756

EN - English

1 ORDERING PARTS

Always specify the part number, the name and quantity of the required items, as well as the type and serial number of the machine.

2 COLUMN INFORMATION

Ref - Reference number: links a specific part from the list to the drawing. Only parts with a reference number are shown in the drawing. Parts in the drawing without a reference number are simply there to illustrate the assembly.

Part number - Part number to be used when ordering spare parts.

When no part number is specified, the component is not available as a spare part.

Parts which are contained in a kit will have the kit number mentioned on the line below. For complete content of the kit see chapter "1 - Service kits".

A part number preceded by a black dot is comprised in the assembly right above.

Remarks: Additional information to the part number right above.

Substituted by: The part number right above has been replaced by another part number due to an update or revision.

Qty - Quantity: Indicates the number of parts in relation to the corresponding reference number. „AR“ means „As required“: quantity or number to be determined.

Name - Part name: Translations of the English names can be found in document "Glossary of part names".

Validity - Defines the timeframe and type/version of the machines the part is valid for. Clarification of the codes used in the validity pattern can be found in the legend at the bottom of the page. A validity pattern mentioned in the chapter title applies to the whole chapter. A plus sign in the pattern is to be interpreted as 'and', a comma as 'or'. Parentheses group the validity codes, similarly to mathematical parentheses, see following example:

'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' is valid for machines with 8 bar working pressure and 50Hz frequency and 500V supply voltage, or 8 bar working pressure and 60Hz frequency and 575V supply voltage.

EL - Reference to the drawing or the component inside the electric cubicle.

R. - Remarks: Extra information about the part. Explanation can be found at the bottom of the page.

BG - български

1 ПОРЪЧКА НА ЧАСТИ

Винаги цитирайте номера на частта, наименованието и количеството на необходимите изделия, както и типа и серийния номер на машината.

2 ИНФОРМАЦИЯ В КОЛОНИТЕ

Ref - Референтен номер: свързва дадена част от списъка с чертежа. На чертежа са показани само части с референтен номер.

Частите на чертежа без референтен номер са там, единствено за да се покаже възелът.

Part number - Номер на частта, който да се използва при поръчката на резервни части.

Ако не е посочен номер на частта, компонентът не се предлага като резервна част.

Частите, които се съдържат в даден комплект, ще включват номер на комплекта на долния ред. За пълното съдържание на комплекта вижте глава „1 – Service kits“.

Номер на част, пред който има черна точка, се съдържа във възела непосредствено по-горе.

Remarks: Допълнителна информация за частта – непосредствено по-горе.

Substituted by: Номерът на частта непосредствено по-горе е заменен от друг номер на частта поради актуализация или ревизия.

Qty - Количество: Посочва броя на частите във връзка със съответния референтен номер. „AR“ означава „Според нуждата“: количеството или броят ще бъдат определени допълнително.

Name - Име на частта: превод на английските имена можете да откриете в документа „Glossary of part names“.

Validity - Определя периода и типа/версията на машините, за които частта е валидна. Обяснение на елементите от кода, използвани в кода за валидността, можете да откриете в легендата в долната част на страницата. Кодът за валидността, посочен в заглавието на главата, се отнася за цялата глава. Знакът плюс в кода се приема за „и“, а запетаята – за „или“. Скобите групират елементите на кодовете за валидност подобно на математическите скоби, вижте следния пример:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ е валидно за машини с работно налягане 8 bar, честота 50 Hz и захранващо напрежение 500 V или работно налягане 8 bar, честота 60 Hz и захранващо напрежение 575 V.

EL - Референция към чертежа или компонента в електрическата кутия.

R.. - Забележки: допълнителна информация относно частта. Обяснения можете да намерите в долната част на страницата.

BR - Brasileiro

1 ENCOMENDANDO PEÇAS

Sempre especifique o número da peça, o nome e a quantidade dos itens necessários, assim como o tipo e o número de série da máquina.

Páginas marcadas com o símbolo Serviço - “ ” contêm peças do(s) Kit(s) de serviço. Para conhecer o conteúdo completo do kit, consulte o capítulo “1 - Service kits” (1 - Kits de serviço).

2 INFORMAÇÕES SOBRE AS COLUNAS

Ref. - Número de referência: indica onde está uma peça específica listada no desenho. Somente peças com número de referência são mostradas no desenho. As peças no desenho que não têm um número de referência destinam-se simplesmente a ilustrar o conjunto.

Part number - Número da peça: se nenhum número de peça estiver especificado, o componente não está disponível como peça sobressalente. Uma linha mostrada em negrito é um conjunto. Uma peça cujo número seja seguido por um ponto preto faz parte do conjunto impresso em negrito imediatamente acima dela.

O símbolo “<<< >>>” direciona para outra lista com o mesmo título, como “Name” (Nome).

Quando o número de peça específico é colocado abaixo da linha “Ref.”/“Name” (Ref. / Nome), é preciso escolher o tipo/versão da máquina.

Qty - Quantidade: indica o número de peças e os números de referência correspondentes. “AR” significa “As required” (Conforme solicitado): a quantidade ou o número a ser determinado.

Name - Nome da peça: as traduções dos nomes em inglês podem ser encontradas no documento “Glossary of part names” (Glossário de nomes de peças).

Remarks - Observações - Informações extras sobre a peça.

Uma série de letras pode indicar que uma determinada peça é certificada pelo órgão autorizado específico, de acordo com os códigos ou as regras da lista.

As medidas são fornecidas em milímetros.

CS - čeština

1 OBJEDNÁNÍ DÍLŮ

Vždy uveďte číslo dílu, název a množství požadovaných položek a také typ a sériové číslo stroje.

2 INFORMACE VE SLOUPCÍCH

Ref – Referenční číslo: Propojuje konkrétní díl ze seznamu s výkresem. Pouze díly s referenčním číslem jsou zobrazeny na výkresu. Díly bez referenčního čísla, které jsou na výkresu uvedeny, slouží pouze jako ilustrace.

Part number – Číslo dílu se používá pro objednávání náhradních dílů.

Pokud není uvedeno žádné číslo dílu, komponenta není k dispozici jako náhradní díl.

Díly obsažené v sadě mají na následujícím řádku uvedeno číslo sady. Úplný obsah sady viz kapitolu „1 – Service kits”.

Díl s číslem, před kterým je černý puntík, je obsažen v sestavě přímo nad ním.

Remarks: Další informace k číslu dílu přímo nad ním.

Substituted by: Číslo dílu přímo nad ním bylo nahrazeno jiným číslem dílu v důsledku aktualizace nebo revize.

Qty – Množství: Indikuje počet dílů pro odpovídající referenční číslo. „AR” znamená „As required” (Podle potřeby): množství nebo počet bude určen.

Name – Název dílu: Překlady anglických názvů naleznete v dokumentu „Glossary of part names”.

Validity – Definuje časový rámec a typ/verzi strojů, na které se daný díl vztahuje. Objasnění kódů použitých ve vzorci platnosti naleznete v legendě na konci stránky. Vzorec platnosti uvedený v názvu kapitoly se vztahuje na celou kapitolu. Znaménko plus ve vzorci se interpretuje jako „a” a čárka jako „nebo”. Závorky seskupují kódy platnosti, obdobně jako matematické závorky, viz následující příklad:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” platí pro stroje s provozním tlakem 8 bar, frekvencí 50 Hz a napájecím napětím 500 V nebo pro stroje s provozním tlakem 8 bar, frekvencí 60 Hz a napájecím napětím 575 V.

EL – Reference na výkres nebo komponentě uvnitř elektrického rozvaděče.

R. – Poznámky: Doplňující informace o dílu. Vysvětlení naleznete na konci stránky.

DA - Dansk

1 BESTILLING AF DELE

Angiv altid styknummeret, navnet på og antallet af de ønskede varer samt typen og serienummeret for maskinen.

2 OPLYSNINGER TIL KOLONNERNE

Ref - Referencenummer: Knytter en bestemt del fra listen til tegningen. Kun dele med et referencenummer vises på tegningen. Dele på tegningen uden et referencenummer er blot medtaget for at vise samlingen.

Part number - Styknummer, der skal bruges ved bestilling af reservedele.

Hvis der ikke er angivet et styknummer, fås komponenten ikke som reservedel.

Dele, der er indeholdt i et sæt, har sætnummeret stående på linjen nedenfor. Se kapitel "1 – Service kits" for at få vist hele indholdet af sættet.

Et styknummer med en sort prik foran indgår i samlingen lige ovenfor.

Remarks: Der findes yderligere oplysninger til styknummeret lige ovenfor.

Substituted by: Styknummeret lige ovenfor er blevet erstattet af et andet styknummer i forbindelse med en opdatering eller en revidering.

Qty - Antal: Angiver antallet af dele, der hører til det tilsvarende referencenummer. "AR" står for "As required": Antallet eller nummeret skal fastsættes.

Name - Navn på del: Oversættelser af de engelske navne kan findes i dokumentet "Glossary of part names".

Validity - Angiver tidshorisont og maskintype/-version, som delen gælder for. Forklaringer til koderne, der anvendes i modellen for gyldigheden, kan findes i teksten nederst på siden. En model for gyldigheden, der er nævnt i kapitlets titel, gælder for hele kapitlet. Et plustegn i modellen skal fortolkes som et "og", og et komma som et "eller". Parenteser inddeler koderne, der beskriver gyldigheden, på samme måde som parenteser i matematik. Se følgende eksempel:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" gælder for maskiner med et arbejdsstryk på 8 bar, en frekvens på 50 Hz og en forsyningsspænding på 500 V eller for maskiner med et arbejdsstryk på 8 bar, en frekvens på 60 Hz og en forsyningsspænding på 575 V.

EL – Refererer til tegningen eller komponenten inde i elskabet.

R. - Bemærkninger: Yderligere oplysninger om delen. Forklaringer kan findes nederst på siden.

DE - Deutsch

1 TEILE BESTELLEN

Geben Sie immer genau die Teilenummer, den Namen und die Anzahl des gewünschten Artikels und den Typ und die Seriennummer der Maschine an.

2 SPALTENINFORMATION

Ref - Referenznummer: Verknüpft ein spezifisches Teil der Liste mit der Zeichnung. Es werden nur Referenznummern in der Zeichnung gezeigt. In der Zeichnung dargestellte Teile ohne Referenznummer sind einfach nur zu Illustrationszwecken der Baugruppe abgebildet.

Part number - Die Teilenummer wird bei der Bestellung von Ersatzteilen angegeben.

Ist keine Teilenummer angegeben, ist die Komponente nicht als Ersatzteil verfügbar.

Bei Teilen, die zu einem Set gehören, wird die Setnummer unten auf der Linie angegeben. Zum kompletten Inhalt des Sets siehe Kapitel „1 – Service kits“.

Eine mit einem schwarzen Punkt versehene Teilenummer ist in dem direkt darüber stehenden Set enthalten.

Remarks: Zusätzliche Informationen zur Teilenummer stehen direkt darüber.

Substituted by: Die direkt darüber stehende Teilenummer wurde aufgrund einer Aktualisierung oder Überarbeitung durch eine andere Teilenummer ersetzt.

Qty - Anzahl: Gibt die Anzahl der Teile im Verhältnis zur entsprechenden Referenznummer an. „AR“ steht für „Nach Bedarf“: Anzahl oder Nummer muss noch angegeben werden.

Name - Teilename: Übersetzungen der englischen Bezeichnungen finden Sie im Dokument „Glossary of part names“.

Validity - Gibt den Zeitrahmen und den Typ/die Version der Maschine vor, für die die Teile gültig sind. Eine Erläuterung der Codes, die für das Gültigkeitsmuster angewandt werden, finden Sie am Fuß der Seite. Ein im Kapiteltitel genanntes Gültigkeitsmuster bezieht sich auf das gesamte Kapitel. Ein Pluszeichen im Muster steht für „und“, ein Komma für „oder“. Klammern fassen die Codes in Gruppen zusammen, ähnlich wie bei mathematischen Klammern. Siehe dazu folgendes Beispiel:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" ist für Maschinen gültig mit 8 bar-Betriebsdruck, 50 Hz-Frequenz und 500 V-Versorgungsspannung oder 8 bar-Betriebsdruck, 60 Hz-Frequenz und 575 V-Versorgungsspannung.

EL – Referenz zu der Zeichnung oder dem Bauteil im Inneren des Schaltkastens.

R. – Anmerkungen: Zusatzinformationen zum Teil. Erklärungen finden Sie am Fuß der Seite.

EL - ελληνικά

1 ΠΑΡΑΓΓΕΛΙΑ ΑΝΤΑΛΛΑΚΤΙΚΩΝ

Πρέπει πάντα να προσδιορίζετε τον κωδικό εξαρτήματος, την ονομασία και την ποσότητα των απαιτούμενων ειδών, καθώς και τον τύπο και τον αριθμό σειράς του μηχανήματος.

2 ΠΛΗΡΟΦΟΡΙΕΣ ΓΙΑ ΤΙΣ ΣΤΗΛΕΣ

Ref - Κωδικός αναφοράς: συσχετίζει ένα συγκεκριμένο εξάρτημα από τη λίστα με το σχέδιο. Μόνο εξαρτήματα που έχουν κωδικό αναφοράς εμφανίζονται στο σχέδιο. Τα εξαρτήματα στο σχέδιο που δεν έχουν κωδικό αναφοράς, υπάρχουν απλώς για την εικονογράφηση του συγκροτήματος.

Part number - Κωδικός εξαρτήματος, ο οποίος χρησιμοποιείται κατά την παραγγελία ανταλλακτικών.

Όταν δεν αναφέρεται κάποιος κωδικός εξαρτήματος, το εξάρτημα δεν διατίθεται ως ανταλλακτικό.

Για τα εξαρτήματα που περιέχονται σε kit, ο αριθμός του kit θα αναφέρεται στην παρακάτω γραμμή. Για το πλήρες περιεχόμενο του kit, βλ. κεφάλαιο "1 – Service kits".

Όταν μπροστά από τον κωδικό εξαρτήματος υπάρχει μια μαύρη κουκίδα, το εξάρτημα περιέχεται στο συγκρότημα που βρίσκεται ακριβώς από πάνω.

Remarks (Παρατηρήσεις): Πρόσθετες πληροφορίες για τον κωδικό εξαρτήματος ακριβώς από πάνω.

Substituted by (Έχει αντικατασταθεί από): Ο πιο πάνω κωδικός εξαρτήματος έχει αντικατασταθεί από άλλο κωδικό εξαρτήματος λόγω ενημέρωσης ή αναθεώρησης.

Qty - Ποσότητα: Δείχνει τον αριθμό των εξαρτημάτων σε σχέση με τον αντίστοιχο κωδικό αναφοράς. Το "AR" σημαίνει "As required" (Αναλόγως των απαιτήσεων): η ποσότητα ή ο αριθμός θα πρέπει να προσδιοριστούν.

Name - Ονομασία εξαρτήματος: Μεταφράσεις των ονομασιών από τα αγγλικά μπορείτε να βρείτε στο έγγραφο "Glossary of part names".

Validity - Καθορίζει το χρονικό πλαίσιο και τον τύπο/την έκδοση των μηχανημάτων στα οποία μπορεί να χρησιμοποιηθεί το εξάρτημα. Στο υπόμνημα, στο κάτω μέρος της σελίδας, μπορείτε να βρείτε μια αποσαφήνιση των κωδικών που χρησιμοποιούνται στο υπόδειγμα ισχύος παραγγελίας. Εάν αναφέρεται ένα υπόδειγμα ισχύος παραγγελίας στον τίτλο του κεφαλαίου, αυτό ισχύει για ολόκληρο το κεφάλαιο. Ένα σύμβολο "συν" στο υπόδειγμα θα πρέπει να ερμηνεύεται ως "και", ένα κόμμα ως "ή". Οι παρενθέσεις ομαδοποιούν τους κωδικούς ισχύος παραγγελίας, όπως οι παρενθέσεις στους μαθηματικούς τύπους. Δείτε το ακόλουθο παράδειγμα:

Το 'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' ισχύει για μηχανήματα με πίεση λειτουργίας 8 bar, συχνότητα 50 Hz και τάση τροφοδοσίας 500 V ή με πίεση λειτουργίας 8 bar, συχνότητα 60 Hz και τάση τροφοδοσίας 575 V.

EL – Κωδ. αναφοράς για το σχέδιο ή το εξάρτημα στο εσωτερικό του ηλεκτρικού πίνακα.

R. – Παρατηρήσεις: Πρόσθετες πληροφορίες σχετικά με το εξάρτημα. Επεξήγηση παρέχεται στο κάτω μέρος της σελίδας.

ES - Español

1 PEDIDO DE PIEZAS

Especifique siempre el número de referencia, el nombre y la cantidad de los elementos que necesita, además del tipo y número de serie de la máquina.

2 INFORMACIÓN DE LAS COLUMNAS

Ref - Número de referencia: enlaza una pieza concreta de la lista con el solo. Solo se muestran piezas con número de referencia en el plano. Las piezas del plano que no tienen números de referencia solo se muestran para ilustrar el conjunto.

Part number - Designación que se debe utilizar para pedir piezas de repuesto.

Si no se especifica una designación, esto quiere decir que el componente no está disponible como pieza de repuesto.

Las piezas que forman parte de un kit tendrán el número de kit en la línea inferior. Para consultar el contenido completo del kit, consulte el capítulo "1 – Service kits".

Una designación precedida por un punto negro forma parte del conjunto inmediatamente superior.

Remarks: información adicional de la designación inmediatamente superior.

Substituted by: la designación inmediatamente superior se ha sustituido por otra debido a una actualización o revisión.

Qty - Cantidad: indica el número de piezas en relación con el número de referencia correspondiente. "AR" significa "Según necesidad": cantidad o número a determinar.

Name - Nombre de la pieza: las traducciones de los nombres en inglés pueden encontrarse en el documento "Glossary of part names".

Validity - Define el periodo y tipo/versión de las máquinas en las que se puede utilizar la pieza. Puede encontrar una explicación de los códigos utilizados en el patrón de validez en la leyenda de la parte inferior de la página. Un patrón de validez mencionado en el título del capítulo es aplicable a todo el capítulo. Un signo '+' en el patrón debe interpretarse como una 'y' y una coma debe interpretarse como una 'o'. Los paréntesis agrupan los códigos de validez de manera similar a su uso en matemáticas; véase el siguiente ejemplo:

'PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)' es válido para máquinas con una presión de trabajo de 8 bar, una frecuencia de 50 Hz y un voltaje de alimentación de 500 V o de 8 bar, una frecuencia de 60 Hz y un voltaje de alimentación de 575 V.

EL – Referencia al plano o el componente del interior del armario eléctrico.

R. – Notas: información adicional sobre la pieza; se puede encontrar la explicación en la parte inferior de la página.

ET - Eesti

1 OSADE TELLIMINE

Täpsustage alati osa number, soovitud ühikute nimi ja kogus, aga ka masina tüüp ja seerianumber.

2 TEABE TULP

Ref - Viitenumber: seostab loendis nimetatud konkreetse osa joonisega. Joonisel on näidatud ainult viitenumbriga osad.

Joonisel ilma viitenumbriga esitatud osadel on koostu kuvamisel illustreeriv tähendus.

Part number - Osa number, mida varuosade tellimisel kasutada.

Kui osa numbrit ei ole täpsustatud, ei ole vastav osa varuosana saadaval.

Komplekti kuuluvate osade puhul on alloleval real nimetatud komplekti number. Komplekti tervikliku kirjelduse leiate peatükist „1- Service kits”.

Kui osa numbri ees on must punkt, sisaldub osa ülaltoodud koostus.

Remarks: osa numbri kohal kuvatav lisateave.

Substituted by: ülaltoodud osa number on uuenduse või kontrolli tulemusena asendatud teise osa numbriga.

Qty - Kogus: osutab asjaomase viitenumbriga seotud osade arvule. „AR” tähendab „vastavalt vajadusele”: kogus või arv tuleb kindlaks määrata.

Name - Osa nimi: inglisekeelsete nimede tõlked leiate dokumendist „Glossary of part names”.

Validity - Määratleb ajavahemiku ja masina tüübi/versiooni, mille puhul osa kasutatakse. Kasutusmustris kasutatud koodide selgituse leiate iga lehekülje allosas olevast legendist. Peatüki pealkirjas nimetatud kasutusmuster kohaldub tervele peatükile. Mustris kasutatud plussmärgi tuleb tõlgendada sõnana „ja”, komana või sõnana „või”. Sarnaselt ümarsulgude matemaatikas kasutamisele rühmitavad ümarsulud kehtivuskoodide rühmad; vt järgmist näidet:

‘PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)’ kehtib masinate puhul, mille töö rõhk on 8 bar ja sagedus 50 Hz ja toitepinge 500 V, või siis masinate puhul, mille töö rõhk on 8 bar ja sagedus 60 Hz ja toitepinge 575V.

EL – Viide joonisele või elektrikapis olevale osale.

R. - Märkused: lisateave osa kohta. Selgituse leiate lehekülje allosast.

FI - Suomalainen

1 OSIEN TILAAMINEN

Määritä aina osanumero, haluttujen tuotteiden nimi ja määrä sekä koneen tyyppi ja sarjanumero.

2 SARAKETIEDOT

Ref - Viitenumero: Yhdistää jonkin tietyn luettelossa mainitun osan piirrokseen. Piirroksessa näkyvät vain ne osat, joilla on viitenumero. Ne osat, joilla ei ole viitenumeroa, ovat piirroksessa vain kokoonpanoa kuvaamassa.

Part number - Osanumero, jota on käytettävä varaosia tilattaessa.

Jos osanumeroa ei ole määritetty, komponentti ei ole saatavana varaosana.

Sarjan mukana tulevilla osilla on sarjanumero, joka on merkitty alla olevalle viivalle. Lue tiedot sarjan täydellisestä sisällöstä luvusta 1 – Service kits.

Osanumero, jota edeltää musta piste, sisältyy edellä olevaan kokoonpanoon.

Remarks: lisätietoja edellä olevaan osanumeroon.

Substituted by: edellä oleva osanumero on korvattu toisella osanumerolla päivityksen tai korjauksen takia.

Qty - Määrä: Osoittaa viitenumeroon liittyvien osien määrän. AR (As required) tarkoittaa määritettävää määrää.

Name - Osan nimi: englanninkielisten nimien käännökset on kerrottu asiakirjassa ”Glossary of part names”.

Validity - Määrittää sen ajanjakson ja koneiden tyypin tai version, joita osa koskee. Määrittämissä käytetyt koodit on selitetty sivun alalaidan kuvatekstissä. Luvun otsikossa mainittu määrittämissä koskee koko lukua. Kaavassa oleva plusmerkki tarkoittaa ja-sanaa ja pilkku tai-sanaa. Sulkeet ryhmittävät määrittämissä matemaattisten sulkeiden tavalla, esimerkiksi näin:

PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V) koskee koneita, joiden työskentelypaine on 8 baaria, taajuus 50 hertsiä ja verkkojännite 500 voltia tai joiden työskentelypaine on 8 baaria, taajuus 60 hertsiä ja verkkojännite 575 voltia.

EL – Viittaus piirrokseen tai sähkökotelon sisällä olevaan komponenttiin.

R. – Huomautukset: Lisätietoja osasta. Selitys on sivun alalaidassa.

FR - Français

1 COMMANDER DES PIÈCES

Toujours spécifier le numéro de pièce, la désignation et la quantité des articles souhaités ainsi que le type et le numéro de série de la machine.

2 COLONNE INFORMATIONS

Ref - Référence : associe une pièce donnée de la liste au schéma. Seules les pièces avec une référence sont illustrées sur le schéma. Les pièces représentées sur le schéma sans référence servent uniquement à illustrer l'ensemble.

Part number - Numéros de pièce à utiliser lors de la commande de pièces de rechange.

Si aucun numéro de pièce n'est indiqué, le composant n'est pas disponible en tant que pièce de rechange.

Pour les pièces contenues dans un kit, le numéro de kit est mentionné à la ligne ci-dessous. Pour voir le contenu du kit en détail, consulter le chapitre « 1 – Service Kits ».

Un numéro de pièce précédé d'un point noir est compris dans l'ensemble ci-dessus.

Remarks : informations supplémentaires sur le numéro de pièce ci-dessus.

Substituted by : le numéro de pièce ci-dessus a été remplacé par un autre numéro de pièce suite à une mise à jour ou une révision.

Qty - Quantité : indique le nombre de pièces en fonction du numéro de pièce correspondant. « AR » signifie « As required » (autant que nécessaire) : quantité ou nombre à définir.

Name - Désignation de la pièce : les traductions des désignations anglaises sont disponibles dans le document « Glossary of part names ».

Validity - Définit le délai et le type/version de machines pour lesquels les pièces sont valides. Pour plus de détails sur les codes utilisés dans le modèle de validité, voir la légende en bas de page. Un modèle de validité mentionné dans le titre du chapitre s'applique à l'ensemble du chapitre. Le signe plus utilisé dans le modèle se comprend comme un « et », une virgule comme un « ou ». Les parenthèses regroupent les codes de validité, comme en mathématiques, voir l'exemple suivant :

« PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V) » est valide pour des machines avec une pression de service de 8 bar et une fréquence de 50 Hz et une tension d'alimentation de 500 V ou une pression de service de 8 bar et une fréquence de 60 Hz et une tension d'alimentation de 575 V.

EL - Référence sur le schéma ou le composant à l'intérieur de l'armoire électrique.

R. - Remarque : informations supplémentaires sur la pièce. Pour plus de détails, voir le bas de page.

HU - Magyar

1 ALKATRÉSZRENDELÉS

Mindig adja meg a cikkszámot, a kért elemek nevét és mennyiségét, valamint a típust és a gyári számot.

2 A TÁBLÁZAT OSZLOPAI

Ref - Hivatkozási szám: a felsorolt alkatrészt a megfelelő ábrához társítja. A rajzon csak hivatkozási számmal ellátott alkatrészek láthatók. Az ábrán a hivatkozási számmal nem rendelkező alkatrészek csak az összeszerelés módját illusztrálják.

Part number - A pótalkatrészek rendelésénél használandó cikkszám.

Ha nincs megadva cikkszám, az adott alkatrész nem kapható pótalkatrészként.

Azokra az alkatrészekre, amelyek egy készlet részeként kaphatók, a készlet cikkszáma vonatkozik, amely az alsó sorban szerepel. A készlet teljes tartalmát lásd: „1 – Service Kits” című fejezet.

Ha egy cikkszámot pont előz meg, az illető alkatrész a közvetlenül felette lévő sorban szereplő egység részét képezi.

Remarks: További információk a közvetlenül felette lévő sorban szereplő cikkszámra vonatkozóan.

Substituted by: A közvetlenül felette lévő sorban szereplő cikkszámot frissítés vagy új változat következtében új cikkszám váltotta fel.

Qty - Mennyiség: az adott hivatkozási számhoz kapcsolódó alkatrészek számát jelöli. Az „AR” jelentése „As required” (igény szerint): itt megadhatja a mennyiséget vagy a számot.

Name - Az alkatrész neve: az angol nyelvű elnevezések fordítása az „Glossary of part names” c. dokumentumban található.

Validity - Azt az időkeretet, továbbá azokat a géptípusokat/-verziókat adja meg, amelyekhez az alkatrész használható. Az érvényességi formulában használt kódok magyarázata a lap alján olvasható. A fejezetcímben szereplő érvényességi formula az egész fejezetre érvényes. A formulában szereplő plusz (+) jel jelentése: „és”, a vessző (,) jelentése: „vagy”. A zárójelek a matematikában használt zárójelekhez hasonlóan csoportosítják az érvényességi kódokat; lásd a következő példát:

A „PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” 8 bar üzemi nyomású, 50 Hz frekvenciájú és 500 V tápfeszültségű, vagy 8 bar üzemi nyomású, 60 Hz frekvenciájú és 575 V tápfeszültségű berendezéseket jelöl.

EL - Hivatkozás az elektromos szekrényen belüli ábrára vagy alkatrésze.

R. - Megjegyzések: Az alkatrésszel kapcsolatos további információk. A magyarázat a lap alján található.

IT - Italiano

1 ORDINE DEI RICAMBI

Specificare sempre il numero categorico, il nome e la quantità degli articoli richiesti, oltre al tipo e al numero di serie della macchina.

2 COLONNA DELLE INFORMAZIONI

Ref - Numero di riferimento: associa un ricambio specifico dalla lista all'illustrazione. Nell'illustrazione sono mostrati solo ricambi dotati di numero di riferimento. I ricambi presenti nell'illustrazione privi di numero di riferimento sono riportati semplicemente per illustrare il montaggio.

Part number - Numero categorico da utilizzare per l'ordine di parti di ricambio.

Quando non è specificato alcun numero categorico, il componente non è disponibile come parte di ricambio.

I ricambi contenuti in un kit avranno il numero di kit riportato nella riga sottostante. Per il contenuto completo del kit vedere il capitolo "1 - Service kits".

Un numero categorico preceduto da un punto nero fa parte del gruppo immediatamente precedente.

Remarks: le informazioni aggiuntive relative al numero categorico sono riportate in alto.

Substituted by: il numero categorico immediatamente precedente è stato sostituito da un altro numero categorico a causa di un aggiornamento o di una revisione.

Qty - Quantità: indica il numero di ricambi corrispondenti al numero di riferimento. "AR" significa "As required" (Secondo necessità): quantità o numero da definire.

Name - Nome parte: la traduzione dei termini dall'inglese è reperibile nel documento "Glossary of part names".

Validity - Definisce i tempi e il tipo/versione di macchine per le quali il ricambio è valido. La legenda in fondo alla pagina riporta una spiegazione dei codici utilizzati nello schema di validità. Uno schema di validità menzionato nel titolo del capitolo si applica all'intero capitolo. Un segno più nello schema deve essere interpretato come "e", una virgola come "o". Tra le parentesi sono raggruppati i codici di validità, al pari delle parentesi matematiche, vedere il seguente esempio:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" è valido per le macchine con pressione di esercizio di 8 bar e 50Hz di frequenza e una tensione di alimentazione di 500 V, o con pressione di esercizio di 8 bar, frequenza di 60Hz e tensione di alimentazione di 575 V.

EL - Riferimento all'illustrazione o al componente all'interno dell'armadio elettrico.

R. - Note: informazioni aggiuntive sulla spiegazione dei ricambi sono reperibili in fondo alla pagina.

JA - 日本の

1 部品の注文

部品番号、注文するアイテムの名称および数量、機器のタイプおよびシリアル番号を必ず指定してください。サービスマーク“ ”のついたページにはサービスキットの部品が記載されています。キットの内容物については、第1章「サービスキット」を参照してください。

2 各列の説明

Ref. - 参照番号: リストの部品が図のどこにあるかを示します。参照番号がある部品のみが図に示されています。参照番号がない部品はアセンブリを表現するため便宜上表記されています。

Part number - 部品番号: 部品番号が示されていない部品は、スペア部品としては提供されていません。太字の行はアセンブリを示します。番号の後に黒い点が付いている部品は、すぐ上にある太字のアセンブリを構成しています。

"<<< >>>"は、“Name”と同じタイトルの別のリストを示します。

“Ref.”または“Name”行の下に、特定の部品の部品番号が記載されている場合は、機器のタイプ/バージョンに応じて部品を選択してください。

Qty - 数量: 参照番号に対応する部品の数量を示します。„AR“は「必要に応じて」を意味し、必要に応じて数量または番号を指定します。

Name - 部品名: 英語に対応する各言語の名称は「Glossary of part names」(部品名称対応表)に記載されています。

Remarks - 部品に関する追加情報です。

一連の文字列は特定の部品が指定認定団体によって承認されていることを示し、リストのコードまたは規定に準拠しています。

測定値はミリメートル単位で示されています。

LT - Lietuvos

1 DALIŲ UŽSAKYMAS

Visada nurodykite pageidaujamos prekės dalies numerį, pavadinimą ir kiekį. Taip pat nurodykite įrenginio tipą ir serijos numerį.

2 INFORMACIJA STULPELIUOSE

Ref - Nuorodos numeris: susieja konkrečią dalį iš sąrašo su brėžiniu. Brėžinyje rodomos tik nuorodos numerį turinčios dalys.

Brėžinyje parodytos dalys be nuorodos numerio yra tiesiog įrenginio iliustracija.

Part number - Dalies numeris, naudojamas užsakant atsargines dalis.

Jei dalies numeris nenurodytas, komponentas negalimas kaip atsarginė dalis.

Rinkinyje esančios dalys turi rinkinio numerį, minimą apatinėje eilutė. Visą rinkinio turinį gali pamatyti skyriuje „1 – Service kits“.

Jei prieš dalies numerį yra juodas taškas, jis yra viršuje pateiktame įrenginyje.

Remarks: papildoma dalies numerio informacija pateikta dešinėje pusėje viršuje.

Substituted by: dešinėje viršuje nurodytas dalies numeris buvo pakeistas kitu dalies numerio, nes vyko atnaujinimas arba revizija.

Qty - Kiekis: pateikiamas dalių, kurioms priskiriamas atitinkamas nuorodos numeris, skaičius. „AR“ reiškia „Priklausomai nuo poreikio“: kiekis arba skaičius bus nustatytas to prireikus.

Name - Dalies pavadinimas: anglų kalba pateiktų pavadinimų vertimus rasite dokumente „Glossary of part names“.

Validity - Apibūdinamas laikotarpis ir įrenginio tipas / versija, kurioms dalis tinka. Tinkamumo šablone naudojami kodai paaiškinti puslapio apačioje esančioje legendoje. Tinkamumo šablono skyriaus pavadinimas taikomas visam skyriui. Pliuso ženklas šablone reiškia „ir“, o kablelis – „arba“. Skliaustais grupuojami tinkamumo kodai (kaip ir matematiniai veiksmas), žr. pavyzdį: „PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ tinka įrenginiams, kurių darbinis slėgis yra 8 barai, dažnis yra 50 Hz, o maitinimo įtampa yra 500 V, arba darbinis slėgis yra 8 barai, dažnis yra 60 Hz, o maitinimo įtampa yra 575 V.

EL – Nuoroda į brėžinį arba komponentą elektros modulio viduje.

R. – Pastabos: papildoma informacija apie dalį. Paaiškinimus galite rasti puslapio apačioje.

LV - Latvijas

1. DETALU PASŪTĪŠANA

Vienmēr norādiet detaļas numuru, nosaukumu un vajadzīgo daudzumu, kā arī iekārtas tipu un sērijas numuru.

2. KOLONNAS INFORMĀCIJA

Ref – Atsauces numurs: saista konkrētu sarakstā esošo detaļu ar rasējumu. Rasējumā tiek parādītas tikai detaļas ar atsaucenes numuru. Detaļas rasējumā bez atsaucenes numura paredzētas vienīgi tam, lai attēlotu attiecīgo mezglu.

Part number – Detaļas numurs, kas jāizmanto, pasūtot rezerves daļas.

Ja detaļas numurs nav norādīts, attiecīgais komponents nav pieejams kā rezerves daļa.

Komplektā iekļautām detaļām nākamajā rindā būs norādīts komplekta numurs. Komplekta pilnīgs saturs aprakstīts nodaļā „1 – Service kits“.

Ja pirms detaļas numura ir melns punkts, tā ir iekļauta iepriekš attēlotajā mezglā.

Remarks: papildinformācija par iepriekšējo detaļas numuru.

Substituted by: iepriekšējais detaļas numurs ir aizstāts ar citu detaļas numuru atjaunināšanas vai pārskatīšanas dēļ.

Qty – Daudzums: apzīmē detaļu skaitu attiecīgajam atsaucenes numuram. „AR” nozīmē “pēc nepieciešamības”: jānosaka daudzums vai numurs.

Name – Detaļas nosaukums: angļu valodas nosaukumu tulkojumi ir atrodami dokumentā “Glossary of part names”.

Validity – Nosaka iekārtu derīguma periodu un tipu/versiju. Derīguma norādē iekļauto kodu skaidrojums ir norādīts eksplikācijā lappuses apakšdaļā. Nodaļas virsrakstā minētā derīguma norāde attiecas uz visu nodaļu. Pluszīme norādē jāinterpretē kā “un”, bet komats kā “vai”. Iekavas grupē derīguma kodus līdzīgi kā iekavas matemātikā, piemēram:

“PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” ir derīgs iekārtām ar 8 bāru darba spiedienu, 50 Hz frekvenci un 500 V barošanas spriegumu vai iekārtām ar 8 bāru darba spiedienu, 60 Hz frekvenci un 575 V barošanas spriegumu.

EL – Atsauce uz rasējumu vai elektrosadales skapja komponentu.

R. – Piezīmes: papildinformācija par detaļu. Skaidrojums atrodams lappuses apakšdaļā.

NL - Nederlands

1 BESTELLEN VAN ONDERDELEN

Vermeld altijd het onderdeelnummer, de benaming en de hoeveelheid van de gewenste onderdelen, alsmede het type en het serienummer van de machine.

2 KOLOMINFORMATIE

Ref. - Referentienummer: koppelt een specifiek onderdeel in de lijst aan de desbetreffende tekening. Alleen onderdelen met een referentienummer zijn in de tekening afgebeeld. Onderdelen zonder referentienummer die op de tekening voorkomen, worden slechts getoond om het geheel te illustreren.

Part number - Onderdeelnummer dat wordt gebruikt voor het bestellen van reserveonderdelen.

Indien geen onderdeelnummer is aangegeven, is de betreffende component niet als reserveonderdeel verkrijgbaar.

Van onderdelen uit een kit wordt het kitnummer op de regel eronder vermeld. Voor de volledige inhoud van de kit, zie paragraaf "1 - Service kits".

Een onderdeel waarvan het nummer gevolgd wordt door een zwart rondje, maakt deel uit van het vet afgedrukte samenstel direct erboven.

Remarks: aanvullende informatie voor het onderdeelnummer direct erboven.

Substituted by: het nummer direct erboven is vervangen door een ander onderdeelnummer als gevolg van een update of herziening.

Qty - Hoeveelheid: geeft het aantal onderdelen aan met betrekking tot met het overeenkomstige referentienummer. "AR" betekent "As required": de hoeveelheid of het aantal moet nader worden bepaald.

Name - Naam van het onderdeel: vertalingen van de Engelse benamingen zijn te vinden in het document "Glossary of part names".

Validity - Bepaalt het tijdsframe en type/versie van de machines waarvoor het onderdeel geldig is. Verklaring van de codes die in het geldigheidspatroon zijn gebruikt, vindt u in de legenda onder aan de pagina. Een geldigheidspatroon vermeld in de titel van het hoofdstuk is van toepassing op het hele hoofdstuk. Een plusteken in het patroon staat voor 'en' en een komma voor 'of'. Haakjes groeperen de geldigheidscodes, vergelijkbaar met die in de wiskunde, zie het volgende voorbeeld:

"PRESS:8 BAR + (FREQ:50HZ+MOVOL:500V, FREQ:60HZ+MOVOL:575V)" is geldig voor machines met een werkdruk van 8 bar, 50Hz-frequentie en 500V-voedingsspanning of een werkdruk van 8 bar, 60Hz-frequentie en 575V-voedingsspanning.

EL - Referentie van de tekening of het onderdeel in de elektrische aansluitkast.

R. - Opmerkingen: extra informatie over het onderdeel. Uitleg vindt u onder aan de pagina.

NO - Norsk

1 BESTILLE DELER

Spesifiser alltid delenummeret, navnet og antallet til den nødvendige artikkelen, samt typen og serienummeret til maskinen.

2 KOLONNEINFORMASJON

Ref - Referansenummer: knytter en spesifikk del fra listen til tegningen. Kun delene med et referansenummer vises i tegningen. Delene i tegningen som vises uten et referansenummer, er kun tatt med for å illustrere monteringen.

Part number - Delenummer skal brukes ved bestilling av reservedeler.

Når det er ikke er spesifisert et delenummer, er ikke komponenten tilgjengelig som en reservedel.

Deler som inngår i et sett, har settnummeret nevnt på linjen nedenfor. Du finner fullstendig oversikt over innholdet i settet i kapittel 1 - Service kits.

Et delenummer med en svart prikk foran er en del av settet rett ovenfor.

Remarks: ytterligere informasjon om delenummeret rett ovenfor.

Substituted by: Delenummeret rett ovenfor har blitt erstattet av et annet delenummeret på grunn av en oppdatering eller revisjon.

Qty - Antall: angir antall deler av det tilhørende referansenummeret. AR betyr Etter behov: Antallet er ikke bestemt.

Name - Delenavn: Du finner oversettelser av de engelske navnene i dokumentet «Glossary of part names».

Validity - Definerer tidsrommet og maskintypen/-versjonen som delen er gyldig for. Du finner en oversikt over kodene som brukes i gyldighetsmønsteret, i forklaringen nederst på siden. Et gyldighetsmønster som nevnes i kapiteltittelen, gjelder for hele kapittelet. Et pluss-tegn i mønsteret skal tolkes som "og", mens et komma skal tolkes som "eller". Parenteser deler inn gyldighetskodene, omtrent på samme måte som matematiske parenteser. Se følgende eksempel:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" er gyldig for maskiner med arbeidstrykk på 8 bar, frekvens på 50 Hz og forsyningsspenning på 500 V; eller arbeidstrykk på 8 bar, frekvens på 60 Hz og forsyningsspenning på 575V.

EL - Referanse til tegningen eller komponentene inne i kopleingsskapet.

R. - Kommentarer: Ekstra informasjon om delen. Du finner en forklaring nederst på siden.

PL - Polski

1 ZAMAWIANIE CZĘŚCI

Podczas zamawiania produktów należy zawsze podawać następujące informacje: numer części, nazwę i liczbę produktów, a także typ i numer seryjny urządzenia.

2 OBJAŚNIENIE NAZW KOLUMN

Ref. — numer referencyjny: informuje, na którym rysunku można znaleźć konkretną część z listy. Na rysunku zamieszczone są wyłącznie części opatrzone numerem referencyjnym. Części bez przypisanego numeru referencyjnego zostały zamieszczone na rysunku wyłącznie w celu prawidłowego zilustrowania montażu.

Part number — numer części stosowany podczas zamawiania części zamiennych.

W przypadku braku numeru części danej pozycji nie można zamówić jako części zamiennej.

Jeśli dana część jest elementem zestawu, w kolejnym wierszu znajduje się numer zestawu. Informacje na temat pełnej zawartości zestawu można znaleźć w rozdziale „1 – Service kits”.

Jeśli numer części poprzedza czarna kropka, dana część jest elementem zestawu opisanego powyżej.

Remarks: dodatkowe informacje na temat numeru części zamieszczonego powyżej.

Substituted by: numer części zamieszczony powyżej został zastąpiony innym numerem części na skutek modernizacji lub aktualizacji.

Qty — ilość: oznacza liczbę części w odniesieniu do danego numeru referencyjnego. Symbol „AR” oznacza „zależnie od wymagań”: liczba lub numer do ustalenia.

Name — nazwa części: tłumaczenia nazw angielskich znajdują się w dokumencie „Glossary of part names”.

Validity — wskazuje ramy czasowe oraz typ/wersję urządzenia, do którego przeznaczona jest część. Kody wykorzystywane we wzorze przydatności zostały objaśnione w legendzie u dołu strony. Wzór przydatności wspomniany w tytule rozdziału dotyczy całego rozdziału. Znak dodawania we wzorze należy interpretować jako słowo „i”, natomiast przecinek — jako słowo „lub”.

Nawiasy pełnią tu funkcję podobną do nawiasów w matematyce — grupują kody przydatności — jak w poniższym przykładzie: kod „PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” dotyczy maszyn o ciśnieniu roboczym 8 bar, częstotliwości 50 Hz i napięciu zasilania 500 V lub o ciśnieniu roboczym 8 bar, częstotliwości 60 HZ i napięciu zasilania 575 V.

EL — odnośnik do rysunku lub podzespołu wewnątrz szafki rozdzielczej.

R. — uwagi: dodatkowe informacje na temat części. Wyjaśnienie znajduje się u dołu strony.

PT - Português

1 ENCOMENDA DE PEÇAS

Especifique sempre a referência da peça, o nome e a quantidade de itens pretendidos, bem como o tipo e o número de série da máquina.

2 INFORMAÇÕES DAS COLUNAS

Ref - Número de referência: associa uma peça específica da lista ao desenho. Neste último, são apresentadas apenas as peças com um número de referência. As peças apresentadas no desenho sem um número de referência destinam-se simplesmente a ilustrar o processo de montagem.

Part number - Referência da peça a utilizar no caso de encomenda de peças sobresselentes.

Se não for especificada uma referência da peça, significa que o componente não se encontra disponível como uma peça sobresselente.

As peças incluídas num kit terão o número do kit mencionado na linha abaixo. Para obter informações sobre o conteúdo completo do kit, consulte o capítulo “1 – Service kits”.

Uma referência da peça precedida de um ponto preto está incluída no processo de montagem imediatamente acima mencionado.

Remarks: encontra informações adicionais sobre a referência da peça imediatamente acima.

Substituted by: a referência da peça imediatamente acima foi substituída por outra referência devido a uma actualização ou revisão.

Qty - Quantidade: indica o número de peças em relação ao número de referência correspondente. “AR” (As required) significa “Como exigido”: quantidade ou número a determinar.

Name - Nome da peça: encontra as traduções dos nomes em inglês no documento “Glossary of part names”.

Validity - Define o período de tempo e o tipo/versão de máquinas para que a peça é válida. Encontra a explicação sobre os códigos utilizados no padrão de validade na legenda situada no final da página. Um padrão de validade mencionado no título do capítulo aplica-se a todo o capítulo. Um sinal de adição no padrão deve ser interpretado como “e”, ao passo que uma vírgula deve ser interpretada como “ou”. Os parênteses agrupam os códigos de validade, da mesma forma que os parênteses utilizados em operações matemáticas; veja o seguinte exemplo:

“PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” é válido para máquinas com uma pressão de trabalho de 8 bar, uma frequência de 50 Hz e uma tensão de alimentação de 500 V ou uma pressão de trabalho de 8 bar, uma frequência de 60 Hz e uma tensão de alimentação de 575 V.

EL – Referência ao desenho ou ao componente dentro do compartimento eléctrico.

R. – Observações: informações adicionais sobre a peça. Encontra a explicação no final da página.

RO - român

1 COMANDAREA PIESELOR

Indicați întotdeauna numărul de catalog, numele și cantitatea articolelor solicitate, precum și tipul și numărul de serie al mașinii.

2 INFORMAȚIILE DIN COLOANE

Ref. - Numărul de referință: face legătura între o piesă din listă și una din schemă. Numai piesele care au un număr de referință apar în schemă. Piesele din schemă care nu au un număr de referință sunt incluse doar pentru a clarifica modul de asamblare.

Part number - Numărul de catalog este utilizat pentru comandarea pieselor de schimb.

Atunci când nu este specificat un număr de catalog, componenta nu este disponibilă ca piesă de schimb.

Pentru piesele incluse în kituri, numărul kitului este menționat pe rândul următor. Pentru conținutul complet al kitului, consultați capitolul „1 – Service kits”.

Un număr de catalog precedat de un punct negru este inclus în ansamblul aflat chiar deasupra acestuia.

Remarks: Informații suplimentare privind numărul de catalog de mai sus.

Substituted by: Numărul de catalog de mai sus a fost înlocuit de un alt număr de catalog din cauza unei actualizări sau a unei revizuirii.

Qty - Cantitate: indică numărul de piese care au numărul de referință corespunzător. „AR” este abrevierea pentru „As required”: cantitatea și numărul vor fi determinate conform necesităților.

Name - Numele piesei: traducerea numelor din engleză se află în documentul „Glossary of part names”.

Validity - Definește perioada de valabilitate și tipul/versiunea utilajelor cu care piesa este compatibilă. Clarificarea codurilor utilizate în modelul de valabilitate poate fi găsită în legenda din partea de jos a paginii. Un model de valabilitate menționat în titlul unui capitol se aplică întregului capitol. Un semn plus care apare într-un model va fi interpretat drept „și”, virgulă ori „sau”. Codurile de valabilitate sunt grupate cu ajutorul unor paranteze având o funcție similară parantezelor matematice, a se vedea exemplul de mai jos:

„PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)” indică valabilitatea pentru utilajele cu presiune de lucru de 8 bari, frecvență de 50 Hz și tensiune de alimentare de 500 V sau presiune de lucru de 8 bari, frecvență de 60 Hz și tensiune de alimentare de 575 V.

EL – Referire la schemă sau la componenta din cofretul electric.

R. – Observații: informații suplimentare privind piesa. Explicațiile pot fi găsite în partea de jos a paginii.

RU - русский

1 ЗАКАЗ ДЕТАЛЕЙ

Всегда указывайте номер по каталогу, наименование и количество требуемых позиций, а также тип и серийный номер машины.

2 ИНФОРМАЦИЯ

Ref - Ссылочный номер: соотносит деталь из списка со схемой. На схеме показаны только детали со ссылочным номером. Детали без ссылочного номера приведены на схемах только для демонстрации всего узла в сборе.

Part number - Номер детали, указываемый при заказе запасных частей.

Если номер детали не указан, то компонент недоступен в качестве отдельной запасной части.

Для деталей, входящих в состав комплекта, будут приведены номера этих комплектов, упомянутых строчкой ниже.

Чтобы узнать полный состав комплекта см. раздел “1 – Service kits”.

Деталь, перед номером которой стоит черная точка, входит в состав изображенного выше узла.

Remarks: дополнительная информация о номере приведенной выше детали.

Substituted by: номер изображенной выше детали был заменен другим номером по причине обновления или переработки.

Qty - Количество: указывает количество деталей относительно соответствующего ссылочного номера. „AR” значит „As required”: количество или номер будут определены.

Name - Наименование детали: перевод англоязычных наименований можно найти в документе “Glossary of part names”(Словарь наименований деталей).

Validity - Определяет временные рамки и тип/версию машины, в которой используется деталь. Пояснение кодов, используемых в данной графе, можно найти в списке обозначений внизу страницы. Информация о совместимости, упомянутая в данной главе, актуальна для всей главы. Знак плюса в примечании о совместимости следует принимать за ‘и’, запятые — за ‘или’. Скобки группируют коды совместимости по принципу, схожему с математическим. См. пример: ‘PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)’ применима в машинах с рабочим давлением 8 бар, частотой 50 Гц и напряжением источника питания 500 В или рабочим давлением 8 бар, частотой 60 Гц и напряжением источника питания 575 В.

EL – Ссылка на схему или компонент электрического шкафа.

R. – Примечания: дополнительная информация о детали. Пояснения приведены внизу страницы.

SK - slovenský

1 OBJEDNÁVANIE DIELOV

Vždy uveďte číslo dielu, názov a množstvo požadovaných položiek, ako aj typ a výrobné číslo zariadenia.

2 INFORMÁCIE V STĽPCOCH

Ref – Referenčné číslo: spája konkrétny diel v zozname s nákresom. Na nákrese sú zobrazené len diely s referenčným číslom. Diely v nákrese bez referenčného čísla slúžia len na znázornenie zostavy.

Part number – Číslo dielu, ktoré treba použiť pri objednávaní náhradných dielov.

Ak nie je uvedené žiadne číslo dielu, daný komponent nie je k dispozícii ako náhradný diel.

Diely, ktoré sú súčasťou súpravy, majú v riadku nižšie uvedené číslo súpravy. Zoznam všetkých dielov v súprave nájdete v kapitole „1 – Service kits“.

Číslo dielu, pred ktorým sa nachádza čierna bodka, je súčasťou zostavy uvedenej nad ním.

Remarks: Ďalšie informácie o čísle dielu vyššie.

Substituted by: Číslo dielu uvedené vyššie bolo nahradené iným dielom kvôli inovácii alebo revízii.

Qty – Množstvo: Indikuje počet dielov v súvislosti s príslušným referenčným číslom. „AR“ znamená „As required“: množstvo alebo počet sa musí určiť.

Name – Názov dielu: Preklady anglických názvov nájdete v dokumente „Glossary of part names“ (Slovník názvov dielov).

Validity – Definuje časový rámec a typ/verziu zariadení, pre ktoré možno daný diel použiť. Informácie o význame kódov použitých v reťazci označujúcom platnosť nájdete v legende v spodnej časti strany. Reťazec označujúci platnosť uvedený v názve kapitoly sa vzťahuje na celú kapitolu. Znamienko plus v tomto reťazci znamená „a“ a čiarka znamená „alebo“. Zátvorky slúžia na zoskupenie kódov označujúcich platnosť podobne ako v matematických vzorcoch. Pozrite si nasledujúci príklad: „PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)“ – platí pre zariadenia s pracovným tlakom 8 barov, frekvenciou 50 Hz a napájacím napätím 500 V alebo pracovným tlakom 8 barov, frekvenciou 60 Hz a napájacím napätím 575 V.

EL – Odkaz na nákres komponentu v elektrickej skrini.

R. – Poznámky: Ďalšie informácie o danom diele. Vysvetlenie nájdete v spodnej časti stránky.

SL - slovenščina

1 NAROČANJE DELOV

Vedno navedite številko dela, ime in količino zahtevanih predmetov ter tip in serijsko številko stroja.

2 INFORMACIJE O STOLPCU

Ref - Referenčna številka: povezuje določen navedeni del z risbo. Na risbi so prikazani samo deli z referenčno številko. Deli na risbi, ki nimajo referenčne številke, so namenjeni samo prikazu sklopa.

Part number - Številko dela uporabite pri naročanju nadomestnih delov.

- Če številka dela ni navedena, komponenta ni na voljo kot nadomestni del.

Za dele, ki so del kompleta, bo v spodnji vrstici navedena tudi številka kompleta. Celotno vsebino kompleta si oglejte v poglavju "1 – Service kits".

Številka dela, pred katero je črna pika, spada v sklop tik zgoraj.

Remarks: dodatne informacije o številki dela tik zgoraj.

Substituted by: številka dela tik zgoraj je zamenjana z drugo številko dela, zaradi posodobitve ali revizije.

Qty Količina: določa število delov v povezavi z ustrežno referenčno številko. Kratica "AR" pomeni "As required" (kot je zahtevano): količina ali število za določitev.

Name - Ime dela: prevodi angleških imen se nahajajo v dokumentu "Glossary of part names".

Validity - Določa časovni razpon in tip/različico stroja, ki veljata za del. Razlago kod, ki se uporabljajo v vzorcu veljavnosti, najdete v legendi na dnu strani. Vzorec veljavnosti, ki je naveden v naslovu poglavja, velja za celotno poglavje. Znak plus v vzorcu lahko pomeni besedo "in", vejico ali besedo "ali". Oklepaji združujejo kode veljavnosti, podobno kot oklepaji pri matematiki; glejte spodnji primer:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" velja za stroje z delovnim tlakom 8 barov in frekvenco 50 Hz ter napajalno napetostjo 500 V, ali z delovnim tlakom 8 barov, frekvenco 60 Hz in napajalno napetostjo 575 V.

EL – Referenca za risbo ali komponenta znotraj električne omarice.

R. – Opombe: dodatne informacije o delu. Razlago lahko najdete na dnu strani.

SV - Svenska

1 BESTÄLLA DELAR

Ange alltid reservdelsnummer, namn och antal delar som önskas, samt typbeteckning och tillverkningsnummer på maskinen.

2 SPALTINFORMATION

Ref. – Referensnummer: kopplar ihop en viss reservdel i förteckningen med ritningen. Endast reservdelar med referensnummer visas i ritningen. Reservdelar som saknar referensnummer i ritningen finns med för att illustrera själva monteringen.

Part number – Reservdelsnummer som används vid beställning av reservdelar.

Om reservdelsnummer saknas finns komponenten inte som reservdel.

Delar som tillhör en sats har satsnumret angivet på raden nedanför. Se kapitel "1 – Service kits" för satsens kompletta innehåll.

Ett reservdelsnummer som föregås av en svart punkt finns med i enheten direkt ovanför.

Remarks: Ytterligare information om reservdelsnumret direkt ovanför.

Substituted by: Reservdelsnumret direkt ovanför har ersatts med ett annat reservdelsnummer på grund av en uppdatering eller revision.

Qty – Antal: Anger hur många delar som är kopplade till motsvarande referensnummer. "AR" betyder "As required" (som erfordras): Antal eller nummer bestäms senare.

Name - Reservdelsbeteckningar: Översättningar av de engelska beteckningarna återfinns i dokumentet "Glossary of part names" (Ordlista med reservdelsbeteckningar).

Validity – Definierar tidsramen och typ/version av maskin som reservdelen passar för. En förklaring av koderna som används i giltighetsmönstret finns i symbolförklaringen längst ner på sidan. Ett giltighetsmönster som nämns i ett kapitel gäller för hela kapitlet. Ett plustecken i mönstret ska tolkas som "och" och ett komma som "eller". Parenteser grupperar giltighetskoderna i likhet med parenteser inom matematiken. Se följande exempel:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" gäller maskiner med 8 bar arbetstryck, 50 Hz frekvens och 500 V matningsspänning, eller 8 bar arbetstryck, 60 Hz frekvens och 575 V matningsspänning.

EL – Referens till ritningen eller komponenten inuti elskåpet.

R. – Anmärkningar: Extra information om reservdelen. En förklaring finns längst ner på sidan.

TR - Türk

1 PARÇA SİPARİŞİ

Her zaman gereken parçaların parça numarası, adı ve miktarının yanı sıra makinenin tipini ve seri numarasını da belirtin.

2 SÜTUN BİLGİLERİ

Ref - Referans numarası: Listenin belirli bir bölümünü çizime bağlar. Yalnızca referans numarası olan parçalar çizimde gösterilir. Çizimde referans numarası olmayan parçalar yalnızca mekanizmanın tamamını göstermek için konulmuştur.

Part number - Yedek parça siparişi verirken kullanılacak parça numarası.

Parça numarası belirtilmediğinde, bu bileşen bir yedek parça olarak bulunmaz.

Bir kite dahil olan parçalar, alttaki satırda bulunan kit numarasına sahiptir. Kitin tüm içeriğini görmek için bkz. bölüm "1 – Service kits".

Önünde siyah nokta olan parça numaraları, hemen yukarıdaki mekanizmada bulunur.

Remarks: Hemen yukarıdaki parça numarası ile ilgili ek bilgiler.

Substituted by: Bir güncelleme veya revizyon nedeniyle hemen yukarıdaki parça numarası yerine başka bir parça numarası gelmiştir.

Qty - Miktar: İlgili referans numarasıyla ilgili parça sayısını gösterir. "AR" kısaltması "As required" (miktarı veya sayısı belirlenecek) anlamına gelir.

Name - Parça adı: İngilizce adların tercümeleri "Glossary of part names"(Parça adları sözlüğü) adlı belgede bulunabilir.

Validity - Parçanın geçerli olduğu zaman aralığını ve makine tiplerini/modellerini belirler. Geçerlilik düzeninde kullanılan kodların açıklamaları sayfanın alt kısmında bulunabilir. Bölüm başlığında bahsedilen bir geçerlilik düzeni, tüm bölüm için geçerlidir.

Düzende bir artı işareti olması "ve", virgül işareti olması "veya" olarak anlaşılabilir. Geçerlilik kodları, matematikte kullanılan parantezlere benzer şekilde, parantezler ile gruplara ayrılır. Aşağıdaki örneğe bakabilirsiniz:

"PRESS:8BAR + (FREQ:50HZ+MOVOL:500V , FREQ:60HZ+MOVOL:575V)" düzeni 8 bar çalışma basıncı olan, 50 Hz frekanslı, 500 V besleme gerilimli makineler veya 8 bar çalışma basıncı, 60 Hz frekanslı ve 575 V besleme gerilimli makineler için geçerlidir.

EL – Elektrik panosu içindeki çizim veya parçaya referans anlamına gelir.

R. – Notlar: Parça hakkında ek bilgiler. Açıklamalar sayfanın alt kısmında bulunabilir.

ZH - 中国的

1订购零件

一定要注明零件号码、所需物品的名称和数量，以及型号和机器的序列号。

2列信息

Ref-参考号码：将列表中的特定部件链接到图纸上。只有具有参考号码的部件才能如图所示。图纸中没有参考编号的部件只是简单地用于说明组装件。

Part number-订购备件时使用的零件号码。

当没有指定零件号码时，该零件不能作为备用零件使用。

组件包中包含的零件，将在该零件下面一行中提及组件包的编号。组件包的完整内容

请看第一章“1 -Service kits”。

前面有一个黑点的零件号包含在上面的组件中。

Remarks (备注)：零件号码的额外信息显示在右上。

Substituted by (取代)：由于更新或修改，上面的零件号已被另一个零件号替换。

Qty-表示与相应参考号码相关的部件数量。“AR”是指依据需求，数量待定。

Name-部件名称:英文名称的翻译可在文件“部件名称术语表”中找到。

Validity-定义了该部件对机器有效的的时间框架和类型/版本。在有效性栏中缩写名称的澄清可以在页面底部的说明中找到。在章节标题中提到的有效性栏适用于该整个章节。句式中的加号可以解释为“与”，逗号可以解释为“或”。

括号将有效性代码分组，类似于数学括号，参见下面的示例：

'PRESS:8BAR +(FREQ:50HZ+MOVOL:500V, FREQ:60HZ+MOVOL:575V)'适用于8 bar工作压力和频率50Hz及电压500V，或8bar工作压力和频率60Hz及电压575V的机器。

EL -指图纸中或电气柜内的元件的备注。

R. -备注:关于零件的额外信息。解释可以在这页的底部找到。

2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS

IDRY:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Qty	Name
• 1	KIT OIL SEPARATOR 11-15KW
• 1	NON RETURN VALVE KIT
• 1	CUBICLE VENTILATION KIT
• 1	MIN. PRESS. THERMO. VALVE KIT
• 1	KIT FILTER AIR/OIL RIF
• 1	KIT WEAR DRAIN
• 1	UNLOADER KIT

2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS

IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)

Qty	Name
• 1	KIT OIL SEPARATOR 11-15KW
• 1	NON RETURN VALVE KIT
• 1	CUBICLE VENTILATION KIT
• 1	MIN. PRESS. THERMO. VALVE KIT
• 1	KIT FILTER AIR/OIL RIF
• 2	KIT WEAR DRAIN
• 1	UNLOADER KIT

2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS

IDRY:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)

Qty	Name
• 1	KIT OIL SEPARATOR 18-30KW
• 1	NON RETURN VALVE KIT
• 1	CUBICLE VENTILATION KIT
• 1	MIN. PRESS. THERMO. VALVE KIT
• 1	KIT FILTER AIR/OIL RIF
• 1	KIT WEAR DRAIN
• 1	UNLOADER KIT

2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS

IDRY:Y + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)

Qty	Name
• 1	KIT OIL SEPARATOR 18-30KW
• 1	NON RETURN VALVE KIT
• 1	CUBICLE VENTILATION KIT
• 1	MIN. PRESS. THERMO. VALVE KIT
• 1	KIT FILTER AIR/OIL RIF
• 2	KIT WEAR DRAIN
• 1	UNLOADER KIT

2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS

IDRY:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Qty	Name
• 1	KIT OIL SEPARATOR 11-15KW
• 1	NON RETURN VALVE KIT
• 1	CUBICLE VENTILATION KIT
• 1	KIT WEAR DRAIN
• 1	MIN. PRESS. THERMO. VALVE KIT
• 1	KIT FILTER AIR/OIL RXD/FG
• 1	UNLOADER KIT

continues on next page ...

2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS

IDRY:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Qty Name**2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS**

IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)

Qty Name

- 1 KIT OIL SEPERATOR 11-15KW
- 1 NON RETURN VALVE KIT
- 1 CUBICLE VENTILATION KIT
- 2 KIT WEAR DRAIN
- 1 MIN. PRESS. THERMO. VALVE KIT
- 1 KIT FILTER AIR/OIL RXD/FG
- 1 UNLOADER KIT

2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS

IDRY:Y + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)

Qty Name

- 1 KIT OIL SEPERATOR 18-30KW
- 1 NON RETURN VALVE KIT
- 1 CUBICLE VENTILATION KIT
- 1 KIT WEAR DRAIN
- 1 MIN. PRESS. THERMO. VALVE KIT
- 1 KIT FILTER AIR/OIL RXD/FG
- 1 UNLOADER KIT

2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS

IDRY:Y + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)

Qty Name

- 1 KIT OIL SEPERATOR 18-30KW
- 1 NON RETURN VALVE KIT
- 1 CUBICLE VENTILATION KIT
- 2 KIT WEAR DRAIN
- 1 MIN. PRESS. THERMO. VALVE KIT
- 1 KIT FILTER AIR/OIL RXD/FG
- 1 UNLOADER KIT

2901 9908 14 - OIL SEPARATOR KIT - GA 11+, GA 15+

MODEL:GA11P_18 , MODEL:GA15P_18

Qty Name

- 1 O-RING
- 1 SEPARATOR OIL
- 1 PLUG
- 1 INSTR.

2901 9908 15 - OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30

MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18

Qty Name

- 1 O-RING
- 1 OIL SEPARATOR
- 1 PLUG
- 1 INSTR.

2901 9908 18 - NON RETURN VALVE KIT

	Qty	Name
•	1	O-RING
•	1	VALVE NON RET.
•	1	O-RING
•	1	INSTR. ASSEMBLY

2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+

MODEL:GA11P_18 , MODEL:GA15P_18

	Qty	Name
•	1	FILTER AIR
•	1	FAN FILTER
•	1	INSTR.

2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30

MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18

	Qty	Name
•	2	FILTER AIR
•	1	INSTR. ASSEMBLY

2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT

	Qty	Name
•	1	O-RING 34 X 1.5
•	1	O-RING
•	1	PISTON
•	1	SPRING COMPRESSION
•	1	O-RING
•	1	TUBE GREASE
•	1	KIT VALVE
•	1	VALVE 71 DEGREE CELCIUS
•	1	ASSEMBLY VALVE
•	1	SPRING
•	1	O-RING 35.1 X 1.6

2901 9908 16 - AIR FILTER KIT - ROTO-INJECT FLUID

OILTYP:RIF

	Qty	Name
•	1	FILTER OIL
•	1	AIR FILTER
•	1	O-RING
•	1	PLUG
•	1	INSTR.

2901 9908 17 - AIR FILTER KIT - ROTO-XTEND DUTY FLUID

OILTYP:RXD

	Qty	Name
•	1	FILTER
•	1	AIR FILTER
•	1	O-RING
•	1	PLUG
•	1	INSTR.

2902 0161 00 - INLET VALVE KIT

	Qty	Name
•	1	INLET VALVE

continues on next page ...

... continued from previous page

2902 0161 00 - INLET VALVE KIT

Qty	Name
• 1	KIT VALVE UNLOADER
• 1	BUSHING
• 1	GUIDANCE TAPE C77 UNLOADER
• 1	QUAD-RING C77 UNLOADER
• 1	O-RING 80 X 3
• 1	BUSHING VQB22
• 1	HIGH TEMPERATURE SEALING VQB22
• 1	SPRING COMPRESSION
• 1	SPRING GUIDE VQB 22
• 2	WASHER PLAIN
• 2	SCREW
• 1	O-RING
• 1	O-RING 89.5 X 3
• 2	SCREW
• 1	SEAL WASHER DOWTY 3/8"
• 1	INSTR. ASSEMBLY
• 1	GASKET
• 1	TUBE GREASE
• 2	O-RING
• 1	INSTR. ASSEMBLY

2901 1957 00 - ELEMENT MOUNTING KIT

Qty	Name
• 1	O-RING 264X3
• 1	GASKET
• 1	O-RING 49.5X3
• 1	O-RING
• 2	O-RING 11.3X2.4
• 1	O-RING 19.2X3
• 1	O-RING 12.3X2.4
• 1	O-RING 64.6X2.4
• 1	ELEM MOUNTING INSTR.

2901 1952 00 - MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+

MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18

Qty	Name
• 1	CIRCLIP D=80
• 1	BEARING ROLLER
• 1	SEAL RING
• 1	BUSHING
• 1	DRAIN NIPPLE
• 1	BEARING BALL DEEP GROOVE
• 1	SEAL
• 1	FAN FS160 2-POLE
• 2	EXT.CIRCLIP
• 1	INSTR.
• 1	MOTOR OVERHAUL GA11-22

2901 1953 00 - MOTOR OVERHAUL KIT - GA 26+, GA 30

MODEL:GA26P_18, MODEL:GA30_18

Qty	Name
• 1	CIRCLIP D=80

continues on next page ...

... continued from previous page

2901 1953 00 - MOTOR OVERHAUL KIT - GA 26+, GA 30

MODEL:GA26P_18 , MODEL:GA30_18

	Qty	Name
•	1	BEARING ROLLER
•	1	SEAL RING
•	1	BUSHING
•	1	DRAIN NIPPLE
•	1	BEARING BALL DEEP GROOVE
•	1	FAN FS180 2-POLE
•	1	EXT.CIRCLIP
•	1	SEAL
•	1	INSTR.
•	1	MOT. OVERHAUL GA26-30

Legend:

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+


MODEL:GA30_18 - Model:GA 30

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

OILTYP:RIF - Oil type:Roto inject fluid oil

Ref	Part Number	Qty	Name	Validity
	1630 0917 00	1	OIL RIF NDURANCE 4L	
	1630 1146 00	1	OIL RIF NDURANCE 5L	
	1630 0918 00	1	OIL RIF NDURANCE 20L	
	1630 0919 00	1	OIL RIF NDURANCE 209L	
	2901 1700 00	1	OIL RXD 5L	
	2901 1701 00	1	OIL RXD 20L	
	2901 1702 00	1	OIL RXD 209L	
	1630 2041 05	1	OIL RS ULTRA 5L	
	1630 2041 20	1	OIL RS ULTRA 20L	
	1630 2041 29	1	OIL RS ULTRA 209L	




3.1 - Element

Ref	Part Number	Qty	Name	Validity
1010	1616 7382 80	1	ELEMENT	(01/08/2017 - 22/08/2021)
	⚙ Substituted by: 1616 7382 91 - SERVICE AIR-END OIS I-01 (quantity: 1)			
1010	1616 7382 81	1	ELEMENT	(23/08/2021 - ...)
1020	1622 2727 25	1	OUTLET HOUSING	(11/07/2018 - 16/04/2019)
	⚙ Substituted by: 1622 2727 20 - OUTLET HOUSING (quantity: 1)			
1020	1622 2727 20	1	OUTLET HOUSING	(08/06/2018 - 10/07/2018) (17/04/2019 - ...)
1020	1622 2727 10	1	OUTLET HOUSING	(01/08/2017 - 07/06/2018)
1030	0101 1951 40	2	DOWELL PIN	(01/08/2017 - ...)
1040	0337 0009 45	1	KEY	(01/08/2017 - ...)
1050	1622 3400 00	1	SPACER	(01/08/2017 - ...)
1060	1622 3401 00	1	WASHER	(01/08/2017 - ...)
1070		1	O-RING	(01/08/2017 - ...)
	🧰 Service kits: 2901 1957 00 - ELEMENT MOUNTING KIT			
1080	0211 1366 03	6	SCREW	(02/08/2017 - ...)
1090	0211 1368 00	1	SCREW	(01/08/2017 - ...)
1100	0211 1363 03	2	SCREW	(02/08/2017 - ...)
1110	1625 8359 00	1	SPACER	(01/08/2017 - ...)
1120		1	O-RING	(01/08/2017 - ...)
	🧰 Service kits: 2901 1957 00 - ELEMENT MOUNTING KIT			
1130		2	O-RING	(01/08/2017 - ...)
	🧰 Service kits: 2901 1957 00 - ELEMENT MOUNTING KIT			
1160	0147 1329 03	4	HEXAGON BOLT	(08/06/2018 - ...)
1180	1631 0835 00	1	PLUG	(01/08/2017 - ...)
1220	1619 6032 00	2	NIPPLE	(25/10/2018 - ...)

3.2 - Motor (GA 11+ - 460V/60Hz, (230V, 380V/60Hz) IEC, (200-230-460V/60Hz, 575V/60Hz) UL-cUL), (GA 15+ - 460V/60Hz, (230V/50Hz, 380V/60Hz) IEC, 575V/60Hz UL-cUL), (GA 18+ - 460V/60Hz, (230V, 380V/60Hz), 200-230-460V/60Hz UL-cUL), (GA 22+ - 460V/60Hz, 230V IEC, 575V/60Hz UL-cUL)

(CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, CAPPRE:IEC + (MOVOL:230V, MOVOL:380V), CAPPRE:ULCUL + MOVOL:200230460V)) + (MODEL:GA11P_18, MODEL:GA18P_18), (CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA15P_18, MODEL:GA22P_18), FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:380V, MODEL:GA22P_18 + MOVOL:230V), CAPPRE:ULCUL + MODEL:GA11P_18 + MOVOL:575V)



3.2 - Motor (GA 11+ - 460V/60Hz, (230V, 380V/60Hz) IEC, (200-230-460V/60Hz, 575V/60Hz) UL-cUL), (GA 15+ - 460V/60Hz, (230V/50Hz, 380V/60Hz) IEC, 575V/60Hz UL-cUL), (GA 18+ - 460V/60Hz, (230V, 380V/60Hz), 200-230-460V/60Hz UL-cUL), (GA 22+ - 460V/60Hz, 230V IEC, 575V/60Hz UL-cUL)

(CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, CAPPRE:IEC + (MOVOL:230V, MOVOL:380V), CAPPRE:ULCUL + MOVOL:200230460V)) + (MODEL:GA11P_18, MODEL:GA18P_18), (CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA15P_18, MODEL:GA22P_18), FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:380V, MODEL:GA22P_18 + MOVOL:230V), CAPPRE:ULCUL + MODEL:GA11P_18 + MOVOL:575V)

Ref	Part Number	Qty	Name	Validity
1010	1613 6752 31	2	ANTI-VIBRATION PAD	(29/03/2018 - ...)
1020	0101 2274 00	2	PIN	(29/03/2018 - ...)
1030	0211 1368 00	1	SCREW	(29/03/2018 - ...)
1040	1622 6995 00	1	WASHER	(29/03/2018 - ...)
1050	1622 6994 01	1	SPACER	(29/03/2018 - ...)
1060	0337 0009 83	1	PARALLEL KEY	(29/03/2018 - ...)
1070	0147 1963 08	6	HEXAGON BOLT	(29/03/2018 - ...)
1090	1625 2153 06	1	PLUG	(29/03/2018 - ...)
1100	0147 1365 03	2	HEXAGON BOLT	(29/03/2018 - ...)
1110	0301 2344 00	2	WASHER	(29/03/2018 - ...)
2080	1625 2200 44	1	MOTOR	(29/05/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:200230460V
	1625 2200 37			(29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + MOVOL:230V
	1625 2200 42			(29/03/2018 - ...) FREQ:60HZ + MODEL:GA18P_18 + MOVOL:460V
	1625 2200 39			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:230V
	1625 2200 41			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:380V
	1625 2200 23			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:230V
	1625 2200 21			(29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + MOVOL:230V
	1625 2200 28			(29/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:200230460V
	1625 2200 25			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:380V
	1625 2200 26			(29/03/2018 - ...) FREQ:60HZ + MODEL:GA11P_18 + MOVOL:460V
	1625 2200 27			(29/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:575V
	1625 2200 35			(29/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:575V
	1625 2200 29			(29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + MOVOL:230V
	1625 2200 34			(29/03/2018 - ...) FREQ:60HZ + MODEL:GA15P_18 + MOVOL:460V
	1625 2200 33			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:380V
	1625 2200 45			(29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + MOVOL:230V
	1625 2200 50			(29/03/2018 - ...) FREQ:60HZ + MODEL:GA22P_18 + MOVOL:460V
	1625 2200 51			(29/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:575V
	1625 2200 47			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:230V
•	1		MOTOR COMPONENTS	(29/03/2018 - 28/05/2018) (CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, CAPPRE:IEC + MOVOL:380V)) + (MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA18P_18), CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + MOVOL:230V, FREQ:60HZ + (CAPPRE:IEC + MOVOL:230V + (MODEL:GA11P_18, MODEL:GA18P_18, MODEL:GA22P_18), CAPPRE:ULCUL + (MODEL:GA11P_18 + MOVOL:200230460V, MOVOL:575V + (MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA22P_18)), MODEL:GA22P_18 + MOVOL:460V) (29/05/2018 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:575V - Supply voltage:575 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:380V - Supply voltage:380 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:460V - Supply voltage:460 V

3.2 - Motor (GA 11+ - 460V/60Hz, (230V, 380V/60Hz) IEC, (200-230-460V/60Hz, 575V/60Hz) UL-cUL), (GA 15+ - 460V/60Hz, (230V/50Hz, 380V/60Hz) IEC, 575V/60Hz UL-cUL), (GA 18+ - 460V/60Hz, (230V, 380V/60Hz), 200-230-460V/60Hz UL-cUL), (GA 22+ - 460V/60Hz, 230V IEC, 575V/60Hz UL-cUL)

(CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, CAPPRE:IEC + (MOVOL:230V, MOVOL:380V), CAPPRE:ULCUL + MOVOL:200230460V)) + (MODEL:GA11P_18, MODEL:GA18P_18), (CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (MOVOL:460V, CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA15P_18, MODEL:GA22P_18), FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:380V, MODEL:GA22P_18 + MOVOL:230V), CAPPRE:ULCUL + MODEL:GA11P_18 + MOVOL:575V)



3.2 - Motor (GA 11+ - 460V/60Hz, (230V, 380V/60Hz) IEC, (200-230-460V/60Hz, 575V/60Hz) UL-cUL), (GA 15+ - 460V/60Hz, (230V/50Hz, 380V/60Hz) IEC, 575V/60Hz UL-cUL), (GA 18+ - 460V/60Hz, (230V, 380V/60Hz), 200-230-460V/60Hz UL-cUL), (GA 22+ - 460V/60Hz, 230V IEC, 575V/60Hz UL-cUL)

(CAPPRE:IEC + FREQ:50HZ + MOVOL:230V , FREQ:60HZ + (MOVOL:460V , CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + MOVOL:200230460V)) + (MODEL:GA11P_18 , MODEL:GA18P_18) , (CAPPRE:IEC + FREQ:50HZ + MOVOL:230V , FREQ:60HZ + (MOVOL:460V , CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA15P_18 , MODEL:GA22P_18) , FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:380V , MODEL:GA22P_18 + MOVOL:230V) , CAPPRE:ULCUL + MODEL:GA11P_18 + MOVOL:575V)

Ref	Part Number	Qty	Name	Validity
3010	••	1	CIRCLIP	
	🛠 Service kits:	2901 1952 00 - MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+		
3020	••	1	BUSHING	
	🛠 Service kits:	2901 1952 00 - MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+		
3030	•• 0211 1326 03	4	SCREW	
3040	••	1	SEAL RING	
	🔄 Substituted by:	1616 5742 80 - KIT LIP SEAL (quantity: 1)		
	🛠 Service kits:	2901 1952 00 - MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+		
3050	••	1	BEARING ROLLER	
	🛠 Service kits:	2901 1952 00 - MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+		
3060	•• 1079 9931 92	1	DECAL ARROW	
3070	•• 1088 1001 01	1	WARNING MARK	
3080	••	1	DRAIN NIPPLE	
	🔄 Substituted by:	1630 1318 00 - DRAIN NIPPLE (quantity: 1)		
	🛠 Service kits:	2901 1952 00 - MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+		
3090	•• 1625 7834 00	1	GEARBOX	
3110	•• 1613 6752 32	1	ANTI-VIBRATION PAD	
3120	•• 1622 7938 00	1	SPACER	
3130	•• 0147 1371 03	1	HEXAGON BOLT	
	🔄 Substituted by:	0147 1964 69 - HEX. BOLT M10X70XISO A2-70 (quantity: 1)		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:575V - Supply voltage:575 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:380V - Supply voltage:380 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:460V - Supply voltage:460 V

3.3 - Motor GA 11+, GA 15+, GA 18+, GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN)



3.3 - Motor GA 11+, GA 15+, GA 18+, GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1010	1613 6752 31	2	ANTI-VIBRATION PAD	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
1020	0101 2274 00	2	PIN	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
1030	0211 1368 00	1	SCREW	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
1040	1622 6995 00	1	WASHER	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
1050	1622 6994 01	1	SPACER	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
1060	0337 0009 83	1	PARALLEL KEY	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
1080	0301 2344 00	2	WASHER	(10/04/2018 - ...)
1130	1625 2153 06	1	PLUG	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
1140	0147 1964 29	6	HEXAGON BOLT	(02/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - 09/04/2018)
1140	0147 1963 08	6	HEXAGON BOLT	(10/04/2018 - ...)
1150	0147 1365 03	2	HEXAGON BOLT	(02/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
2100	1625 2200 22	1	MOTOR	(01/08/2017 - 13/03/2018) MODEL:GA11P_18 + MOVOL:400V (14/03/2018 - ...) MODEL:GA11P_18
	1625 2200 30			(01/08/2017 - 28/03/2018) MODEL:GA15P_18 + MOVOL:400V (29/03/2018 - ...) MODEL:GA15P_18
	1625 2200 38			(01/08/2017 - 28/03/2018) MODEL:GA18P_18 + MOVOL:400V (29/03/2018 - ...) MODEL:GA18P_18
	1625 2200 46			(01/08/2017 - 28/03/2018) MODEL:GA22P_18 + MOVOL:400V (29/03/2018 - ...) MODEL:GA22P_18
	•	1	MOTOR COMPONENTS	(01/08/2017 - 13/03/2018) MOVOL:400V (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + MOVOL:400VN , MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...)
3010	••	1	CIRCLIP	
	📦 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3020	••	1	BUSHING	
	📦 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3030	•• 0211 1326 03	4	SCREW	
3040	••	1	SEAL RING	
	🔄 Substituted by:	1616 5742 80	KIT LIP SEAL (quantity: 1)	
	📦 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3050	••	1	BEARING ROLLER	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA18P_18 - Model:GA 18+
MOVOL:400VN - Supply voltage:400 V+N

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+

3.3 - Motor GA 11+, GA 15+, GA 18+, GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN)



3.3 - Motor GA 11+, GA 15+, GA 18+, GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity
 Service kits: 2901 1952 00 - MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+				
3060	•• 1079 9931 92	1	DECAL ARROW	
3070	•• 1088 1001 01	1	WARNING MARK	
3080	••	1	DRAIN NIPPLE	
 Substituted by: 1630 1318 00 - DRAIN NIPPLE (quantity: 1)				
 Service kits: 2901 1952 00 - MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+				
3090	•• 1625 7834 00	1	GEARBOX	
3110	•• 1613 6752 32	1	ANTI-VIBRATION PAD	
3120	•• 1622 7938 00	1	SPACER	
3130	•• 0147 1371 03	1	HEXAGON BOLT	
 Substituted by: 0147 1964 69 - HEX. BOLT M10X70XISO A2-70 (quantity: 1)				

Legend:

CAPPRE:IEC - Component approval electrical:IEC

MODEL:GA15P_18 - Model:GA 15+

MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz

MODEL:GA18P_18 - Model:GA 18+


MOVOL:400VN - Supply voltage:400 V+N

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

3.4 - Motor GA 15+ - 230V/60Hz IEC, GA 18+ - 575V/60Hz UL-cUL, GA 22+ - 380V/60Hz IEC

FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V)



3.4 - Motor GA 15+ - 230V/60Hz IEC, GA 18+ - 575V/60Hz UL-cUL, GA 22+ - 380V/60Hz IEC

FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V)

Ref	Part Number	Qty	Name	Validity
1010	1613 6752 31	2	ANTI-VIBRATION PAD	(27/03/2018 - ...)
1020	0147 1963 08	4	HEXAGON BOLT	(27/03/2018 - ...)
1030	0147 1365 03	2	HEXAGON BOLT	(27/03/2018 - ...)
1040	0301 2344 00	2	WASHER	(27/03/2018 - ...)
1050	0337 0009 83	1	PARALLEL KEY	(27/03/2018 - ...)
1060	1622 6994 01	1	SPACER	(27/03/2018 - ...)
1070	0101 2274 00	2	PIN	(27/03/2018 - ...)
1080	1622 6995 00	1	WASHER	(27/03/2018 - ...)
1090	0211 1368 00	1	SCREW	(27/03/2018 - ...)
1100	1625 2153 06	1	PLUG	(27/03/2018 - ...)
1150	1625 2200 43	1	MOTOR	(27/03/2018 - ...) CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V
	1625 2200 31			(27/03/2018 - ...) CAPPRE:IEC + MODEL:GA15P_18 + MOVOL:230V
	1625 2200 49			(27/03/2018 - ...) CAPPRE:IEC + MODEL:GA22P_18 + MOVOL:380V
	•	1	MOTOR COMPONENTS	(27/03/2018 - ...)
2010	••	1	CIRCLIP	
	🧰 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
2020	••	1	BUSHING	
	🧰 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
2030	•• 0211 1326 03	4	SCREW	
2040	••	1	SEAL RING	
	🔄 Substituted by:	1616 5742 80	KIT LIP SEAL (quantity: 1)	
	🧰 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
2050	••	1	BEARING ROLLER	
	🧰 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
2060	•• 1079 9931 92	1	DECAL ARROW	
2070	•• 1088 1001 01	1	WARNING MARK	
2080	••	1	DRAIN NIPPLE	
	🔄 Substituted by:	1630 1318 00	DRAIN NIPPLE (quantity: 1)	
	🧰 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
2090	•• 1625 7834 00	1	GEARBOX	
2110	•• 1613 6752 32	1	ANTI-VIBRATION PAD	
2120	•• 1622 7938 00	1	SPACER	
2130	•• 0147 1371 03	1	HEXAGON BOLT	
	🔄 Substituted by:	0147 1964 69	HEX. BOLT M10X70XISO A2-70 (quantity: 1)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
MOVOL:230V - Supply voltage:230 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA18P_18 - Model:GA 18+
MOVOL:380V - Supply voltage:380 V

FREQ:60HZ - Frequency:60 Hz
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 V

3.5 - Motor GA 15+, GA 22+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18)



3.5 - Motor GA 15+, GA 22+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity
1010	1613 6752 31	2	ANTI-VIBRATION PAD	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 (02/08/2017 - ...)
1020	0101 2274 00	2	PIN	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 (02/08/2017 - ...)
1030	0211 1368 00	1	SCREW	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 (02/08/2017 - ...)
1040	1622 6995 00	1	WASHER	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 (02/08/2017 - ...)
1050	1622 6994 01	1	SPACER	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 (02/08/2017 - ...)
1060	0337 0009 83	1	PARALLEL KEY	
1080	0301 2344 00	2	WASHER	(10/04/2018 - ...)
1130	1625 2153 06	1	PLUG	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 (02/08/2017 - ...)
1140	0147 1964 29	6	HEXAGON BOLT	(02/08/2017 - 09/04/2018)
1140	0147 1963 08	6	HEXAGON BOLT	(10/04/2018 - ...)
1150	0147 1365 03	2	HEXAGON BOLT	(02/08/2017 - ...)
2100	1625 2200 36	1	MOTOR	(02/08/2017 - ...) MODEL:GA15P_18
	1625 2200 52			(01/08/2017 - ...) MODEL:GA22P_18
	•	1	MOTOR COMPONENTS	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 (02/08/2017 - ...)
3010	••	1	CIRCLIP	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3020	••	1	BUSHING	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3030	•• 0211 1326 03	4	SCREW	
3040	••	1	SEAL RING	
	🔄 Substituted by:	1616 5742 80	KIT LIP SEAL (quantity: 1)	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3050	••	1	BEARING ROLLER	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3060	•• 1079 9931 92	1	DECAL ARROW	
3070	•• 1088 1001 01	1	WARNING MARK	
3080	••	1	DRAIN NIPPLE	
	🔄 Substituted by:	1630 1318 00	DRAIN NIPPLE (quantity: 1)	
	🛠 Service kits:	2901 1952 00	MOTOR OVERHAUL KIT - GA 11+, GA 15+, GA 18+, GA 22+	
3090	•• 1625 7834 00	1	GEARBOX	
3110	•• 1613 6752 32	1	ANTI-VIBRATION PAD	
3120	•• 1622 7938 00	1	SPACER	
3130	•• 0147 1371 03	1	HEXAGON BOLT	
	🔄 Substituted by:	0147 1964 69	HEX. BOLT M10X70XISO A2-70 (quantity: 1)	

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA15P_18 - Model:GA 15+

3.6 - Motor GA 26+, GA 30 - (230V/50Hz, 230V-380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL

(CAPPRE:IEC + FREQ:50HZ + MOVOL:230V, FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:460V, MOVOL:575V))) + (MODEL:GA26P_18, MODEL:GA30_18)



3.6 - Motor GA 26+, GA 30 - (230V/50Hz, 230V-380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL

(CAPPRE:IEC + FREQ:50HZ + MOVOL:230V , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V))) + (MODEL:GA26P_18 , MODEL:GA30_18)

Ref	Part Number	Qty	Name	Validity
1010	1613 6752 31	2	ANTI-VIBRATION PAD	(29/03/2018 - ...)
1020	0101 2274 00	2	PIN	(29/03/2018 - ...)
1030	0211 1368 00	1	SCREW	(29/03/2018 - ...)
1040	1622 6995 00	1	WASHER	(29/03/2018 - ...)
1050	1622 6994 01	1	SPACER	(29/03/2018 - ...)
1060	0337 0009 83	1	PARALLEL KEY	(29/03/2018 - ...)
1070	0147 1963 08	6	HEXAGON BOLT	(29/03/2018 - ...)
1090	1625 2153 06	1	PLUG	(29/03/2018 - ...)
1100	0147 1365 03	2	HEXAGON BOLT	(29/03/2018 - ...)
1110	0301 2344 00	2	WASHER	(29/03/2018 - ...)
	1625 8614 22	1	SUPPORT	(19/09/2018 - ...)
2080	1625 2200 09	1	MOTOR	(29/03/2018 - ...) FREQ:60HZ + MODEL:GA30_18 + MOVOL:460V
	1625 2200 53			(29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + MOVOL:230V
	1625 2200 04			(29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + MOVOL:230V
	1625 2200 55			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:230V
	1625 2200 06			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230V
	1625 2200 57			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:380V
	1625 2200 08			(29/03/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA30_18 + MOVOL:380V
	1625 2200 58			(29/03/2018 - ...) FREQ:60HZ + MODEL:GA26P_18 + MOVOL:460V
	1625 2200 59			(29/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:575V
	1625 2200 10			(29/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:575V
	•	1	MOTOR COMPONENTS	(29/03/2018 - 26/05/2018) MODEL:GA30_18 (27/05/2018 - ...)
3010	••	1	CIRCLIP	
	🛠 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3020	••	1	BUSHING	
	🛠 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3030	••	1	SEAL RING	
	🔄 Substituted by:	1616 5742 80	KIT LIP SEAL (quantity: 1)	
	🛠 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3040	••	1	BEARING ROLLER	
	🛠 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3060	•• 1079 9931 92	1	DECAL ARROW	
3070	•• 1088 1001 01	1	WARNING MARK	
3080	••	1	DRAIN NIPPLE	
	🔄 Substituted by:	1630 1318 00	DRAIN NIPPLE (quantity: 1)	
	🛠 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3090	•• 0211 1401 03	4	SCREW	
3100	•• 1625 2201 01	1	GEARBOX	
3110	•• 1613 6752 33	1	ANTI-VIBRATION PAD	
3120	•• 1622 6949 00	1	SPACER	
3130	•• 0147 1365 03	1	HEXAGON BOLT	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA26P_18 - Model:GA 26+
MOVOL:380V - Supply voltage:380 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:460V - Supply voltage:460 V

3.7 - Motor GA 26+ - 200-230-460V/60Hz UL-cUL, 400V-400V+N/50Hz IEC, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL, 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18, MODEL:GA30_18) + (MOVOL:400V, MOVOL:400VN), CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V, MODEL:GA30_18 + (MOVOL:200V, MOVOL:230_460_V))



3.7 - Motor GA 26+ - 200-230-460V/60Hz UL-cUL, 400V-400V+N/50Hz IEC, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL, 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18, MODEL:GA30_18) + (MOVOL:400V, MOVOL:400VN), CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V, MODEL:GA30_18 + (MOVOL:200V, MOVOL:230_460_V))

Ref	Part Number	Qty	Name	Validity
1010	1613 6752 31	2	ANTI-VIBRATION PAD	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V, MODEL:GA30_18 + (MOVOL:400V, MOVOL:400VN)), CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V, MODEL:GA30_18 + (MOVOL:400V, MOVOL:400VN)), CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V, MODEL:GA30_18 + (MOVOL:200V, MOVOL:230_460_V)) (29/03/2018 - ...)
1020	0101 2274 00	2	PIN	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V, MODEL:GA30_18 + (MOVOL:400V, MOVOL:400VN)), CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V, MODEL:GA30_18 + (MOVOL:400V, MOVOL:400VN)), CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V, MODEL:GA30_18 + (MOVOL:200V, MOVOL:230_460_V)) (29/03/2018 - ...)
1030	0211 1368 00	1	SCREW	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V, MODEL:GA30_18 + (MOVOL:400V, MOVOL:400VN)), CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V, MODEL:GA30_18 + (MOVOL:400V, MOVOL:400VN)), CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V, MODEL:GA30_18 + (MOVOL:200V, MOVOL:230_460_V)) (29/03/2018 - ...)
1040	1622 6995 00	1	WASHER	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V, MODEL:GA30_18 + (MOVOL:400V, MOVOL:400VN)), CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V, MODEL:GA30_18 + (MOVOL:400V, MOVOL:400VN)), CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V, MODEL:GA30_18 + (MOVOL:200V, MOVOL:230_460_V)) (29/03/2018 - ...)
1050	1622 6994 01	1	SPACER	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V, MODEL:GA30_18 + (MOVOL:400V, MOVOL:400VN)), CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V, MODEL:GA30_18 + (MOVOL:400V, MOVOL:400VN)), CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V, MODEL:GA30_18 + (MOVOL:200V, MOVOL:230_460_V)) (29/03/2018 - ...)
1060	0337 0009 83	1	PARALLEL KEY	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V, MODEL:GA30_18 + (MOVOL:400V, MOVOL:400VN)), CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V, MODEL:GA30_18 + (MOVOL:400V, MOVOL:400VN)), CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V, MODEL:GA30_18 + (MOVOL:200V, MOVOL:230_460_V)) (29/03/2018 - ...)
	1625 8614 22	1	SUPPORT	(19/09/2018 - ...)
1130	1625 2153 06	1	PLUG	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V, MODEL:GA30_18 + (MOVOL:400V, MOVOL:400VN)), CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V, MODEL:GA30_18 + (MOVOL:400V, MOVOL:400VN)), CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V, MODEL:GA30_18 + (MOVOL:200V, MOVOL:230_460_V)) (29/03/2018 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:400VN - Supply voltage:400 V+N

FREQ:50HZ - Frequency:50 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V

3.7 - Motor GA 26+ - 200-230-460V/60Hz UL-cUL, 400V-400V+N/50Hz IEC, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL, 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18, MODEL:GA30_18) + (MOVOL:400V, MOVOL:400VN), CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V, MODEL:GA30_18 + (MOVOL:200V, MOVOL:230_460_V))



3.7 - Motor GA 26+ - 200-230-460V/60Hz UL-cUL, 400V-400V+N/50Hz IEC, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL, 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))


Ref	Part Number	Qty	Name	Validity
1140	0147 1964 29	6	HEXAGON BOLT	(02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (29/03/2018 - 09/04/2018)
1140	0147 1963 08	6	HEXAGON BOLT	(10/04/2018 - ...)
1150	0147 1365 03	2	HEXAGON BOLT	(02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (29/03/2018 - ...)
2100	1625 2200 60	1	MOTOR	(02/08/2017 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:200230460V
	1625 2200 54			(01/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + MOVOL:400V (29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 05			(01/08/2017 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 11			(01/08/2017 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V
	1625 2200 07			(02/08/2017 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V
	•	1	MOTOR COMPONENTS	(01/08/2017 - 01/08/2017) MODEL:GA30_18 + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + MOVOL:230_460_V) (02/08/2017 - 26/05/2018) MODEL:GA30_18 + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:200V , MOVOL:230_460_V)) (27/05/2018 - ...)
3010	••	1	CIRCLIP	
	📦 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3020	••	1	BUSHING	
	📦 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3030	••	1	SEAL RING	
	🔄 Substituted by:	1616 5742 80	KIT LIP SEAL (quantity: 1)	
	📦 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3040	••	1	BEARING ROLLER	
	📦 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3060	••	1079 9931 92	DECAL ARROW	
3070	••	1088 1001 01	WARNING MARK	
3080	••	1	DRAIN NIPPLE	
	🔄 Substituted by:	1630 1318 00	DRAIN NIPPLE (quantity: 1)	
	📦 Service kits:	2901 1953 00	MOTOR OVERHAUL KIT - GA 26+, GA 30	
3090	••	0211 1401 03	SCREW	
3100	••	1625 2201 01	GEARBOX	
3110	••	1613 6752 33	ANTI-VIBRATION PAD	
3120	••	1622 6949 00	SPACER	
3130	••	0147 1365 03	HEXAGON BOLT	

Legend:

CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:400VN - Supply voltage:400 V+N

FREQ:50HZ - Frequency:50 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V



Ref	Part Number	Qty	Name	Validity
1010	1622 6993 81	1	GEAR SET	(01/08/2017 - 09/04/2018) MODEL:GA30_18 + PRESS:7.5BAR (03/09/2018 - ...) MODEL:GA30_18 + PRESS:7.5BAR
1010	1622 6988 84	1	GEAR SET	(01/08/2017 - 28/03/2018) MODEL:GA11P_18 + PRESS:10BAR (29/03/2018 - 09/04/2018) MODEL:GA11P_18 + (PRESS:10BAR , PRESS:7.4BAR) (10/04/2018 - ...) MODEL:GA11P_18 + PRESS:7.4BAR (10/04/2018 - ...) MODEL:GA11P_18 + PRESS:10BAR
1010	1622 6988 94	1	GEAR SET	
1010	1622 6988 85	1	GEAR SET	(01/08/2017 - 01/08/2017) MODEL:GA15P_18 + PRESS:10BAR (02/08/2017 - 28/03/2018) MODEL:GA15P_18 + (PRESS:10BAR , PRESS:7.4BAR) (29/03/2018 - 09/04/2018) MODEL:GA15P_18 + (PRESS:10BAR , PRESS:7.4BAR) , MODEL:GA18P_18 + PRESS:10.8BAR (10/04/2018 - ...) MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA18P_18 + PRESS:10.8BAR (10/04/2018 - ...) MODEL:GA15P_18 + PRESS:10BAR
1010	1622 6988 98	1	GEAR SET	
1010	1622 6988 86	1	GEAR SET	(01/08/2017 - 28/03/2018) MODEL:GA18P_18 + PRESS:10BAR (29/03/2018 - 09/04/2018) MODEL:GA18P_18 + (PRESS:10BAR , PRESS:7.4BAR) (10/04/2018 - ...) MODEL:GA18P_18 + PRESS:7.4BAR (10/04/2018 - ...) MODEL:GA18P_18 + PRESS:10BAR
1010	1625 2201 37	1	GEAR SET	
1010	1622 6988 92	1	GEAR SET	(01/08/2017 - 09/04/2018) MODEL:GA22P_18 + PRESS:10BAR
1010	1622 6988 99	1	GEAR SET	(02/08/2017 - 28/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR (29/03/2018 - 09/04/2018) MODEL:GA18P_18 + PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:10.8BAR (10/04/2018 - ...) MODEL:GA18P_18 + PRESS:7.5BAR , MODEL:GA22P_18 + PRESS:10BAR
1010	1622 6988 93	1	GEAR SET	(01/08/2017 - 09/04/2018) MODEL:GA26P_18 + PRESS:10BAR
1010	1622 6993 84	1	GEAR SET	(27/03/2018 - 28/03/2018) MODEL:GA30_18 + PRESS:7.4BAR (29/03/2018 - 09/04/2018) MODEL:GA30_18 + (PRESS:13BAR , PRESS:7.4BAR) (10/04/2018 - ...) MODEL:GA26P_18 + PRESS:10BAR , MODEL:GA30_18 + (PRESS:13BAR , PRESS:7.4BAR) (10/04/2018 - 02/09/2018) MODEL:GA30_18 + PRESS:7.5BAR
1010	1622 6993 67	1	GEAR SET	
1010	1622 6993 69	1	GEAR SET	(01/08/2017 - 28/03/2018) MODEL:GA30_18 + PRESS:10BAR (29/03/2018 - ...) MODEL:GA26P_18 + PRESS:7.5BAR , MODEL:GA30_18 + PRESS:10BAR (01/08/2017 - ...) MODEL:GA22P_18 + PRESS:7.4BAR
1010	1622 6988 68	1	GEAR SET	
1010	1622 6993 68	1	GEAR SET	(01/08/2017 - ...) MODEL:GA30_18 + PRESS:9.1BAR
⚙ Substituted by: 1622 6993 73 - GEAR SET 9313/9314 (quantity: 1)				
1010	1622 6993 75	1	GEAR SET	(10/04/2018 - ...) MODEL:GA26P_18 + PRESS:10.8BAR
1010	1622 6988 74	1	GEAR SET	(27/03/2018 - 28/03/2018) MODEL:GA11P_18 + PRESS:7.5BAR , MODEL:GA15P_18 + PRESS:9.1BAR (29/03/2018 - ...) MODEL:GA11P_18 + PRESS:7.5BAR , MODEL:GA15P_18 + PRESS:9.1BAR , MODEL:GA18P_18 + PRESS:12.5BAR
1010	1622 6988 97	1	GEAR SET	(27/03/2018 - 28/03/2018) MODEL:GA15P_18 + PRESS:8.5BAR (29/03/2018 - ...) MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA22P_18 + PRESS:12.5BAR (27/03/2018 - ...) MODEL:GA22P_18 + PRESS:7.5BAR
1010	1622 6988 69	1	GEAR SET	
1010	1622 6993 85	1	GEAR SET	(27/03/2018 - 28/03/2018) MODEL:GA26P_18 + PRESS:13BAR (29/03/2018 - ...) MODEL:GA26P_18 + (PRESS:13BAR , PRESS:9.1BAR)
1010	1622 6988 77	1	GEAR SET	(27/03/2018 - ...) MODEL:GA15P_18 + PRESS:10.8BAR
1010	1622 6988 73	1	GEAR SET	(27/03/2018 - 28/03/2018) MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - ...) MODEL:GA18P_18 + (PRESS:13BAR , PRESS:9.1BAR)
1010	1625 2201 59	1	GEAR SET	(27/03/2018 - ...) MODEL:GA22P_18 + PRESS:9.1BAR
1010	1622 6988 78	1	GEAR SET	(27/03/2018 - ...) MODEL:GA22P_18 + PRESS:10.8BAR
1010	1622 6988 75	1	GEAR SET	(29/03/2018 - ...) MODEL:GA11P_18 + PRESS:8.5BAR
1010	1622 6988 70	1	GEAR SET	(29/03/2018 - ...) MODEL:GA11P_18 + PRESS:13BAR
1010	1622 6988 96	1	GEAR SET	(29/03/2018 - ...) MODEL:GA15P_18 + PRESS:7.5BAR

Remarks:


7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar



Ref	Part Number	Qty	Name	Validity
1010	1622 6988 72	1	GEAR SET	(29/03/2018 - ...) MODEL:GA15P_18 + PRESS:13BAR
1010	1622 6988 82	1	GEAR SET	(29/03/2018 - ...) MODEL:GA18P_18 + PRESS:8.5BAR
1010	1622 6988 83	1	GEAR SET	(29/03/2018 - ...) MODEL:GA22P_18 + PRESS:8.5BAR
1010	1622 6988 71	1	GEAR SET	(29/03/2018 - ...) MODEL:GA22P_18 + PRESS:13BAR
1010	1622 6993 70	1	GEAR SET	(29/03/2018 - 27/06/2020) MODEL:GA26P_18 + PRESS:8.5BAR
1010	1622 6993 71	1	GEAR SET	(29/03/2018 - 14/04/2020) MODEL:GA30_18 + PRESS:8.5BAR
1010	1622 6988 95	1	GEAR SET	(29/03/2018 - ...) MODEL:GA11P_18 + PRESS:9.1BAR
1010	1622 6988 88	1	GEAR SET	(29/03/2018 - ...) MODEL:GA11P_18 + PRESS:10.8BAR
1010	1622 6988 90	1	GEAR SET	(29/03/2018 - ...) MODEL:GA11P_18 + PRESS:12.5BAR
1010	1622 6988 76	1	GEAR SET	(29/03/2018 - ...) MODEL:GA15P_18 + PRESS:12.5BAR
1010	1622 6993 73	1	GEAR SET	(29/03/2018 - ...) MODEL:GA26P_18 + PRESS:7.4BAR
1010	1622 6993 77	1	GEAR SET	(29/03/2018 - ...) MODEL:GA26P_18 + PRESS:12.5BAR
1010	1622 6993 76	1	GEAR SET	(29/03/2018 - ...) MODEL:GA30_18 + PRESS:10.8BAR
1010	~~1622 6993 78~~	1	GEAR SET	(29/03/2018 - ...) MODEL:GA30_18 + PRESS:12.5BAR
	↻ Substituted by: 1622 6993 75 - GEAR SET 9317/9318 (quantity: 1)			
1010	1622 6993 86	1	GEAR SET	(28/06/2020 - ...) MODEL:GA26P_18 + PRESS:8.5BAR
1010	1622 6993 87	1	GEAR SET	(15/04/2020 - ...) MODEL:GA30_18 + PRESS:8.5BAR

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar


PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA18P_18 - Model:GA 18+


MODEL:GA30_18 - Model:GA 30

PRESS:12.5BAR - Working pressure:12.5 bar


PRESS:7.5BAR - Working pressure:7.5 bar



Ref	Part Number	Qty	Name	Validity
1010	1625 2201 21	1	INLET BAFFLE	(01/08/2017 - ...)
1020	1625 2201 23	1	ELBOW	(01/08/2017 - ...)
1030	1625 2201 35	1	AIR FILTER	(01/08/2017 - ...)
	•	1	FILTER ELEMENT	
	⌚ Substituted by:	1630 2201 36 - AIR FILTER (quantity: 1)		
	🧰 Service kits:	2901 9908 16 - AIR FILTER KIT - ROTO-INJECT FLUID		
		2901 9908 17 - AIR FILTER KIT - ROTO-XTEND DUTY FLUID		
1040	0347 6100 04	2	HOSE CLIP	(26/03/2018 - ...)
	⌚ Substituted by:	0347 6116 00 - HOSE CLIP 77-89 (quantity: 1)		
1050	0147 1963 08	3	HEXAGON BOLT	(01/08/2017 - ...)
1060	0211 1328 03	2	SCREW	(27/05/2018 - ...)



Ref	Part Number	Qty	Name	Validity
1010		1	UNLOADER VALVE	(01/08/2017 - ...)
1020	0147 1325 03	4	HEXAGON BOLT	(01/08/2017 - ...)
1030	0301 2335 00	4	WASHER	(01/08/2017 - ...)
1040		1	GASKET	(01/08/2017 - ...)
 Service kits:		2901 1957 00 - ELEMENT MOUNTING KIT		





4.3 - Unloader Valve

Ref	Part Number	Qty	Name	Validity
	1622 3490 80	1	UNLOADER VALVE	(01/08/2017 - ...)
1010	0261 1099 40	1	NUT	(01/08/2017 - ...)
1020		1	BUSHING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1030	1622 1773 31	1	PISTON ROD	(01/08/2017 - ...)
1040		1	SPRING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1050		2	SCREW	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1060	0335 2164 00	1	CIRCLIP	(01/08/2017 - ...)
1070		1	HIGH TEMPERATURE SEALING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1080		1	SPRING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1090		1	BUSHING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1100		2	WASHER	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1110	~~1622 3490 00~~	1	HOUSING VALVE	(01/08/2017 - ...)
	 Substituted by:	1622 3490 80 - VALVE REGUL. (quantity: 1)		
1120	1622 3491 00	1	COVER	(01/08/2017 - ...)
1130		1	O-RING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1140		1	BLOW-OFF VALVE	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1150		1	O-RING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1160		1	QUAD-RING	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1170	1622 1789 00	1	PISTON	(01/08/2017 - ...)
1180		1	GUIDANCE TAPE	(01/08/2017 - ...)
	 Service kits:	2902 0161 00 - INLET VALVE KIT		
1190		1	INLET VALVE	(01/08/2017 - ...)
	 Substituted by:	1622 1755 85 - INLET VALVE (quantity: 1)		
	 Service kits:	2902 0161 00 - INLET VALVE KIT		

4.4 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (21/08/2018 - 30/12/2019)

CAPPRM:CE + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))



4.4 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (21/08/2018 - 30/12/2019)

CAPPRM:CE + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))

Ref	Part Number	Qty	Name	Validity
1020	0147 1963 08	4	HEXAGON BOLT	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1070	1625 4817 80	1	PIPE	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1080		1	O-RING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 9908 15 - OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 14 - OIL SEPARATOR KIT - GA 11+, GA 15+		
1090		1	SPRING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1100	1622 0525 01	1	SPRING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1110		1	O-RING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1120		1	O-RING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1130		1	VALVE ASSEMBLY	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1140		1	PISTON	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:CE - Component approval mechanical:CE
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.4 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (21/08/2018 - 30/12/2019)

CAPPRM:CE + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))



4.4 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (21/08/2018 - 30/12/2019)

CAPPRM:CE + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))

Ref	Part Number	Qty	Name	Validity
1150	1622 6576 01	1	HOUSING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1160	1613 8967 12	1	GROUNDING WIRE	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1170	0333 3227 00	2	WASHER	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1180	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	2204 1070 98	1	OIL VESSEL	(21/08/2018 - 30/12/2019) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
2010	• -	1	OIL VESSEL	(01/08/2017 - ...)
2020	• 1503 2565 04	1	ELBOW	(21/08/2018 - 17/10/2018) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
2020	• 1625 4201 84	1	SWIVEL ELBOW	(18/10/2018 - 30/12/2019) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
2030	• 0852 0011 50	1	BALL VALVE	
2040	• 0583 8120 97	1	ELBOW	
2050	• 1631 0832 00	1	PLUG	
2060	• 0663 2102 15	1	O-RING	
2070	• 1638 1594 00	1	SIGHT GLASS	
3010	0830 1009 87	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:7.5BAR
3010	0830 1010 02	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) PRESS:10BAR (14/03/2018 - 26/03/2018) PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18)) (27/03/2018 - 28/03/2018) CAPPRM:CE + MODEL:GA15P_18 + PRESS:8.5BAR , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18)) (29/03/2018 - ...) PRESS:10BAR , PRESS:8.5BAR
3010	0830 1010 03	1	SAFETY VALVE	(27/03/2018 - 28/03/2018) MODEL:GA26P_18 + PRESS:13BAR (29/03/2018 - ...) PRESS:13BAR
4010		1	OIL SEPARATOR	(01/08/2017 - ...) MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18
	 Service kits:	2901 9908 15	OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30	
4010		1	OIL SEPARATOR	(01/08/2017 - ...) MODEL:GA11P_18 , MODEL:GA15P_18
	 Substituted by:	1630 2203 57	SEPARATOR OIL (quantity: 1)	
	 Service kits:	2901 9908 14	OIL SEPARATOR KIT - GA 11+, GA 15+	

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:CE - Component approval mechanical:CE
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.5 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (31/12/2019 - ...)

CAPPRM:CE + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))



4.5 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (31/12/2019 - ...)

CAPPRM:CE + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))

Ref	Part Number	Qty	Name	Validity
1020	0147 1963 08	4	HEXAGON BOLT	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1070	1625 4817 80	1	PIPE	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1080		1	O-RING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 9908 15 - OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 14 - OIL SEPARATOR KIT - GA 11+, GA 15+		
1090		1	SPRING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1100	1622 0525 01	1	SPRING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1110		1	O-RING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1120		1	O-RING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1130		1	VALVE ASSEMBLY	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1140		1	PISTON	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:CE - Component approval mechanical:CE
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:CEAD2000 - Component approval mechanical:CE
(based on AD2000)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.5 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (31/12/2019 - ...)

CAPPRM:CE + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))



4.5 - Vessel assembly CE - 7.5bar, 8.5bar, 10bar, 13bar (31/12/2019 - ...)

CAPPRM:CE + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))

Ref	Part Number	Qty	Name	Validity
1150	1622 6576 01	1	HOUSING	(01/08/2017 - 13/03/2018) PRESS:10BAR , MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1160	1613 8967 12	1	GROUNDING WIRE	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1170	0333 3227 00	2	WASHER	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1180	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	1625 4815 91	1	OIL VESSEL	(31/12/2019 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
2010	• -	1	OIL VESSEL	
2020	• 0852 0011 50	1	BALL VALVE	
2030	• 0583 8120 97	1	ELBOW	
2040	• 1625 4201 84	1	SWIVEL ELBOW	
2050	• 1631 0832 00	1	PLUG	
2060	• 0663 2102 15	1	O-RING	
2070	• 1638 1594 00	1	SIGHT GLASS	
3010	0830 1009 87	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:7.5BAR
3010	0830 1010 02	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) PRESS:10BAR (14/03/2018 - 26/03/2018) PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18)) (27/03/2018 - 28/03/2018) CAPPRM:CE + MODEL:GA15P_18 + PRESS:8.5BAR , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18)) (29/03/2018 - ...) PRESS:10BAR , PRESS:8.5BAR (27/03/2018 - 28/03/2018) MODEL:GA26P_18 + PRESS:13BAR (29/03/2018 - ...) PRESS:13BAR
3010	0830 1010 03	1	SAFETY VALVE	(01/08/2017 - ...) MODEL:GA11P_18 , MODEL:GA15P_18
4010		1	OIL SEPARATOR	
	Substituted by:	1630 2203 57 - SEPARATOR OIL (quantity: 1)		
	Service kits:	2901 9908 14 - OIL SEPARATOR KIT - GA 11+ , GA 15+		
4010		1	OIL SEPARATOR	(01/08/2017 - ...) MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18
	Service kits:	2901 9908 15 - OIL SEPARATOR KIT - GA 18+ , GA 22+ , GA 26+ , GA 30		

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:CE - Component approval mechanical:CE
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.6 - Vessel assembly AD 2000 - 7.5bar, 8.5bar, 10bar, 13bar

CAPPRM:CEAD2000 + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))



4.6 - Vessel assembly AD 2000 - 7.5bar, 8.5bar, 10bar, 13bar

CAPPRM:CEAD2000 + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))

Ref	Part Number	Qty	Name	Validity
1020	0147 1963 08	4	HEXAGON BOLT	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1050	1625 4817 80	1	PIPE	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1060		1	O-RING	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 9908 15 - OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 14 - OIL SEPARATOR KIT - GA 11+, GA 15+		
1070		1	SPRING	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1080	1622 0525 01	1	SPRING	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1090		1	O-RING	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1100		1	O-RING	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1110		1	VALVE ASSEMBLY	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1120		1	PISTON	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1130	1622 6576 01	1	HOUSING	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1140	1613 8967 12	1	GROUNDING WIRE	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1150	0333 3227 00	2	WASHER	(28/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
1160	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
	2204 1070 98	1	OIL VESSEL ASSEMBLY	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
2010 •		1	OIL VESSEL	
2020 •	1503 2565 04	1	ELBOW	(27/03/2018 - 28/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - 17/10/2018) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
2020 •	1625 4201 84	1	SWIVEL ELBOW	(18/10/2018 - ...) PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR
2030 •	0852 0011 50	1	BALL VALVE	
2040 •	0583 8120 97	1	ELBOW	
2050 •	1631 0832 00	1	PLUG	
2060 •	0663 2102 15	1	O-RING	
2070 •	1638 1594 00	1	SIGHT GLASS	

Legend:



CAPPRM:CE - Component approval mechanical:CE
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:CEAD2000 - Component approval mechanical:CE
(based on AD2000)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.6 - Vessel assembly AD 2000 - 7.5bar, 8.5bar, 10bar, 13bar

CAPPRM:CEAD2000 + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))



4.6 - Vessel assembly AD 2000 - 7.5bar, 8.5bar, 10bar, 13bar

CAPPRM:CEAD2000 + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8BAR))



Ref	Part Number	Qty	Name	Validity
3010	0830 1009 87	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) CAPPRM:CE + MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) CAPPRM:CE + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:7.5BAR
3010	0830 1010 02	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) CAPPRM:CE + PRESS:10BAR (14/03/2018 - 26/03/2018) PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18)) (27/03/2018 - 28/03/2018) CAPPRM:CE + MODEL:GA15P_18 + PRESS:8.5BAR , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18)) (29/03/2018 - ...) PRESS:10BAR , PRESS:8.5BAR
3010	0830 1010 03	1	SAFETY VALVE	(27/03/2018 - 28/03/2018) CAPPRM:CE + MODEL:GA26P_18 + PRESS:13BAR (29/03/2018 - ...) PRESS:13BAR
4010		1	OIL SEPARATOR	(29/03/2018 - ...) MODEL:GA11P_18 , MODEL:GA15P_18
	Substituted by:	1630 2203 57 - SEPARATOR OIL (quantity: 1)		
	Service kits:	2901 9908 14 - OIL SEPARATOR KIT - GA 11+, GA 15+		
4010		1	OIL SEPARATOR	(29/03/2018 - ...) MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18
	Service kits:	2901 9908 15 - OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30		

Legend:



CAPPRM:CE - Component approval mechanical:CE
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:13BAR - Working pressure:13 bar
PRESS:8BAR - Working pressure:8 bar

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1020	0147 1963 08	4	HEXAGON BOLT	(28/05/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
1050	1625 4817 80	1	PIPE	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
1060		1	O-RING	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
 Service kits:		2901 9908 15 - OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 14 - OIL SEPARATOR KIT - GA 11+, GA 15+		
1070		1	SPRING	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
 Service kits:		2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1080	1622 0525 01	1	SPRING	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
1090		1	O-RING	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
 Service kits:		2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar



CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CE - Component approval mechanical:CE
MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1100		1	O-RING	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1110		1	VALVE ASSEMBLY	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1120		1	PISTON	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1130	1622 6576 01	1	HOUSING	(27/03/2018 - 28/03/2018) CAPPRM:CRNASME + MODEL:GA18P_18 + PRESS:9.1BAR (29/03/2018 - 29/03/2018) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (30/03/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
1140	1613 8967 12	1	GROUNDING WIRE	(28/05/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
1150	0333 3227 00	2	WASHER	(28/05/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
1160	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar



CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CE - Component approval mechanical:CE
MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
	1625 8614 15	1	OIL VESSEL	(21/08/2018 - 30/12/2019) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)
	1625 4815 93			(30/03/2018 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
2010	• -	1	OIL VESSEL	(27/03/2018 - ...)
2020	• 0852 0011 50	1	BALL VALVE	(30/03/2018 - 20/08/2018) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
2030	• 0583 8120 97	1	ELBOW	(30/03/2018 - 20/08/2018) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
2040	• 1503 2565 04	1	ELBOW	(30/03/2018 - 20/08/2018) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 17/10/2018) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (18/10/2018 - 24/01/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
2040	• 1625 4201 84	1	ELBOW	(18/10/2018 - 24/01/2019) CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (25/01/2019 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
2050	• 1631 0832 00	1	PLUG	(30/03/2018 - 20/08/2018) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
2060	• 0663 2102 15	1	O-RING	(30/03/2018 - 20/08/2018) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
2070	• 1638 1594 00	1	SIGHT GLASS	(30/03/2018 - 20/08/2018) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 30/12/2019) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (31/12/2019 - ...) CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar



CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CE - Component approval mechanical:CE
MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.7 - Vessel assembly AS 1210 - 7.5bar, 8.5bar, 10bar, 13bar, CRN - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:AS1210 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) , CAPPRM:CRNASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
3010	0830 1009 87	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) CAPPRM:CE + MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) CAPPRM:CE + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:7.5BAR + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
3010	0830 1010 02	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) CAPPRM:CE + PRESS:10BAR (14/03/2018 - 26/03/2018) PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18)) (27/03/2018 - 28/03/2018) CAPPRM:CE + MODEL:GA15P_18 + PRESS:8.5BAR , PRESS:10BAR + (CAPPRM:CE , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18 , MODEL:GA26P_18)) (29/03/2018 - ...) (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (PRESS:10BAR , PRESS:8.5BAR)
3010	0830 1009 89	1	SAFETY VALVE	(01/08/2017 - 01/08/2017) CAPPRM:ASME + MODEL:GA22P_18 + PRESS:7.4BAR (02/08/2017 - 13/03/2018) CAPPRM:ASME + PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) CAPPRM:ASME + PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:7.4BAR + (CAPPRM:ASME , CAPPRM:CRNASME)
3010	0830 1009 96	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) CAPPRM:ASME + MODEL:GA30_18 + PRESS:9.1BAR (14/03/2018 - 28/03/2018) PRESS:9.1BAR + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) , CAPPRM:CRNASME + MODEL:GA18P_18) (29/03/2018 - ...) PRESS:9.1BAR + (CAPPRM:ASME , CAPPRM:CRNASME)
3010	0830 1009 98	1	SAFETY VALVE	(02/08/2017 - 13/03/2018) CAPPRM:ASME + MODEL:GA26P_18 + PRESS:10.8BAR (14/03/2018 - 28/03/2018) CAPPRM:ASME + PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 29/03/2018) PRESS:10.8BAR + (CAPPRM:ASME , CAPPRM:CRNASME) (30/03/2018 - ...) (CAPPRM:ASME , CAPPRM:CRNASME) + (PRESS:10.8BAR , PRESS:12.5BAR)
3010	0830 1010 03	1	SAFETY VALVE	(27/03/2018 - 28/03/2018) CAPPRM:CE + MODEL:GA26P_18 + PRESS:13BAR (29/03/2018 - ...) PRESS:13BAR + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
4010		1	OIL SEPARATOR	(30/03/2018 - ...) MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18
	 Service kits:	2901 9908 15	OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30	
4010		1	OIL SEPARATOR	(30/03/2018 - ...) MODEL:GA11P_18 , MODEL:GA15P_18
	 Substituted by:	1630 2203 57	SEPARATOR OIL (quantity: 1)	
	 Service kits:	2901 9908 14	OIL SEPARATOR KIT - GA 11+, GA 15+	

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

CAPPRM:AS1210 - Component approval mechanical:AS1210

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:8BAR - Working pressure:8 bar

CAPPRM:ASME - Component approval mechanical:ASME

CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:CE - Component approval mechanical:CE

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+



PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1020	0147 1963 08	4	HEXAGON BOLT	(28/05/2018 - ...)
1030	1079 9930 38	1	LABEL WARNING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 09/04/2018)
1070	1625 4817 80	1	PIPE	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
1080		1	O-RING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
	 Service kits:	2901 9908 15 - OIL SEPARATOR KIT - GA 18+ , GA 22+ , GA 26+ , GA 30 2901 9908 14 - OIL SEPARATOR KIT - GA 11+ , GA 15+		
1090		1	SPRING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1100	1622 0525 01	1	SPRING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
1110		1	O-RING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:12.5BAR - Working pressure:12.5 bar

CAPPRM:CRNASME - Component approval mechanical:CRN
(based on ASME)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.4BAR - Working pressure:7.4 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1120		1	O-RING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1130		1	VALVE ASSEMBLY	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1140		1	PISTON	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
	 Service kits:	2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		
1150	1622 6576 01	1	HOUSING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - ...)
1160	1613 8967 12	1	GROUNDING WIRE	(28/05/2018 - ...)
1170	0333 3227 00	2	WASHER	(28/05/2018 - ...)
1180	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - ...)
	1625 8614 15	1	OIL VESSEL	(21/08/2018 - 30/12/2019)
	1625 4815 94			(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (31/12/2019 - ...)
2010	• -	1	OIL VESSEL	(01/08/2017 - ...)
2020	• 0852 0011 50	1	BALL VALVE	(21/08/2018 - 30/12/2019)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:12.5BAR - Working pressure:12.5 bar

CAPPRM:CRNASME - Component approval mechanical:CRN
(based on ASME)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.4BAR - Working pressure:7.4 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Atlas Copco

Ref	Part Number	Qty	Name	Validity
2020	• 0852 0011 50	1	BALL VALVE	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (31/12/2019 - ...)
2020	• 0852 0011 50	1	BALL VALVE	
2030	• 0583 8120 97	1	ELBOW	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 30/12/2019) (31/12/2019 - ...)
2030	• 0583 8120 97	1	ELBOW	
2040	• 1503 2565 04	1	ELBOW	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 17/10/2018) (18/10/2018 - 30/12/2019) (31/12/2019 - ...)
2040	• 1625 4201 84	1	ELBOW	
2040	• 1625 4201 84	1	ELBOW	
2050	• 1631 0832 00	1	PLUG	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 30/12/2019) (31/12/2019 - ...)
2050	• 1631 0832 00	1	PLUG	
2060	• 0663 2102 15	1	O-RING	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 30/12/2019) (31/12/2019 - ...)
2060	• 0663 2102 15	1	O-RING	
2070	• 1638 1594 00	1	SIGHT GLASS	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + PRESS:9.1BAR (02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 30/12/2019) (31/12/2019 - ...)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:



CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:12.5BAR - Working pressure:12.5 bar

CAPPRM:CRNASME - Component approval mechanical:CRN
(based on ASME)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.4BAR - Working pressure:7.4 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



4.8 - Vessel assembly ASME - 7.4bar, 9.1bar, 10.8bar, 12.5bar

CAPPRM:ASME + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Atlas Copco

Ref	Part Number	Qty	Name	Validity
2070 •	1638 1594 00	1	SIGHT GLASS	(31/12/2019 - ...)
3010	0830 1009 89	1	SAFETY VALVE	(01/08/2017 - 01/08/2017) MODEL:GA22P_18 + PRESS:7.4BAR (02/08/2017 - 13/03/2018) PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18) (14/03/2018 - 28/03/2018) PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) (29/03/2018 - ...) PRESS:7.4BAR
3010	0830 1009 96	1	SAFETY VALVE	(01/08/2017 - 13/03/2018) MODEL:GA30_18 + PRESS:9.1BAR (14/03/2018 - 28/03/2018) PRESS:9.1BAR + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) , CAPPRM:CRNASME + MODEL:GA18P_18) (29/03/2018 - ...) PRESS:9.1BAR
3010	0830 1009 98	1	SAFETY VALVE	(02/08/2017 - 13/03/2018) MODEL:GA26P_18 + PRESS:10.8BAR (14/03/2018 - 28/03/2018) PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (29/03/2018 - 29/03/2018) PRESS:10.8BAR (30/03/2018 - ...) PRESS:10.8BAR , PRESS:12.5BAR (01/08/2017 - ...) MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18
4010		1	OIL SEPARATOR	(01/08/2017 - ...) MODEL:GA11P_18 , MODEL:GA15P_18
	 Service kits:	2901 9908 15	OIL SEPARATOR KIT - GA 18+, GA 22+, GA 26+, GA 30	
4010		1	OIL SEPARATOR	
	 Substituted by:	1630 2203 57	SEPARATOR OIL (quantity: 1)	
	 Service kits:	2901 9908 14	OIL SEPARATOR KIT - GA 11+, GA 15+	

Remarks:


7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:12.5BAR - Working pressure:12.5 bar

CAPPRM:CRNASME - Component approval mechanical:CRN
(based on ASME)
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:7.4BAR - Working pressure:7.4 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar



5.1 - Cooler

Ref	Part Number	Qty	Name	Validity
1010	1625 4737 53	1	COOLER ASSEMBLY	(17/10/2018 - ...) MODEL:GA26P_18
	1625 4737 51			(17/10/2018 - ...) MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18
	1625 4737 52			(17/10/2018 - ...) MODEL:GA22P_18
	1625 4737 54			(17/10/2018 - ...) MODEL:GA30_18
1020	0215 0010 13	1	SCREW	(01/08/2017 - 09/04/2018) (19/09/2018 - ...)
1030	1625 4767 83	1	PLATE	(10/04/2018 - ...) MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18
1030	1625 4767 82	1	PLATE	(10/04/2018 - ...) MODEL:GA22P_18
1030	1625 4767 81	1	PLATE	(10/04/2018 - ...) MODEL:GA26P_18
1040	1625 8614 42	1	EARTHING CABLE	(28/02/2020 - ...)

Legend:


MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30

5.2 - Fan (GA 11+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V-575V/60Hz) UL-cUL), (GA 15+ - (230V/50Hz, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL), (GA 18+, GA 26+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V/60Hz) UL-cUL), (GA 22+ - (230V, 460V-60Hz) IEC, 460V-575V/60Hz UL-cUL), GA 30 - (230V, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL

CAPPRE:IEC + FREQ:50HZ + MOVOL:230V , FREQ:60HZ + (MOVOL:460V , (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:IEC + (MOVOL:230V + (MODEL:GA18P_18 , MODEL:GA22P_18) , MOVOL:380V + (MODEL:GA15P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + (MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA18P_18) , MOVOL:575V + (MODEL:GA15P_18 , MODEL:GA22P_18)))



5.2 - Fan (GA 11+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V-575V/60Hz) UL-cUL), (GA 15+ - (230V/50Hz, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL), (GA 18+, GA 26+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V/60Hz) UL-cUL), (GA 22+ - (230V, 460V-60Hz) IEC, 460V-575V/60Hz UL-cUL), GA 30 - (230V, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL

CAPPRE:IEC + FREQ:50HZ + MOVOL:230V , FREQ:60HZ + (MOVOL:460V , (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:IEC + (MOVOL:230V + (MODEL:GA18P_18 , MODEL:GA22P_18) , MOVOL:380V + (MODEL:GA15P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + (MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA18P_18) , MOVOL:575V + (MODEL:GA15P_18 , MODEL:GA22P_18)))

Ref	Part Number	Qty	Name	Validity
1010	1625 4249 01	1	AXIAL FAN	(30/03/2018 - ...) CAPPRE:IEC + MOVOL:230V + (MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:200230460V
1010	1625 4249 00	1	AXIAL FAN	(30/03/2018 - ...) FREQ:60HZ + (MODEL:GA11P_18 , MODEL:GA15P_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
1010	1625 2202 93	1	AXIAL FAN	(30/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + (MODEL:GA11P_18 , MODEL:GA15P_18)
1010	1625 4806 01	1	AXIAL FAN	(30/03/2018 - 16/04/2018) CAPPRE:IEC + MOVOL:230V + (MODEL:GA18P_18 , MODEL:GA22P_18) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:200230460V
1010	1625 4806 00	1	AXIAL FAN	(17/04/2018 - ...) CAPPRE:IEC + MOVOL:230V + ((FREQ:50HZ , FREQ:60HZ) + (MODEL:GA18P_18 , MODEL:GA22P_18) , FREQ:60HZ + (MODEL:GA26P_18 , MODEL:GA30_18)) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:200230460V
1010	1625 4806 02	1	AXIAL FAN	(30/03/2018 - ...) FREQ:60HZ + ((MODEL:GA18P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) , MODEL:GA22P_18 + MOVOL:460V)
1010	1625 4805 05	1	AXIAL FAN	(30/03/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + (MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)
1020	0215 0010 16	4	SCREW	(30/03/2018 - 16/04/2018) CAPPRE:IEC + MOVOL:230V + (MODEL:GA26P_18 , MODEL:GA30_18)
1030	0300 0274 34	2	WASHER	(17/04/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18 , MODEL:GA30_18)
1030	0301 2335 00	2	WASHER	(30/03/2018 - ...)
1040	0291 1110 00	2	LOCKNUT	(30/03/2018 - 03/01/2019)
1050	1625 2200 00	1	DUCT	(04/01/2019 - ...)
1050	1625 4794 82	1	DUCT	(30/03/2018 - ...) (CAPPRE:IEC + FREQ:50HZ + MOVOL:230V , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V))) + (MODEL:GA11P_18 , MODEL:GA15P_18) , FREQ:60HZ + MODEL:GA11P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)
	• 1619-3843-00	AR	SEAL	(30/03/2018 - 03/01/2019) CAPPRE:IEC + MOVOL:230V + (FREQ:50HZ , FREQ:60HZ) + (MODEL:GA18P_18 , MODEL:GA22P_18) , FREQ:60HZ + ((MODEL:GA18P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) , CAPPRE:ULCUL + (MODEL:GA18P_18 + MOVOL:200230460V , MOVOL:575V + (MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)) , MODEL:GA22P_18 + MOVOL:460V)
				(04/01/2019 - ...) CAPPRE:IEC + FREQ:50HZ + MOVOL:230V + (MODEL:GA18P_18 , MODEL:GA22P_18) , FREQ:60HZ + ((MODEL:GA18P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + (MOVOL:230V , MOVOL:380V)) , CAPPRE:ULCUL + (MODEL:GA18P_18 + MOVOL:200230460V , MOVOL:575V + (MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)) , MODEL:GA22P_18 + (MOVOL:460V , CAPPRE:IEC + MOVOL:230V))
				(30/03/2018 - ...) CAPPRE:IEC + MOVOL:230V + (FREQ:50HZ , FREQ:60HZ) + (MODEL:GA18P_18 , MODEL:GA22P_18) , FREQ:60HZ + ((CAPPRE:IEC + (MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MOVOL:460V) + (MODEL:GA18P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:IEC + MODEL:GA22P_18 + MOVOL:460V , CAPPRE:ULCUL + (MODEL:GA18P_18 + MOVOL:200230460V , MOVOL:575V + (MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)))
	Substituted by:	1619 3843 01 - SEAL (quantity: 1)		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:380V - Supply voltage:380 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:575V - Supply voltage:575 V

5.2 - Fan (GA 11+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V-575V/60Hz) UL-cUL), (GA 15+ - (230V/50Hz, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL), (GA 18+, GA 26+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V/60Hz) UL-cUL), (GA 22+ - (230V, 460V-60Hz) IEC, 460V-575V/60Hz UL-cUL), GA 30 - (230V, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL

CAPPRE:IEC + FREQ:50HZ + MOVOL:230V , FREQ:60HZ + (MOVOL:460V , (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:IEC + (MOVOL:230V + (MODEL:GA18P_18 , MODEL:GA22P_18) , MOVOL:380V + (MODEL:GA15P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + (MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA18P_18) , MOVOL:575V + (MODEL:GA15P_18 , MODEL:GA22P_18)))



5.2 - Fan (GA 11+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V-575V/60Hz) UL-cUL), (GA 15+ - (230V/50Hz, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL), (GA 18+, GA 26+ - (230V, 380V-460V/60Hz) IEC, (200-230-460V/60Hz, 460V/60Hz) UL-cUL), (GA 22+ - (230V, 460V-60Hz) IEC, 460V-575V/60Hz UL-cUL), GA 30 - (230V, 380V-460V/60Hz) IEC, 460V-575V/60Hz UL-cUL

CAPPRE:IEC + FREQ:50HZ + MOVOL:230V , FREQ:60HZ + (MOVOL:460V , (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:IEC + (MOVOL:230V + (MODEL:GA18P_18 , MODEL:GA22P_18) , MOVOL:380V + (MODEL:GA15P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + (MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA18P_18) , MOVOL:575V + (MODEL:GA15P_18 , MODEL:GA22P_18)))

Ref	Part Number	Qty	Name	Validity
1050	1625 4752 81	1	DUCT	(30/03/2018 - 03/01/2019) CAPPRE:IEC + MOVOL:230V + (MODEL:GA26P_18 , MODEL:GA30_18) (04/01/2019 - ...) CAPPRE:IEC + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18 , MODEL:GA30_18)
	• ~~1619 3843 00~~	AR	SEAL	
	↻ Substituted by:	1619 3843 01	SEAL (quantity: 1)	
1060	1625 4264 82	1	FAN PROTECTION	(30/03/2018 - ...)
	• 1079 9901 18	1	WARNING LABEL	
1070	0147 1963 08	2	HEXAGON BOLT	(30/03/2018 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:380V - Supply voltage:380 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V

5.3 - Fan GA 15+ - 230V/60Hz IEC, GA 18+ - 575V/60Hz UL-cUL, GA 22+ - 380V/60Hz IEC

FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V)



5.3 - Fan GA 15+ - 230V/60Hz IEC, GA 18+ - 575V/60Hz UL-cUL, GA 22+ - 380V/60Hz IEC

FREQ:60HZ + (CAPPRE:IEC + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V)

Ref	Part Number	Qty	Name	Validity
1010	1625 4806 02	1	AXIAL FAN	(27/03/2018 - ...) CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V
1010	1625 4249 01	1	AXIAL FAN	(27/03/2018 - ...) CAPPRE:IEC + MODEL:GA15P_18 + MOVOL:230V
1010	1625 4806 00	1	AXIAL FAN	(27/03/2018 - ...) CAPPRE:IEC + MODEL:GA22P_18 + MOVOL:380V
1020	0215 0010 16	4	SCREW	(27/03/2018 - ...)
1030	0291 1110 00	2	LOCKNUT	(27/03/2018 - ...)
1050	1625 4794 82	1	DUCT	(27/03/2018 - ...) CAPPRE:IEC + MODEL:GA22P_18 + MOVOL:380V , CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V
	• 1619 3843 00	AR	SEAL	
	↻ Substituted by:	1619 3843 01	SEAL (quantity: 1)	
1050	1625 2200 00	1	DUCT	(27/03/2018 - ...) CAPPRE:IEC + MODEL:GA15P_18 + MOVOL:230V
1060	1625 4264 82	1	FAN PROTECTION	(27/03/2018 - ...)
	• 1079 9901 18	1	WARNING LABEL	
1070	0147 1963 08	2	HEXAGON BOLT	(27/03/2018 - ...)


Legend:

CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
MOVOL:230V - Supply voltage:230 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA18P_18 - Model:GA 18+
MOVOL:380V - Supply voltage:380 V

FREQ:60HZ - Frequency:60 Hz
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 V

5.4 - Fan GA 11+-30 - 400V-400V+N/50Hz IEC, GA 15+, GA 22+, GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL
CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))



5.4 - Fan GA 11+-30 - 400V-400V+N/50Hz IEC, GA 15+, GA 22+, GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL
 CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))

Ref	Part Number	Qty	Name	Validity
1010	1625 4249 00	1	AXIAL FAN	(01/08/2017 - 13/03/2018) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18) (14/03/2018 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (MOVOL:400V , MOVOL:400VN) , MODEL:GA15P_18 + MOVOL:400V) (29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 , MODEL:GA15P_18) + (MOVOL:400V , MOVOL:400VN)
1010	1625 4806 00	1	AXIAL FAN	(01/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN)
1010	1625 4805 00	1	AXIAL FAN	(01/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) (29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:400V , MOVOL:400VN)
1010	1625 4806 01	1	AXIAL FAN	(01/08/2017 - 16/04/2018) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:200230460V (17/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA22P_18 , MODEL:GA26P_18))
1010	1625 4805 05	1	AXIAL FAN	(01/08/2017 - 01/08/2017) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 16/04/2018) CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))
1010	1625 4249 01	1	AXIAL FAN	(02/08/2017 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:200230460V
1020	0215 0010 16	4	SCREW	(10/04/2018 - ...)
1030	0301 2335 00	2	WASHER	(04/01/2019 - ...)
1040	0291 1110 00	2	LOCKNUT	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MODEL:GA30_18 + MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA22P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V) (02/08/2017 - 13/03/2018) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MODEL:GA30_18 + MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (14/03/2018 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN + (MODEL:GA11P_18 , MODEL:GA30_18)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (29/03/2018 - ...)
1050	0147 1963 08	2	HEXAGON BOLT	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MODEL:GA30_18 + MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA22P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V) (02/08/2017 - 13/03/2018) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MODEL:GA30_18 + MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (14/03/2018 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN + (MODEL:GA11P_18 , MODEL:GA30_18)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (29/03/2018 - ...)


Legend:

CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:400VN - Supply voltage:400 V+N

5.4 - Fan GA 11+-30 - 400V-400V+N/50Hz IEC, GA 15+, GA 22+, GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL
 CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))



5.4 - Fan GA 11+-30 - 400V-400V+N/50Hz IEC, GA 15+, GA 22+, GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - (200V/60Hz, 230-460V/60Hz) UL-cUL
 CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))

Ref	Part Number	Qty	Name	Validity
1060	1625 2200 00	1	DUCT	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18) (02/08/2017 - 13/03/2018) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:200230460V (14/03/2018 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (MOVOL:400V , MOVOL:400VN) , MODEL:GA15P_18 + MOVOL:400V) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:200230460V (29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 , MODEL:GA15P_18) + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:200230460V
1060	1625 4794 82	1	DUCT	(02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (MODEL:GA18P_18 , MODEL:GA22P_18) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:200230460V (29/03/2018 - 03/01/2019) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:200230460V (04/01/2019 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA22P_18 , MODEL:GA26P_18)) (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (MODEL:GA18P_18 , MODEL:GA22P_18) (29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA18P_18 , MODEL:GA22P_18) + (MOVOL:400V , MOVOL:400VN)
	• 1619-3843-00	AR	SEAL	
	↻ Substituted by:	1619 3843 01 - SEAL (quantity: 1)		
1060	1625 4752 81	1	DUCT	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V (02/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (29/03/2018 - 03/01/2019) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:400V , MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V)) (04/01/2019 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:400V , MOVOL:400VN) (01/08/2017 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 + MOVOL:400V , MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)) (29/03/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:400V , MOVOL:400VN)
	• 1619-3843-00	AR	SEAL	
	↻ Substituted by:	1619 3843 01 - SEAL (quantity: 1)		
1070	1625 4264 82	1	PROTECTION FAN	(01/08/2017 - 01/08/2017) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MODEL:GA30_18 + MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA22P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V) (02/08/2017 - 13/03/2018) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MODEL:GA30_18 + MOVOL:400VN) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (14/03/2018 - 28/03/2018) CAPPRE:IEC + FREQ:50HZ + (MOVOL:400V , MOVOL:400VN + (MODEL:GA11P_18 , MODEL:GA30_18)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (29/03/2018 - ...)
	• 1079 9901 18	1	WARNING LABEL	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:400VN - Supply voltage:400 V+N

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1010	1625-4735-00	1	INSTRUMENT BLOCK	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:N + MOVOL:400V + PRESS:10BAR , IDRY:Y + (MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR , MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18))) , IDRY:Y + MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V))) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRE:IEC + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + (PRESS:10BAR , MODEL:GA22P_18 + PRESS:7.5BAR)) , CAPPRM:CEAD2000 + PRESS:10BAR + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18))) , CAPPRE:ULCUL + CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + PRESS:9.1BAR , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + (PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + (MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V)))) (29/03/2018 - 20/02/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA30_18 + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)


⚡ Substituted by: 1625 4735 01 - INSTRUMENT BLOCK-MACHINED (quantity: 1)

Legend:

CAPPRE:IEC - Component approval electrical:IEC	CAPPRE:ULCUL - Component approval electrical:UL/cUL	CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:ASME - Component approval mechanical:ASME	CAPPRM:CE - Component approval mechanical:CE	CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)	IDRY:N - Integrated dryer:No	IDRY:Y - Integrated dryer:Yes
MODEL:GA11P_18 - Model:GA 11+	MODEL:GA15P_18 - Model:GA 15+	MODEL:GA18P_18 - Model:GA 18+
MODEL:GA22P_18 - Model:GA 22+	MODEL:GA26P_18 - Model:GA 26+	MODEL:GA30_18 - Model:GA 30
MOVOL:200230460V - Supply voltage:200-230-460 V	MOVOL:200V - Supply voltage:200 V	MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:230V - Supply voltage:230 V	MOVOL:380V - Supply voltage:380 V	MOVOL:400V - Supply voltage:400 V
MOVOL:400VN - Supply voltage:400 V+N	MOVOL:460V - Supply voltage:460 V	MOVOL:575V - Supply voltage:575 V
OEM:AMMANN - OEM:Ammann asphalt	OEM:N - OEM:N	OILTYP:RIF - Oil type:Roto inject fluid oil
OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid	PRESS:10.8BAR - Working pressure:10.8 bar	PRESS:10BAR - Working pressure:10 bar
PRESS:12.5BAR - Working pressure:12.5 bar	PRESS:13BAR - Working pressure:13 bar	PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:7.5BAR - Working pressure:7.5 bar	PRESS:8.5BAR - Working pressure:8.5 bar	PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1010	1625 4735 02	1	INSTRUMENT BLOCK	(21/02/2019 - 22/07/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 , CAPPRM:CRNASME + MODEL:GA30_18 + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (23/07/2019 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
OEM:AMMANN - OEM:Ammann asphalt
OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
IDRY:N - Integrated dryer:No
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
OEM:N - OEM:N
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
IDRY:Y - Integrated dryer:Yes
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
OILTYP:RIF - Oil type:Roto inject fluid oil
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1020	0663 2116 84	2	O-RING	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:N + MOVOL:400V + PRESS:10BAR , IDRY:Y + (MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR , MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18))) , IDRY:Y + MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V))) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRE:IEC + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + (PRESS:10BAR , MODEL:GA22P_18 + PRESS:7.5BAR)) , CAPPRM:CEAD2000 + PRESS:10BAR + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18))) , CAPPRE:ULCUL + CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + PRESS:9.1BAR , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + (PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + (MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V)))) (29/03/2018 - 22/07/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA30_18 + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (23/07/2019 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Ammann asphalt
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1030	0663 2116 85	1	O-RING	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:N + MOVOL:400V + PRESS:10BAR , IDRY:Y + (MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR , MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18))) , IDRY:Y + MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V))) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRE:IEC + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + (PRESS:10BAR , MODEL:GA22P_18 + PRESS:7.5BAR)) , CAPPRM:CEAD2000 + PRESS:10BAR + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18))) , CAPPRE:ULCUL + CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + PRESS:9.1BAR , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + (PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + (MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V)))) (29/03/2018 - 22/07/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA30_18 + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (23/07/2019 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Ammann asphalt
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1040	0663 2116 86	1	O-RING	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:N + MOVOL:400V + PRESS:10BAR , IDRY:Y + (MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR , MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18))) , IDRY:Y + MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V))) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRE:IEC + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + (PRESS:10BAR , MODEL:GA22P_18 + PRESS:7.5BAR)) , CAPPRM:CEAD2000 + PRESS:10BAR + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18))) , CAPPRE:ULCUL + CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + PRESS:9.1BAR , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + (PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + (MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V)))) (29/03/2018 - 22/07/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA30_18 + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (23/07/2019 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Ammann asphalt
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1050	0211 1371 03	4	SCREW	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:N + MOVOL:400V + PRESS:10BAR , IDRY:Y + (MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR , MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18))) , IDRY:Y + MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V))) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRE:IEC + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + (PRESS:10BAR , MODEL:GA22P_18 + PRESS:7.5BAR)) , CAPPRM:CEAD2000 + PRESS:10BAR + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18))) , CAPPRE:ULCUL + CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + PRESS:9.1BAR , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + (PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + (MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V)))))) (29/03/2018 - 22/07/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA30_18 + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (23/07/2019 - 17/08/2021) (18/08/2021 - ...)
1050	0211 1963 15	4	SCREW	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Ammann asphalt
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1060		1	O-RING	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:N + MOVOL:400V + PRESS:10BAR , IDRY:Y + (MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR , MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18))) , IDRY:Y + MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V))) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRE:IEC + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + (PRESS:10BAR , MODEL:GA22P_18 + PRESS:7.5BAR)) , CAPPRM:CEAD2000 + PRESS:10BAR + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18))) , CAPPRE:ULCUL + CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + PRESS:9.1BAR , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + (PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + (MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V)))) (29/03/2018 - 18/02/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA30_18 + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)
 Service kits:		2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Ammann asphalt
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1060	0663 7132 00	1	O-RING	(19/02/2019 - 22/07/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 , CAPPRM:CRNASME + MODEL:GA30_18 + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (23/07/2019 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Ammann asphalt
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1070	1614 6118 00	1	THERMOSTAT FLANGE	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:N + MOVOL:400V + PRESS:10BAR , IDRY:Y + (MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR , MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18))) , IDRY:Y + MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V))) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRE:IEC + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + (PRESS:10BAR , MODEL:GA22P_18 + PRESS:7.5BAR)) , CAPPRM:CEAD2000 + PRESS:10BAR + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18))) , CAPPRE:ULCUL + CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + PRESS:9.1BAR , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + (PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + (MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V)))) (29/03/2018 - 20/02/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA30_18 + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Ammann asphalt
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1070	1625 4602 10	1	THERMOSTAT FLANGE	(21/02/2019 - 22/07/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 , CAPPRM:CRNASME + MODEL:GA30_18 + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (23/07/2019 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
OEM:AMMANN - OEM:Ammann asphalt
OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
IDRY:N - Integrated dryer:No
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
OEM:N - OEM:N
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
IDRY:Y - Integrated dryer:Yes
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
OILTYP:RIF - Oil type:Roto inject fluid oil
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1080	0147 1246 03	2	HEXAGON BOLT	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:N + MOVOL:400V + PRESS:10BAR , IDRY:Y + (MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR , MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18))) , IDRY:Y + MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V))) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRE:IEC + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + (PRESS:10BAR , MODEL:GA22P_18 + PRESS:7.5BAR)) , CAPPRM:CEAD2000 + PRESS:10BAR + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18))) , CAPPRE:ULCUL + CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + PRESS:9.1BAR , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + (PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + (MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V)))) (29/03/2018 - 22/07/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA30_18 + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (23/07/2019 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Ammann asphalt
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1090	0686 3718 15	1	PLUG	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:N + MOVOL:400V + PRESS:10BAR , IDRY:Y + (MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR , MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18))) , IDRY:Y + MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V))) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRE:IEC + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + (PRESS:10BAR , MODEL:GA22P_18 + PRESS:7.5BAR)) , CAPPRM:CEAD2000 + PRESS:10BAR + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18))) , CAPPRE:ULCUL + CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + PRESS:9.1BAR , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + (PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + (MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V)))) (29/03/2018 - 22/07/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA30_18 + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (23/07/2019 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Ammann asphalt
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1100	1625 4260 00	1	NIPPLE	(01/08/2017 - 01/08/2017) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + MODEL:GA22P_18 + MOVOL:200230460V + PRESS:7.4BAR , MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR)) (02/08/2017 - 13/03/2018) OEM:N + (CAPPRE:IEC + CAPPRM:CE + (IDRY:N + MOVOL:400V + PRESS:10BAR , IDRY:Y + (MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR)) , CAPPRE:ULCUL + CAPPRM:ASME + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + PRESS:9.1BAR , MOVOL:200230460V + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18))) , IDRY:Y + MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V))) (14/03/2018 - 28/03/2018) OEM:N + (CAPPRE:IEC + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + (PRESS:10BAR , MODEL:GA22P_18 + PRESS:7.5BAR)) , CAPPRM:CEAD2000 + PRESS:10BAR + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18))) , CAPPRE:ULCUL + CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + PRESS:9.1BAR , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + (PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + (MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V)))) (29/03/2018 - 22/07/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA30_18 + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (23/07/2019 - ...) (01/08/2017 - ...) OILTYP:RIF
1110	 Service kits:	1	OIL FILTER	
		2901 9908 16	AIR FILTER KIT - ROTO-INJECT FLUID	
1110	 Service kits:	1	OIL FILTER	(01/08/2017 - ...) OILTYP:RXD
		2901 9908 17	AIR FILTER KIT - ROTO-XTEND DUTY FLUID	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Ammann asphalt
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1120	1629 0333 00	1	DECAL ROTO-INJECT NDURANCE	(16/04/2018 - 10/03/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , CAPPRM:CE + ((MOVOL:230V , IDRY:Y + MOVOL:400VN) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MOVOL:400V + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)))
1120	1629 0334 00	1	DECAL ROTO-XTEND DUTY FLUID	(16/04/2018 - 22/07/2019) CAPPRE:ULCUL + OEM:N + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + (CAPPRM:ASME + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (23/07/2019 - ...) CAPPRE:ULCUL + OEM:N + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)
1120	1629 0336 00	1	DECAL RS ULTRA	(11/03/2019 - ...) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , CAPPRM:CE + ((MOVOL:230V , IDRY:Y + MOVOL:400VN) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MOVOL:400V + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
OEM:AMMANN - OEM:Ammann asphalt
OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
IDRY:N - Integrated dryer:No
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
OEM:N - OEM:N
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
IDRY:Y - Integrated dryer:Yes
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
OILTYP:RIF - Oil type:Roto inject fluid oil
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
1130	0301 2321 00	2	WASHER	(26/03/2018 - 28/03/2018) OEM:N + (CAPPRE:IEC + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA26P_18 + PRESS:13BAR) , IDRY:Y + (PRESS:10BAR , MODEL:GA22P_18 + PRESS:7.5BAR)) , CAPPRM:CEAD2000 + PRESS:10BAR + (IDRY:N + (MODEL:GA11P_18 , MODEL:GA18P_18) , IDRY:Y + MODEL:GA26P_18))) , CAPPRE:ULCUL + CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + MOVOL:575V + PRESS:9.1BAR , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + PRESS:9.1BAR + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + MOVOL:380V) , CAPPRE:ULCUL + (IDRY:N + (MODEL:GA30_18 + MOVOL:230_460_V + (PRESS:7.4BAR , PRESS:9.1BAR) , MOVOL:200230460V + (MODEL:GA15P_18 + PRESS:7.4BAR , MODEL:GA22P_18 + (PRESS:10.8BAR , PRESS:7.4BAR) , MODEL:GA26P_18 + PRESS:10.8BAR)) , IDRY:Y + (MODEL:GA15P_18 + MOVOL:200230460V + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR + (MOVOL:200V , MOVOL:230_460_V)))))) (29/03/2018 - 22/07/2019) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CRNASME + MODEL:GA30_18 + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (23/07/2019 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Ammann asphalt
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



6 - Liquid filtration

CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:IEC + CAPPRM:ASME + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + ((CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA30_18 + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + MOVOL:575V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)


Ref	Part Number	Qty	Name	Validity
2010		1	THERMOSTATIC VALVE 71#C	(01/08/2017 - 13/03/2018) CAPPRE:IEC + CAPPRM:CE + OEM:N + (IDRY:Y + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR + (IDRY:N , IDRY:Y)) (14/03/2018 - 28/03/2018) CAPPRE:IEC + OEM:N + (CAPPRM:CE + IDRY:Y + MOVOL:400VN + PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA30_18) , MOVOL:400V + (CAPPRM:CE + (IDRY:N + MODEL:GA15P_18 + PRESS:8.5BAR , IDRY:Y + MODEL:GA22P_18 + PRESS:7.5BAR) , PRESS:10BAR + (IDRY:N + (CAPPRM:CE , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18)) , IDRY:Y + (CAPPRM:CE , CAPPRM:CEAD2000 + MODEL:GA26P_18)))) (29/03/2018 - 16/04/2018) CAPPRE:IEC + (CAPPRM:CE + MOVOL:400V + OEM:AMMANN + PRESS:10BAR , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR)) (17/04/2018 - 24/04/2021) CAPPRE:IEC + (OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , OEM:N + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) (25/04/2021 - ...) CAPPRE:IEC + OEM:AMMANN + (CAPPRM:ASME + MOVOL:380V + PRESS:10.8BAR , CAPPRM:CE + MOVOL:400V + PRESS:10BAR) , OEM:N + ((CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , CAPPRE:IEC + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (PRESS:10.8BAR , PRESS:7.4BAR) , CAPPRM:CRNASME + PRESS:9.1BAR) + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + ((IDRY:N , IDRY:Y) + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , IDRY:Y + MODEL:GA11P_18)) , (CAPPRM:ASME + (PRESS:12.5BAR , PRESS:9.1BAR) , CAPPRM:CRNASME + PRESS:12.5BAR) + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:ASME + IDRY:N + MODEL:GA11P_18 + MOVOL:200230460V + (PRESS:10.8BAR , PRESS:7.4BAR)))
 Service kits:		2901 2006 53 - MINIMUM PRESSURE VALVE/THERMOSTATIC VALVE KIT		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:AMMANN - OEM:Ammann asphalt
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OEM:N - OEM:N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar



7 - Condensate drain Pack


IDRY:N

Atlas Copco

Ref	Part Number	Qty	Name	Validity
1020	1625 8614 13	1	LD200 DRAIN	(03/08/2018 - ...)
	• 2902 0161 03	1	LD DRAIN 8000H MAINTENANCE KIT	
	⚙ Substituted by: 2200 9020 17 - KIT WEAR DRAIN (quantity: 1)			
1030	0581 0000 43	2	BULKHEAD	(29/05/2018 - 17/03/2019)
1030	0570 7017 28	2	BULKHEAD	(18/03/2019 - ...)
1040	0583 8100 66	1	FITTING	(21/08/2018 - ...)
1050	0583 8100 76	2	COUPLING	(29/05/2018 - ...)
1060	0070 6002 68	AR	TUBE	(01/08/2017 - ...)
	⚙ Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)			
1070	0070 6002 03	AR	TUBE	(01/08/2017 - ...)
1080	0147 1963 08	1	HEXAGON BOLT	(29/05/2018 - ...)

Legend:

IDRY:N - Integrated dryer:No



8 - Condensate drain Full-Feature

IDRY:Y


Atlas Copco

Ref	Part Number	Qty	Name	Validity
1020	1625 8614 13	1	LD200 DRAIN	(03/08/2017 - ...)
	• 2902 0161 03	1	LD DRAIN 8000H MAINTENANCE KIT	
	⚙ Substituted by:	2200 9020 17	- KIT WEAR DRAIN (quantity: 1)	
1030	0581 0000 43	4	BULKHEAD	(29/05/2018 - 17/03/2019)
1030	0570 7017 28	4	BULKHEAD	(18/03/2019 - ...)
1040	0583 8100 66	2	FITTING	(29/05/2018 - ...)
1050	0583 8100 76	4	COUPLING	(29/05/2018 - ...)
1060	0070 6002 68	AR	TUBE 4X6	(01/08/2017 - ...)
	⚙ Substituted by:	0070 7250 04	- TUBE ID4 OD6 BLACK (quantity: 1)	
1070	0070 6002 03	AR	TUBE 6X8	(01/08/2017 - ...)
1080	1627 1512 87	1	LD200 DRAIN	(01/08/2017 - 28/02/2019)
	• 2902 0161 03	1	LD DRAIN 8000H MAINTENANCE KIT	
	⚙ Substituted by:	2200 9020 17	- KIT WEAR DRAIN (quantity: 1)	
1090	0147 1963 08	1	HEXAGON BOLT	(01/03/2019 - ...)
1090	0147 1963 08	2	HEXAGON BOLT	(29/05/2018 - 28/02/2019)


Legend:

IDRY:Y - Integrated dryer:Yes

To Pressure sensor on Cubicle




Ref	Part Number	Qty	Name	Validity
1010	0580 0017 37	1	NIPPLE	(12/03/2018 - ...)
1020	1625 2202 51	1	HOSE	(13/04/2018 - ...)
2010	0580 0017 36	1	NIPPLE	(12/03/2018 - ...)
2020	1625 2202 48	1	HOSE	(13/04/2018 - ...)
2050	1625 2202 48	1	HOSE	(13/04/2018 - ...)
2060	0580 0017 36	1	NIPPLE	(12/03/2018 - ...)
3010	0663 7134 00	1	O-RING	(12/03/2018 - ...)
3020	1625 2201 20	1	FLEXIBLE	(12/03/2018 - 16/11/2020)
	🔄 Substituted by: 1625 2202 20 - HOSE ASSEMBLY (ELEMENT-VESSEL) (quantity: 1)			
3030	0211 1957 59	2	SCREW	(12/03/2018 - ...)
3040	0663 7134 00	1	O-RING	(12/03/2018 - ...)
3050	0211 1957 59	2	SCREW	(12/03/2018 - ...)
4010	0583 8121 00	1	ELBOW	(12/03/2018 - 19/08/2019) (29/11/2019 - ...)
	🔄 Substituted by: 0583 8121 58 - ELBOW G1/4 X 6 (quantity: 1)			
4020	0070 6002 68	AR	TUBE 4X6	(12/03/2018 - ...)
	🔄 Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)			
4030	0583 8121 39	1	ELBOW	(12/03/2018 - ...)
4040		1	NON RETURN VALVE	(12/03/2018 - ...)
	🧰 Service kits: 2901 9908 18 - NON RETURN VALVE KIT			
4050		1	O-RING	(12/03/2018 - ...)
	🧰 Service kits: 2901 9908 18 - NON RETURN VALVE KIT			
4060	1625 2203 43	1	NIPPLE	(08/06/2018 - ...)
4070		1	O-RING	(08/06/2018 - ...)
	🧰 Service kits: 2901 9908 18 - NON RETURN VALVE KIT			
5010	0580 0017 37	1	NIPPLE	(12/03/2018 - ...)
5020	1625 4821 00	1	PIPE	(12/03/2018 - 08/07/2018) (21/08/2018 - 28/02/2019)
5020	1625 8614 37	1	PIPE	(01/03/2019 - ...)
5030	0580 0017 37	1	NIPPLE	(12/03/2018 - ...)
5040	1625 4820 00	1	BUSHING	(12/03/2018 - ...)
5050	0697 9809 25	1	NUT	(12/03/2018 - ...)
5060	0583 8160 58	1	COUPLING	(25/10/2018 - ...)
5070	0070 6002 68	AR	TUBE 4X6	(12/03/2018 - ...)
	🔄 Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)			
5090	0070 6002 68	AR	TUBE 4X6	(29/05/2018 - ...)
	🔄 Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)			
5100	0583 8100 71	1	PIPE FITTING	(29/05/2018 - ...)
5110	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - 16/04/2020)
6010	0580 0017 36	1	NIPPLE	(12/03/2018 - ...)
6020	0580 2501 79	1	ELBOW	(12/03/2018 - 30/04/2019)
6030	1625 2202 43	1	HOSE	(28/05/2018 - 30/04/2019)
6030	1625 2202 57	1	HOSE	(01/05/2019 - ...)
6050	0580 0018 55	1	NIPPLE	(12/03/2018 - ...)
7010	0583 8121 31	1	ELBOW	(12/03/2018 - ...)
7020	0070 6002 74	10	TUBE 8X10	(12/03/2018 - ...)
7030	0583 8100 68	1	PIPE FITTING	(08/06/2018 - ...)



Ref	Part Number	Qty	Name	Validity
1010	0580 0017 37	1	NIPPLE	(12/03/2018 - ...)
1020	1625 2202 51	1	HOSE	(13/04/2018 - ...)
2010	0580 0017 36	1	NIPPLE	(12/03/2018 - ...)
2020	1625 2202 48	1	HOSE	(13/04/2018 - ...)
2050	1625 2202 48	1	HOSE	(13/04/2018 - ...)
2060	0580 0017 36	1	NIPPLE	(12/03/2018 - ...)
3010	0663 7134 00	1	O-RING	(12/03/2018 - ...)
3020	1625 2202 20	1	FLEXIBLE	(17/11/2020 - ...)
3030	0211 1957 59	2	SCREW	(12/03/2018 - ...)
3040	0663 7134 00	1	O-RING	(12/03/2018 - ...)
3050	0211 1957 59	2	SCREW	(12/03/2018 - ...)
4010	0583 8121 00	1	ELBOW	(12/03/2018 - 19/08/2019) (29/11/2019 - ...)
	🔄 Substituted by: 0583 8121 58 - ELBOW G1/4 X 6 (quantity: 1)			
4020	0070 6002 68	AR	TUBE 4X6	(12/03/2018 - ...)
	🔄 Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)			
4030	0583 8121 39	1	ELBOW	(12/03/2018 - ...)
4040		1	NON RETURN VALVE	(12/03/2018 - ...)
	🧰 Service kits: 2901 9908 18 - NON RETURN VALVE KIT			
4050		1	O-RING	(12/03/2018 - ...)
	🧰 Service kits: 2901 9908 18 - NON RETURN VALVE KIT			
4060	1625 2203 43	1	NIPPLE	(08/06/2018 - ...)
4070		1	O-RING	(08/06/2018 - ...)
	🧰 Service kits: 2901 9908 18 - NON RETURN VALVE KIT			
5010	0580 0017 37	1	NIPPLE	(12/03/2018 - ...)
5020	1625 8614 37	1	PIPE	(01/03/2019 - ...)
5030	0580 0017 37	1	NIPPLE	(12/03/2018 - ...)
5040	1625 4820 00	1	BUSHING	(12/03/2018 - ...)
5050	0697 9809 25	1	NUT	(12/03/2018 - ...)
5060	0583 8160 58	1	COUPLING	(25/10/2018 - ...)
5070	0070 6002 68	AR	TUBE 4X6	(12/03/2018 - ...)
	🔄 Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)			
5090	0070 6002 68	AR	TUBE 4X6	(29/05/2018 - ...)
	🔄 Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)			
5100	0583 8100 71	1	PIPE FITTING	(29/05/2018 - ...)
5110	0070 7250 05	AR	TUBE 12X14	(17/04/2020 - ...)
6010	0580 0017 36	1	NIPPLE	(12/03/2018 - ...)
6030	1625 2202 57	1	HOSE	(01/05/2019 - ...)
6050	0580 0018 55	1	NIPPLE	(12/03/2018 - ...)
7010	0583 8121 31	1	ELBOW	(12/03/2018 - ...)
7020	0070 6002 74	AR	TUBE 8X10	(12/03/2018 - ...)
7030	0583 8100 68	1	PIPE FITTING	(08/06/2018 - ...)

11 - Fluid transport - Air dryer ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))



11 - Fluid transport - Air dryer ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))

Ref	Part Number	Qty	Name	Validity
1010	0580 0018 33	1	NIPPLE	(12/03/2018 - 13/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA15P_18) (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR) (29/03/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
1020	1625 2202 55	1	HOSE	(08/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
1030	0580 0018 33	1	NIPPLE	(12/03/2018 - 13/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA15P_18) (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR) (29/03/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
1050	0583 8100 71	1	PIPE FITTING	(29/05/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
1060	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - 16/04/2020)
1060	0070 7250 05	AR	TUBE 10X12	(17/04/2020 - ...)
1070	0583 8120 73	1	ELBOW	(29/05/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
1080	0070-6002-68	AR	TUBE 4X6	(29/05/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
	 Substituted by:	0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)		
2010	1625 4288 00	1	NIPPLE	(11/07/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
	0663 3130 00	1	O-RING	(18/10/2018 - ...)
2030	1625 8614 08	1	OUTLET PIPE	(11/07/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - 20/10/2019)
2030	1625 8614 36	1	PIPE	(21/10/2019 - ...)
2050	0583 8120 73	1	ELBOW	(12/03/2018 - 13/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA15P_18) (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR) (29/03/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)

Legend:


IDRY:Y - Integrated dryer:Yes
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA11P_18 - Model:GA 11+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA15P_18 - Model:GA 15+
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

11 - Fluid transport - Air dryer ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))



11 - Fluid transport - Air dryer ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))

Ref	Part Number	Qty	Name	Validity
2060	0070 6002 68	AR	TUBE 4X6	(12/03/2018 - 13/03/2018) PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA15P_18) (14/03/2018 - 28/03/2018) MODEL:GA11P_18 + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR) (29/03/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...)
 Substituted by:		0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)		

Legend:


IDRY:Y - Integrated dryer:Yes
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA11P_18 - Model:GA 11+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA15P_18 - Model:GA 15+
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

12 - Fluid transport - Air dryer ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:8BAR, PRESS:8.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18))



12 - Fluid transport - Air dryer ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))



IDRY:Y + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:8BAR, PRESS:8.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18))

Ref	Part Number	Qty	Name	Validity
1010	0580 0017 37	1	NIPPLE	(12/03/2018 - 13/03/2018) MODEL:GA30_18 + (PRESS:7.5BAR, PRESS:9.1BAR), PRESS:10BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) (14/03/2018 - 28/03/2018) (MODEL:GA22P_18, MODEL:GA30_18) + (PRESS:10BAR, PRESS:7.5BAR), MODEL:GA30_18 + PRESS:9.1BAR, PRESS:10BAR + (MODEL:GA18P_18, MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)
1020	1625 2202 52	1	HOSE	(13/04/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)
1030	0580 0017 37	1	NIPPLE	(12/03/2018 - 13/03/2018) MODEL:GA30_18 + (PRESS:7.5BAR, PRESS:9.1BAR), PRESS:10BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) (14/03/2018 - 28/03/2018) (MODEL:GA22P_18, MODEL:GA30_18) + (PRESS:10BAR, PRESS:7.5BAR), MODEL:GA30_18 + PRESS:9.1BAR, PRESS:10BAR + (MODEL:GA18P_18, MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)
1040	0583 8100 71	1	PIPE FITTING	(29/05/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)

Legend:


IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

12 - Fluid transport - Air dryer ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:8BAR, PRESS:8.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18))



12 - Fluid transport - Air dryer ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))



IDRY:Y + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:8BAR, PRESS:8.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18))

Ref	Part Number	Qty	Name	Validity
1050	0070 6002 69	AR	TUBE 12X14	(29/05/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - 16/04/2020) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)
1050	0070 7250 05	AR	TUBE 10X12	(17/04/2020 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)
1060	0583 8120 73	1	ELBOW	(29/05/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)
1070	0070 6002 68	AR	TUBE 4X6	(29/05/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)
⚡ Substituted by:		0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)		
2010	0663 3130 00	1	O-RING	(12/03/2018 - 13/03/2018) MODEL:GA30_18 + (PRESS:7.5BAR, PRESS:9.1BAR), PRESS:10BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) (14/03/2018 - 28/03/2018) (MODEL:GA22P_18, MODEL:GA30_18) + (PRESS:10BAR, PRESS:7.5BAR), MODEL:GA30_18 + PRESS:9.1BAR, PRESS:10BAR + (MODEL:GA18P_18, MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR)

Legend:


IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

12 - Fluid transport - Air dryer ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:10BAR, PRESS:12.5BAR, PRESS:13BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:10BAR, PRESS:7.4BAR, PRESS:7.5BAR, PRESS:8.5BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:8BAR, PRESS:8.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA30_18))



12 - Fluid transport - Air dryer ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))



IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))

Ref	Part Number	Qty	Name	Validity
2020	1625 4819 00	1	BUSHING	(12/03/2018 - 13/03/2018) MODEL:GA30_18 + (PRESS:7.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) (14/03/2018 - 28/03/2018) (MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (12/03/2018 - 13/03/2018) MODEL:GA30_18 + (PRESS:7.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) (14/03/2018 - 28/03/2018) (MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)
2030	0070 6002 68	AR	TUBE 4X6	(12/03/2018 - 13/03/2018) MODEL:GA30_18 + (PRESS:7.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) (14/03/2018 - 28/03/2018) (MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:10BAR , PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA26P_18) (29/03/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)
Substituted by: 0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)				

Legend:


IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

13 - Loose parts Pack

IDRY:N + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:9.1BAR , MODEL:GA26P_18
+ PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))



13 - Loose parts Pack

IDRY:N + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:9.1BAR , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))

Ref	Part Number	Qty	Name	Validity
1010	0852 0011 02	1	BALL VALVE	(11/07/2018 - ...)
1020	0852 0010 55	1	BALL VALVE	(11/07/2018 - ...)
1030	1625 2201 19	1	PLATE COVER	(11/07/2018 - ...)
1040	0211 1246 03	4	SCREW	(10/04/2018 - ...)
1050	0989 3700 47	1	LOCKNUT	(11/07/2018 - ...)
1060	0698 5140 76	1	CABLE GLAND	(11/07/2018 - ...)
1070	0698 5148 70	1	SEAL	(11/07/2018 - ...)
1080	1089 9154 02	1	KEY	(11/07/2018 - ...)
1090	1089 9068 01	1	KEY	(11/07/2018 - ...)

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:


IDRY:N - Integrated dryer:No
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:8BAR - Working pressure:8 bar

14 - Loose parts Full-Feature - ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))



14 - Loose parts Full-Feature - ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))



Ref	Part Number	Qty	Name	Validity
1010	1619 6153 06	1	BALL VALVE	(21/08/2018 - ...)
1020	0852 0010 55	2	BALL VALVE	(21/08/2018 - ...)
1030	1625 2201 19	1	PLATE COVER	(21/08/2018 - ...)
1040	0211 1246 03	4	SCREW	(21/08/2018 - ...)
1050	0989 3700 47	1	LOCKNUT	(21/08/2018 - ...)
1060	0698 5140 76	1	CABLE GLAND	(21/08/2018 - ...)
1070	0698 5148 70	1	SEAL	(21/08/2018 - ...)
1080	1089 9154 02	1	KEY	(21/08/2018 - ...)
1090	1089 9068 01	1	KEY	(21/08/2018 - ...)

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:


IDRY:Y - Integrated dryer:Yes
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA11P_18 - Model:GA 11+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA15P_18 - Model:GA 15+
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

15 - Loose parts Full-Feature - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))



15 - Loose parts Full-Feature - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))

Ref	Part Number	Qty	Name	Validity
1010	0852 0011 02	1	BALL VALVE	(21/08/2018 - ...)
1020	0852 0010 55	2	BALL VALVE	(21/08/2018 - ...)
1030	1625 2201 19	1	PLATE COVER	(21/08/2018 - ...)
1040	0211 1246 03	4	SCREW	(21/08/2018 - ...)
1050	0989 3700 47	1	LOCKNUT	(21/08/2018 - ...)
1060	0698 5140 76	1	CABLE GLAND	(21/08/2018 - ...)
1070	0698 5148 70	1	SEAL	(21/08/2018 - ...)
1080	1089 9154 02	1	KEY	(21/08/2018 - ...)
1090	1089 9068 01	1	KEY	(21/08/2018 - ...)

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:


IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:8BAR - Working pressure:8 bar

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

16.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



16.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1010	-	1	AIR DRYER	(10/06/2018 - ...)
1020	0147 1963 08	3	HEXAGON BOLT	(01/08/2017 - 26/03/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:400V + PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA15P_18) (27/03/2018 - 28/03/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + (MODEL:GA11P_18 + MOVOL:400VN + PRESS:7.5BAR , MOVOL:400V + PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA15P_18)) (29/03/2018 - 09/06/2018) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) (10/06/2018 - 20/08/2018) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 18/09/2018) CAPPRE:IEC + FREQ:50HZ + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (19/09/2018 - 22/07/2019) CAPPRE:ULCUL + FREQ:60HZ + (CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + MOVOL:575V) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (23/07/2019 - ...) CAPPRE:ULCUL + FREQ:60HZ + (CAPPRM:ASME + (MOVOL:200230460V , MOVOL:460V) , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (19/09/2018 - ...) CAPPRE:IEC + (CAPPRM:ASME + FREQ:60HZ + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , FREQ:50HZ + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR))
1020	0147 1963 08	2	HEXAGON BOLT	(19/09/2018 - ...) CAPPRE:IEC + (CAPPRM:ASME + FREQ:60HZ + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , FREQ:50HZ + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

16.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



16.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1030	1089 9610 31	1	TRANSFORMER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRM:ASME + FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , CAPPRM:ASME + FREQ:60HZ + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
1030	1089 9610 43	1	TRANSFORMER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (21/08/2018 - 04/03/2019) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (05/03/2019 - 22/07/2019) FREQ:60HZ + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (23/07/2019 - ...) FREQ:60HZ + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:CRNASME + MOVOL:575V , MOVOL:200230460V + (CAPPRM:ASME , CAPPRM:CRNASME))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
FREQ:50HZ - Frequency:50 Hz
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

16.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



16.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1040	0226 0305 00	4	SCREW	(10/06/2018 - 20/08/2018) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + MOVOL:230V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 18/09/2018) CAPPRE:IEC + FREQ:50HZ + (CAPPRM:CE + MOVOL:230V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)
1040	0211 1246 03	2	SCREW	(05/03/2019 - 22/07/2019) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (23/07/2019 - ...) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
FREQ:50HZ - Frequency:50 Hz
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

16.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



16.1 - Assembly ID 40

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1050	1625 2201 25	1	TRAFO COVER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + MOVOL:230V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 04/03/2019) CAPPRE:IEC + FREQ:50HZ + (CAPPRM:CE + MOVOL:230V , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (05/03/2019 - 22/07/2019) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (23/07/2019 - ...) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)
1060	0211 1246 03	2	SCREW	(05/03/2019 - 22/07/2019) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (23/07/2019 - ...) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

16.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + PRESS:10BAR, PRESS:13BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18))) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), FREQ:60HZ + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V)))



16.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)))

Ref	Part Number	Qty	Name	Validity
1010	-	1	AIR DRYER	(10/06/2018 - ...)
1020	0147 1963 08	4	HEXAGON BOLT	(29/05/2018 - 09/06/2018) CAPPRE:IEC + FREQ:50HZ + MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (10/06/2018 - 20/08/2018) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)))) (21/08/2018 - 22/07/2019) CAPPRE:IEC + FREQ:50HZ + ((CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA15P_18 + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + (PRESS:10BAR , PRESS:13BAR)) , (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , PRESS:10.8BAR + (MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (23/07/2019 - ...) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
FREQ:50HZ - Frequency:50 Hz
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

16.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)))



16.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)))

Ref	Part Number	Qty	Name	Validity
1030	1089 9610 42	1	TRANSFORMER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + MOVOL:230V + (CAPPRM:ASME + FREQ:60HZ + MODEL:GA30_18 + PRESS:12.5BAR , CAPPRM:CE + FREQ:50HZ + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18))) , FREQ:60HZ + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)) , CAPPRE:ULCUL + MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRM:ASME + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) (21/08/2018 - 04/03/2019) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (05/03/2019 - 22/07/2019) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (23/07/2019 - ...) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V))) (05/03/2019 - 22/07/2019) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (23/07/2019 - ...) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)))
1040	0211 1246 03	2	SCREW	(05/03/2019 - 22/07/2019) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (23/07/2019 - ...) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

16.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)))



16.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)))

Ref	Part Number	Qty	Name	Validity
1050	1625 2201 25	1	TRAFO COVER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + MOVOL:230V + (CAPPRM:ASME + FREQ:60HZ + MODEL:GA30_18 + PRESS:12.5BAR , CAPPRM:CE + FREQ:50HZ + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18))) , FREQ:60HZ + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)) , CAPPRE:ULCUL + MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRM:ASME + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) (21/08/2018 - 04/03/2019) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (05/03/2019 - 22/07/2019) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (23/07/2019 - ...) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

16.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)))



16.2 - Assembly ID 73

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)))

Ref	Part Number	Qty	Name	Validity
1060	0147 1963 08	2	HEXAGON BOLT	(10/06/2018 - 20/08/2018) CAPPRE:IEC + MOVOL:230V + (CAPPRM:ASME + FREQ:60HZ + MODEL:GA30_18 + PRESS:12.5BAR , CAPPRM:CE + FREQ:50HZ + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18))) , FREQ:60HZ + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)) , CAPPRE:ULCUL + MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRM:ASME + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) (21/08/2018 - 18/09/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V))
1060	0211 1246 03	2	SCREW	(05/03/2019 - 22/07/2019) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (23/07/2019 - ...) FREQ:60HZ + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

16.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR))) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))



16.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))

Ref	Part Number	Qty	Name	Validity
1010	-	1	AIR DRYER	(10/06/2018 - ...)
1020	0147 1963 08	4	HEXAGON BOLT	(29/05/2018 - 09/06/2018) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , CAPPRE:ULCUL + CAPPRM:ASME + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (10/06/2018 - 20/08/2018) CAPPRE:IEC + FREQ:50HZ + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 22/07/2019) CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MOVOL:460V)) , CAPPRE:ULCUL + CAPPRM:ASME + (MODEL:GA26P_18 + MOVOL:200230460V + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))) (23/07/2019 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

16.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR))) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))



16.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR))) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRE:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))

Ref	Part Number	Qty	Name	Validity
1030	1089 9610 42	1	TRANSFORMER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 04/03/2019) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (05/03/2019 - 22/07/2019) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (23/07/2019 - ...) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

16.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR))) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))



16.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))

Ref	Part Number	Qty	Name	Validity
1040	0226 0305 00	4	SCREW	(10/06/2018 - 20/08/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 18/09/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))
1040	0211 1246 03	2	SCREW	(05/03/2019 - 22/07/2019) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (23/07/2019 - ...) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

16.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR))) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))



16.3 - Assembly ID 96

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))

Ref	Part Number	Qty	Name	Validity
1050	1625 2201 25	1	TRAFO COVER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 04/03/2019) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + (MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (05/03/2019 - 22/07/2019) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (23/07/2019 - ...) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))
1060	0211 1246 03	2	SCREW	(05/03/2019 - 22/07/2019) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (23/07/2019 - ...) FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V))) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V , CAPPRE:ULCUL + ((CAPPRM:ASME , CAPPRM:CRNASME) + (MOVOL:200V , MOVOL:230_460_V) , CAPPRM:CRNASME + MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

16.4 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) **- 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)**

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR)



16.4 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR)

Ref	Part Number	Qty	Name	Validity
	1627 1470 82	1	AIR DRYER	(01/08/2017 - 28/03/2018) CAPPRM:CE + MOVOL:400V + PRESS:10BAR + (MODEL:GA11P_18 , MODEL:GA15P_18) (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	⚙ Substituted by: 8092 3503 73 - ID40 VSD+ TRAFO 50HZ-S (quantity: 1)			
	•	1	CANOPY	
1010	•• 2203 0870 81	1	FRAME ASSEMBLY	
	••• 2203 0870 01	1	FRAME	
	••• 0348 0102 11	1	CABLE TIE	
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS	
	•	1	HEAT EXCHANGER CONNECTION	
2020	•• 0291 1128 18	3	LOCK NUT	
2030	•• 0301 2335 00	3	PLAIN WASHER	
3010	•• 1624 9111 80	1	HEAT EXCHANGER	
3050	••• 1624 9804 00	1	TEMPERATURE SENSOR	
	•	1	REFRIGIRANT CONNECTION	
4020	•• 1617 2996 01	1	FILTER DRYER	
4030	•• 2202 7351 02	1	CONDENSOR	
4040	•• 0226 3256 00	3	SCREW	
4050	•• 0300 0274 70	3	WASHER	
4055	•• 1622 0000 20	1	DECAL SYMBOLS	
4060	•• 2204 1522 80	1	PIPE ASSEMBLY	
	••• 1624 2906 00	1	REGULATOR VALVE	
	••• 1619 5563 07	2	SCHRADER VALVE	
	⚙ Substituted by: 1617 4685 00 - VALVE CHECK (quantity: 1)			
	••• 2200 5997 43	1	CHECK VALVE	
4070	•• 2204 1614 82	1	CAPILLARY PIPE	
4090	•• 0348 0101 13	10	CABLE TIE	
	•	1	ELECTRICAL COMPONENTS	
5010	•• 2203 0838 06	1	COMPRESSOR	
	••• 2202 7651 43	1	START RELAY	
	••• 2202 7652 55	1	OVERLOAD PROTECTOR	
	••• 2202 7650 32	1	START CAPACITOR	
5020	•• 0266 2108 00	4	HEXAGON NUT	
5030	•• 0300 0274 64	4	WASHER	
5040	•• 0333 3220 00	4	WASHER	
5050	•• 2202 7373 01	1	FAN MOTOR	
5060	•• 0301 2321 00	4	PLAIN WASHER	
5070	•• 0215 0003 91	4	SCREW	
5080	•• 1617 2385 00	1	ROTATION ARROW	
5090	•• 1088 1001 01	4	WARNING MARK	
5100	•• 1624 9049 80	1	DRAIN	
5120	•• 2205 0201 11	1	CUBICLE	
5140	•• 1089 9139 35	1	FAN SWITCH	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA11P_18 - Model:GA 11+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA15P_18 - Model:GA 15+

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

16.4 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR)



16.4 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR)

Ref	Part Number	Qty	Name	Validity
5150	•• 0160 6039 00	2	SCREW	
5160	•• 0301 2315 00	2	PLAIN WASHER	
5170	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
5180	•• 0129 3270 81	2	BLIND RIVET	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz

on AD2000)

MODEL:GA11P_18 - Model:GA 11+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA15P_18 - Model:GA 15+

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

16.5 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) **- 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)**

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR)



16.5 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)



CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR)

Ref	Part Number	Qty	Name	Validity	R.
	4102 0040 52	1	AIR DRYER	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	R134A
	4102 0019 68			(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	R134A
	⚙ Substituted by:	8092 3073 16 - ID40 VSD+ TRAFO 50HZ-LD-S (quantity: 1)			
	4102 0019 67			(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	R134A
	⚙ Substituted by:	8092 3073 08 - ID40 VSD+ 230V 50HZ-LD-S (quantity: 1)			
	•	1	CANOPY	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
1010	•• 2203 0870 81	1	FRAME		
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
	•	1	HEAT EXCHANGER CONNECTION	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
2020	•• 0291 1128 18	3	LOCKNUT		
2030	•• 0301 2335 00	3	PLAIN WASHER		
2040	•• 2204 1643 01	1	BUSHING		
2050	•• 0583 8100 71	1	PIPE FITTING		
2060	•• 0583 8120 70	1	ELBOW		
3010	•• 1624 9111 80	1	HEAT EXCHANGER		
3050	••• 1624 9804 00	1	TEMPERATURE SENSOR		
	•	1	REFRIGERANT CONNECTION	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
4020	•• 1617 2996 01	1	FILTER DRYER		
4030	•• 2202 7351 02	1	CONDENSOR		
4040	•• 0226 3256 00	3	SCREW		
4050	•• 0300 0274 70	3	WASHER		
4055	•• 1622 0000 20	1	DECAL SYMBOLS		
4060	•• 2204 1522 80	1	PIPE ASSY		
	••• 1624 2906 00	1	REGULATOR VALVE		
	••• 1619 5563 07	2	SCHRADER VALVE		
	⚙ Substituted by:	1617 4685 00 - VALVE CHECK (quantity: 1)			
	••• 2200 5997 43	1	CHECK VALVE		
4070	•• 2204 1614 82	1	CAPILLARY PIPE		
4090	•• 0348 0101 13	10	CABLE TIE		

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA11P_18 - Model:GA 11+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

16.5 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) **- 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)**

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR)



16.5 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR)

Ref	Part Number	Qty	Name	Validity	R.
	•	1	ELECTRICAL COMPONENTS	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	
	•			(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
	•			(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	
5010	•• 2203 0838 06	1	COMPRESSOR	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
	••• 2202 7651 43	1	START RELAY		
	••• 2202 7652 55	1	OVERLOAD PROTECTOR		
	••• 2202 7650 32	1	START CAPACITOR		
5020	•• 0266 2108 00	4	HEXAGON NUT	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
5030	•• 0300 0274 64	4	WASHER	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
5040	•• 0333 3220 00	4	WASHER	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
5050	•• 2202 7373 01	1	FAN MOTOR	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
5060	•• 0301 2321 00	4	PLAIN WASHER	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
5070	•• 0215 0003 91	4	SCREW	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
5080	•• 1617 2385 00	1	ROTATION ARROW	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
5090	•• 1088 1001 01	4	WARNING MARK	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
5120	•• 2205 0210 53	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50Hz - Frequency:50 Hz on AD2000)

MODEL:GA11P_18 - Model:GA 11+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA15P_18 - Model:GA 15+

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

16.5 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) **- 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)**

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR)



16.5 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR)

Ref	Part Number	Qty	Name	Validity	R.
5120	•• 2205 0210 52	1	CUBICLE	(10/06/2018 - 20/08/2018) MOVOL:400V + (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
5120	•• 2205 0210 51	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	
5140	•• 1089 9139 35	1	PRESSURE SWITCH	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
5150	•• 0160 6039 00	2	SCREW	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
5160	•• 0301 2315 00	2	PLAIN WASHER	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
5170	•• 1627 1714 00	1	FAN SWITCH SUPPORT	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	
5180	•• 0129 3270 81	2	BLIND RIVET	(10/06/2018 - 20/08/2018) (MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) (21/08/2018 - 28/02/2019)	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA11P_18 - Model:GA 11+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA15P_18 - Model:GA 15+

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

16.6 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR)



16.6 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR)

Ref	Part Number	Qty	Name	Validity
	4102 0040 58	1	AIR DRYER	(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
	1627 1470 82			(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	⚙ Substituted by:	8092 3503 73 - ID40 VSD+ TRAFO 50HZ-S (quantity: 1)		
	1627 1470 81			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
	⚙ Substituted by:	8092 3503 65 - ID40 VSD+ 230V 50HZ-S (quantity: 1)		
	•	1	CANOPY	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
1010	••	1	FRAME ASSEMBLY	
	••• 2203 0870 01	1	FRAME	
	••• 1627 1828 00	1	DECAL	
	•	1	HEAT EXCHANGER CONNECTION	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
2020	•• 0291 1128 18	3	LOCKNUT	
2030	•• 0301 2335 00	3	PLAIN WASHER	
3010	•• 1624 9111 80	1	HEAT EXCHANGER	
3050	••• 1624 9804 00	1	TEMPERATURE SENSOR	
	•	1	REFRIGIRANT CONNECTION	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
4020	•• 1617 2996 01	1	FILTER DRYER	
4030	•• 2202 7351 02	1	CONDENSOR	(01/03/2019 - 27/05/2021) (28/05/2021 - 30/12/2040) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
4040	•• 0226 3256 00	3	SCREW	
4050	•• 0300 0274 70	3	WASHER	
4055	•• 1622 0000 20	1	DECAL SYMBOLS	
4060	•• 2204 1522 80	1	PIPE ASSEMBLY	
	••• 1624 2906 00	1	REGULATOR VALVE	
	••• 1619 5563 07	2	SCHRADER VALVE	
	⚙ Substituted by:	1617 4685 00 - VALVE CHECK (quantity: 1)		
	••• 2200 5997 43	1	CHECK VALVE	
4070	•• 2204 1614 82	1	CAPILLARY PIPE	
4090	•• 0348 0101 13	10	CABLE TIE	
	•	1	ELECTRICAL COMPONENTS	(01/03/2019 - 27/05/2021) CAPPRM:CE + MOVOL:230V
	•			(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
5010	•• 2203 0838 06	1	COMPRESSOR	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	••• 2202 7651 43	1	START RELAY	
	••• 2202 7652 55	1	OVERLOAD PROTECTOR	
	••• 2202 7650 32	1	START CAPACITOR	
5020	•• 0266 2108 00	4	HEXAGON NUT	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)


MODEL:GA11P_18 - Model:GA 11+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
FREQ:50HZ - Frequency:50 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

16.6 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (CAPPRM:CE + (MOVOL:230V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA15P_18 + PRESS:13BAR)



16.6 - Components ID 40 ((GA 11+ - 7.5bar, 8.5bar, 10bar, 13bar), (GA 15+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR)

Ref	Part Number	Qty	Name	Validity
5030	•• 0300 0274 64	4	WASHER	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5040	•• 0333 3220 00	4	WASHER	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5050	•• 2202 7373 01	1	FAN MOTOR	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5060	•• 0301 2321 00	4	PLAIN WASHER	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5070	•• 0215 0003 91	4	SCREW	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5080	•• 1617 2385 00	1	ROTATION ARROW	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5090	•• 1088 1001 01	4	WARNING MARK	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5100	•• 2204 2134 10	1	LDI DRAIN	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5120	•• 2205 0201 21	1	CUBICLE	(01/03/2019 - 27/05/2021) CAPPRM:CE + MOVOL:230V
5120	•• 2205 0201 11	1	CUBICLE	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5120	•• 2205 0201 01	1	CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
5140	•• 1089 9139 35	1	FAN SWITCH	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5150	•• 0160 6039 00	2	SCREW	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5160	•• 0301 2315 00	2	PLAIN WASHER	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5170	•• 1627 1714 00	1	FAN SWITCH SUPPORT	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5180	•• 0129 3270 81	2	BLIND RIVET	(01/03/2019 - 27/05/2021) (28/05/2021 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA11P_18 - Model:GA 11+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA15P_18 - Model:GA 15+

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

16.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



16.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity	R.
	4102 0019 66	1	AIR DRYER	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	R134A
	Substituted by: 8092 3072 90 - ID40 VSD+ TRAFO 60HZ-LD-S (quantity: 1)				
	4102 0040 49			(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)	R134A
	4102 0040 55			(10/06/2018 - 20/08/2018) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V	R134A
	•	1	CANOPY	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))	
1010	•• 2203 0870 81	1	FRAME		
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
	•	1	HEAT EXCHANGER CONNECTION	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))	
2020	•• 0291 1128 18	3	LOCKNUT		
2030	•• 0301 2335 00	3	PLAIN WASHER		
2040	•• 2204 1643 01	1	BUSHING		
2050	•• 0583 8100 71	1	PIPE FITTING		
2060	•• 0583 8120 70	1	ELBOW		
3010	•• 1624 9205 80	1	HEAT EXCHANGER		
3050	••• 1624 9804 00	1	TEMPERATURE SENSOR		

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



16.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity	R.
	•	1	REFRIGERANT CONNECTION	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))	
4020	•• 1617 2996 01	1	FILTER DRYER		
4030	•• 2202 7351 02	1	CONDENSOR		
4040	•• 0226 3256 00	3	SCREW		
4050	•• 0300 0274 70	3	WASHER		
4055	•• 1622 0000 20	1	DECAL SYMBOLS		
4060	•• 2204 1522 80	1	PIPE ASSEMBLY		
	••• 1624 2906 00	1	REGULATOR VALVE		
	••• 1619 5563 07	2	SCHRADER VALVE		
	⚙ Substituted by:	1617 4685 00	VALVE CHECK (quantity: 1)		
	••• 2200 5997 43	1	CHECK VALVE		
4070	•• 2204 1614 83	1	CAPILLARY PIPE		
4090	•• 0348 0101 13	10	CABLE TIE		
	•	1	ELECTRICAL COMPONENTS	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	
	•			(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)	
	•			(10/06/2018 - 20/08/2018) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V	
5010	•• 2203 0838 06	1	COMPRESSOR	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



16.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity	R.
	••• 2202 7651 43	1	START RELAY		
	••• 2202 7652 55	1	OVERLOAD PROTECTOR		
	••• 2202 7650 32	1	START CAPACITOR		
5020	•• 0266 2108 00	4	HEXAGON NUT	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))	
5030	•• 0300 0274 64	4	WASHER	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))	
5040	•• 0333 3220 00	4	WASHER	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))	
5050	•• 2202 7373 03	1	FAN MOTOR	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



16.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity	R.
5060	•• 0301 2321 00	4	PLAIN WASHER	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5070	•• 0215 0003 91	4	SCREW	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5090	•• 1088 1001 01	4	WARNING MARK	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5120	•• 2205 0410 51	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	
5120	•• 2205 0410 53	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)	
5120	•• 2205 0410 52	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



16.7 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity	R.
5140	•• 1089 9139 35	1	PRESSURE SWITCH	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5150	•• 0160 6039 00	2	SCREW	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5160	•• 0301 2315 00	2	PLAIN WASHER	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5170	•• 1627 1714 00	1	FAN SWITCH SUPPORT	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	
5180	•• 0129 3270 81	2	BLIND RIVET	(10/06/2018 - 20/08/2018) ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)))	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



16.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity
	4102 0040 57	1	AIR DRYER	(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)
	1627 1470 83			(01/03/2019 - ...) CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
	Substituted by:	8092 3503 81 - ID40 VSD+ TRAFO 60HZ-S (quantity: 1)		
	4102 0040 59			(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V)
	•	1	CANOPY	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
1010	••	1	FRAME	
	••• 2203 0870 01	1	FRAME	
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS	
	•	1	HEAT EXCHANGER CONNECTION	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
2020	•• 0291 1128 18	3	LOCKNUT	
2030	•• 0301 2335 00	3	PLAIN WASHER	
3010	•• 1624 9205 80	1	HEAT EXCHANGER	
3050	••• 1624 9804 00	1	TEMPERATURE SENSOR	
	•	1	REFRIGERANT CONNECTION	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - 13/09/2020) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (14/09/2020 - ...) CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
4020	•• 1617 2996 01	1	FILTER DRYER	
4030	•• 2202 7351 02	1	CONDENSOR	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - 13/09/2020) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (14/09/2020 - 30/12/2040) CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
4040	•• 0226 3256 00	3	SCREW	
4050	•• 0300 0274 70	3	WASHER	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



16.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity
4055	•• 1622 0000 20	1	DECAL SYMBOLS	
4060	•• 2204 1522 80	1	PIPE ASSEMBLY	
	••• 1624 2906 00	1	REGULATOR VALVE	
	••• 1619-5563-07	2	SCHRADER VALVE	
	⚙ Substituted by: 1617 4685 00 - VALVE CHECK (quantity: 1)			
	••• 2200 5997 43	1	CHECK VALVE	
4070	•• 2204 1614 83	1	CAPILLARY PIPE	
4090	•• 0348 0101 13	10	CABLE TIE	
	•	1	REFRIGERANT CONNECTION	(14/09/2020 - ...)
4020	•• 1617 2996 01	1	FILTER DRYER	
4030	•• 2202 7351 02	1	CONDENSOR	(14/09/2020 - 30/12/2040)
4040	•• 0226 3256 00	3	SCREW	
4050	•• 0300 0274 70	3	WASHER	
4055	•• 1622 0000 20	1	DECAL SYMBOLS	
4060	•• 2204 1522 80	1	PIPE ASSY ID30-40 EM	
	••• 1624 2906 00	1	REGULATOR VALVE	
	••• 1619-5563-07	2	SCHRADER VALVE	
	⚙ Substituted by: 1617 4685 00 - VALVE CHECK (quantity: 1)			
	••• 2200 5997 43	1	CHECK VALVE	
4070	•• 2204 1614 83	1	CAPILLARY ID40VSD+ 60HZ	
4090	•• 0348 0101 13	10	CABLE TIE	
	•	1	ELECTRICAL COMPONENTS	(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)
	•			(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
				(23/07/2019 - ...) CAPPRE:IEC + CAPPRM:ASME + (MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V))
5010	•• 2203 0838 06	1	COMPRESSOR	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
				(23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
	••• 2202 7651 43	1	START RELAY	
	••• 2202 7652 55	1	OVERLOAD PROTECTOR	
	••• 2202 7650 32	1	START CAPACITOR	
5020	•• 0266 2108 00	4	HEXAGON NUT	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
				(23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



16.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity
5030	•• 0300 0274 64	4	WASHER	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5040	•• 0333 3220 00	4	WASHER	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5050	•• 2202 7373 03	1	FAN MOTOR	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5060	•• 0301 2321 00	4	PLAIN WASHER	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5070	•• 0215 0003 91	4	SCREW	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5090	•• 1088 1001 01	4	WARNING MARK	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5100	•• 2204 2134 10	1	LDI DRAIN	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5120	•• 2205 0404 12	1	CUBICLE	(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)



16.8 - Components ID 40 - ((GA 11+ - 7.4bar, 9.1bar, 10.8bar, 12.5bar) , (GA 15+ - 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V-575V/60Hz UL-cUL (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Ref	Part Number	Qty	Name	Validity
5120	•• 2205 0404 01	1	CUBICLE	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (23/07/2019 - ...) CAPPRE:IEC + CAPPRM:ASME + (MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (CAPPRM:ASME + MOVOL:460V , CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V))
5140	•• 1089 9139 35	1	PRESSURE SWITCH	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5150	•• 0160 6039 00	2	SCREW	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5160	•• 0301 2315 00	2	PLAIN WASHER	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5170	•• 1627 1714 00	1	FAN SWITCH SUPPORT	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))
5180	•• 0129 3270 81	2	BLIND RIVET	(01/03/2019 - 22/07/2019) CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) (23/07/2019 - ...) CAPPRE:ULCUL + CAPPRM:CRNASME + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.9 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



16.9 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
	1627 1586 82	1	AIR DRYER	(01/08/2017 - 13/03/2018) CAPPRM:CE + MOVOL:400V + PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (14/03/2018 - 28/03/2018) MOVOL:400V + (CAPPRM:CE + (MODEL:GA22P_18 + PRESS:7.5BAR , PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CEAD2000 + MODEL:GA26P_18 + PRESS:10BAR) (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•	1	CANOPY	
1010	••	1	FRAME	
	••• 2204 1660 00	1	FRAME	
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW	
	•	1	HEAT EXCHANGER CONNECTION	
2001	•• 1627 1454 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2041	•• 0333 3220 00	4	WASHER	
2050	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•	1	REFRIGIRANT CONNECTION	
3030	•• 1617 0092 03	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 2202 7352 01	1	CONDENSOR	
	⚙ Substituted by:	2204 2163 01	- CONDENSOR AE7-8+H3-5+C8-10 (quantity: 1)	
3080	•• 0300 0274 70	4	WASHER	
3090	•• 0226 3256 00	3	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3150	•• 1627 1679 00	1	BRACKET	
3160	•• 0300 0274 70	1	WASHER	
3170	•• 0226 3256 00	1	SCREW	
3180	•• 1627 1843 00	1	INSULATION THERMAL	
3190	•• 1627 1844 00	1	INSULATION THERMAL	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

FREQ:50HZ - Frequency:50 Hz

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes

MODEL:GA22P_18 - Model:GA 22+


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

16.9 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



16.9 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
4020	•• 1603 6310 49	1	PIPE SET	(01/08/2017 - 13/03/2018) CAPPRM:CE + MOVOL:400V + PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) (14/03/2018 - 28/03/2018) MOVOL:400V + (CAPPRM:CE + (MODEL:GA22P_18 + PRESS:7.5BAR , PRESS:10BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CEAD2000 + MODEL:GA26P_18 + PRESS:10BAR) (29/03/2018 - 22/05/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
4010	••• 1627 1558 00	1	PIPE ASSEMBLY	
	•••• 1624 2486 03	1	HGB VALVE	
	•••• 1624 9352 00	2	SCHRAEDER VALVE	
	•••• 1624 2535 00	1	SEPARATOR	
4020	••• 1627 1521 00	1	PIPE	
	•••• 1619 5563 02	1	SCHRÄDER VALVE	
4030	••• 1627 1539 01	1	CAPILLARY ASSEMBLY	
	•••• 1617 1331 64	1	CAPILLARY	
	•••• 1624 2733 00	1	VALVE	
4050	••• 1627 1635 00	2	INSULATION THERMAL	
4060	••• 1627 1636 00	1	INSULATION THERMAL	
	•	1	ELECTRICAL COMPONETS	
5010	•• 1624 2616 13	1	COMPRESSOR	
	••• 1624 2725 10	1	CAPACITOR	
5020	•• 0147 1106 72	3	SCREW	
5030	•• 0300 8019 00	3	PLAIN WASHER	
5040	•• 0333 3127 00	3	WASHER	
5050	•• 1627 1692 81	1	AXIAL FAN	
5060	•• 0147 1247 03	4	HEXAGON BOLT	
5070	•• 0300 0274 64	4	WASHER	
5080	•• 0333 3220 00	4	WASHER	
5090	•• 1089 9139 25	1	FAN SWITCH	
5091	•• 0301 2315 00	2	PLAIN WASHER	
5092	•• 0160 6039 00	2	SCREW	
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
5094	•• 0129 3270 81	2	BLIND RIVET	
5100	•• 1624 9049 80	1	DRAIN	
5110	•• 1089 9139 16	1	HP SWITCH	
5120	•• 1088 1001 01	3	WARNING MARK	
5130	•• 1088 1001 01	3	WARNING MARK	
5140	•• 0226 3256 00	4	SCREW	
5150	•• 0301 2318 00	4	WASHER	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)


MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

16.9 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



16.9 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
5160	•• 0333 3214 00	4	WASHER	
	•	1	WIRING	
6010	•• 1900 5101 95	1	CUBICLE	
6020	•• 1627 1869 00	1	TRANSFORMER	
6030	•• 1627 1538 00	1	PLATE	
	••• 1088 0801 22	1	GROMMET	
	••• 1088 1001 01	1	WARNING MARK	
6040	•• 0226 3256 00	3	SCREW	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:AS1210 - Component approval mechanical:AS1210

CAPPRM:CE - Component approval mechanical:CE

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

IDRY:Y - Integrated dryer:Yes

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA22P_18 - Model:GA 22+

MODEL:GA26P_18 - Model:GA 26+

MODEL:GA30_18 - Model:GA 30

MOVOL:230V - Supply voltage:230 V

MOVOL:400V - Supply voltage:400 V


MOVOL:400VN - Supply voltage:400 V+N

PRESS:10BAR - Working pressure:10 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:7.5BAR - Working pressure:7.5 bar

PRESS:8.5BAR - Working pressure:8.5 bar



16.10 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
	4102 0040 53	1	AIR DRYER	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	R410A
	4102-0019-70			(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	R410A
	⚡ Substituted by:	8092 3071 42 - ID75 VSD+ TRAFO 50HZ-LD-S (quantity: 1)			
	4102-0019-69			(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	R410A
	⚡ Substituted by:	8092 3071 34 - ID75 VSD+ 230V 50HZ-LD-S (quantity: 1)			
	•	1	CANOPY	(10/06/2018 - 20/08/2018) ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
1010	•• 2204 1660 80	1	FRAME		
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
1020	•• 1622 0000 20	1	DECAL SYMBOLS		
	•	1	HEAT EXCHANGER CONNECTION	(10/06/2018 - 20/08/2018) ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
2010	•• 1627 1454 80	1	HEAT EXCHANGER		
2020	•• 0147 1247 03	4	HEXAGON BOLT		
2030	•• 0300 0274 64	4	WASHER		
2040	•• 0333 3220 00	4	WASHER		
2050	•• 2202 8870 02	1	TEMPERATURE SENSOR		
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTE		
2080	•• 0070 7250 04	AR	HOSE		

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE


IDRY:Y - Integrated dryer:Yes

MODEL:GA22P_18 - Model:GA 22+

MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar



16.10 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
2090	•• 2204 1643 01	1	BUSHING		
2100	•• 0583 8100 71	1	PIPE FITTING		
2110	•• 0583 8120 70	1	ELBOW		
2120	•• 2202 7719 01	1	WASHER		
	•	1	REFRIGERANT CONNECTION	(10/06/2018 - 20/08/2018) ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
3030	•• 1617 0092 03	1	RING		
3050	•• 0348 0101 13	10	CABLE TIE		
3060	•• 1624 2293 00	1	FILTER DRYER		
3070	•• 2202 7352 01	1	CONDENSOR	(10/06/2018 - 20/08/2018) ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 20/09/2018) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
	⌚ Substituted by:	2204 2163 01 - CONDENSOR AE7-8+H3-5+C8-10 (quantity: 1)			
3070	•• 2204 2163 01	1	CONDENSOR	(21/09/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
3080	•• 0300 0274 70	4	WASHER		
3090	•• 0226 3256 00	3	SCREW		
3100	•• 1617 2385 00	1	ROTATION ARROW		
3150	•• 1627 1679 00	1	BRACKET		
3160	•• 0300 0274 70	1	WASHER		
3170	•• 0226 3256 00	1	SCREW		
3180	•• 1627 1843 00	1	INSULATION THERMAL		
3190	•• 1627 1844 00	1	INSULATION THERMAL		
4020	•• 2204 1636 29	1	PIPE SET		
	•	1	ELECTRICAL COMPONENTS	(10/06/2018 - 20/08/2018) ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) (21/08/2018 - 28/02/2019) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
5010	•• 1624 2616 13	1	COMPRESSOR		

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)


MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
FREQ:50HZ - Frequency:50 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

16.10 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



16.10 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
	••• 1624 2725 10	1	CAPACITOR		
5020	•• 0147 1106 72	3	SCREW		
5030	•• 0300 8019 00	3	PLAIN WASHER		
5040	•• 0333 3127 00	3	WASHER		
5050	•• 1627 1692 81	1	AXIAL FAN		
5060	•• 0147 1247 03	4	HEXAGON BOLT		
5070	•• 0300 0274 64	4	WASHER		
5080	•• 0333 3220 00	4	WASHER		
5090	•• 1089 9139 25	1	PRESSURE SWITCH		
5091	•• 0301 2315 00	2	PLAIN WASHER		
5092	•• 0160 6039 00	2	SCREW		
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT		
5094	•• 0129 3270 81	2	BLIND RIVET		
5110	•• 1089 9139 16	1	HP SWITCH		
5120	•• 1088 1001 01	3	WARNING MARK		
5130	•• 1088 1001 01	3	WARNING MARK		
5140	•• 0226 3256 00	4	SCREW		
5150	•• 0301 2318 00	4	WASHER		
5160	•• 0333 3214 00	4	WASHER		
	•	1	WIRING	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	
	•			(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
	•			(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	
6010	•• 2205 0210 03	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A


Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar



16.10 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	R.
6010	•• 2205 0210 02	1	CUBICLE	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
6010	•• 2205 0210 01	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	
6020	•• 1627 1869 00	1	TRANSFORMER	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
6030	•• 1627 1538 00	1	PLATE	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
	••• 1088 0801 22	1	GROMMET		
	••• 1088 1001 01	1	WARNING MARK		
6040	•• 0226 3256 00	3	SCREW	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

FREQ:50HZ - Frequency:50 Hz

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes

MODEL:GA22P_18 - Model:GA 22+


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

16.11 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - 04/10/2020)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + PRESS:10BAR, PRESS:13BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)



16.11 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - 04/10/2020)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
	1627 1586 82	1	AIR DRYER	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	4102 0040 61			(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
	1627 1586 81			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
	•	1	CANOPY	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
1010	••	1	FRAME	
	••• 2204 1660 00	1	FRAME	
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW HEXAGON	
	•	1	HEAT EXCHANGER CONNECTION	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
2001	•• 1627 1454 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2041	•• 0333 3220 00	4	WASHER	
2050	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA	
	•	1	REFRIGIRANT CONNECTION	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•• 2204 1636 29	1	PIPE SET	(01/03/2019 - 04/10/2020) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
4010	••• 2204 1636 20	1	PIPE	(10/08/2020 - 04/10/2020) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•••• 1617 0058 00	1	NUT	(10/08/2020 - 04/10/2020)
	•••• 1624 2486 03	1	VALVE	(10/08/2020 - 04/10/2020)
	•••• 1624 9352 00	1	VALVE	(10/08/2020 - 04/10/2020)
	•••• 2202 7466 05	1	SLEEVE	(10/08/2020 - 04/10/2020)
4020	••• 1627 1521 00	1	PIPE	(10/08/2020 - 04/10/2020) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•••• 1619 5563 02	1	VALVE	(10/08/2020 - 04/10/2020)
4030	••• 1627 1539 01	1	CAPILLARY ASSEMBLY	(10/08/2020 - 04/10/2020) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•••• 1617 0674 00	1	SLEEVE	(10/08/2020 - 04/10/2020)
	•••• 1617 0092 01	1	NUT	(10/08/2020 - 04/10/2020)
	•••• 1617 1331 64	1	CAPILLARY	(10/08/2020 - 04/10/2020)
	•••• 1624 2733 00	1	VALVE	(10/08/2020 - 04/10/2020)
3030	•• 1617 0092 03	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA18P_18 - Model:GA 18+

MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MODEL:GA22P_18 - Model:GA 22+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

16.11 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - 04/10/2020)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + PRESS:10BAR, PRESS:13BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)



16.11 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - 04/10/2020)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
3070	•• 2204 2163 01	1	CONDENSOR	
3080	•• 0300 0274 70	4	WASHER	
3090	•• 0226 3256 00	3	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3150	•• 1627 1679 00	1	BRACKET	
3160	•• 0300 0274 70	1	WASHER	
3170	•• 0226 3256 00	1	SCREW	
3180	•• 1627 1843 00	1	INSULATION THERMAL	
3190	•• 1627 1844 00	1	INSULATION THERMAL	
	•	1	ELECTRICAL COMPONENTS	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5010	•• 1624 2616 13	1	COMPRESSOR	
5020	•• 0147 1106 72	3	SCREW	
5030	•• 0300 8019 00	3	PLAIN WASHER	
5040	•• 0333 3127 00	3	WASHER	
5050	•• 1627 1692 81	1	AXIAL FAN	
5060	•• 0147 1247 03	4	HEXAGON BOLT	
5070	•• 0300 0274 64	4	WASHER	
5080	•• 0333 3220 00	4	WASHER	
5090	•• 1089 9139 25	1	FAN SWITCH	
5091	•• 0301 2315 00	2	PLAIN WASHER	
5092	•• 0160 6039 00	2	SCREW	
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
5094	•• 0129 3270 81	2	BLIND RIVET	
5100	•• 2204 2134 10	1	LDI DRAIN	
5110	•• 1089 9139 16	1	HP SWITCH	
5120	•• 1088 1001 01	3	WARNING MARK	
5130	•• 1088 1001 01	3	WARNING MARK	
5140	•• 0226 3256 00	4	SCREW	
5150	•• 0301 2318 00	4	WASHER	
5160	•• 0333 3214 00	4	WASHER	
	•	1	WIRING	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•			(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
	•			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
6010	•• 1900 5101 95	1	CUBICLE	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
6010	•• 2205 0210 11	1	CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
6010	•• 1900 5101 94	1	CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
6020	•• 1627 1869 00	1	TRANSFORMER	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
6030	•• 1627 1538 00	1	PLATE	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA18P_18 - Model:GA 18+

MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MODEL:GA22P_18 - Model:GA 22+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

16.11 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - 04/10/2020)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA26P_18 + PRESS:10BAR, PRESS:13BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (MOVOL:230V, MOVOL:400V, MOVOL:400VN)



16.11 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - 04/10/2020)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)


Ref	Part Number	Qty	Name	Validity
	••• 1088 0801 22	1	GROMMET	
	••• 1088 1001 01	1	WARNING MARK	
6040	•• 0226 3256 00	3	SCREW	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC	CAPPRM:AS1210 - Component approval mechanical:AS1210	CAPPRM:CE - Component approval mechanical:CE
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)	FREQ:50HZ - Frequency:50 Hz	IDRY:Y - Integrated dryer:Yes
MODEL:GA15P_18 - Model:GA 15+	MODEL:GA18P_18 - Model:GA 18+	MODEL:GA22P_18 - Model:GA 22+
MODEL:GA26P_18 - Model:GA 26+	MOVOL:230V - Supply voltage:230 V	MOVOL:400V - Supply voltage:400 V
MOVOL:400VN - Supply voltage:400 V+N	PRESS:10BAR - Working pressure:10 bar	PRESS:13BAR - Working pressure:13 bar
PRESS:7.5BAR - Working pressure:7.5 bar	PRESS:8.5BAR - Working pressure:8.5 bar	



16.12 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (05/10/2020 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
	1627 1586 82	1	AIR DRYER	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	4102 0040 61			(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
	1627 1586 81			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
	•	1	CANOPY	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
1010	••	1	FRAME	
	••• 2204 1660 00	1	FRAME	
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW HEXAGON	
	•	1	HEAT EXCHANGER CONNECTION	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
2001	•• 1627 1454 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2041	•• 0333 3220 00	4	WASHER	
2050	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA	
	•	1	REFRIGIRANT CONNECTION	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•• 2204 2366 36	1	PIPE SET	(05/10/2020 - ...)
4010	••• 2204 2366 40	1	PIPE	
	•••• 2204 2367 01	2	NUT	
	•••• 1624 9352 00	2	VALVE	
	•••• 1624 2486 03	1	VALVE	
	•••• 1617 0058 00	1	NUT	
	•••• 2202 7466 05	1	SLEEVE	
4020	••• 2204 2366 15	1	PIPE	
	•••• 2202 8516 00	1	NON RETURN VALVE	
4030	••• 2204 2366 20	1	CAPILLARY ASSEMBLY	
	•••• 1624 2733 00	1	VALVE	
	•••• 1624 2488 08	1	TUBE	
	•••• 1617 0092 01	1	NUT	
	•••• 2202 7466 01	1	SLEEVE	
3030	•• 1617 0092 03	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 2204 2163 01	1	CONDENSOR	
3080	•• 0300 0274 70	4	WASHER	
3090	•• 0226 3256 00	3	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210


MODEL:GA18P_18 - Model:GA 18+
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar

16.12 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (05/10/2020 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)



16.12 - Components ID 73 - (GA 15+ - 7.5bar, 8.5bar, 10bar), ((GA 18+, GA 22+) - 7.5bar, 8.5bar, 10bar, 13bar), (GA 26+ - 13bar)) – 230V-400V-400V+N/50Hz IEC (05/10/2020 - ...)



CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA26P_18 + PRESS:10BAR , PRESS:13BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (MOVOL:230V , MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity
3150	•• 1627 1679 00	1	BRACKET	
3160	•• 0300 0274 70	1	WASHER	
3170	•• 0226 3256 00	1	SCREW	
3180	•• 1627 1843 00	1	INSULATION THERMAL	
3190	•• 1627 1844 00	1	INSULATION THERMAL	
3250	•• 2204 1638 02	3	CHECK VALVE	(05/10/2020 - ...)
	•	1	ELECTRICAL COMPONENTS	(01/03/2019 - ...) CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
5010	•• 1624 2616 13	1	COMPRESSOR	
5020	•• 0147 1106 72	3	SCREW	
5030	•• 0300 8019 00	3	PLAIN WASHER	
5040	•• 0333 3127 00	3	WASHER	
5050	•• 1627 1692 81	1	AXIAL FAN	
5060	•• 0147 1247 03	4	HEXAGON BOLT	
5070	•• 0300 0274 64	4	WASHER	
5080	•• 0333 3220 00	4	WASHER	
5090	•• 1089 9139 25	1	FAN SWITCH	
5091	•• 0301 2315 00	2	PLAIN WASHER	
5092	•• 0160 6039 00	2	SCREW	
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
5094	•• 0129 3270 81	2	BLIND RIVET	
5100	•• 2204 2134 10	1	LDI DRAIN	
5110	•• 1089 9139 16	1	HP SWITCH	
5120	•• 1088 1001 01	3	WARNING MARK	
5130	•• 1088 1001 01	3	WARNING MARK	
5140	•• 0226 3256 00	4	SCREW	
5150	•• 0301 2318 00	4	WASHER	
5160	•• 0333 3214 00	4	WASHER	
	•	1	WIRING	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•			(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
	•			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
6010	•• 1900 5101 95	1	CUBICLE	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
6010	•• 2205 0210 11	1	CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
6010	•• 1900 5101 94	1	CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
6020	•• 1627 1869 00	1	TRANSFORMER	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
6030	•• 1627 1538 00	1	PLATE	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	••• 1088 0801 22	1	GROMMET	
	••• 1088 1001 01	1	WARNING MARK	
6040	•• 0226 3256 00	3	SCREW	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT FREON GAS R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA18P_18 - Model:GA 18+

MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MODEL:GA22P_18 - Model:GA 22+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

16.13 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V))



16.13 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Ref	Part Number	Qty	Name	Validity	R.
	4102 0040 50	1	AIR DRYER	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)	R410A
	4102 0019 72			(10/06/2018 - 20/08/2018) CAPPRM:ASME + MOVOL:460V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRM:ASME + MOVOL:460V	R410A
⚙	Substituted by:	8092 3071 67	ID73 VSD+ TRAFO 60HZ 460-LD-S (quantity: 1)		
	4102 0019 71			(10/06/2018 - 20/08/2018) CAPPRE:IEC + CAPPRM:ASME + MOVOL:380V + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) (21/08/2018 - 28/02/2019) CAPPRE:IEC + CAPPRM:ASME + MOVOL:380V	R410A
⚙	Substituted by:	8092 3071 59	ID73 VSD+ TRAFO 60HZ 380-LD-S (quantity: 1)		
●	1	CANOPY		(10/06/2018 - 20/08/2018) CAPPRM:ASME + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRM:ASME	
1010 ●●	2204 1660 80	1	FRAME		
●●●	1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
1020 ●●	1622 0000 20	1	DECAL SYMBOLS		
1060 ●●	0216 1100 72	2	SCREW HEXAGON		
●	1	HEAT EXCHANGER CONNECTION		(10/06/2018 - 20/08/2018) CAPPRM:ASME + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRM:ASME	
2010 ●●	1627 1454 80	1	HEAT EXCHANGER		
2020 ●●	0147 1247 03	4	HEXAGON BOLT		

Remarks:


7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar



16.13 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Ref	Part Number	Qty	Name	Validity	R.
2030	•• 0300 0274 64	4	WASHER		
2040	•• 0333 3220 00	4	WASHER		
2050	•• 2202 8870 02	1	TEMPERATURE SENSOR		
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTE		
2080	•• 0070 7250 04	AR	HOSE		
2090	•• 2204 1643 01	1	BUSHING		
2100	•• 0583 8100 71	1	PIPE FITTING		
2110	•• 0583 8120 70	1	ELBOW		
2120	•• 2202 7719 01	1	WASHER		
	•	1	REFRIGERANT CONNECTION	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) (21/08/2018 - 28/02/2019) CAPPRM:ASME	
3030	•• 1617 0092 03	1	RING		
3050	•• 0348 0101 13	10	CABLE TIE		
3060	•• 1624 2293 00	1	FILTER DRYER		
3070	•• 2202 7352 01	1	CONDENSOR	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V))) (21/08/2018 - 20/09/2018) CAPPRM:ASME	
	⚡ Substituted by:	2204 2163 01 - CONDENSOR AE7-8+H3-5+C8-10 (quantity: 1)			
3080	•• 0300 0274 70	4	WASHER		
3090	•• 0226 3256 00	3	SCREW		
3100	•• 1617 2385 00	1	ROTATION ARROW		
3120	•• 1624 9710 00	1	INSULATION THERMAL		
3130	•• 1624 9614 00	1	INSULATION THERMAL		
3150	•• 1627 1679 00	1	BRACKET		
3160	•• 0300 0274 70	1	WASHER		
3170	•• 0226 3256 00	1	SCREW		
	••	1	PIPESET		
4010	••• 1627 1681 00	1	PIPE ASSEMBLY		
	•••• 1624 2486 03	1	HGB VALVE		
	•••• 1624 9352 00	1	SCHRÄDER VALVE		

Remarks:


7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar



16.13 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Ref	Part Number	Qty	Name	Validity	R.
	•••• 1624 2535 00 1		SEPARATOR		
4020	••• 1627 1521 00 1		PIPE		
	•••• 1619 5563 02 1		SCHRÄDER VALVE		
4030	••• 1627 1539 01 1		CAPILLARY ASSEMBLY		
	•••• 1617 1331 64 1		CAPILLARY		
	•••• 1624 2733 00 1		VALVE		
4050	••• 1627 1635 00 2		INSULATION THERMAL	(10/06/2018 - 30/07/2018) CAPPRM:ASME + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)))	
4060	••• 1627 1636 00 1		INSULATION THERMAL		
	• 1		ELECTRICAL COMPONENTS	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)))	
5010	•• 1624 2616 11 1		COMPRESSOR	(21/08/2018 - 28/02/2019) CAPPRM:ASME	
	••• 1624 2725 01 1		CAPACITOR		
5020	•• 0147 1106 72 3		SCREW		
5030	•• 0300 8019 00 3		PLAIN WASHER		
5040	•• 0333 3127 00 3		WASHER		
5050	•• 1627 1692 82 1		FAN AXIAL		
5060	•• 0147 1247 03 4		HEXAGON BOLT		
5070	•• 0300 0274 64 4		WASHER		
5080	•• 0333 3220 00 4		WASHER		
5085	•• 1624 9350 02 1		CAPACITOR		
5090	•• 1089 9139 25 1		PRESSURE SWITCH		
5091	•• 0301 2315 00 2		PLAIN WASHER		
5092	•• 0160 6039 00 2		SCREW		
5093	•• 1627 1714 00 1		FAN SWITCH SUPPORT		
5094	•• 0129 3270 81 2		BLIND RIVET		
5110	•• 1089 9139 16 1		HP SWITCH		
5120	•• 1088 1001 01 3		WARNING MARK		
5130	•• 1088 1001 01 3		WARNING MARK		

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 PRESS:12.5BAR - Working pressure:12.5 bar

16.13 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V))



16.13 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Ref	Part Number	Qty	Name	Validity	R.
5140	•• 0226 3256 00	4	SCREW		
5150	•• 0301 2318 00	4	WASHER		
5160	•• 0333 3214 00	4	WASHER		
	•	1	WIRING	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)	
	•			(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	
6010	•• 2205 0410 03	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) , MODEL:GA30_18 + PRESS:12.5BAR + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V))) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)	
6010	•• 2205 0410 01	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	
6020	•• 1627 1869 00	1	TRANSFORMER	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.13 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))



16.13 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Ref	Part Number	Qty	Name	Validity	R.
6030	•• 1627 1538 00	1	PLATE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	
	••• 1088 0801 22	1	GROMMET		
	••• 1088 1001 01	1	WARNING MARK		
6040	•• 0226 3256 00	3	SCREW	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA26P_18 , MODEL:GA30_18)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar



16.14 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (01/03/2019 - ...)
 FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Ref	Part Number	Qty	Name	Validity
	1627 1586 83	1	AIR DRYER	(01/03/2019 - ...) CAPPRM:ASME + MOVOL:460V
	4102 0040 60			(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)
	1627 1586 84			(01/03/2019 - ...) CAPPRE:IEC + CAPPRM:ASME + MOVOL:380V
	•	1	CANOPY	(01/03/2019 - ...) CAPPRM:ASME
1010	•• 2204 1660 80	1	FRAME	
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW HEXAGON	
	•	1	HEAT EXCHANGER CONNECTION	(01/03/2019 - ...) CAPPRM:ASME
2001	•• 1627 1454 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2041	•• 0333 3220 00	4	WASHER	
2050	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA	
	•	1	REFRIGANT CONNECTION	(01/03/2019 - ...) CAPPRM:ASME
3030	•• 1617 0092 03	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 2204 2163 01	1	CONDENSOR	
3080	•• 0300 0274 70	4	WASHER	
3090	•• 0226 3256 00	3	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3120	•• 1624 9710 00	1	INSULATION THERMAL	
3130	•• 1624 9614 00	1	INSULATION THERMAL	(01/03/2019 - 09/08/2020) CAPPRM:ASME
3150	•• 1627 1679 00	1	BRACKET	
3160	•• 0300 0274 70	1	WASHER	
3170	•• 0226 3256 00	1	SCREW	
	•• 1603 6310 92	1	PIPESET	(01/03/2019 - 02/10/2019) CAPPRM:ASME
	•• 2204 1636 39			(03/10/2019 - ...) CAPPRM:ASME
4010	••• 1627 1681 00	1	PIPE	(01/03/2019 - 02/10/2019) CAPPRM:ASME
	•••• 1624 2486 03	1	HGB VALVE	
	•••• 1624 9352 00	1	SCHRAEDER VALVE	
	•••• 1624 2535 00	1	SEPARATOR	
4010	••• 2204 1636 30	1	PIPE	(10/08/2020 - ...) CAPPRM:ASME
	•••• 1624 2486 03	1	HGB VALVE	(10/08/2020 - ...)
	•••• 1624 9352 00	1	SCHRAEDER VALVE	(10/08/2020 - ...)
	•••• 2202 7466 05	1	SLEEVE	(10/08/2020 - ...)
4020	••• 1627 1521 00	1	PIPE	(01/03/2019 - 02/10/2019) CAPPRM:ASME
	•••• 1619 5563 02	1	SCHRÄDER VALVE	(10/08/2020 - ...) CAPPRM:ASME (01/03/2019 - 02/10/2019) CAPPRM:ASME

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A


Legend:

CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:230V - Supply voltage:230 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:380V - Supply voltage:380 V
 PRESS:12.5BAR - Working pressure:12.5 bar

16.14 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (01/03/2019 - ...) FREQ:60Hz + IDRY:Y + ((MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18) + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA26P_18 + PRESS:10.8BAR, PRESS:12.5BAR + (MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V))



16.14 - Components ID 73 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), ((GA 18+, GA 22+) - 7.4bar, 9.1bar, 10.8bar, 12.5bar), (GA 26+ - 10.8bar, 12.5bar)) – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL (01/03/2019 - ...)
 FREQ:60HZ + IDRY:Y + ((MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:12.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))

Ref	Part Number	Qty	Name	Validity
4030	••• 1627 1539 01	1	CAPILLARY ASSY	(01/03/2019 - 02/10/2019) CAPPRM:ASME (10/08/2020 - ...) CAPPRM:ASME
	•••• 1617 1331 64	1	CAPILLARY	(01/03/2019 - 02/10/2019) CAPPRM:ASME
	•••• 1624 2733 00	1	VALVE	(01/03/2019 - 02/10/2019) CAPPRM:ASME
4050	••• 1627 1635 00	0	INSULATION THERMAL	(01/03/2019 - 02/10/2019) CAPPRM:ASME
4060	••• 1627 1636 00	1	INSULATION THERMAL	(01/03/2019 - 02/10/2019) CAPPRM:ASME
	•	1	ELECTRICAL COMPONENTS	(01/03/2019 - ...) CAPPRM:ASME
5010	•• 1624 2616 11	1	COMPRESSOR	
	••• 1624 2725 01	1	CAPACITOR	
5020	•• 0147 1106 72	3	SCREW	
5030	•• 0300 8019 00	3	PLAIN WASHER	
5040	•• 0333 3127 00	3	WASHER	
5050	•• 1627 1692 82	1	AXIAL FAN	
5060	•• 0147 1247 03	4	HEXAGON BOLT	
5070	•• 0300 0274 64	4	WASHER	
5080	•• 0333 3220 00	4	WASHER	
5085	•• 1624 9350 02	1	CAPACITOR	
5090	•• 1089 9139 25	1	FAN SWITCH	
5091	•• 0301 2315 00	2	PLAIN WASHER	
5092	•• 0160 6039 00	2	SCREW	
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
5094	•• 0129 3270 81	2	BLIND RIVET	
5100	•• 2204 2134 10	1	LDI DRAIN	
5110	•• 1089 9139 16	1	HP SWITCH	
5120	•• 1088 1001 01	3	WARNING MARK	
5130	•• 1088 1001 01	3	WARNING MARK	
5140	•• 0226 3256 00	4	SCREW	
5150	•• 0301 2318 00	4	WASHER	
5160	•• 0333 3214 00	4	WASHER	
	•	1	WIRING	(01/03/2019 - ...) CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
	•			(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)
6010	•• 1900 5101 96	1	CUBICLE	(01/03/2019 - ...) CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
6010	•• 2205 0410 11	1	CUBICLE	(01/03/2019 - ...) CAPPRM:ASME + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V)
6020	•• 1627 1869 00	1	TRANSFORMER	(01/03/2019 - ...) CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
6030	•• 1627 1538 00	1	PLATE	(01/03/2019 - ...) CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
	••• 1088 0801 22	1	GROMMET	
	••• 1088 1001 01	1	WARNING MARK	
6040	•• 0226 3256 00	3	SCREW	(01/03/2019 - ...) CAPPRM:ASME + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:230V - Supply voltage:230 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:380V - Supply voltage:380 V
 PRESS:12.5BAR - Working pressure:12.5 bar

16.15 - Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 - 7.4bar, 9.1bar, 10.8bar, 12.5bar)) - 575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MOVOL:575V + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR))



16.15 - Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 - 7.4bar, 9.1bar, 10.8bar, 12.5bar)) - 575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MOVOL:575V + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity	R.
	4102 0040 56	1	AIR DRYER	(10/06/2018 - 20/08/2018) CAPPRM:CRNASME + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:7.4BAR, PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRM:CRNASME	R134A
	•	1	CANOPY		
1010	•• 2204 1660 80	1	FRAME		
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
1020	•• 1622 0000 20	1	DECAL SYMBOLS		
1060	•• 0216 1100 72	2	SCREW HEXAGON		
	•	1	HEAT EXCHANGER CONNECTION		
2010	•• 1627 1455 80	1	HEAT EXCHANGER		
2020	•• 0147 1247 03	4	HEXAGON BOLT		
2030	•• 0300 0274 64	4	WASHER		
2050	•• 0301 2321 00	4	PLAIN WASHER		
2060	•• 2202 8870 02	1	TEMPERATURE SENSOR		
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTE		
2080	•• 0070 7250 04	AR	HOSE		
2090	•• 2204 1643 01	1	BUSHING		
2100	•• 0583 8100 71	1	PIPE FITTING		
2110	•• 0583 8120 70	1	ELBOW		
2120	•• 2202 7719 01	1	WASHER		
	•	1	REFRIGERANT CONNECTION		
3020	•• 2204 1567 80	1	PIPE ASSEMBLY		
	••• 2202 8516 00	1	NON RETURN VALVE		
	••• 1624 9352 00	2	SCHRAEDER VALVE		
	••• 2202 7324 05	2	HGBP VALVE		
	••• 1624 2488 05	1	REGULATION VALVE		
3030	•• 1617 0092 03	1	RING		
3040	•• 2200 6336 10	1	RING		
3050	•• 0348 0101 13	10	CABLE TIE		
3060	•• 1624 2293 00	1	FILTER DRYER		
3070	•• 1627 1459 00	1	CONDENSER		
3080	•• 0300 0274 70	5	WASHER		
3090	•• 0226 3256 00	4	SCREW		
3100	•• 1617 2385 00	1	ROTATION ARROW		
3120	•• 0226 0047 01	2	TAPPING SCREW		
	•	1	ELECTRICAL COMPONENTS		
4010	•• 1627 1865 01	1	COMPRESSOR		
4020	•• 0300 0274 64	4	WASHER		
4021	•• 0333 3220 00	4	WASHER		
4030	•• 0147 1252 03	4	HEXAGON BOLT		
4050	•• 1627 1692 82	1	AXIAL FAN		

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar

16.15 - Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 - 7.4bar, 9.1bar, 10.8bar, 12.5bar)) - 575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MOVOL:575V + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR))



16.15 - Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar)) – 575V/60Hz UL-cUL (10/06/2018 - 28/02/2019)

CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MOVOL:575V + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity	R.
4060	•• 0215 0003 91	4	SCREW		
4070	•• 0300 0274 64	4	WASHER		
4080	•• 0333 3220 00	4	WASHER		
4085	•• 1624 9350 02	1	CAPACITOR		
4090	•• 1089 9139 35	1	PRESSURE SWITCH		
4091	•• 0301 2315 00	2	PLAIN WASHER		
4092	•• 0160 6039 00	2	SCREW		
4093	•• 1627 1714 00	1	FAN SWITCH SUPPORT		
4094	•• 0129 3270 81	2	BLIND RIVET		
4100	•• 1627 1852 00	1	HIGH PRESSURE SWITCH		
4120	•• 1088 1001 01	4	WARNING MARK		
4130	•• 0226 3256 00	2	SCREW		
4140	•• 0301 2318 00	2	WASHER		
4150	•• 0333 3214 00	2	WASHER		
	•	1	WIRING		
5010	•• 2205 0410 04	1	CUBICLE		

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRM:CRNASME - Component approval mechanical:CRN
(based on ASME)
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar

16.16 - Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar)) – 575V/60Hz UL-cUL (01/03/2019 - ...)

CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MOVOL:575V + ((MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR))



16.16 - Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar)) – 575V/60Hz UL-cUL (01/03/2019 - ...)

CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MOVOL:575V + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	4102 0040 64	1	AIR DRYER	(01/03/2019 - 22/07/2019) CAPPRM:CRNASME (23/07/2019 - ...) CAPPRM:CRNASME + (((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) + (MOVOL:200230460V , MOVOL:575V) , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V , MOVOL:575V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (MOVOL:200230460V , MOVOL:575V) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))
	•	1	CANOPY	
1010	•• 2204 1660 80	1	FRAME	
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW HEXAGON	
	•	1	HEAT EXCHANGER CONNECTION	
2010	•• 1627 1455 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2050	•• 0301 2321 00	4	PLAIN WASHER	
2060	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA	
	•	1	REFRIGIRANT CONNECTION	
3020	•• 2204 1567 80	1	PIPE ASSEMBLY	
	••• 2202 8516 00	1	NON RETURN VALVE	
	••• 1624 9352 00	2	SCHRAEDER VALVE	
	••• 2202 7324 05	2	HGBP VALVE	
	••• 1624 2488 05	1	REGULATION VALVE	
3030	•• 1617 0092 03	1	RING	
3040	•• 2200 6336 10	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 1627 1459 00	1	CONDENSER	
3080	•• 0300 0274 70	5	WASHER	
3090	•• 0226 3256 00	4	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3120	•• 0226 0047 01	2	TAPPING SCREW	
	•	1	ELECTRICAL COMPONENTS	
4010	•• 1627 1865 01	1	COMPRESSOR	
4020	•• 0300 0274 64	4	WASHER	
4021	•• 0333 3220 00	4	WASHER	
4030	•• 0147 1252 03	4	HEXAGON	
4050	•• 1627 1692 82	1	AXIAL FAN	
4060	•• 0215 0003 91	4	SCREW	
4070	•• 0300 0274 64	4	WASHER	
4080	•• 0333 3220 00	4	WASHER	

Remarks:


7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:575V - Supply voltage:575 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRM:CRNASME - Component approval mechanical:CRN
(based on ASME)
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
PRESS:12.5BAR - Working pressure:12.5 bar



16.16 - Components ID 73, ID 96 - ((GA 15+ - 7.4bar, 9.1bar, 10.8bar), (GA 18+, GA 22+, GA 26+, GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar)) – 575V/60Hz UL-cUL (01/03/2019 - ...)

CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MOVOL:575V + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
4085	•• 1624 9350 02	1	CAPACITOR	
4090	•• 1089 9139 35	1	FAN SWITCH	
4091	•• 0301 2315 00	2	PLAIN WASHER	
4092	•• 0160 6039 00	2	SCREW	
4093	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
4094	•• 0129 3270 81	2	BLIND RIVET	
4100	•• 1627 1852 00	1	HIGH PRESSURE SWITCH	
4110	•• 2204 2134 10	1	LDI DRAIN	
4120	•• 1088 1001 01	4	WARNING MARK	
4130	•• 0226 3256 00	2	SCREW	
4140	•• 0301 2318 00	2	WASHER	
4150	•• 0333 3214 00	2	WASHER	
	•	1	WIRING	
5010	•• 2205 0410 12	1	CUBICLE	

Remarks:


7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT FREON GAS R134A

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRM:CRNASME - Component approval mechanical:CRN
 (based on ASME)
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 PRESS:12.5BAR - Working pressure:12.5 bar



16.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))

Ref	Part Number	Qty	Name	Validity
	1627 1587 82	1	AIR DRYER	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400V + PRESS:10BAR (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	1627 1587 81			(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR (29/03/2018 - 09/06/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR)
	•	1	CANOPY	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + (MOVOL:400V + PRESS:10BAR , MOVOL:400VN + PRESS:7.5BAR) (29/03/2018 - 09/06/2018) ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000))
1010	•• 2204 1660 80	1	FRAME	
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW HEXAGON	
	•	1	HEAT EXCHANGER CONNECTIONS	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + (MOVOL:400V + PRESS:10BAR , MOVOL:400VN + PRESS:7.5BAR) (29/03/2018 - 09/06/2018) ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000))
2010	•• 1627 1455 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2050	•• 0301 2321 00	4	PLAIN WASHER	
2060	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA	
	•	1	REFRIGIRANT CONNECTIONS	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + (MOVOL:400V + PRESS:10BAR , MOVOL:400VN + PRESS:7.5BAR) (29/03/2018 - 09/06/2018) ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000))
3030	•• 1617 0092 03	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 1627 1459 00	1	CONDENSER	
3080	•• 0300 0274 70	4	WASHER	
3090	•• 0226 3256 00	3	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3130	•• 1624 9614 00	1	INSULATION THERMAL	
3180	•• 1627 1843 00	1	INSULATION THERMAL	
	•• 1603 6310 45	1	PIPE SET	
4010	••• 2204 1636 00	1	PIPE ASSEMBLY	
	•••• 1624 9352 00	2	SCHRAEDER VALVE	
4020	••• 1627 1521 00	1	PIPE	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

16.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))



16.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))

Ref	Part Number	Qty	Name	Validity
	•••• 1619 5563 02 1		SCHRÄDER VALVE	
4030	••• 1627 1522 00 1		PIPE	
	⚙ Substituted by: 1627 1522 01 - CAPILLARY ASSY (quantity: 1)			
4050	••• 1627 1635 00 2		INSULATION THERMAL	
4060	••• 1627 1634 00 1		INSULATION THERMAL	
	•	1	ELECTRICAL COMPONENTS	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + (MOVOL:400V + PRESS:10BAR , MOVOL:400VN + PRESS:7.5BAR) (29/03/2018 - 09/06/2018) ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000))
5010	•• 1624 2616 10 1		COMPRESSOR	
5020	•• 0147 1106 72 3		SCREW	
5030	•• 0300 8019 00 3		PLAIN WASHER	
5040	•• 0333 3127 00 3		WASHER	
5050	•• 1627 1692 81 1		AXIAL FAN	
5060	•• 0147 1247 03 4		HEXAGON BOLT	
5070	•• 0300 0274 64 4		WASHER	
5080	•• 0333 3220 00 4		WASHER	
5090	•• 1089 9139 25 1		FAN SWITCH	
5091	•• 0301 2315 00 2		PLAIN WASHER	
5092	•• 0160 6039 00 2		SCREW	
5093	•• 1627 1714 00 1		FAN SWITCH SUPPORT	
5094	•• 0129 3270 81 2		BLIND RIVET	
5100	•• 1624 9049 80 1		DRAIN	
5110	•• 1089 9139 16 1		HP SWITCH	
5120	•• 1088 1001 01 1		WARNING MARK	
5130	•• 0348 0101 13 3		CABLE TIE	
5140	•• 0226 3256 00 4		SCREW	
5150	•• 0301 2318 00 4		WASHER	
5160	•• 0333 3214 00 4		WASHER	
	•	1	WIRING	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400V + PRESS:10BAR (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•			(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR (29/03/2018 - 09/06/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR)
6010	•• 1900 5101 95 1		CUBICLE	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400V + PRESS:10BAR (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)


MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
FREQ:50HZ - Frequency:50 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

16.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))



16.17 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (01/08/2017 - 09/06/2018)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))

Ref	Part Number	Qty	Name	Validity
6010	•• 1900 5101 94	1	CUBICLE	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400VN + PRESS:7.5BAR (29/03/2018 - 09/06/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR)
6020	•• 1627 1869 00	1	TRANSFORMER	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400V + PRESS:10BAR (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
6030	•• 1627 1538 00	1	PLATE	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400V + PRESS:10BAR (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	••• 1088 0801 22	1	GROMMET	
	••• 1088 1001 01	1	WARNING MARK	
6040	•• 0226 3256 00	3	SCREW	(01/08/2017 - 28/03/2018) CAPPRM:CE + MODEL:GA30_18 + MOVOL:400V + PRESS:10BAR (29/03/2018 - 09/06/2018) MOVOL:400V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:AS1210 - Component approval mechanical:AS1210

CAPPRM:CE - Component approval mechanical:CE

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA30_18 - Model:GA 30

IDRY:Y - Integrated dryer:Yes

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400VN - Supply voltage:400 V+N

MOVOL:230V - Supply voltage:230 V


MOVOL:400V - Supply voltage:400 V

PRESS:7.5BAR - Working pressure:7.5 bar

PRESS:10BAR - Working pressure:10 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar



16.18 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))

Ref	Part Number	Qty	Name	Validity	R.
	4102 0019 74	1	AIR DRYER	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	R410A
	 Substituted by:	8092 3071 83 - ID115 VSD+ TRAFO 50HZ-LD-S (quantity: 1)			
	4102 0019 73			(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	R410A
	 Substituted by:	8092 3071 75 - ID115 VSD+ 230V 50HZ-LD-S (quantity: 1)			
	4102 0040 54			(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	R410A
	•	1	CANOPY	(10/06/2018 - 20/08/2018) (MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR (21/08/2018 - 28/02/2019)	
1010	•• 2204 1660 80	1	FRAME		
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
1020	•• 1622 0000 20	1	DECAL SYMBOLS		
	•	1	HEAT EXCHANGER CONNECTION	(10/06/2018 - 20/08/2018) (MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR (21/08/2018 - 28/02/2019)	
2010	•• 1627 1455 80	1	HEAT EXCHANGER		
2020	•• 0147 1247 03	4	HEXAGON BOLT		
2030	•• 0300 0274 64	4	WASHER		
2050	•• 0301 2321 00	4	PLAIN WASHER		
2060	•• 2202 8870 02	1	TEMPERATURE SENSOR		
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA		
2080	•• 0070 7250 04	AR	HOSE		
2090	•• 2204 1643 01	1	BUSHING		
2100	•• 0583 8100 71	1	PIPE FITTING		
2110	•• 0583 8120 70	1	ELBOW		
2120	•• 2202 7719 01	1	WASHER		
	•	1	REFRIGERANT CONNECTION	(10/06/2018 - 20/08/2018) (MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR (21/08/2018 - 28/02/2019)	
3030	•• 1617 0092 03	1	RING		
3050	•• 0348 0101 13	10	CABLE TIE		
3060	•• 1624 2293 00	1	FILTER DRYER		
3070	•• 1627 1459 00	1	CONDENSER		
3080	•• 0300 0274 70	4	WASHER		
3090	•• 0226 3256 00	3	SCREW		
3100	•• 1617 2385 00	1	ROTATION ARROW		

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

16.18 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))



16.18 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))

Ref	Part Number	Qty	Name	Validity	R.
3130	•• 1624 9614 00	1	INSULATION THERMAL	(10/06/2018 - 20/08/2018) (MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR (21/08/2018 - 24/02/2019)	
3180	•• 1627 1843 00	1	INSULATION THERMAL		
	••	1	PIPE SET		
4010	••• 2204 1636 00	1	PIPE ASSEMBLY		
	•••• 1624 2486 02	1	HGB VALVE		
	•••• 1624 9352 00	2	SCHRÄDER VALVE		
4020	••• 1627 1521 00	1	PIPE		
	•••• 1619 5563 02	1	SCHRÄDER VALVE		
4030	••• 1627 1522 00	1	PIPE		
	↻ Substituted by:	1627 1522 01	- CAPILLARY ASSY (quantity: 1)		
4050	••• 1627 1635 00	2	INSULATION THERMAL	(10/06/2018 - 30/07/2018) (MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR	
4050	••• 1627 1635 00	0	INSULATION THERMAL	(31/07/2018 - 20/08/2018) (MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR (21/08/2018 - 24/02/2019)	
4060	••• 1627 1634 00	1	INSULATION THERMAL	(10/06/2018 - 20/08/2018) (MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR (21/08/2018 - 24/02/2019)	
	•	1	ELECTRICAL COMPONENTS	(10/06/2018 - 20/08/2018) (MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR (21/08/2018 - 28/02/2019)	
5010	•• 1624 2616 10	1	COMPRESSOR		
	••• 1624 2725 01	1	CAPACITOR		
5020	•• 0147 1106 72	3	SCREW		
5030	•• 0300 8019 00	3	PLAIN WASHER		
5040	•• 0333 3127 00	3	WASHER		
5050	•• 1627 1692 81	1	FAN AXIAL		
5060	•• 0147 1247 03	4	HEXAGON BOLT		
5070	•• 0300 0274 64	4	WASHER		
5080	•• 0333 3220 00	4	WASHER		
5090	•• 1089 9139 25	1	PRESSURE SWITCH		
5091	•• 0301 2315 00	2	PLAIN WASHER		
5092	•• 0160 6039 00	2	SCREW		
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT		
5094	•• 0129 3270 81	2	BLIND RIVET		
5110	•• 1089 9139 16	1	HP SWITCH		
5120	•• 1088 1001 01	1	WARNING MARK		
5130	•• 0348 0101 13	3	CABLE TIE		
5140	•• 0226 3256 00	4	SCREW		
5150	•• 0301 2318 00	4	WASHER		
5160	•• 0333 3214 00	4	WASHER		

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210


MODEL:GA30_18 - Model:GA 30
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

16.18 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000))



16.18 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (10/06/2018 - 28/02/2019)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))

Ref	Part Number	Qty	Name	Validity	R.
	•	1	WIRING	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
	•			(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	
	•			(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	
6010	•• 2205 0210 02	1	CUBICLE	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
6010	•• 2205 0210 03	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:230V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:230V	
6010	•• 2205 0210 01	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:CE + MOVOL:400VN + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) (21/08/2018 - 28/02/2019) CAPPRM:CE + MOVOL:400VN	
6020	•• 1627 1869 00	1	TRANSFORMER	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
6030	•• 1627 1538 00	1	PLATE	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	
	••• 1088 0801 22	1	GROMMET		
	••• 1088 1001 01	1	WARNING MARK		
6040	•• 0226 3256 00	3	SCREW	(10/06/2018 - 20/08/2018) MOVOL:400V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + PRESS:10BAR) + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000) (21/08/2018 - 28/02/2019) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

16.19 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - 04/10/2020)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))



16.19 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (01/03/2019 - 04/10/2020)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))

Ref	Part Number	Qty	Name	Validity
	1627 1587 82	1	AIR DRYER	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	1627 1587 81			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
	4102 0040 63			(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
	•	1	CANOPY	(01/03/2019 - ...)
1010	•• 2204 1660 80	1	FRAME	
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW HEXAGON	
	•	1	HEAT EXCHANGER CONNECTION	(01/03/2019 - ...)
2010	•• 1627 1455 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2050	•• 0301 2321 00	4	PLAIN WASHER	
2060	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA	
	•	1	REFRIGIRANT CONNECTION	(01/03/2019 - ...)
	•• 1603 6310 45	1	PIPE SET	(01/03/2019 - 04/10/2020)
4010	••• 2204 1636 00	1	PIPE ASSEMBLY	
	•••• 1624 2486 02	1	HGB VALVE	
	•••• 1624 9352 00	2	SCHRAEDER VALVE	
4020	••• 1627 1521 00	1	PIPE	
	•••• 1619 5563 02	1	SCHRÄDER VALVE	
4030	••• 1627 1522 00	1	PIPE	
	⚙ Substituted by: 1627 1522 01 - CAPILLARY ASSY (quantity: 1)			
3030	•• 1617 0092 03	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 1627 1459 00	1	CONDENSER	
3080	•• 0300 0274 70	4	WASHER	
3090	•• 0226 3256 00	3	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3130	•• 1624 9614 00	1	INSULATION THERMAL	(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
3180	•• 1627 1843 00	1	INSULATION THERMAL	
	•	1	ELECTRICAL COMPONENTS	(01/03/2019 - ...)
5010	•• 1624 2616 10	1	COMPRESSOR	
5020	•• 0147 1106 72	3	SCREW	
5030	•• 0300 8019 00	3	PLAIN WASHER	
5040	•• 0333 3127 00	3	WASHER	
5050	•• 1627 1692 81	1	AXIAL FAN	
5060	•• 0147 1247 03	4	HEXAGON BOLT	
5070	•• 0300 0274 64	4	WASHER	
5080	•• 0333 3220 00	4	WASHER	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE on AD2000)


MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
(based FREQ:50HZ - Frequency:50 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

16.19 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (01/03/2019 - 04/10/2020)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))



16.19 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (01/03/2019 - 04/10/2020)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))

Ref	Part Number	Qty	Name	Validity
5090	•• 1089 9139 25	1	FAN SWITCH	
5091	•• 0301 2315 00	2	PLAIN WASHER	
5092	•• 0160 6039 00	2	SCREW	
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
5094	•• 0129 3270 81	2	BLIND RIVET	
5100	•• 2204 2134 10	1	LDI DRAIN	
5110	•• 1089 9139 16	1	HP SWITCH	
5120	•• 1088 1001 01	1	WARNING MARK	
5130	•• 0348 0101 13	3	CABLE TIE	
5140	•• 0226 3256 00	4	SCREW	
5150	•• 0301 2318 00	4	WASHER	
5160	•• 0333 3214 00	4	WASHER	
	•	1	WIRING	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
	•			(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
6010	•• 1900 5101 95	1	CUBICLE	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
6010	•• 1900 5101 94	1	CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
6010	•• 2205 0210 11	1	CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
6020	•• 1627 1869 00	1	TRANSFORMER	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
6030	•• 1627 1538 00	1	PLATE	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	••• 1088 0801 22	1	GROMMET	
	••• 1088 1001 01	1	WARNING MARK	
6040	•• 0226 3256 00	3	SCREW	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

16.20 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (05/10/2020 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18, MODEL:GA30_18) + (PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA30_18 + (PRESS:10BAR, PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000))



16.20 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 - 7.5bar, 8.5bar, 10bar, 13bar)) - 230V-400V-400V+N/50Hz IEC (05/10/2020 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))

Ref	Part Number	Qty	Name	Validity
	1627 1587 82	1	AIR DRYER	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	1627 1587 81			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
	4102 0040 63			(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
	•	1	CANOPY	(01/03/2019 - ...)
1010	•• 2204 1660 80	1	FRAME	
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW HEXAGON	
	•	1	HEAT EXCHANGER CONNECTION	(01/03/2019 - ...)
2010	•• 1627 1455 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2050	•• 0301 2321 00	4	PLAIN WASHER	
2060	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA	
	•	1	REFRIGERANT CONNECTION	(01/03/2019 - ...)
	•• 2204 2366 35	1	PIPE SET	(05/10/2020 - ...)
4010	••• 2204 2366 00	1	PIPE	
	•••• 2204 2367 01	2	NUT	
	•••• 1624 9352 00	2	VALVE	
	•••• 1624 2486 02	1	HGB VALVE	
	•••• 1617 0058 00	1	NUT	
4020	••• 2204 2366 15	1	PIPE	
	•••• 2202 8516 00	1	NON RETURN VALVE	
4030	••• 2204 2366 20	1	CAPILLARY ASSEMBLY	
	•••• 1624 2733 00	1	VALVE	
	•••• 1624 2488 08	1	TUBE	
	•••• 1617 0092 01	1	NUT	
	•••• 2202 7466 01	1	SLEEVE	
3030	•• 1617 0092 03	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 1627 1459 00	1	CONDENSER	
3080	•• 0300 0274 70	4	WASHER	
3090	•• 0226 3256 00	3	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3130	•• 1624 9614 00	1	INSULATION THERMAL	(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
3180	•• 1627 1843 00	1	INSULATION THERMAL	
3250	•• 2204 1638 02	3	CHECK VALVE	(05/10/2020 - ...)
	•	1	ELECTRICAL COMPONENTS	(01/03/2019 - ...)
5010	•• 1624 2616 10	1	COMPRESSOR	

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGERANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC

CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210

MODEL:GA30_18 - Model:GA 30

MOVOL:400VN - Supply voltage:400 V+N

PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE

IDRY:Y - Integrated dryer:Yes


MOVOL:230V - Supply voltage:230 V

PRESS:10BAR - Working pressure:10 bar

PRESS:8.5BAR - Working pressure:8.5 bar

16.20 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (05/10/2020 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))



16.20 - Components ID 96 - ((GA 26+ - 7.5bar, 8.5bar), (GA 30 – 7.5bar, 8.5bar, 10bar, 13bar)) – 230V-400V-400V+N/50Hz IEC (05/10/2020 - ...)

CAPPRE:IEC + FREQ:50HZ + IDRY:Y + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA30_18 + (PRESS:10BAR , PRESS:13BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000))

Ref	Part Number	Qty	Name	Validity
5020	•• 0147 1106 72	3	SCREW	
5030	•• 0300 8019 00	3	PLAIN WASHER	
5040	•• 0333 3127 00	3	WASHER	
5050	•• 1627 1692 81	1	AXIAL FAN	
5060	•• 0147 1247 03	4	HEXAGON BOLT	
5070	•• 0300 0274 64	4	WASHER	
5080	•• 0333 3220 00	4	WASHER	
5090	•• 1089 9139 25	1	FAN SWITCH	
5091	•• 0301 2315 00	2	PLAIN WASHER	
5092	•• 0160 6039 00	2	SCREW	
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
5094	•• 0129 3270 81	2	BLIND RIVET	
5100	•• 2204 2134 10	1	LDI DRAIN	
5110	•• 1089 9139 16	1	HP SWITCH	
5120	•• 1088 1001 01	1	WARNING MARK	
5130	•• 0348 0101 13	3	CABLE TIE	
5140	•• 0226 3256 00	4	SCREW	
5150	•• 0301 2318 00	4	WASHER	
5160	•• 0333 3214 00	4	WASHER	
	•	1	WIRING	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	•			(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
	•			(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
6010	•• 1900 5101 95	1	CUBICLE	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
6010	•• 1900 5101 94	1	CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:400VN
6010	•• 2205 0210 11	1	CUBICLE	(01/03/2019 - ...) CAPPRM:CE + MOVOL:230V
6020	•• 1627 1869 00	1	TRANSFORMER	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
6030	•• 1627 1538 00	1	PLATE	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)
	••• 1088 0801 22	1	GROMMET	
	••• 1088 1001 01	1	WARNING MARK	
6040	•• 0226 3256 00	3	SCREW	(01/03/2019 - ...) MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)

Remarks:

7.5 BAR = 108PSI, 8.5 BAR = 123PSI, 10 BAR = 145PSI, 13 BAR = 188PSI REFRIGIRANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:CEAD2000 - Component approval mechanical:CE (based FREQ:50HZ - Frequency:50 Hz on AD2000)


MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V
PRESS:13BAR - Working pressure:13 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
MODEL:GA30_18 - Model:GA 30
MOVOL:400VN - Supply voltage:400 V+N
PRESS:7.5BAR - Working pressure:7.5 bar

CAPPRM:CE - Component approval mechanical:CE
IDRY:Y - Integrated dryer:Yes
MOVOL:230V - Supply voltage:230 V
PRESS:10BAR - Working pressure:10 bar
PRESS:8.5BAR - Working pressure:8.5 bar

16.21 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))



16.21 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity	R.
	4102-0019-75	1	AIR DRYER	(10/06/2018 - 20/08/2018) CAPPRE:IEC + CAPPRM:ASME + MOVOL:380V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + PRESS:10.8BAR) (21/08/2018 - 28/02/2019) CAPPRE:IEC + CAPPRM:ASME + MOVOL:380V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR))	R410A
	Substituted by:	8092 3071 91 - ID96 VSD+ TRAFO 60HZ 380-LD-S (quantity: 1)			
	4102 0040 51			(10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))	R410A
	4102-0019-76			(10/06/2018 - 20/08/2018) CAPPRM:ASME + MOVOL:460V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + PRESS:10.8BAR) (21/08/2018 - 28/02/2019) CAPPRM:ASME + MOVOL:460V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR))	R410A
	Substituted by:	8092 3072 09 - ID96 VSD+ TRAFO 60HZ 460-LD-S (quantity: 1)			
	•	1	CANOPY	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRM:ASME	
1010	•• 2204 1660 80	1	FRAME		
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS		
1020	•• 1622 0000 20	1	DECAL SYMBOLS		
1060	•• 0216 1100 72	2	SCREW		
	•	1	HEAT EXCHANGER CONNECTION	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRM:ASME	
2010	•• 1627 1455 80	1	HEAT EXCHANGER		
2020	•• 0147 1247 03	4	HEXAGON BOLT		

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.21 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))



16.21 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity	R.
2030	•• 0300 0274 64	4	WASHER		
2050	•• 0301 2321 00	4	PLAIN WASHER		
2060	•• 2202 8870 02	1	TEMPERATURE SENSOR		
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTE		
2080	•• 0070 7250 04	AR	HOSE		
2090	•• 2204 1643 01	1	BUSHING		
2100	•• 0583 8100 71	1	PIPE FITTING		
2110	•• 0583 8120 70	1	ELBOW		
2120	•• 2202 7719 01	1	WASHER		
	•	1	REFRIGERANT CONNECTION	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRM:ASME	
3030	•• 1617 0092 03	1	RING		
3050	•• 0348 0101 13	10	CABLE TIE		
3060	•• 1624 2293 00	1	FILTER DRYER		
3070	•• 1627 1459 00	1	CONDENSER		
3080	•• 0300 0274 70	4	WASHER		
3090	•• 0226 3256 00	3	SCREW		
3100	•• 1617 2385 00	1	ROTATION ARROW		
3120	•• 1624 9710 00	1	INSULATION THERMAL		
3130	•• 1624 9614 00	1	INSULATION THERMAL		
	••	1	PIPESET		
4010	••• 2204 1636 80	1	PIPE ASSEMBLY		
	•••• 1624 2486 02	1	HGB VALVE		
	•••• 1624 9352 00	1	SCHRÄDER VALVE		
4020	••• 1627 1521 00	1	PIPE		
	•••• 1619 5563 02	1	SCHRÄDER VALVE		
4030	••• 1627 1522 00	1	PIPE		
	↺ Substituted by:	1627 1522 01	CAPILLARY ASSY (quantity: 1)		
4050	••• 1627 1635 00	2	INSULATION THERMAL	(10/06/2018 - 30/07/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))	

Remarks:


7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:

CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar



16.21 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity	R.
4060	••• 1627 1634 00	1	INSULATION THERMAL	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))	
	•	1	ELECTRICAL COMPONENTS	(21/08/2018 - 24/02/2019) CAPPRM:ASME (10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR))	
5010	•• 1624 2616 11	1	COMPRESSOR		
	••• 1624 2725 01	1	CAPACITOR		
5020	•• 0147 1106 72	3	SCREW		
5030	•• 0300 8019 00	3	PLAIN WASHER		
5040	•• 0333 3127 00	3	WASHER		
5050	•• 1627 1692 82	1	FAN AXIAL		
5060	•• 0147 1247 03	4	HEXAGON BOLT		
5070	•• 0300 0274 64	4	WASHER		
5080	•• 0333 3220 00	4	WASHER		
5085	•• 1624 9350 02	1	CAPACITOR		
5090	•• 1089 9139 25	1	FAN SWITCH		
5091	•• 0301 2315 00	2	PLAIN WASHER		
5092	•• 0160 6039 00	2	SCREW		
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT		
5094	•• 0129 3270 81	2	BLIND RIVET		
5100	•• 1089 9139 16	1	HP SWITCH		
5120	•• 1088 1001 01	1	WARNING MARK		
5130	•• 0348 0101 13	3	CABLE TIE		
5140	•• 0226 3256 00	4	SCREW		
5150	•• 0301 2318 00	4	WASHER		
5160	•• 0333 3214 00	4	WASHER		

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.21 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))



16.21 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity	R.
	•	1	WIRING	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + PRESS:10.8BAR) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	
	•			(10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))	
6010	•• 2205 0410 03	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR)) (21/08/2018 - 28/02/2019) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))	
6010	•• 2205 0410 01	1	CUBICLE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + PRESS:10.8BAR) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	
6020	•• 1627 1869 00	1	TRANSFORMER	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + PRESS:10.8BAR) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.21 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V)) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200V, MOVOL:230_460_V, MOVOL:460V)) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR))



16.21 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (10/06/2018 - 28/02/2019)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity	R.
6030	•• 1627 1538 00	1	PLATE	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + PRESS:10.8BAR) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	
	••• 1088 0801 22	1	GROMMET		
	••• 1088 1001 01	1	WARNING MARK		
6040	•• 0226 3256 00	3	SCREW	(10/06/2018 - 20/08/2018) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + PRESS:10.8BAR) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V) (21/08/2018 - 28/02/2019) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.22 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))



16.22 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	4102 0040 62	1	AIR DRYER	(01/03/2019 - ...) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))
	1627 1587 83			(01/03/2019 - ...) CAPPRM:ASME + MOVOL:460V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR))
	1627 1587 85			(01/03/2019 - ...) CAPPRE:IEC + CAPPRM:ASME + MOVOL:380V + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR))
	•	1	CANOPY	(01/03/2019 - ...) CAPPRM:ASME
1010	•• 2204 1660 80	1	FRAME	
	••• 1627 1828 00	1	DECAL FLUORINATED GREENHOU.GAS	
1020	•• 1622 0000 20	1	DECAL SYMBOLS	
1060	•• 0216 1100 72	2	SCREW HEXAGON	
	•	1	HEAT EXCHANGER CONNECTIONS	(01/03/2019 - ...) CAPPRM:ASME
2010	•• 1627 1455 80	1	HEAT EXCHANGER	
2020	•• 0147 1247 03	4	HEXAGON BOLT	
2030	•• 0300 0274 64	4	WASHER	
2050	•• 0301 2321 00	4	PLAIN WASHER	
2060	•• 2202 8870 02	1	TEMPERATURE SENSOR	
	•• 1617 0128 00	AR	HEAT CONDUCTING PASTA	
	•	1	REFRIGERANT CONNECTIONS	(01/03/2019 - ...) CAPPRM:ASME
	•• 1603 6310 93	1	PIPESET	
4010	••• 2204 1636 80	1	PIPE ASSEMBLY	
	•••• 1624 2486 02	1	HGB VALVE	
	•••• 1617 0082 00	1	SLEEVE	
	•••• 1617 0058 00	1	NUT	
	•••• 1624 9352 00	1	SCHRAEDER VALVE	
4020	••• 1627 1521 00	1	PIPE	
	•••• 1619 5563 02	1	SCHRÄDER VALVE	
4030	••• 1627 1522 00	1	PIPE	
	↻ Substituted by:	1627 1522 01	CAPILLARY ASSY (quantity: 1)	
3030	•• 1617 0092 03	1	RING	
3050	•• 0348 0101 13	10	CABLE TIE	
3060	•• 1624 2293 00	1	FILTER DRYER	
3070	•• 1627 1459 00	1	CONDENSER	
3080	•• 0300 0274 70	4	WASHER	
3090	•• 0226 3256 00	3	SCREW	
3100	•• 1617 2385 00	1	ROTATION ARROW	
3120	•• 1624 9710 00	1	INSULATION THERMAL	

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.22 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))



16.22 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
3130	•• 1624 9614 00	1	INSULATION THERMAL	
	•	1	ELECTRICAL COMPONENT	(01/03/2019 - ...) CAPPRM:ASME
5010	•• 1624 2616 11	1	COMPRESSOR	
5020	•• 0147 1106 72	3	SCREW	
5030	•• 0300 8019 00	3	PLAIN WASHER	
5040	•• 0333 3127 00	3	WASHER	
5050	•• 1627 1692 82	1	AXIAL FAN	
5060	•• 0147 1247 03	4	HEXAGON BOLT	
5070	•• 0300 0274 64	4	WASHER	
5080	•• 0333 3220 00	4	WASHER	
5085	•• 1624 9350 02	1	CAPACITOR	
5090	•• 1089 9139 25	1	FAN SWITCH	
5091	•• 0301 2315 00	2	PLAIN WASHER	
5092	•• 0160 6039 00	2	SCREW	
5093	•• 1627 1714 00	1	FAN SWITCH SUPPORT	
5094	•• 0129 3270 81	2	BLIND RIVET	
5100	•• 2204 2134 10	1	LDI DRAIN	
5110	•• 1089 9139 16	1	HP SWITCH	
5120	•• 1088 1001 01	1	WARNING MARK	
5130	•• 0348 0101 13	3	CABLE TIE	
5140	•• 0226 3256 00	4	SCREW	
5150	•• 0301 2318 00	4	WASHER	
5160	•• 0333 3214 00	4	WASHER	
	•	1	WIRING	(01/03/2019 - ...) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))
	•			(01/03/2019 - ...) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
6010	•• 2205 0410 11	1	CUBICLE	(01/03/2019 - ...) CAPPRM:ASME + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + MOVOL:200230460V) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + MOVOL:230V , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))
6010	•• 1900 5101 96	1	CUBICLE	(01/03/2019 - ...) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
6020	•• 1627 1869 00	1	TRANSFORMER	(01/03/2019 - ...) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A


Legend:

CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:460V - Supply voltage:460 V
PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
PRESS:12.5BAR - Working pressure:12.5 bar

16.22 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (01/03/2019 - ...)
 FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200230460V, MOVOL:460V)) + (PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + (MOVOL:200V, MOVOL:230_460_V, MOVOL:460V)) + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR))



16.22 - Components ID 96 - (GA 26+ - 7.4bar, 9.1bar – 230V-380V-460V/60Hz IEC, 200-230-460V-460V/60Hz UL-cUL), (GA 30 – 7.4bar, 9.1bar, 10.8bar, 12.5bar – 230V-380V-460V/60Hz IEC, 200V-230-460V-460V/60Hz UL-cUL) (01/03/2019 - ...)

FREQ:60HZ + IDRY:Y + (MODEL:GA26P_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V)) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
6030	•• 1627 1538 00	1	PLATE	(01/03/2019 - ...) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)
	••• 1088 0801 22	1	GROMMET	
	••• 1088 1001 01	1	WARNING MARK	
6040	•• 0226 3256 00	3	SCREW	(01/03/2019 - ...) CAPPRM:ASME + ((MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:10.8BAR , PRESS:12.5BAR)) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)

Remarks:

7.4 BAR = 107PSI, 9.1 BAR = 132PSI, 10.8 BAR = 157PSI, 12.5 BAR = 181PSI REFRIGERANT R410A

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:460V - Supply voltage:460 V
 PRESS:7.4BAR - Working pressure:7.4 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:ASME - Component approval mechanical:ASME
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 PRESS:12.5BAR - Working pressure:12.5 bar

17.1 - Electrical components

OEM:N + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))))



17.1 - Electrical components

OEM:N + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))))

Ref	Part Number	Qty	Name	Validity
1010	-	1	CUBICLE	(01/08/2017 - ...)
1050	0147 1963 08	1	HEXAGON BOLT	
1050	0147 1963 08	4	HEXAGON BOLT	(26/07/2019 - ...) CAPPRE:IEC + FREQ:50HZ + IDRY:Y + MODEL:GA11P_18 + (MOVOL:400V , MOVOL:400VN)
1060	1089 0574 70	1	TEMPERATURE SENSOR	(03/09/2018 - 03/04/2019) (CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (04/04/2019 - 22/07/2019) (CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (23/07/2019 - 25/07/2019) CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) (26/07/2019 - ...) CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:N - OEM:N

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V

17.1 - Electrical components

OEM:N + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))))



17.1 - Electrical components

OEM:N + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))))

Ref	Part Number	Qty	Name	Validity
1065	1089 0708 11	1	TEMPERATURE SWITCH	(03/09/2018 - 03/04/2019) (CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:230_460_V , IDRY:Y + MOVOL:200V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (04/04/2019 - 22/07/2019) (CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (23/07/2019 - 25/07/2019) CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))) (26/07/2019 - ...) CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)))
1070	1089 0580 22	1	SOLENOID VALVE	(16/04/2018 - ...)
1080	2001 0104 10	1	FUSE LABEL	(15/04/2018 - 15/04/2018) CAPPRE:IEC + (FREQ:60HZ + MODEL:GA18P_18 + MOVOL:380V , OEM:N + (FREQ:60HZ + MOVOL:460V + (MODEL:GA22P_18 , MODEL:GA26P_18) , MODEL:GA11P_18 + MOVOL:230V + (FREQ:50HZ , FREQ:60HZ))) (16/04/2018 - ...) CAPPRE:IEC + (FREQ:50HZ + (MODEL:GA11P_18 + MOVOL:230V , MODEL:GA18P_18 + (MOVOL:400V , IDRY:Y + MOVOL:400VN)) , FREQ:60HZ + (MODEL:GA11P_18 + MOVOL:230V , MOVOL:380V + (MODEL:GA18P_18 , MODEL:GA22P_18) , MOVOL:460V + (MODEL:GA22P_18 , MODEL:GA26P_18)))
1080	2001 0104 12	1	FUSE LABEL	(15/04/2018 - 15/04/2018) CAPPRE:IEC + (FREQ:50HZ + MODEL:GA15P_18 + MOVOL:230V + OEM:N , FREQ:60HZ + MODEL:GA26P_18 + MOVOL:380V) , FREQ:60HZ + MODEL:GA30_18 + MOVOL:460V + OEM:N (16/04/2018 - 22/07/2019) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + (MOVOL:400V , IDRY:Y + MOVOL:400VN)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:380V , CAPPRE:ULCUL + MOVOL:200230460V) , MODEL:GA30_18 + (CAPPRE:ULCUL + MOVOL:230_460_V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL))) (23/07/2019 - ...) CAPPRE:IEC + FREQ:50HZ + (MODEL:GA15P_18 + MOVOL:230V , MODEL:GA22P_18 + (MOVOL:400V , IDRY:Y + MOVOL:400VN)) , FREQ:60HZ + (MODEL:GA26P_18 + (CAPPRE:IEC + MOVOL:380V , CAPPRE:ULCUL + MOVOL:200230460V) , MODEL:GA30_18 + (CAPPRE:ULCUL + MOVOL:230_460_V , MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL)))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:N - OEM:N

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V

17.1 - Electrical components

OEM:N + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))))



17.1 - Electrical components

OEM:N + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))))

Ref	Part Number	Qty	Name	Validity
1080	2001 0104 14	1	FUSE LABEL	(15/04/2018 - 15/04/2018) CAPPRE:IEC + (FREQ:60HZ + MODEL:GA30_18 + MOVOL:380V , MODEL:GA18P_18 + MOVOL:230V + OEM:N + (FREQ:50HZ , FREQ:60HZ)) (16/04/2018 - ...) CAPPRE:IEC + (FREQ:50HZ + (MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + MODEL:GA30_18 + MOVOL:380V , MOVOL:230V + (FREQ:60HZ + MODEL:GA15P_18 , MODEL:GA18P_18 + (FREQ:50HZ , FREQ:60HZ)))
1080	2001 0104 16	1	FUSE LABEL	(15/04/2018 - ...) CAPPRE:IEC + MOVOL:230V + (FREQ:60HZ + MODEL:GA26P_18 , MODEL:GA22P_18 + (FREQ:50HZ , FREQ:60HZ))
1080	2001 0104 18	1	FUSE LABEL	(15/04/2018 - ...) CAPPRE:IEC + MOVOL:230V + (MODEL:GA30_18 , FREQ:50HZ + MODEL:GA26P_18)
1080	2001 0104 06	1	FUSE LABEL	(15/04/2018 - 15/04/2018) FREQ:60HZ + (CAPPRE:IEC + MODEL:GA11P_18 + MOVOL:380V , MODEL:GA15P_18 + MOVOL:460V + OEM:N) (16/04/2018 - 25/07/2019) FREQ:60HZ + (CAPPRE:IEC + MODEL:GA11P_18 + MOVOL:380V , CAPPRE:ULCUL + MODEL:GA18P_18 + MOVOL:575V , MODEL:GA15P_18 + MOVOL:460V + (CAPPRE:IEC , CAPPRE:ULCUL)) (26/07/2019 - ...) CAPPRE:IEC + (FREQ:60HZ + MODEL:GA15P_18 + MOVOL:460V , MODEL:GA11P_18 + (FREQ:50HZ + IDRY:Y + (MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + MOVOL:380V)) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA15P_18 + MOVOL:460V , MODEL:GA18P_18 + MOVOL:575V)
1080	2001 0104 08	1	FUSE LABEL	(15/04/2018 - 15/04/2018) FREQ:60HZ + (CAPPRE:IEC + MODEL:GA15P_18 + MOVOL:380V , MODEL:GA18P_18 + OEM:N + (CAPPRE:IEC + MOVOL:460V , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:460V))) (16/04/2018 - ...) CAPPRE:IEC + (FREQ:60HZ + MODEL:GA18P_18 + MOVOL:460V , MODEL:GA15P_18 + (FREQ:50HZ + (MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + MOVOL:380V)) , CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA18P_18 + (MOVOL:200230460V , MOVOL:460V)
1080	2001 0104 04	1	FUSE LABEL	(15/04/2018 - 15/04/2018) CAPPRE:IEC + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:460V (16/04/2018 - 25/07/2019) CAPPRE:IEC + MODEL:GA11P_18 + (FREQ:50HZ + (MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + MOVOL:460V) (26/07/2019 - ...) CAPPRE:IEC + MODEL:GA11P_18 + (FREQ:50HZ + IDRY:N + MOVOL:400V , FREQ:60HZ + MOVOL:460V)
1080	2001 0104 05	1	FUSE LABEL	(15/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA11P_18 + (MOVOL:200230460V , MOVOL:460V) , MODEL:GA15P_18 + MOVOL:575V)
1080	2001 0104 09	1	FUSE LABEL	(15/04/2018 - 15/04/2018) CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA22P_18 + MOVOL:460V , MOVOL:575V + (MODEL:GA26P_18 , MODEL:GA30_18)) (16/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA22P_18 + (MOVOL:200230460V , MOVOL:460V) , MOVOL:575V + (MODEL:GA26P_18 , MODEL:GA30_18))
1080	2001 0104 11	1	FUSE LABEL	(15/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:460V
1080	2001 0104 03	1	FUSE LABEL	(15/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:575V
1080	2001 0104 07	1	FUSE LABEL	(15/04/2018 - 15/04/2018) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:575V (16/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA15P_18 + MOVOL:200230460V , MODEL:GA22P_18 + MOVOL:575V)
1080	2001 0104 19	1	FUSE LABEL	(16/04/2018 - 03/04/2019) CAPPRE:ULCUL + FREQ:60HZ + IDRY:Y + MODEL:GA30_18 + MOVOL:200V (04/04/2019 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V
1090	2001 0104 16	1	FUSE LABEL	(16/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:200230460V
1090	2001 0104 13	1	FUSE LABEL	(16/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:200230460V
1090	2001 0104 17	1	FUSE LABEL	(16/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:200230460V

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
OEM:N - OEM:N

CAPPRE:ULCUL - Component approval electrical:UL/cUL
IDRY:N - Integrated dryer:No
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
MOVOL:200V - Supply voltage:200 V
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
IDRY:Y - Integrated dryer:Yes
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
MOVOL:230_460_V - Supply voltage:230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V

17.1 - Electrical components

OEM:N + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))))



17.1 - Electrical components

OEM:N + (CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (CAPPRE:IEC + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + (MOVOL:460V , MOVOL:575V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V) , MOVOL:200230460V + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18))))

Ref	Part Number	Qty	Name	Validity
1090	2001 0104 11	1	FUSE LABEL	(15/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:200230460V
1090	2001 0104 15	1	FUSE LABEL	(15/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:200230460V
1090	2001 0104 19	1	FUSE LABEL	(16/04/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OEM:N - OEM:N

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V

17.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



17.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 08	1	CUBICLE	(16/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , SD FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , AD FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , WH FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATALABEL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , DATALABEL FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , 1X0 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9366 22	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
Electrical legend:	1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , 1X3 motor FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9427 63	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
Electrical legend:	1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , K21 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9623 52	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , K23 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9438 76	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , K22 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , F21 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9438 86	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , K21 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9438 84	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , K23 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
Electrical legend:	1X1:T1,2,3 & T10,11,12				

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
MOVOL:230V - Supply voltage:230 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



17.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0061 63	6	TERMINAL BLOCK	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:T1,2,3 & T10,11,12			
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , T1 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 0612 24	2	FUSE 4A	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , F1-F2 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , F1-F2 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9267 25	1	CIRCUIT BREAKER	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , Q15 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , S3 (button) FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , K5 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , K25 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 0612 21	1	FUSE	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , F3 (IEC) FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , F3 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
MOVOL:230V - Supply voltage:230 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



17.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , 1X5 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1088 0021 41	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , 1X2:L1-L2-L3 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , 1X2 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1088 0031 32	1	CONNECTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , 2X30 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1088 0037 80	1	CONNECTOR	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , 2X28 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , - FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	 Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	 Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
		1	CUBICLE FAN	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	 Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	 Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , WH FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	0697 9810 32	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , TT01 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , TT90 (LAT) FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
MOVOL:230V - Supply voltage:230 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



17.2 - Cubicle components GA 11+, GA 15+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
	0698 5148 82	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , A1 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2730	0697 9811 15	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , M1 cable 2 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2735	0989 3700 46	1	NUT	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , M1 cable 2 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2740	0697 9811 11	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , ANTENNA FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2745	0989 3700 42	1	NUT	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , ANTENNA FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , TT01 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , PT20 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2765	0583 8120 73	1	ELBOW	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , PT20 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , TT90 (LAT) FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , TT90 (LAT) FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , A1 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , A1 FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - 15/04/2018) MODEL:GA11P_18 , MSA FREQ:50HZ + MODEL:GA15P_18 (16/04/2018 - ...)	
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		
3060 •	1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070 •	1079 9932 01	1	DECAL		
3080 •	1079 9932 15	1	DECAL		
•	1613 8339 01	1	LOCK		
3100 •	1637 0000 72	1	DECAL BP		
3110 •	1079 9931 46	1	DECAL WARNING		
3120 •	1622 0000 20	2	DECAL SYMBOLS		
3130 •	1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
MOVOL:230V - Supply voltage:230 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.3 - Cubicle components GA 18+, GA 22+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



17.3 - Cubicle components GA 18+, GA 22+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 08	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(15/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 53	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9623 53	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 79	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9446 97	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(15/04/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 0612 24	2	FUSE 4A	(15/04/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1089 9267 29	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 0612 21	1	FUSE	(15/04/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+

17.3 - Cubicle components GA 18+, GA 22+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



17.3 - Cubicle components GA 18+, GA 22+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+

17.3 - Cubicle components GA 18+, GA 22+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



17.3 - Cubicle components GA 18+, GA 22+ - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+

17.4 - Cubicle components GA 26+, GA 30 - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



17.4 - Cubicle components GA 26+, GA 30 - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 28	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚡	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(15/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚡	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 18	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚡	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(15/04/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(15/04/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 0612 24	2	FUSE 4A	(15/04/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1089 9267 29	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 0612 21	1	FUSE	(15/04/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30

17.4 - Cubicle components GA 26+, GA 30 - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



17.4 - Cubicle components GA 26+, GA 30 - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30

17.4 - Cubicle components GA 26+, GA 30 - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA26P_18, MODEL:GA30_18)



17.4 - Cubicle components GA 26+, GA 30 - 230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30

17.5 - Cubicle components GA 11+, GA 15+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



17.5 - Cubicle components GA 11+, GA 15+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 54	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY drawing	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088-0031-81~~	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9427 58	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 50	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088-0031-81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 56	1	TRANSFORMER VOLTAGE	(15/04/2018 - ...)	T1
	1089 9168 24	2	FUSE LINK 2A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4306 00	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 22	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend:	Q15 (for UL)			
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.5 - Cubicle components GA 11+, GA 15+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



17.5 - Cubicle components GA 11+, GA 15+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+			
		2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS			
		2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS			
		2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS			
		2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
		1	CUBICLE FAN	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+			
		2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS			
		2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS			
		2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS			
		2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010	•	1	CUBICLE		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.5 - Cubicle components GA 11+, GA 15+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



17.5 - Cubicle components GA 11+, GA 15+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL INSTRUCT.		
3080	• 1079 9932 15	1	DECAL INSTRUCT.		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.6 - Cubicle components GA 18+, GA 22+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA18P_18, MODEL:GA22P_18)



17.6 - Cubicle components GA 18+, GA 22+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 60	1	CUBICLE	(16/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	-
	1088-0031-81	1	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9427 61	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 60	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	-
	1088-0031-81	2	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9623 51	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	K21
	1089 9623 51	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	K23
	1089 9438 74	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	F21
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	Q15 (for UL)
	Electrical legend:	Q15 (for UL)			
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	K5

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

17.6 - Cubicle components GA 18+, GA 22+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA18P_18, MODEL:GA22P_18)



17.6 - Cubicle components GA 18+, GA 22+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	-
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	🛠 Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	🛠 Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	TT01

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

17.6 - Cubicle components GA 18+, GA 22+ - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA18P_18, MODEL:GA22P_18)



17.6 - Cubicle components GA 18+, GA 22+ - 380V/60Hz IEC


CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity	EL
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - 15/04/2018) MODEL:GA18P_18 (16/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

17.7 - Cubicle components GA 26+, GA 30 - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



17.7 - Cubicle components GA 26+, GA 30 - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 66	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWIN	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088-0031-81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9427 61	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088-0031-81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9623 52	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9623 52	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER 3NW7013	(15/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend:	Q15 (for UL)			
	1089 9267 55	1	SWITCH POWER	(15/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

17.7 - Cubicle components GA 26+, GA 30 - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



17.7 - Cubicle components GA 26+, GA 30 - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚙ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	🛠 Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	🛠 Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

17.7 - Cubicle components GA 26+, GA 30 - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



17.7 - Cubicle components GA 26+, GA 30 - 380V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:380V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

17.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 02	1	CUBICLE	(27/05/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YSD + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YAD + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V	
	9828 5323 20	0	CUBICLE ASSEMBLY	(26/07/2019 - ...) IDRY:Y	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - 25/07/2019) MOVOL:400V , IDRY:YWH + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1625 2201 40	1	WIRE HARNESS	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YWH + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	• 1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YDATALABEL + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1625 2201 27	1	CUBICLE ASSEMBLY	(26/07/2019 - ...) IDRY:Y	MSA
	0993 7106 07	1	RAIL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y- + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1088-0031-81	1	END STOP BRACKET 6MM	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y- + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9427 58	3	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y1X0 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 9366 71	3	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 59	1	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1X0:N (to 1X2)			
	1089 9427 50	1	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y1X3 motor + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 9427 60	1	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y- + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1088-0031-81	2	END STOP BRACKET 6MM	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y- + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9438 74	1	CONTACTOR	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YK21 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 9438 74	1	CONTACTOR	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YK23 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	

Legend:

CAPPRE:IEC - Component approval electrical:IEC

IDRY:Y - Integrated dryer:Yes

MOVOL:400VN - Supply voltage:400 V+N

FREQ:50HZ - Frequency:50 Hz

MODEL:GA11P_18 - Model:GA 11+


OEM:N - OEM:N

IDRY:N - Integrated dryer:No

MOVOL:400V - Supply voltage:400 V

17.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 66	1	CONTACTOR	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YK22 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 9446 79	1	OVERLOAD RELAY	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YF21 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 9438 86	1	CONTACTOR	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YK21 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 9438 84	1	CONTACTOR	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YK23 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 9514 56	1	TRANSFORMER VOLTAGE	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YT1 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 0612 23	2	FUSE 2A	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YF1-F2 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 0612 01	2	FUSE HOLDER	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YF1-F2 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 9267 22	1	CIRCUIT BREAKER	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YQ15 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 9267 55	1	POWER SWITCH	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YS3 (button) + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 9482 92	2	CONTACT BLOCK	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YK5 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 9461 07	1	PHASE SEQUENCE RELAY	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YK25 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 0612 21	1	FUSE	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YF3 (IEC) + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
IDRY:Y - Integrated dryer:Yes
MOVOL:400VN - Supply voltage:400 V+N

FREQ:50HZ - Frequency:50 Hz
MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

IDRY:N - Integrated dryer:No
MOVOL:400V - Supply voltage:400 V

17.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 0612 01	1	FUSE HOLDER	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YF3 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1088 0039 93	1	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y1X5 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1088 0021 41	3	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y1X2:L1-L2-L3 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 42	1	TERMINAL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y1X2:N + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1088 0021 43	1	END PLATE	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y1X2 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	

Legend:

CAPPRE:IEC - Component approval electrical:IEC

IDRY:Y - Integrated dryer:Yes

MOVOL:400VN - Supply voltage:400 V+N

FREQ:50HZ - Frequency:50 Hz

MODEL:GA11P_18 - Model:GA 11+


OEM:N - OEM:N

IDRY:N - Integrated dryer:No

MOVOL:400V - Supply voltage:400 V

17.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	0993 7106 07	1	RAIL	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y- + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1089 9398 92	2	RAIL CARRIER	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y- + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1088 0031 26	1	CONNECTOR 6-POLE	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y2X31 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1088 0031 32	1	CONNECTOR	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y2X30 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	1088 0037 80	1	CONNECTOR	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y2X28 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y- + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	 Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	airinlet bottom			
	 Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
		1	CUBICLE FAN	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	Electrical legend:	airoutlet top			
	 Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	 Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
	0697 9809 24	1	LOCKNUT	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YWH + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	0697 9811 15	1	PLUG	(26/07/2019 - ...) IDRY:Y	M1 cable 2
	0989 3700 46	1	NUT	(26/07/2019 - ...) IDRY:Y	M1 cable 2
	0697 9811 11	1	PLUG	(26/07/2019 - ...) IDRY:Y	ANTENNA
	0989 3700 42	1	NUT	(26/07/2019 - ...) IDRY:Y	ANTENNA
	0698 5140 70	1	CABLE GLAND	(26/07/2019 - ...) IDRY:Y	TT01
	0697 9810 32	1	PLUG	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YTT01 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	0697 9809 13	1	LOCKNUT	(26/07/2019 - ...) IDRY:Y	PT20
	0583 8120 73	1	ELBOW	(26/07/2019 - ...) IDRY:Y	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - 25/07/2019) MOVOL:400V , IDRY:YFAN + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	0697 9809 21	1	LOCK NUT	(19/09/2018 - 25/07/2019) MOVOL:400V , IDRY:YFAN + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	0698 5140 70	1	CABLE GLAND	(26/07/2019 - ...) IDRY:Y	TT90 (LAT)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
IDRY:Y - Integrated dryer:Yes
MOVOL:400VN - Supply voltage:400 V+N

FREQ:50HZ - Frequency:50 Hz
MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

IDRY:N - Integrated dryer:No
MOVOL:400V - Supply voltage:400 V

17.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.8 - Cubicle components GA 11+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
	0697 9809 30	1	LOCK NUT	(26/07/2019 - ...) IDRY:Y	TT90 (LAT)
	0698 5149 16	1	PLUG	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YTT90 (LAT) + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
	0698 5140 73	1	CABLE GLAND	(26/07/2019 - ...) IDRY:Y	A1
	0697 9809 22	1	LOCKNUT	(26/07/2019 - ...) IDRY:Y	A1
	0698 5148 82	1	PLUG	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YA1 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V , IDRY:Y + (MOVOL:400V , MOVOL:400VN)	
2730	0697 9811 15	1	PLUG	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YM1 cable 2 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V	
2735	0989 3700 46	1	NUT	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YM1 cable 2 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V	
2740	0697 9811 11	1	PLUG	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YANTENNA + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V	
2745	0989 3700 42	1	NUT	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YANTENNA + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V	
2750	0698 5140 70	1	CABLE GLAND	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YTT01 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V	
2760	0697 9809 13	1	LOCKNUT	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YPT20 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V	
2765	0583 8120 73	1	ELBOW	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YPT20 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V	
2780	0698 5140 70	1	CABLE GLAND	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YTT90 (LAT) + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V	
2785	0697 9809 30	1	LOCKNUT	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YTT90 (LAT) + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V	
2795	0698 5140 73	1	CABLE GLAND	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YA1 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V	
2800	0697 9809 22	1	LOCKNUT	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YA1 + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V	
	1625 2201 27	1	CUBICLE ASSEMBLY	(27/05/2018 - 25/07/2019) MOVOL:400V , IDRY:YMSA + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V	
3010 •	1625 2201 28	1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		
3060 •	1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - 25/07/2019) MOVOL:400V , IDRY:Y + MOVOL:400VN (26/07/2019 - ...) IDRY:N + MOVOL:400V	
3070 •	1079 9932 01	1	DECAL		
3080 •	1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100 •	1637 0000 72	1	DECAL BP		
3110 •	1079 9931 46	1	DECAL WARNING		
3120 •	1622 0000 20	2	DECAL SYMBOLS		
3130 •	1079 9901 68	1	WARNING LABEL		

Legend:

CAPPRE:IEC - Component approval electrical:IEC

IDRY:Y - Integrated dryer:Yes

MOVOL:400VN - Supply voltage:400 V+N

FREQ:50HZ - Frequency:50 Hz

MODEL:GA11P_18 - Model:GA 11+


OEM:N - OEM:N

IDRY:N - Integrated dryer:No

MOVOL:400V - Supply voltage:400 V

17.9 - Cubicle components GA 15+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.9 - Cubicle components GA 15+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 07	1	CUBICLE	(27/05/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
	1625 2201 40	1	WIRE HARNESS	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	DATALABEL
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
⚙	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X0
	1089 9366 71	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 59	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X0:N (to 1X2)			
	1089 9427 50	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X3 motor
	1089 9427 60	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
⚙	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K21
	1089 9438 76	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K23
	1089 9438 68	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K22
	1089 9446 91	1	OVERLOAD RELAY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F21
	1089 9438 86	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K21
	1089 9438 84	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K23
	1089 9514 56	1	TRANSFORMER VOLTAGE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	T1
	1089 0612 23	2	FUSE 2A	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F1-F2
	1089 0612 01	2	FUSE HOLDER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F1-F2
	1089 9267 22	1	CIRCUIT BREAKER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	Q15
	1089 9267 55	1	POWER SWITCH	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:N

FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 V

IDRY:Y - Integrated dryer:Yes
MOVOL:400VN - Supply voltage:400 V+N

17.9 - Cubicle components GA 15+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.9 - Cubicle components GA 15+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K25
	1089 0612 21	1	FUSE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F3
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X5
	1088 0021 41	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 42	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2:N
	1088 0021 43	1	END PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	1089 9398 92	2	RAIL CARRIER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	1088 0031 26	1	CONNECTOR 6-POLE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X31
	1088 0031 32	1	CONNECTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X30
	1088 0037 80	1	CONNECTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
		1	CUBICLE FAN	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	airoutlet top			

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:N

FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 V

IDRY:Y - Integrated dryer:Yes
MOVOL:400VN - Supply voltage:400 V+N

17.9 - Cubicle components GA 15+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.9 - Cubicle components GA 15+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
 Substituted by: 1089 0726 31 - FAN FILTER (quantity: 1) 2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS  Service kits:					
	0697 9809 24	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
	0697 9810 32	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	FAN
	0698 5149 16	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
	0698 5148 82	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
2730	0697 9811 15	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	M1 cable 2
2735	0989 3700 46	1	NUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	M1 cable 2
2740	0697 9811 11	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	ANTENNA
2745	0989 3700 42	1	NUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT01
2760	0697 9809 13	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	PT20
2765	0583 8120 73	1	ELBOW	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	PT20
2780	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
2800	0697 9809 22	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:N

FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 V

IDRY:Y - Integrated dryer:Yes
MOVOL:400VN - Supply voltage:400 V+N

17.10 - Cubicle components GA 18+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.10 - Cubicle components GA 18+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 12	1	CUBICLE	(27/05/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
	1625 2201 40	1	WIRE HARNESS	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	DATALABEL
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
⚙	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X0
	1089 9366 22	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 62	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X0:N (to 1X2)			
	1089 9427 60	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X3 motor
	1089 9427 63	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
⚙	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 51	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K21
	1089 9623 51	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K23
	1089 9438 74	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K22
	1089 9205 81	1	OVERLOAD RELAY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F21
	1089 9438 86	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	1089 9438 84	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	1089 9514 63	1	TRANSFORMER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	T1
	1089 0612 23	2	FUSE 2A	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F1-F2
	1089 0612 01	2	FUSE HOLDER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F1-F2
	1089 9267 26	1	CIRCUIT BREAKER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	Q15
	1089 9267 55	1	POWER SWITCH	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 V

IDRY:Y - Integrated dryer:Yes
MOVOL:400VN - Supply voltage:400 V+N

17.10 - Cubicle components GA 18+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.10 - Cubicle components GA 18+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K25
	1089 0612 21	1	FUSE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F3
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X5
	1088 0021 41	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 42	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2:N
	1088 0021 43	1	END PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	1089 9398 92	2	RAIL CARRIER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	1088 0031 26	1	CONNECTOR 6-POLE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X31
	1088 0031 32	1	CONNECTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X30
	1088 0037 80	1	CONNECTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+ , GA 22+ , GA 26+ , GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+ , GA 22+ , GA 26+ , GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+ , GA 22+ , GA 26+ , GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+ , GA 22+ , GA 26+ , GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+ , GA 22+ , GA 26+ , GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	airoutlet top			

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 V

IDRY:Y - Integrated dryer:Yes
MOVOL:400VN - Supply voltage:400 V+N

17.10 - Cubicle components GA 18+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.10 - Cubicle components GA 18+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
Service kits: 2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS					
	0697 9809 24	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
	0697 9810 32	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	FAN
	0698 5149 16	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
	0698 5148 82	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
2730	0697 9811 15	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	M1 cable 2
2735	0989 3700 46	1	NUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	M1 cable 2
2740	0697 9811 11	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	ANTENNA
2745	0989 3700 42	1	NUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT01
2760	0697 9809 13	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	PT20
2765	0583 8120 73	1	ELBOW	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	PT20
2780	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
2800	0697 9809 22	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

IDRY:Y - Integrated dryer:Yes
 MOVOL:400VN - Supply voltage:400 V+N

17.11 - Cubicle components GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.11 - Cubicle components GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 17	1	CUBICLE	(27/05/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
	1625 2201 40	1	WIRE HARNESS	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	DATALABEL
	1625 2201 27	1	CUBICLE ASSEMBLY	(27/05/2018 - ...) IDRY:N + MOVOL:400V	MSA
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	1088-0031-81	1	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X0
	1089 9366 22	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
Electrical legend:	1X0:L1-L3 (to 1X2)				
	1089 9427 62	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
Electrical legend:	1X0:N (to 1X2)				
	1089 9427 60	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X3 motor
	1089 9427 63	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
Electrical legend:	1X0:PE customer				
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	1088-0031-81	2	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 51	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K21
	1089 9623 51	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K23
	1089 9438 74	1	CONTACTOR -	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K22
	1089 9205 82	1	OVERLOAD RELAY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F21
	1089 9438 86	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K21
	1089 9438 84	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K23
	1089 9514 63	1	TRANSFORMER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	T1
	1089 0612 24	2	FUSE 4A	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F1-F2
	1089 0612 01	2	FUSE HOLDER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F1-F2
	1089 9267 26	1	CIRCUIT BREAKER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	Q15
	1089 9267 55	1	POWER SWITCH	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
Electrical legend:	Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
Electrical legend:	1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
Electrical legend:	1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
Electrical legend:	S3 (contacts)				

Legend:

CAPPRE:IEC - Component approval electrical:IEC

IDRY:Y - Integrated dryer:Yes

MOVOL:400VN - Supply voltage:400 V+N

FREQ:50HZ - Frequency:50 Hz

MODEL:GA22P_18 - Model:GA 22+


OEM:N - OEM:N

IDRY:N - Integrated dryer:No

MOVOL:400V - Supply voltage:400 V

17.11 - Cubicle components GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.11 - Cubicle components GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9482 95	1	HOLDER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K25
	1089 0612 21	1	FUSE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F3
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X5
	1088 0021 41	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 42	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2:N
	1088 0021 43	1	END PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	1089 9398 92	2	RAIL CARRIER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	1088 0031 26	1	CONNECTOR 6-POLE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X31
	1088 0031 32	1	CONNECTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X30
	1088 0037 80	1	CONNECTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			

Legend:

CAPPRE:IEC - Component approval electrical:IEC

IDRY:Y - Integrated dryer:Yes

MOVOL:400VN - Supply voltage:400 V+N

FREQ:50HZ - Frequency:50 Hz

MODEL:GA22P_18 - Model:GA 22+


OEM:N - OEM:N

IDRY:N - Integrated dryer:No

MOVOL:400V - Supply voltage:400 V

17.11 - Cubicle components GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.11 - Cubicle components GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
		1	AIR INLET WITH FILTER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend: Service kits:				
	airoutlet top 2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
	0697 9809 24	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
	0697 9811 15	1	PLUG	(27/05/2018 - ...) IDRY:N + MOVOL:400V	M1 cable 2
	0989 3700 46	1	NUT	(27/05/2018 - ...) IDRY:N + MOVOL:400V	M1 cable 2
	0697 9811 11	1	PLUG	(27/05/2018 - ...) IDRY:N + MOVOL:400V	ANTENNA
	0989 3700 42	1	NUT	(27/05/2018 - ...) IDRY:N + MOVOL:400V	ANTENNA
	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...) IDRY:N + MOVOL:400V	TT01
	0697 9810 32	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT01
	0697 9809 13	1	LOCKNUT	(27/05/2018 - ...) IDRY:N + MOVOL:400V	PT20
	0583 8120 73	1	ELBOW	(27/05/2018 - ...) IDRY:N + MOVOL:400V	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	FAN
	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...) IDRY:N + MOVOL:400V	TT90 (LAT)
	0697 9809 30	1	LOCKNUT	(27/05/2018 - ...) IDRY:N + MOVOL:400V	TT90 (LAT)
	0698 5149 16	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
	0698 5140 73	1	CABLE GLAND	(27/05/2018 - ...) IDRY:N + MOVOL:400V	A1
	0697 9809 22	1	LOCKNUT	(27/05/2018 - ...) IDRY:N + MOVOL:400V	A1
	0698 5148 82	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
2730	0697 9811 15	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	M1 cable 2
2735	0989 3700 46	1	NUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	M1 cable 2
2740	0697 9811 11	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	ANTENNA
2745	0989 3700 42	1	NUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT01
2760	0697 9809 13	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	PT20
2765	0583 8120 73	1	ELBOW	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	PT20
2780	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
2800	0697 9809 22	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
3070	• 1079 9932 01	1	DECAL INSTRUCT.		
3080	• 1079 9932 15	1	DECAL INSTRUCT.		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		

Legend:

CAPPRE:IEC - Component approval electrical:IEC

IDRY:Y - Integrated dryer:Yes

MOVOL:400VN - Supply voltage:400 V+N

FREQ:50HZ - Frequency:50 Hz

MODEL:GA22P_18 - Model:GA 22+


OEM:N - OEM:N

IDRY:N - Integrated dryer:No

MOVOL:400V - Supply voltage:400 V

17.11 - Cubicle components GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.11 - Cubicle components GA 22+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:

CAPPRE:IEC - Component approval electrical:IEC

FREQ:50HZ - Frequency:50 Hz

IDRY:N - Integrated dryer:No

IDRY:Y - Integrated dryer:Yes

MODEL:GA22P_18 - Model:GA 22+


MOVOL:400V - Supply voltage:400 V

MOVOL:400VN - Supply voltage:400 V+N

OEM:N - OEM:N

17.12 - Cubicle components GA 26+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.12 - Cubicle components GA 26+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 22	1	CUBICLE	(27/05/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
	1625 2201 40	1	WIRE HARNESS	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	DATALABEL
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
⚙	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X0
	1089 9366 22	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 62	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X0:N (to 1X2)			
	1089 9427 60	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X3 motor
	1089 9427 63	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
⚙	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K21
	1089 9623 52	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K23
	1089 9438 76	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K22
	1089 9205 83	1	OVERLOAD RELAY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F21
	1089 9438 86	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K21
	1089 9438 84	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K23
	1089 9514 63	1	TRANSFORMER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	T1
	1089 0612 24	2	FUSE 4A	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F1-F2
	1089 0612 01	2	FUSE HOLDER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F1-F2
	1089 9267 26	1	CIRCUIT BREAKER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	Q15
	1089 9267 55	1	POWER SWITCH	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 V

IDRY:Y - Integrated dryer:Yes
MOVOL:400VN - Supply voltage:400 V+N

17.12 - Cubicle components GA 26+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.12 - Cubicle components GA 26+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K25
	1089 0612 21	1	FUSE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER 3NW7013	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F3
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X5
	1088 0021 41	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 42	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2:N
	1088 0021 43	1	END PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	1089 9398 92	2	RAIL CARRIER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	1088 0031 26	1	CONNECTOR 6-POLE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X31
	1088 0031 32	1	CONNECTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X30
	1088 0037 80	1	CONNECTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	airoutlet top			

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 V

IDRY:Y - Integrated dryer:Yes
MOVOL:400VN - Supply voltage:400 V+N

17.12 - Cubicle components GA 26+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.12 - Cubicle components GA 26+ - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
Service kits: 2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS					
	0697 9809 24	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
	0697 9810 32	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	FAN
	0698 5149 16	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
	0698 5148 82	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
2730	0697 9811 15	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	M1 cable 2
2735	0989 3700 46	1	NUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	M1 cable 2
2740	0697 9811 11	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	ANTENNA
2745	0989 3700 42	1	NUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT01
2760	0697 9809 13	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	PT20
2765	0583 8120 73	1	ELBOW	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	PT20
2780	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
2800	0697 9809 22	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	MSA
3010	• 1625 2201 28	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
3070	• 1079 9932 01	1	DECAL INSTRUCT.		
3080	• 1079 9932 15	1	DECAL INSTRUCT.		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

IDRY:Y - Integrated dryer:Yes
 MOVOL:400VN - Supply voltage:400 V+N

17.13 - Cubicle components GA 30 - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.13 - Cubicle components GA 30 - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 27	1	CUBICLE	(27/05/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
	1625 2201 40	1	WIRE HARNESS	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	DATALABEL
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	~~1088-0031-81~~	1	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
⚙	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X0
	1089 9366 22	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 62	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend: 1X0:N (to 1X2)				
	1089 9427 60	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X3 motor
	1089 9427 63	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	~~1088-0031-81~~	2	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
⚙	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K21
	1089 9623 52	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K23
	1089 9438 76	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K22
	1089 9205 83	1	OVERLOAD RELAY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F21
	1089 9438 86	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K21
	1089 9438 84	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K23
	1089 9514 63	1	TRANSFORMER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	T1
	1089 0612 24	2	FUSE 4A	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F1-F2
	1089 0612 01	2	FUSE HOLDER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F1-F2
	1089 9267 26	1	CIRCUIT BREAKER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	Q15
	1089 9267 55	1	POWER SWITCH	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 V

IDRY:Y - Integrated dryer:Yes
MOVOL:400VN - Supply voltage:400 V+N

17.13 - Cubicle components GA 30 - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.13 - Cubicle components GA 30 - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	K25
	1089 0612 21	1	FUSE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	F3
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X5
	1088 0021 41	3	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 42	1	TERMINAL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2:N
	1088 0021 43	1	END PLATE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	1X2
	0993 7106 07	1	RAIL	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	1089 9398 92	2	RAIL CARRIER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	1088 0031 26	1	CONNECTOR 6-POLE	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X31
	1088 0031 32	1	CONNECTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X30
	1088 0037 80	1	CONNECTOR	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
	Electrical legend:	airoutlet top			

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 V

IDRY:Y - Integrated dryer:Yes
MOVOL:400VN - Supply voltage:400 V+N

17.13 - Cubicle components GA 30 - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)



17.13 - Cubicle components GA 30 - 400V-400V+N/50Hz IEC

CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + OEM:N + (MOVOL:400V , MOVOL:400VN)

Ref	Part Number	Qty	Name	Validity	EL
Service kits: 2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS					
	0697 9809 24	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	WH
	0697 9810 32	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	FAN
	0698 5149 16	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
	0698 5148 82	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
2730	0697 9811 15	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	M1 cable 2
2735	0989 3700 46	1	NUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	M1 cable 2
2740	0697 9811 11	1	PLUG	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	ANTENNA
2745	0989 3700 42	1	NUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT01
2760	0697 9809 13	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	PT20
2765	0583 8120 73	1	ELBOW	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	PT20
2780	0698 5140 70	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
2800	0697 9809 22	1	LOCKNUT	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(27/05/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...) MOVOL:400V , IDRY:Y + MOVOL:400VN	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		


Legend:
CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 V

IDRY:Y - Integrated dryer:Yes
MOVOL:400VN - Supply voltage:400 V+N

17.14 - Cubicle components GA 11+, GA 15+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



17.14 - Cubicle components GA 11+, GA 15+ - 460V/60Hz IEC


CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 54	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
	1625 3906 31	1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088-0031-81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9427 58	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 50	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088-0031-81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 56	1	TRANSFORMER VOLTAGE	(15/04/2018 - ...)	T1
	1089 9168 24	2	FUSE LINK 2A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4306 00	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 22	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend:	Q15 (for UL)			
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.14 - Cubicle components GA 11+, GA 15+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



17.14 - Cubicle components GA 11+, GA 15+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+			
		2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS			
		2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS			
		2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS			
		2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
		1	CUBICLE FAN	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+			
		2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS			
		2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS			
		2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS			
		2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010	•	1	CUBICLE		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.14 - Cubicle components GA 11+, GA 15+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



17.14 - Cubicle components GA 11+, GA 15+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.15 - Cubicle components GA 18+, GA 22+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



17.15 - Cubicle components GA 18+, GA 22+ - 460V/60Hz IEC


CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 60	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088-0031-81~~	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9427 61	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	~~1088-0031-81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9623 51	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9623 51	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 74	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend:	Q15 (for UL)			
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

17.15 - Cubicle components GA 18+, GA 22+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



17.15 - Cubicle components GA 18+, GA 22+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		
3060 •	1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070 •	1079 9932 01	1	DECAL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

17.15 - Cubicle components GA 18+, GA 22+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



17.15 - Cubicle components GA 18+, GA 22+ - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

17.16 - Cubicle components GA 26+, GA 30 - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



17.16 - Cubicle components GA 26+, GA 30 - 460V/60Hz IEC


CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 66	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
	1625 3906 31	1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088-0031-81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82	END RETAINER (quantity: 1)		
	1089 9427 61	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088-0031-81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82	END RETAINER (quantity: 1)		
	1089 9623 52	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9623 52	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend:	Q15 (for UL)			
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

17.16 - Cubicle components GA 26+, GA 30 - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



17.16 - Cubicle components GA 26+, GA 30 - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18, MODEL:GA30_18)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	⚙ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	🛠 Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	🛠 Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

17.16 - Cubicle components GA 26+, GA 30 - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



17.16 - Cubicle components GA 26+, GA 30 - 460V/60Hz IEC

CAPPRE:IEC + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N



17.17 - Cubicle components GA 11+, GA 15+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 56	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	AD
	1625 2200 02	1	WIRE HARNESS	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - 18/09/2018)	WH
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	DATALABEL
		1	DATA LABEL		DATALABEL
	0993 7106 07	1	RAIL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
	1088-0031-81	2	END STOP BRACKET 6MM	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18	-
⚙ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)				
	1088-0031-81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
Electrical legend:	1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
Electrical legend:	1X0:PE customer				
	0993 7106 07	1	RAIL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
	1088-0031-81	2	END STOP BRACKET 6MM	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
⚙ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 53	1	CONTACTOR	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	K21
	1089 9623 53	1	CONTACTOR	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18	K22

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+

IDRY:N - Integrated dryer:No
MOVOL:200230460V - Supply voltage:200-230-460 V




17.17 - Cubicle components GA 11+, GA 15+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 79	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	K23
	0993 7106 07	1	RAIL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)					
	1088 0061 65	1	END PLATE	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
Electrical legend: 1X1:T1,2,3 & T10,11,12					
	1088 0061 63	6	TERMINAL BLOCK	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
Electrical legend: 1X1:T1,2,3 & T10,11,12					
	1088 0040 30	1	END PLATE	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
Electrical legend: 1X1:Y (terminal)					
	1089 9427 48	1	PLATE END	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
Electrical legend: 1X1:Y (end plate)					
	1089 9267 65	1	OVERLOAD RELAY	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F15

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+IDRY:N - Integrated dryer:No
MOVOL:200230460V - Supply voltage:200-230-460 V




17.17 - Cubicle components GA 11+, GA 15+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	0981 2200 03	1	MOUNTING ACCESSORY	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F10-F11-F12
	1089 9168 85	3	FUSE	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(15/04/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	F3
	1088 0039 93	3	TERMINAL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+IDRY:N - Integrated dryer:No
MOVOL:200230460V - Supply voltage:200-230-460 V



17.17 - Cubicle components GA 11+, GA 15+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 95	1	PLATE	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
	1088 0031 26	1	CONNECTOR 6-POLE	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	-
	 Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		2	AIR INLET WITH FILTER	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18	
	Electrical legend:	airinlet bottom			
	 Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+

IDRY:N - Integrated dryer:No
MOVOL:200230460V - Supply voltage:200-230-460 V



17.17 - Cubicle components GA 11+, GA 15+ - 200-230-460V/60Hz UL-cUL


CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
📦 Service kits: 2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS					
1 CUBICLE FAN (15/04/2018 - ...)					
Electrical legend: airoutlet top 1089 0726 31 - FAN FILTER (quantity: 1) 🔄 Substituted by: 2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS					
	0697 9809 24	1	LOCKNUT	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	WH
	0697 9809 20	1	LOCKNUT	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 71	1	CABLE GLAND	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - 18/09/2018)	FAN
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 20	1	LOCKNUT	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - 18/09/2018)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	ANTENNA
2750	0698 5140 71	1	CABLE GLAND	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	TT01
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	TT90 (LAT)

Legend:
CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+

IDRY:N - Integrated dryer:No
MOVOL:200230460V - Supply voltage:200-230-460 V



17.17 - Cubicle components GA 11+, GA 15+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
2785	0697 9809 30	1	LOCKNUT	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(02/08/2017 - 13/03/2018) IDRY:N + MODEL:GA15P_18 (14/03/2018 - 14/04/2018) MODEL:GA15P_18 (15/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL

MODEL:GA11P_18 - Model:GA 11+


OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz

MODEL:GA15P_18 - Model:GA 15+

IDRY:N - Integrated dryer:No

MOVOL:200230460V - Supply voltage:200-230-460 V



17.18 - Cubicle components GA 18+, GA 22+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 62	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 -
	1088-0031-81	1	END STOP BRACKET 6MM	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 -
⚡ Substituted by:	1089 0577 82	- END RETAINER (quantity: 1)			
	1089 9366 72	3	TERMINAL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 1X0
	1089 9366 73	3	TERMINAL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18
Electrical legend:	1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18
Electrical legend:	1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 -
	1088-0031-81	2	END STOP BRACKET 6MM	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 -
⚡ Substituted by:	1089 0577 82	- END RETAINER (quantity: 1)			
	1089 9321 74	1	CONTACTOR	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 K21
	1089 9321 74	1	CONTACTOR	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 K23
	1089 9623 51	1	CONTACTOR	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 K22
	1089 9205 17	1	OVERLOAD RELAY	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 F21
	1089 9205 19	1	OVERLOAD RELAY	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 F21: loose
	1089 9438 86	1	CONTACTOR	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 K23
	0993 7106 07	1	RAIL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 -
	1088-0031-81	2	END STOP BRACKET 6MM	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 -
⚡ Substituted by:	1089 0577 82	- END RETAINER (quantity: 1)			
	1088 0061 65	1	END PLATE	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18
Electrical legend:	1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18
Electrical legend:	1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 1X1:T4..T9
	1088 0061 14	3	TERMINAL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18 LABEL (UL)
	1089 9427 49	1	TERMINAL	(15/04/2018 - 26/05/2018) (27/05/2018 - ...)	MODEL:GA18P_18
Electrical legend:	1X1:Y (terminal)				

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N




17.18 - Cubicle components GA 18+, GA 22+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9427 48	1	PLATE END	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9267 66	1	OVERLOAD RELAY	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	-
	1088 0031 26	1	CONNECTOR 6-POLE	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	2X31

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N



17.18 - Cubicle components GA 18+, GA 22+ - 200-230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0031 32	1	CONNECTOR	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	2X28
	1088-0031-81	2	END STOP BRACKET 6MM	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	-
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
		1	AIR INLET WITH FILTER	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend: airinlet bottom				
	🔧 Service kits: 2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30				
	2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
	2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
		1	AIR INLET WITH FILTER	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	
	Electrical legend: airoutlet top				
	🔧 Service kits: 2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30				
	2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS				
	2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
	2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS				
	0697 9809 24	1	LOCKNUT	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - 26/05/2018) MODEL:GA18P_18 (27/05/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

17.19 - Cubicle components GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - 230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



17.19 - Cubicle components GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - 230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 69	1	CUBICLE	(16/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(16/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(16/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(16/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
	1625 3906 31	1	DATA LABEL	(16/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	-
	1088 0031 81	1	END STOP BRACKET 6MM	(16/04/2018 - ...)	-
⚡	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(16/04/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(16/04/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(16/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	-
	1088 0031 81	2	END STOP BRACKET 6MM	(16/04/2018 - ...)	-
⚡	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(16/04/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(16/04/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(16/04/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(16/04/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(16/04/2018 - ...)	K23
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	-
	1088 0031 81	2	END STOP BRACKET 6MM	(16/04/2018 - ...)	-
⚡	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(16/04/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(16/04/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(16/04/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(16/04/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(16/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(16/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(16/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(16/04/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(16/04/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(16/04/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(16/04/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(16/04/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(16/04/2018 - ...)	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(16/04/2018 - ...)	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(16/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(16/04/2018 - ...)	
	Electrical legend: S3 (contacts)				

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA26P_18 - Model:GA 26+
MOVOL:230_460_V - Supply voltage:230-460 V

17.19 - Cubicle components GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - 230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



17.19 - Cubicle components GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - 230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)

Ref	Part Number	Qty	Name	Validity	EL
	1089 9482 95	1	HOLDER	(16/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(16/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(16/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(16/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(16/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(16/04/2018 - ...)	1X5
	1088 0038 25	3	TERMINAL	(16/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(16/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(16/04/2018 - ...)	-
	1088 0031 26	1	CONNECTOR 6-POLE	(16/04/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(16/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(16/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(16/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(16/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(16/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(16/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(16/04/2018 - ...)	A1

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA26P_18 - Model:GA 26+
MOVOL:230_460_V - Supply voltage:230-460 V

17.19 - Cubicle components GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - 230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



17.19 - Cubicle components GA 26+ - 200-230-460V/60Hz UL-cUL, GA 30 - 230-460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)

Ref	Part Number	Qty	Name	Validity	EL
2740	0697 9811 11	1	PLUG	(16/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(16/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(16/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(16/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(16/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(16/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(16/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(16/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA26P_18 - Model:GA 26+
MOVOL:230_460_V - Supply voltage:230-460 V

17.20 - Cubicle components GA 30 - 200V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V + OEM:N



17.20 - Cubicle components GA 30 - 200V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V + OEM:N

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 68	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	-
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9366 72	3	TERMINAL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	1X0
	1089 9366 73	3	TERMINAL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 63	1	TERMINAL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	-
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9321 75	1	CONTACTOR	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	K21
	1089 9321 75	1	CONTACTOR	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	K23
	1089 9623 52	1	CONTACTOR	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	K22
	1089 9205 19	1	OVERLOAD RELAY	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	F21
	1089 9438 86	1	CONTACTOR	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	K21
	1089 9438 84	1	CONTACTOR	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	K23
	1089 9514 60	1	TRANSFORMER	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9267 66	1	OVERLOAD RELAY	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	S3 (button)

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30

FREQ:60HZ - Frequency:60 Hz
MOVOL:200V - Supply voltage:200 V

IDRY:Y - Integrated dryer:Yes
OEM:N - OEM:N



17.20 - Cubicle components GA 30 - 200V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V + OEM:N


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9482 92	2	CONTACT BLOCK	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	F3
	1088 0039 93	1	TERMINAL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	1X5
	1088 0038 25	3	TERMINAL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	1X2
	0993 7106 07	1	RAIL	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	-
	1088 0031 26	1	CONNECTOR 6-POLE	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:200V - Supply voltage:200 VIDRY:Y - Integrated dryer:Yes
OEM:N - OEM:N

17.20 - Cubicle components GA 30 - 200V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V + OEM:N



17.20 - Cubicle components GA 30 - 200V/60Hz UL-cUL


CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V + OEM:N

Ref	Part Number	Qty	Name	Validity	EL
Electrical legend: Service kits:					
airoutlet top 2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS					
	0697 9809 24	1	LOCKNUT	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	WH
	0697 9810 32	1	PLUG	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	FAN
	0698 5149 16	1	PLUG	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	A1
2740	0697 9811 11	1	PLUG	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(16/04/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	MSA
3010	• 1625 2201 28	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - 03/04/2019) IDRY:Y (04/04/2019 - ...)	
3070	• 1079 9932 01	1	DECAL INSTRUCT.		
3080	• 1079 9932 15	1	DECAL INSTRUCT.		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:200V - Supply voltage:200 VIDRY:Y - Integrated dryer:Yes
OEM:N - OEM:N

17.21 - Cubicle components GA 11+, GA 15+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



17.21 - Cubicle components GA 11+, GA 15+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 54	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9427 58	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 50	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 56	1	TRANSFORMER VOLTAGE	(15/04/2018 - ...)	T1
	1089 9168 24	2	FUSE LINK 2A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4306 00	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 22	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend:	Q15 (for UL)			
	1089 9267 55	1	SWITCH POWER	(15/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.21 - Cubicle components GA 11+, GA 15+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



17.21 - Cubicle components GA 11+, GA 15+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
		1	CUBICLE FAN	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+ 2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS 2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS 2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS 2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010 •		1	CUBICLE		

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.21 - Cubicle components GA 11+, GA 15+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



17.21 - Cubicle components GA 11+, GA 15+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.22 - Cubicle components GA 18+, GA 22+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18, MODEL:GA22P_18)



17.22 - Cubicle components GA 18+, GA 22+ - 460V/60Hz UL-cUL


CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 60	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9427 61	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9623 51	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9623 51	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 74	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend:	Q15 (for UL)			
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

17.22 - Cubicle components GA 18+, GA 22+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



17.22 - Cubicle components GA 18+, GA 22+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

17.22 - Cubicle components GA 18+, GA 22+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



17.22 - Cubicle components GA 18+, GA 22+ - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

17.23 - Cubicle components GA 26+, GA 30 - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18, MODEL:GA30_18)



17.23 - Cubicle components GA 26+, GA 30 - 460V/60Hz UL-cUL


CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 66	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088-0031-81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - ...)	
Electrical legend:	1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	
Electrical legend:	1X0:PE customer				
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088-0031-81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9623 52	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
Electrical legend:	Q15 (for UL)				
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
Electrical legend:	Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
Electrical legend:	1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
Electrical legend:	1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
Electrical legend:	S3 (contacts)				
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
Electrical legend:	S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
Electrical legend:	1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
Electrical legend:	1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
Electrical legend:	1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 VMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

17.23 - Cubicle components GA 26+, GA 30 - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18, MODEL:GA30_18)



17.23 - Cubicle components GA 26+, GA 30 - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010 •		1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

17.23 - Cubicle components GA 26+, GA 30 - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18, MODEL:GA30_18)



17.23 - Cubicle components GA 26+, GA 30 - 460V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:460V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30

FREQ:60HZ - Frequency:60 Hz
MOVOL:460V - Supply voltage:460 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

17.24 - Cubicle components GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



17.24 - Cubicle components GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 55	1	CUBICLE	(15/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9427 58	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 50	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9438 74	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 74	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 66	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 59	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 9168 24	2	FUSE LINK 2A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4306 00	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 24	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
	Electrical legend:	Q15 (for UL)			
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.24 - Cubicle components GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



17.24 - Cubicle components GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+			
		2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS			
		2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS			
		2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS			
		2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
		1	CUBICLE FAN	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+			
		2901 9908 20 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 4000HRS			
		2901 9908 21 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 4000HRS			
		2901 9908 24 - PREVENTIVE MAINTENANCE KIT - PACK - GA 11+, GA 15+ - 8000HRS			
		2901 9908 25 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 11+, GA 15+ - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010 •		1	CUBICLE		

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.24 - Cubicle components GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18)



17.24 - Cubicle components GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

17.25 - Cubicle components GA 18+, GA 22+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA18P_18, MODEL:GA22P_18)



17.25 - Cubicle components GA 18+, GA 22+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 61	1	CUBICLE	(16/04/2018 - ...)	
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	-
	1088-0031-81	1	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9427 61	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 60	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	-
	1088-0031-81	2	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	-
⚙	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9438 76	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	K23
	1089 9514 59	1	TRANSFORMER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	T1
	1089 9168 24	2	FUSE LINK 2A	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	F1-F2
	1625 4306 00	1	FUSE LABEL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	Q15 (for UL)
	Electrical legend:	Q15 (for UL)			
	1089 9267 55	1	POWER SWITCH	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+

FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 V

MODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

17.25 - Cubicle components GA 18+, GA 22+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA18P_18, MODEL:GA22P_18)



17.25 - Cubicle components GA 18+, GA 22+ - 575V/60Hz UL-cUL


CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1089 9482 95	1	HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30			
		2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS			
		2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS			
		2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	
	Electrical legend:	airoutlet top			

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

17.25 - Cubicle components GA 18+, GA 22+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA18P_18, MODEL:GA22P_18)



17.25 - Cubicle components GA 18+, GA 22+ - 575V/60Hz UL-cUL


CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity	EL
 Service kits: 2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS					
	0697 9809 24	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - 15/04/2018) MODEL:GA22P_18 (16/04/2018 - ...)	MSA
3010	• 1625 2201 28	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

17.26 - Cubicle components GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



17.26 - Cubicle components GA 26+, GA 30 - 575V/60Hz UL-cUL


CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 67	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(15/04/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY DRAWING	(15/04/2018 - ...)	AD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(15/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
		1	DATA LABEL	(15/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	1	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙ Substituted by:	1089 0577 82	END RETAINER (quantity: 1)			
	1089 9427 61	3	TERMINAL	(15/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(15/04/2018 - ...)	
Electrical legend:	1X0:L1-L3	(to 1X2)			
	1089 9427 60	1	TERMINAL	(15/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(15/04/2018 - ...)	
Electrical legend:	1X0:PE	customer			
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1088 0031 81	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
⚙ Substituted by:	1089 0577 82	END RETAINER (quantity: 1)			
	1089 9623 51	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9623 51	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9438 74	1	CONTACTOR	(15/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(15/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(15/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(15/04/2018 - ...)	K23
	1089 9514 60	1	TRANSFORMER	(15/04/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(15/04/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(15/04/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(15/04/2018 - ...)	LABEL (UL)
	1089 9267 26	1	CIRCUIT BREAKER	(15/04/2018 - ...)	Q15
	1089 9267 91	1	TERMINAL BLOCK	(15/04/2018 - ...)	Q15 (for UL)
Electrical legend:	Q15	(for UL)			
	1089 9267 55	1	SWITCH POWER	(15/04/2018 - ...)	
Electrical legend:	Q15	(NO contact)			
	1089 9427 49	1	TERMINAL	(15/04/2018 - ...)	
Electrical legend:	1X1:Y	(terminal)			
	1089 9427 48	1	PLATE END	(15/04/2018 - ...)	
Electrical legend:	1X1:Y	(end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(15/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(15/04/2018 - ...)	
Electrical legend:	S3	(contacts)			
	1089 9482 95	1	HOLDER	(15/04/2018 - ...)	
Electrical legend:	S3	(holder for contacts)			
	1089 9438 42	1	CONTACTOR	(15/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQUENCE RELAY	(15/04/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(15/04/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(15/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
Electrical legend:	1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	
Electrical legend:	1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
Electrical legend:	1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(15/04/2018 - ...)	

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

17.26 - Cubicle components GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



17.26 - Cubicle components GA 26+, GA 30 - 575V/60Hz UL-cUL


CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(15/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(15/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(15/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(15/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(15/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(15/04/2018 - ...)	-
	1089 9398 92	2	RAIL CARRIER	(15/04/2018 - ...)	-
	1088 0031 32	1	CONNECTOR	(15/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(15/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(15/04/2018 - ...)	-
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
		1	AIR INLET WITH FILTER	(15/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30 2901 9908 22 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 23 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 4000HRS 2901 9908 26 - PREVENTIVE MAINTENANCE KIT - PACK - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS 2901 9908 27 - PREVENTIVE MAINTENANCE KIT - FULL-FEATURE - GA 18+, GA 22+, GA 26+, GA 30 - 8000HRS			
	0697 9809 24	1	LOCKNUT	(15/04/2018 - ...)	WH
	0697 9810 32	1	PLUG	(15/04/2018 - ...)	TT01
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5149 16	1	PLUG	(15/04/2018 - ...)	TT90 (LAT)
	0698 5148 82	1	PLUG	(15/04/2018 - ...)	A1
2730	0697 9811 15	1	PLUG	(15/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(15/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(15/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(15/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCKNUT	(15/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(15/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(15/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCKNUT	(15/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(15/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCKNUT	(15/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(15/04/2018 - ...)	MSA
3010 •	1625 2201 28	1	CUBICLE		
3050 •	1625 2201 29	1	DOOR		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

17.26 - Cubicle components GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)



17.26 - Cubicle components GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:575V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)




Ref	Part Number	Qty	Name	Validity	EL
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30

FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N



Ref	Part Number	Qty	Name	Validity
1010	0226 0300 41	4	SCREW	(15/05/2019 - 01/12/2019) OEM:N + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , REGUL:MK5S_TOUCH + (MODEL:GA30_18 + OEM:N + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OEM:AMMANN + (PRESS:10.8BAR , PRESS:10BAR)) (02/12/2019 - ...) OEM:N + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , REGUL:MK5S_TOUCH + (MODEL:GA30_18 + OEM:N + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OEM:AMMANN + (PRESS:10.8BAR , PRESS:10BAR))
1020	1900 5202 00	1	MK5S ELEKTRONIKON SWIPE CONTROLLER	(11/07/2018 - 22/07/2018) MODEL:GA30_18 + OEM:N + REGUL:MK5S_SWIPE + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , OEM:AMMANN + REGUL:MK5S_TOUCH + (PRESS:10.8BAR , PRESS:10BAR) (02/12/2019 - ...) MODEL:GA30_18 + OEM:N + REGUL:MK5S_SWIPE + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)
1020	1900 5204 00	1	MK5S ELEKTRONIKON TOUCH CONTROLLER	(11/07/2018 - 22/07/2018) OEM:N + (MODEL:GA30_18 + (PRESS:9.1BAR + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)) , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)) (23/07/2018 - 03/04/2019) OEM:AMMANN + REGUL:MK5S_TOUCH + (PRESS:10.8BAR , PRESS:10BAR) , OEM:N + ((MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:9.1BAR + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))) (04/04/2019 - 01/12/2019) OEM:N + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , REGUL:MK5S_TOUCH + (MODEL:GA30_18 + OEM:N + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OEM:AMMANN + (PRESS:10.8BAR , PRESS:10BAR)) (02/12/2019 - ...) REGUL:MK5S_TOUCH + ((MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) + (OEM:AMMANN + (PRESS:10.8BAR , PRESS:10BAR) , OEM:N + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)) , MODEL:GA30_18 + (OEM:AMMANN + (PRESS:10.8BAR , PRESS:10BAR) , OEM:N + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)))

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

OEM:AMMANN - OEM:Ammann asphalt

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

REGUL:MK5S_TOUCH - Regulation:MK5 Touch

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

OEM:N - OEM:N

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

REGUL:MK5GRAPH - Regulation:Elektronikon Graphic

MODEL:GA18P_18 - Model:GA 18+


MODEL:GA30_18 - Model:GA 30

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

REGUL:MK5S_SWIPE - Regulation:MK5 Swipe



Ref	Part Number	Qty	Name	Validity
1030	0301 2315 00	4	WASHER	(08/06/2018 - 03/04/2019) OEM:AMMANN + REGUL:MK5S_TOUCH + (PRESS:10.8BAR , PRESS:10BAR) , OEM:N + ((MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA30_18 + (PRESS:9.1BAR + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR))) (04/04/2019 - 14/05/2019) OEM:N + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , REGUL:MK5S_TOUCH + (MODEL:GA30_18 + OEM:N + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , OEM:AMMANN + (PRESS:10.8BAR , PRESS:10BAR)))

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

OEM:AMMANN - OEM:Ammann asphalt

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

REGUL:MK5S_TOUCH - Regulation:MK5 Touch

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

OEM:N - OEM:N

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

REGUL:MK5GRAPH - Regulation:Elektronikon Graphic

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

PRESS:10.8BAR - Working pressure:10.8 bar


PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

REGUL:MK5S_SWIPE - Regulation:MK5 Swipe

18.1 - Electrical components - Ammann

OEM: AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V)



Ref	Part Number	Qty	Name	Validity
1010		1	CUBICLE	
1050	0147 1963 08	4	HEXAGON BOLT	(16/04/2018 - ...)
1060	1089 0574 70	1	TEMPERATURE SWITCH	(03/09/2018 - ...)
1065	1089 0708 11	1	TEMPERATURE SWITCH	(03/09/2018 - ...)
1070	1089 0580 22	1	SOLENOID VALVE	(16/04/2018 - ...)
1080	2001 0104 04	1	FUSE LABEL	(16/04/2018 - ...) FREQ:50HZ + MODEL:GA11P_18 + MOVOL:400V
1080	2001 0104 08	1	FUSE LABEL	(16/04/2018 - ...) MODEL:GA15P_18
1080	2001 0104 10	1	FUSE LABEL	(16/04/2018 - ...) FREQ:50HZ + MODEL:GA18P_18 + MOVOL:400V , FREQ:60HZ + MOVOL:380V + (MODEL:GA18P_18 , MODEL:GA22P_18)
1080	2001 0104 12	1	FUSE LABEL	(16/04/2018 - ...) FREQ:50HZ + MODEL:GA22P_18 + MOVOL:400V , FREQ:60HZ + MODEL:GA26P_18 + MOVOL:380V
1080	2001 0104 14	1	FUSE LABEL	(16/04/2018 - ...) FREQ:50HZ + MOVOL:400V + (MODEL:GA26P_18 , MODEL:GA30_18) , FREQ:60HZ + MODEL:GA30_18 + MOVOL:380V
1080	2001 0104 06	1	FUSE LABEL	(16/04/2018 - ...) FREQ:60HZ + MODEL:GA11P_18 + MOVOL:380V

Legend:


FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:400V - Supply voltage:400 V

FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 OEM:AMMANN - OEM:Ammann asphalt

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:380V - Supply voltage:380 V

18.2 - Cubicle components - Ammann GA 11+, GA 15+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA11P_18 , MODEL:GA15P_18)



18.2 - Cubicle components - Ammann GA 11+, GA 15+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 82	1	CUBICLE		
	9828 5323 51	1	SERVICE DIAGRAM	(16/04/2018 - ...)	SD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(16/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
	1625 3906 31	1	DATA LABEL	(16/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(16/04/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(16/04/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(16/04/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(16/04/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR	(16/04/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR -	(16/04/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(16/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(16/04/2018 - ...)	K23
	1089 9514 44	1	TRANSFORMER	(16/04/2018 - ...)	T1
	1089 0612 24	2	FUSE 4A	(16/04/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(16/04/2018 - ...)	F1-F2
	1089 9267 22	1	CIRCUIT BREAKER	(16/04/2018 - ...)	Q15
	1089 9267 55	1	SWITCH POWER	(16/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(16/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(16/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	Holder	(16/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(16/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(16/04/2018 - ...)	K25
	1089 0612 21	1	FUSE	(16/04/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(16/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA11P_18 - Model:GA 11+
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA15P_18 - Model:GA 15+
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

18.2 - Cubicle components - Ammann GA 11+, GA 15+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA11P_18 , MODEL:GA15P_18)



18.2 - Cubicle components - Ammann GA 11+, GA 15+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:31 bottom / 1x6:35 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:30 bottom / 1x6:33 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:30 bottom / 1x6:34 top			
	1089 9621 04	1	CIRCUIT BREAKER	(16/04/2018 - ...)	Q10
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(16/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(16/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(16/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(16/04/2018 - ...)	
	1088 0031 32	1	CONNECTOR	(16/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(16/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(16/04/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+			
		1	CUBICLE FAN	(16/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	Service kits:	2901 9908 19 - CUBICLE VENTILATION KIT - GA 11+, GA 15+			
	0697 9809 24	1	LOCK NUT	(16/04/2018 - ...)	WH
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5148 82	1	PLUG	(16/04/2018 - ...)	A1
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:105 bottom / 1x4:104 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:71 bottom / 1x4:72 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:73 bottom / 1x4:74 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:75 bottom / 1x4:76 top			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X7 (end plate)			
	1089 9438 86	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9511 51	1	RELAY	(16/04/2018 - ...)	K04'
	1089 9511 57	1	CLIP	(11/07/2018 - ...)	K04'
	1089 9511 15	1	SOCKET FOR RELAY	(11/07/2018 - ...)	K04'
2730	0697 9811 15	1	PLUG	(16/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(16/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(16/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(16/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(16/04/2018 - ...)	PT20

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA11P_18 - Model:GA 11+
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA15P_18 - Model:GA 15+
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

18.2 - Cubicle components - Ammann GA 11+, GA 15+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA11P_18 , MODEL:GA15P_18)



18.2 - Cubicle components - Ammann GA 11+, GA 15+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
2765	0583 8120 73	1	ELBOW	(16/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(16/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(16/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(16/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(16/04/2018 - ...)	MSA
3010	• 1625 2201 28	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL INSTRUCT.		
3080	• 1079 9932 15	1	DECAL INSTRUCT.		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:

CAPPRE:IEC - Component approval electrical:IEC

MODEL:GA11P_18 - Model:GA 11+

MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz

MODEL:GA15P_18 - Model:GA 15+


OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz

MOVOL:380V - Supply voltage:380 V

18.3 - Cubicle components - Ammann GA 18+, GA 22+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA18P_18 , MODEL:GA22P_18)



18.3 - Cubicle components - Ammann GA 18+, GA 22+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 86	1	CUBICLE		
	9828 5323 51	1	SERVICE DIAGRAM	(16/04/2018 - ...)	SD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(16/04/2018 - ...)	WH
	• 1089 0492 35	1	PRESSURE SENSOR		
	1625 3906 31	1	DATA LABEL	(16/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(16/04/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9427 61	3	TERMINAL	(16/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 60	1	TERMINAL	(16/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(16/04/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9623 51	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9623 51	1	CONTACTOR	(16/04/2018 - ...)	K23
	1089 9438 74	1	CONTACTOR	(16/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(16/04/2018 - ...)	F21
	1089 9514 44	1	TRANSFORMER	(16/04/2018 - ...)	T1
	1089 0612 24	2	FUSE 4A	(16/04/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(16/04/2018 - ...)	F1-F2
	1089 9267 26	1	CIRCUIT BREAKER	(16/04/2018 - ...)	Q15
	1089 9267 55	1	SWITCH POWER	(16/04/2018 - ...)	
	Electrical legend:	Q15 (NO contact)			
	1089 9427 49	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(16/04/2018 - ...)	
	Electrical legend:	1X1:Y (end plate)			
	1089 9513 98	1	EMERGENCY STOP BUTTON	(16/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(16/04/2018 - ...)	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	Holder	(16/04/2018 - ...)	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(16/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(16/04/2018 - ...)	K25
	1089 0612 21	1	FUSE	(16/04/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(16/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA18P_18 - Model:GA 18+
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA22P_18 - Model:GA 22+
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

18.3 - Cubicle components - Ammann GA 18+, GA 22+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA18P_18 , MODEL:GA22P_18)



18.3 - Cubicle components - Ammann GA 18+, GA 22+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:31 bottom / 1x6:35 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:30 bottom / 1x6:33 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:30 bottom / 1x6:34 top			
	1089 9621 04	1	CIRCUIT BREAKER	(16/04/2018 - ...)	Q10
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(16/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(16/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(16/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(16/04/2018 - ...)	
	1088 0031 32	1	CONNECTOR	(16/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(16/04/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(16/04/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30			
	0697 9809 24	1	LOCK NUT	(16/04/2018 - ...)	WH
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5148 82	1	PLUG	(16/04/2018 - ...)	A1
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:105 bottom / 1x4:104 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:71 bottom / 1x4:72 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:73 bottom / 1x4:74 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:75 bottom / 1x4:76 top			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X7 (end plate)			
	1089 9438 86	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9511 51	1	RELAY	(16/04/2018 - ...)	K04'
	1089 9511 57	1	CLIP	(11/07/2018 - ...)	K04'
	1089 9511 15	1	SOCKET FOR RELAY	(11/07/2018 - ...)	K04'
2730	0697 9811 15	1	PLUG	(16/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(16/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(16/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(16/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(16/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(16/04/2018 - ...)	PT20
2780	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(16/04/2018 - ...)	TT90 (LAT)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA18P_18 - Model:GA 18+
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA22P_18 - Model:GA 22+
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

18.3 - Cubicle components - Ammann GA 18+, GA 22+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA18P_18 , MODEL:GA22P_18)



18.3 - Cubicle components - Ammann GA 18+, GA 22+

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA18P_18 , MODEL:GA22P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
2795	0698 5140 73	1	CABLE GLAND	(16/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(16/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(16/04/2018 - ...)	MSA
3010	•	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL		
3080	• 1079 9932 15	1	DECAL		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA18P_18 - Model:GA 18+
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA22P_18 - Model:GA 22+
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

18.4 - Cubicle components - Ammann GA 26+, GA 30

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA26P_18 , MODEL:GA30_18)



18.4 - Cubicle components - Ammann GA 26+, GA 30

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 90	1	CUBICLE		
	9828 5323 51	1	SERVICE DIAGRAM	(16/04/2018 - ...)	SD
	1625 2202 15	1	WIRE HARNESS	(19/09/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(16/04/2018 - ...)	WH
•	1089 0492 35	1	PRESSURE SENSOR		
	1625 3906 31	1	DATA LABEL	(16/04/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(16/04/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(16/04/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(16/04/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(16/04/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9623 52	1	CONTACTOR	(16/04/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR	(16/04/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(16/04/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(16/04/2018 - ...)	K23
	1089 9514 44	1	TRANSFORMER	(16/04/2018 - ...)	T1
	1089 0612 24	2	FUSE 4A	(16/04/2018 - ...)	F1-F2
	1089 0612 01	2	FUSE HOLDER	(16/04/2018 - ...)	F1-F2
	1089 9267 26	1	CIRCUIT BREAKER	(16/04/2018 - ...)	Q15
	1089 9267 55	1	SWITCH POWER	(16/04/2018 - ...)	
	Electrical legend: Q15 (NO contact)				
	1089 9427 49	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(16/04/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9513 98	1	EMERGENCY STOP BUTTON	(16/04/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(16/04/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(16/04/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(16/04/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(16/04/2018 - ...)	K25
	1089 0612 21	1	FUSE	(16/04/2018 - ...)	F3 (IEC)
	1089 0612 01	1	FUSE HOLDER	(16/04/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:14 top				
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA30_18 - Model:GA 30
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

18.4 - Cubicle components - Ammann GA 26+, GA 30

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA26P_18 , MODEL:GA30_18)



18.4 - Cubicle components - Ammann GA 26+, GA 30

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:31 bottom / 1x6:35 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:30 bottom / 1x6:33 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x6:30 bottom / 1x6:34 top			
	1089 9621 04	1	CIRCUIT BREAKER	(16/04/2018 - ...)	Q10
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(16/04/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(16/04/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(16/04/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(16/04/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(16/04/2018 - ...)	
	1088 0031 32	1	CONNECTOR	(16/04/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(16/04/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(16/04/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airinlet bottom			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30			
		1	AIR INLET WITH FILTER	(16/04/2018 - ...)	
	Electrical legend:	airoutlet top			
	Service kits:	2901 9908 29 - CUBICLE VENTILATION KIT - GA 18+, GA 22+, GA 26+, GA 30			
	0697 9809 24	1	LOCK NUT	(16/04/2018 - ...)	WH
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCKNUT	(19/09/2018 - ...)	FAN
	0698 5148 82	1	PLUG	(16/04/2018 - ...)	A1
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:105 bottom / 1x4:104 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:71 bottom / 1x4:72 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:73 bottom / 1x4:74 top			
	1088 0039 93	1	TERMINAL	(16/04/2018 - ...)	
	Electrical legend:	1x7:75 bottom / 1x4:76 top			
	1088 0039 95	1	PLATE	(16/04/2018 - ...)	
	Electrical legend:	1X7 (end plate)			
	1089 9438 86	1	CONTACTOR	(16/04/2018 - ...)	K21
	1089 9511 51	1	RELAY	(16/04/2018 - ...)	K04'
	1089 9511 57	1	CLIP	(11/07/2018 - ...)	K04'
	1089 9511 15	1	SOCKET FOR RELAY	(11/07/2018 - ...)	K04'
2730	0697 9811 15	1	PLUG	(16/04/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(16/04/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(16/04/2018 - ...)	ANTENNA
2745	0989 3700 42	1	NUT	(16/04/2018 - ...)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(16/04/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(16/04/2018 - ...)	PT20

Legend:


CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA26P_18 - Model:GA 26+
MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA30_18 - Model:GA 30
OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 V

18.4 - Cubicle components - Ammann GA 26+, GA 30

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA26P_18 , MODEL:GA30_18)



18.4 - Cubicle components - Ammann GA 26+, GA 30

CAPPRE:IEC + OEM:AMMANN + (FREQ:50HZ + MOVOL:400V , FREQ:60HZ + MOVOL:380V) + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
2780	0698 5140 70	1	CABLE GLAND	(16/04/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(16/04/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(16/04/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(16/04/2018 - ...)	A1
	1625 2201 27	1	CUBICLE ASSEMBLY	(16/04/2018 - ...)	MSA
3010	• 1625 2201 28	1	CUBICLE		
3050	• 1625 2201 29	1	DOOR		
3060	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING	(23/07/2018 - ...)	
3070	• 1079 9932 01	1	DECAL INSTRUCT.		
3080	• 1079 9932 15	1	DECAL INSTRUCT.		
	• 1613 8339 01	1	LOCK		
3100	• 1637 0000 72	1	DECAL BP		
3110	• 1079 9931 46	1	DECAL WARNING		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9901 68	1	WARNING LABEL		

Legend:

CAPPRE:IEC - Component approval electrical:IEC

MODEL:GA26P_18 - Model:GA 26+

MOVOL:400V - Supply voltage:400 V

FREQ:50HZ - Frequency:50 Hz

MODEL:GA30_18 - Model:GA 30


OEM:AMMANN - OEM:Ammann asphalt

FREQ:60HZ - Frequency:60 Hz

MOVOL:380V - Supply voltage:380 V

19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
1010	1625 2201 02	1	FRAME	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (IDRY:Y + PRESS:7.5BAR , PRESS:9.1BAR + (IDRY:N , IDRY:Y)) (02/08/2017 - 13/03/2018) (IDRY:N , IDRY:Y) + (PRESS:10BAR , MODEL:GA30_18 + PRESS:9.1BAR) , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) IDRY:N + (PRESS:10BAR , (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA22P_18 + PRESS:10.8BAR , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:13BAR)) , IDRY:Y + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (29/03/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (08/06/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR
	• 1622 0000 20	3	DECAL SYMBOLS	(08/06/2018 - ...) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR
2010	0147 1963 08	9	HEXAGON BOLT	(26/03/2018 - 28/03/2018) IDRY:N + (PRESS:10BAR , (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA22P_18 + PRESS:10.8BAR , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:13BAR)) , IDRY:Y + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (29/03/2018 - 08/07/2018) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + MODEL:GA11P_18) + (PRESS:10.8BAR , PRESS:10BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + PRESS:10BAR)

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:
THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:


IDRY:N - Integrated dryer:No
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:Y - Integrated dryer:Yes
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
2020	0215 0010 13	7	HEXAGON SOCKET SCREW	(08/06/2018 - 08/07/2018) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + MODEL:GA11P_18) + (PRESS:10.8BAR , PRESS:10BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + PRESS:10BAR)
2030	0291 1110 00	2	LOCK NUT	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (IDRY:Y + PRESS:7.5BAR , PRESS:9.1BAR + (IDRY:N , IDRY:Y)) (02/08/2017 - 13/03/2018) (IDRY:N , IDRY:Y) + (PRESS:10BAR , MODEL:GA30_18 + PRESS:9.1BAR) , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) IDRY:N + (PRESS:10BAR , MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA22P_18 + PRESS:10.8BAR , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:13BAR)) , IDRY:Y + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (29/03/2018 - 08/07/2018) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + MODEL:GA11P_18) + (PRESS:10.8BAR , PRESS:10BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + PRESS:10BAR)

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:


IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
2040	1625 2201 15	1	MIDDLE PANEL	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (IDRY:Y + PRESS:7.5BAR , PRESS:9.1BAR + (IDRY:N , IDRY:Y)) (02/08/2017 - 13/03/2018) (IDRY:N , IDRY:Y) + (PRESS:10BAR , MODEL:GA30_18 + PRESS:9.1BAR) , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) IDRY:N + (PRESS:10BAR , (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA22P_18 + PRESS:10.8BAR , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:13BAR)) , IDRY:Y + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (29/03/2018 - 08/07/2018) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + MODEL:GA11P_18) + (PRESS:10.8BAR , PRESS:10BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + PRESS:10BAR)

Remarks:


7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:

IDRY:N - Integrated dryer:No	IDRY:Y - Integrated dryer:Yes	MODEL:GA11P_18 - Model:GA 11+
MODEL:GA15P_18 - Model:GA 15+	MODEL:GA18P_18 - Model:GA 18+	MODEL:GA22P_18 - Model:GA 22+
MODEL:GA26P_18 - Model:GA 26+	MODEL:GA30_18 - Model:GA 30	PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:10BAR - Working pressure:10 bar	PRESS:12.5BAR - Working pressure:12.5 bar	PRESS:13BAR - Working pressure:13 bar
PRESS:7.4BAR - Working pressure:7.4 bar	PRESS:7.5BAR - Working pressure:7.5 bar	PRESS:8.5BAR - Working pressure:8.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar		

19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
2050	1625 2201 13	1	SEPARATION PLATE	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (IDRY:Y + PRESS:7.5BAR , PRESS:9.1BAR + (IDRY:N , IDRY:Y)) (02/08/2017 - 13/03/2018) (IDRY:N , IDRY:Y) + (PRESS:10BAR , MODEL:GA30_18 + PRESS:9.1BAR) , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) IDRY:N + (PRESS:10BAR , (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA22P_18 + PRESS:10.8BAR , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:13BAR)) , IDRY:Y + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (29/03/2018 - 08/07/2018) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + MODEL:GA11P_18) + (PRESS:10.8BAR , PRESS:10BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + PRESS:10BAR)

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:
THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:


IDRY:N - Integrated dryer:No
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:Y - Integrated dryer:Yes
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
2060	1625 2201 12	1	DRYER SUPPORT PLATE	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (IDRY:Y + PRESS:7.5BAR , PRESS:9.1BAR + (IDRY:N , IDRY:Y)) (02/08/2017 - 13/03/2018) (IDRY:N , IDRY:Y) + (PRESS:10BAR , MODEL:GA30_18 + PRESS:9.1BAR) , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) IDRY:N + (PRESS:10BAR , (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA22P_18 + PRESS:10.8BAR , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:13BAR)) , IDRY:Y + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (29/03/2018 - 08/07/2018) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + MODEL:GA11P_18) + (PRESS:10.8BAR , PRESS:10BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + PRESS:10BAR)

Remarks:


7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:

IDRY:N - Integrated dryer:No	IDRY:Y - Integrated dryer:Yes	MODEL:GA11P_18 - Model:GA 11+
MODEL:GA15P_18 - Model:GA 15+	MODEL:GA18P_18 - Model:GA 18+	MODEL:GA22P_18 - Model:GA 22+
MODEL:GA26P_18 - Model:GA 26+	MODEL:GA30_18 - Model:GA 30	PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:10BAR - Working pressure:10 bar	PRESS:12.5BAR - Working pressure:12.5 bar	PRESS:13BAR - Working pressure:13 bar
PRESS:7.4BAR - Working pressure:7.4 bar	PRESS:7.5BAR - Working pressure:7.5 bar	PRESS:8.5BAR - Working pressure:8.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar		

19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
2070	1625 2201 09	1	BACK PANEL	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (IDRY:Y + PRESS:7.5BAR , PRESS:9.1BAR + (IDRY:N , IDRY:Y)) (02/08/2017 - 13/03/2018) (IDRY:N , IDRY:Y) + (PRESS:10BAR , MODEL:GA30_18 + PRESS:9.1BAR) , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) IDRY:N + (PRESS:10BAR , (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA22P_18 + PRESS:10.8BAR , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:13BAR)) , IDRY:Y + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (29/03/2018 - 08/07/2018) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + MODEL:GA11P_18) + (PRESS:10.8BAR , PRESS:10BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + PRESS:10BAR)
	1079 9915 89	1	LABEL - AUTOMATIC DRAIN	
	1079 9915 98	1	LABEL - MANUAL DRAIN	

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM: THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM: THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM: THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM: THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM: THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM: THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM: THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:


IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
2080	1625 2201 07	1	ROOF	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (IDRY:Y + PRESS:7.5BAR , PRESS:9.1BAR + (IDRY:N , IDRY:Y)) (02/08/2017 - 13/03/2018) (IDRY:N , IDRY:Y) + (PRESS:10BAR , MODEL:GA30_18 + PRESS:9.1BAR) , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) IDRY:N + (PRESS:10BAR , (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA22P_18 + PRESS:10.8BAR , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:13BAR)) , IDRY:Y + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (29/03/2018 - 08/07/2018) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + MODEL:GA11P_18) + (PRESS:10.8BAR , PRESS:10BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + PRESS:10BAR)
	• 1079 9931 44	1	LABEL - HOT SURFACE	
2090	1625 2203 52	1	PANEL	(09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:N + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , IDRY:Y + MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:N + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + (PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:

THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:

THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:

THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:

THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:

THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:

THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:

THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+


PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
2090	1625 2203 48	1	PANEL	(09/07/2018 - 20/08/2018) IDRY:Y + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR)) (21/08/2018 - ...) IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))
2100	1625 4714 80	1	PANEL INLET LEFT	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (IDRY:Y + PRESS:7.5BAR , PRESS:9.1BAR + (IDRY:N , IDRY:Y)) (02/08/2017 - 13/03/2018) (IDRY:N , IDRY:Y) + (PRESS:10BAR , MODEL:GA30_18 + PRESS:9.1BAR) , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) IDRY:N + (PRESS:10BAR , MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA22P_18 + PRESS:10.8BAR , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:13BAR)) , IDRY:Y + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (29/03/2018 - 08/07/2018) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + MODEL:GA11P_18) + (PRESS:10.8BAR , PRESS:10BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + PRESS:10BAR)
	1079 9931 44	1	LABEL - HOT SURFACE	

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:


IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
2110	1625 2201 34	1	FRONT PANEL	(26/03/2018 - 28/03/2018) IDRY:N + (PRESS:10BAR , (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA22P_18 + PRESS:10.8BAR , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:13BAR)) , IDRY:Y + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (29/03/2018 - 08/07/2018) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + MODEL:GA11P_18) + (PRESS:10.8BAR , PRESS:10BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + PRESS:10BAR)
	• 1622 7673 00	1	LOCK	
	• 1622 4477 07	1	HOUSE LABEL	
	• 0690 1101 51	1	DECAL	(08/06/2018 - 08/07/2018) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + MODEL:GA11P_18) + (PRESS:10.8BAR , PRESS:10BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + PRESS:10BAR)

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:
THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:


IDRY:N - Integrated dryer:No
MODEL:GA15P_18 - Model:GA 15+
MODEL:GA26P_18 - Model:GA 26+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:Y - Integrated dryer:Yes
MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
2120	1625 2201 04	1	SERVICE PANEL	(01/08/2017 - 01/08/2017) PRESS:10BAR , IDRY:N + MODEL:GA22P_18 + PRESS:7.4BAR , MODEL:GA30_18 + (IDRY:Y + PRESS:7.5BAR , PRESS:9.1BAR + (IDRY:N , IDRY:Y)) (02/08/2017 - 13/03/2018) (IDRY:N , IDRY:Y) + (PRESS:10BAR , MODEL:GA30_18 + PRESS:9.1BAR) , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + MODEL:GA30_18 + PRESS:7.5BAR (14/03/2018 - 28/03/2018) IDRY:N + (PRESS:10BAR , (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA22P_18 + PRESS:10.8BAR , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:13BAR)) , IDRY:Y + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (29/03/2018 - 08/07/2018) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + MODEL:GA11P_18) + (PRESS:10.8BAR , PRESS:10BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + PRESS:10BAR)
	• 1622 7673 00	1	LOCK	
2130	1625 2203 55	1	PANEL	(09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + MODEL:GA11P_18) + (PRESS:10.8BAR , PRESS:10BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + PRESS:10BAR)
	• 1622 7673 00	1	LOCK	

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:


IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR



19 - Bodywork

PRESS:10BAR , IDRY:N + (MODEL:GA26P_18 + PRESS:10.8BAR , PRESS:7.4BAR + (MODEL:GA15P_18 , MODEL:GA22P_18)) , IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA30_18 + PRESS:7.5BAR) , MODEL:GA30_18 + PRESS:9.1BAR

Ref	Part Number	Qty	Name	Validity
2160	0211 1246 03	2	HEXAGON SOCKET SCREW	(26/03/2018 - 28/03/2018) IDRY:N + (PRESS:10BAR , (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA30_18) + (PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:8.5BAR , MODEL:GA18P_18 + PRESS:9.1BAR , MODEL:GA22P_18 + PRESS:10.8BAR , MODEL:GA26P_18 + (PRESS:10.8BAR , PRESS:13BAR)) , IDRY:Y + (PRESS:10BAR , MODEL:GA15P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:9.1BAR , PRESS:7.5BAR + (MODEL:GA11P_18 , MODEL:GA22P_18 , MODEL:GA30_18)) (29/03/2018 - 08/07/2018) PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR (09/07/2018 - 20/08/2018) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , PRESS:10BAR + (IDRY:N , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + (MODEL:GA11P_18 , MODEL:GA15P_18)) (21/08/2018 - ...) (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , (IDRY:N , IDRY:Y) + (MODEL:GA11P_18 , MODEL:GA15P_18)) + (PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , IDRY:Y + MODEL:GA11P_18) + (PRESS:10.8BAR , PRESS:10BAR) , IDRY:N + (PRESS:10BAR , MODEL:GA11P_18 + PRESS:10.8BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , IDRY:Y + PRESS:10BAR)

Remarks:


7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig Insulation: SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:10MM / PART NUMBER:0395 6001 62 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:20MM / PART NUMBER:0395 6001 64 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:25MM / PART NUMBER:0395 6001 66 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:30MM / PART NUMBER:0395 6001 67 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:40MM / PART NUMBER:0395 6001 68 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:50MM / PART NUMBER:0395 6001 69 / SHEET DIMENSIONS: 2040MM X 1650MM SELF-ADHESIVE INSULATION FOAM:
 THICKNESS:60MM / PART NUMBER:0395 6001 70 / SHEET DIMENSIONS: 2040MM X 1650MM

Legend:

IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar




Ref	Part Number	Qty	Name	Validity
1010	1625 2201 78	1	UNIT DECAL GA11+FF	(09/07/2018 - ...) IDRY:Y + MODEL:GA11P_18 + REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME))
1010	1625 2201 80	1	UNIT DECAL GA15+FF	(09/07/2018 - ...) IDRY:Y + MODEL:GA15P_18 + REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME))
1010	1625 2201 82	1	UNIT DECAL GA18+FF	(09/07/2018 - ...) IDRY:Y + MODEL:GA18P_18 + REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME))
1010	1625 2201 84	1	UNIT DECAL GA22+FF	(09/07/2018 - ...) IDRY:Y + MODEL:GA22P_18 + REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME))
1010	1625 2201 86	1	UNIT DECAL GA26+FF	(09/07/2018 - ...) IDRY:Y + MODEL:GA26P_18 + REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME))
1010	1625 2201 94	1	UNIT DECAL GA30FF	(09/07/2018 - ...) IDRY:Y + MODEL:GA30_18 + (CAPPRE:IEC + ((CAPPRM:ASME , CAPPRM:CE) + (REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH) , REGUL:MK5S_SWIPE + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , CAPPRE:ULCUL + REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME))
1010	1625 2201 93	1	UNIT DECAL GA30	(09/07/2018 - 03/04/2019) MODEL:GA30_18 + (CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + REGUL:MK5GRAPH , IDRY:N + (CAPPRE:IEC + ((CAPPRM:ASME , CAPPRM:CE) + (REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH) , REGUL:MK5S_SWIPE + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , CAPPRE:ULCUL + REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME)) (04/04/2019 - ...) IDRY:N + MODEL:GA30_18 + (CAPPRE:IEC + ((CAPPRM:ASME , CAPPRM:CE) + (REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH) , REGUL:MK5S_SWIPE + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , CAPPRE:ULCUL + REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME))
1010	1625 2201 85	1	UNIT DECAL GA26+	(09/07/2018 - ...) IDRY:N + MODEL:GA26P_18 + REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME))
1010	1625 2201 83	1	UNIT DECAL GA22+	(09/07/2018 - ...) IDRY:N + MODEL:GA22P_18 + REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME))
1010	1625 2201 81	1	UNIT DECAL GA18+	(09/07/2018 - ...) IDRY:N + MODEL:GA18P_18 + REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME))
1010	1625 2201 79	1	UNIT DECAL GA15+	(09/07/2018 - ...) IDRY:N + MODEL:GA15P_18 + REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME))
1010	1625 2201 77	1	UNIT DECAL GA11+	(09/07/2018 - ...) IDRY:N + MODEL:GA11P_18 + REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME))
1020		1	DATA PLATE	

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN
 (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 REGUL:MK5GRAPH - Regulation:Elektronikon Graphic

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 REGUL:MK5S_SWIPE - Regulation:MK5 Swipe

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE
 (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 REGUL:MK5S_TOUCH - Regulation:MK5 Touch




Ref	Part Number	Qty	Name	Validity
1040	1088 1001 01	2	WARNING MARK	(01/08/2017 - 13/03/2018) CAPPRE:IEC + CAPPRM:CE + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 + REGUL:MK5S_TOUCH (14/03/2018 - 25/03/2018) CAPPRE:IEC + CAPPRM:CE + MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (CAPPRE:IEC + ((CAPPRM:CE , CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18 , MODEL:GA22P_18) , (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , MODEL:GA26P_18 + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y)) , CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA30_18 , IDRY:N + MODEL:GA22P_18) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18)) (26/03/2018 - 26/03/2018) MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:CE + REGUL:MK5S_SWIPE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + REGUL:MK5GRAPH) , REGUL:MK5S_TOUCH + ((CAPPRE:IEC + CAPPRM:CE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRE:IEC + ((CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , CAPPRM:ASME + IDRY:N + (MODEL:GA15P_18 , MODEL:GA22P_18) , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + (CAPPRM:ASME + MODEL:GA30_18 , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18)) (27/03/2018 - 28/03/2018) MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:CE + REGUL:MK5S_SWIPE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + REGUL:MK5GRAPH) , REGUL:MK5S_TOUCH + (CAPPRE:IEC + ((CAPPRM:CE , CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18 , MODEL:GA22P_18) , (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , MODEL:GA26P_18 + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y)) , CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA30_18 , IDRY:N + (MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18)) (29/03/2018 - 29/03/2018) CAPPRE:IEC + ((CAPPRM:CEAD2000 , IDRY:N + (CAPPRM:AS1210 , CAPPRM:ASME)) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CE + MODEL:GA30_18 + REGUL:MK5S_SWIPE) , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + CAPPRM:CRNASME , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + MODEL:GA30_18 , CAPPRE:ULCUL + (IDRY:N , IDRY:Y + (MODEL:GA15P_18 , MODEL:GA30_18)))) (30/03/2018 - 03/04/2019) CAPPRE:IEC + ((CAPPRM:AS1210 , CAPPRM:CEAD2000) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , (CAPPRM:ASME , CAPPRM:CE) + (REGUL:MK5S_TOUCH , MODEL:GA30_18 + REGUL:MK5S_SWIPE)) , CAPPRE:ULCUL + (CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME)) (04/04/2019 - ...) CAPPRE:IEC + ((CAPPRM:AS1210 , CAPPRM:CEAD2000) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , (CAPPRM:ASME , CAPPRM:CE) + (REGUL:MK5S_TOUCH , MODEL:GA30_18 + REGUL:MK5S_SWIPE)) , CAPPRE:ULCUL + REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME)

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 REGUL:MK5GRAPH - Regulation:Elektronikon Graphic

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 REGUL:MK5S_SWIPE - Regulation:MK5 Swipe

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 REGUL:MK5S_TOUCH - Regulation:MK5 Touch




Ref	Part Number	Qty	Name	Validity
1050	1079 9932 38	1	DECAL	(01/08/2017 - 13/03/2018) CAPPRE:IEC + CAPPRM:CE + (MODEL:GA30_18 + REGUL:MK5S_SWIPE, REGUL:MK5S_TOUCH + (MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)), CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 + REGUL:MK5S_TOUCH (14/03/2018 - 25/03/2018) CAPPRE:IEC + CAPPRM:CE + MODEL:GA30_18 + REGUL:MK5S_SWIPE, REGUL:MK5S_TOUCH + (CAPPRE:IEC + ((CAPPRM:CE, CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18, MODEL:GA22P_18), (CAPPRM:CE, CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18, MODEL:GA18P_18), MODEL:GA26P_18 + (CAPPRM:CE, CAPPRM:CEAD2000 + IDRY:Y)), CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA30_18, IDRY:N + MODEL:GA22P_18), CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18)) (26/03/2018 - 26/03/2018) MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:CE + REGUL:MK5S_SWIPE, CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + REGUL:MK5GRAPH), REGUL:MK5S_TOUCH + ((CAPPRE:IEC + CAPPRM:CE, CAPPRE:ULCUL + CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18, MODEL:GA22P_18, MODEL:GA26P_18), CAPPRE:IEC + ((CAPPRM:CE, CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18, MODEL:GA18P_18), CAPPRM:ASME + IDRY:N + (MODEL:GA15P_18, MODEL:GA22P_18), CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18), CAPPRE:ULCUL + (CAPPRM:ASME + MODEL:GA30_18, CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18)) (27/03/2018 - 28/03/2018) MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:CE + REGUL:MK5S_SWIPE, CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + REGUL:MK5GRAPH), REGUL:MK5S_TOUCH + (CAPPRE:IEC + ((CAPPRM:CE, CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18, MODEL:GA22P_18), (CAPPRM:CE, CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18, MODEL:GA18P_18), MODEL:GA26P_18 + (CAPPRM:CE, CAPPRM:CEAD2000 + IDRY:Y)), CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA15P_18, MODEL:GA30_18, IDRY:N + (MODEL:GA22P_18, MODEL:GA26P_18)), CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18)) (29/03/2018 - 29/03/2018) CAPPRE:IEC + ((CAPPRM:CEAD2000, IDRY:N + (CAPPRM:AS1210, CAPPRM:ASME)) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE, REGUL:MK5S_TOUCH + (MODEL:GA15P_18, MODEL:GA22P_18, MODEL:GA26P_18)), CAPPRM:CE + MODEL:GA30_18 + REGUL:MK5S_SWIPE), CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH, REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:CE, CAPPRM:CEAD2000 + (MODEL:GA11P_18, MODEL:GA18P_18)), CAPPRE:ULCUL + CAPPRM:CRNASME, CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + MODEL:GA30_18, CAPPRE:ULCUL + (IDRY:N, IDRY:Y + (MODEL:GA15P_18, MODEL:GA30_18)))) (30/03/2018 - 03/04/2019) CAPPRE:IEC + ((CAPPRM:AS1210, CAPPRM:CEAD2000) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE, REGUL:MK5S_TOUCH + (MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)), (CAPPRM:ASME, CAPPRM:CE) + (REGUL:MK5S_TOUCH, MODEL:GA30_18 + REGUL:MK5S_SWIPE)), CAPPRE:ULCUL + (CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH, REGUL:MK5S_TOUCH + (CAPPRM:ASME, CAPPRM:CRNASME)) (04/04/2019 - ...) CAPPRE:IEC + ((CAPPRM:AS1210, CAPPRM:CEAD2000) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE, REGUL:MK5S_TOUCH + (MODEL:GA11P_18, MODEL:GA15P_18, MODEL:GA18P_18, MODEL:GA22P_18, MODEL:GA26P_18)), (CAPPRM:ASME, CAPPRM:CE) + (REGUL:MK5S_TOUCH, MODEL:GA30_18 + REGUL:MK5S_SWIPE)), CAPPRE:ULCUL + REGUL:MK5S_TOUCH + (CAPPRM:ASME, CAPPRM:CRNASME)

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 REGUL:MK5GRAPH - Regulation:Elektronikon Graphic

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 REGUL:MK5S_SWIPE - Regulation:MK5 Swipe

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 REGUL:MK5S_TOUCH - Regulation:MK5 Touch




Ref	Part Number	Qty	Name	Validity
1060	1629 0334 00	1	DECAL ROTO-XTEND DUTY FLUID	(26/03/2018 - 26/03/2018) CAPPRE:ULCUL + (CAPPRM:ASME + (IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (IDRY:N + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) , IDRY:Y + MODEL:GA30_18)) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + REGUL:MK5S_TOUCH) (27/03/2018 - 28/03/2018) CAPPRE:ULCUL + (CAPPRM:ASME + (IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + ((IDRY:N , IDRY:Y) + (MODEL:GA15P_18 , MODEL:GA30_18) , IDRY:N + (MODEL:GA22P_18 , MODEL:GA26P_18))) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18 + REGUL:MK5S_TOUCH) (29/03/2018 - 29/03/2018) CAPPRE:ULCUL + (CAPPRM:ASME + (IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (IDRY:N , IDRY:Y + (MODEL:GA15P_18 , MODEL:GA30_18))) , CAPPRM:CRNASME + REGUL:MK5S_TOUCH) (30/03/2018 - 15/04/2018) CAPPRE:ULCUL + (CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME))
1060	1629 0333 00	1	DECAL ROTOINJECT NDURANCE	(02/08/2017 - 13/03/2018) CAPPRE:IEC + CAPPRM:CE + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (14/03/2018 - 25/03/2018) CAPPRE:IEC + (CAPPRM:CE + MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + ((CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , CAPPRM:CE + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18)) (26/03/2018 - 28/03/2018) CAPPRE:IEC + (CAPPRM:CE + MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + ((CAPPRM:CE , CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18 , MODEL:GA22P_18) , (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , MODEL:GA26P_18 + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y))) (29/03/2018 - 29/03/2018) CAPPRE:IEC + ((CAPPRM:CEAD2000 , IDRY:N + (CAPPRM:AS1210 , CAPPRM:ASME)) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CE + MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (CAPPRM:CE , CAPPRM:ASME + IDRY:N + MODEL:GA30_18 , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18))) (30/03/2018 - 15/04/2018) CAPPRE:IEC + ((CAPPRM:AS1210 , CAPPRM:CEAD2000) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , (CAPPRM:ASME , CAPPRM:CE) + (REGUL:MK5S_TOUCH , MODEL:GA30_18 + REGUL:MK5S_SWIPE))

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 REGUL:MK5GRAPH - Regulation:Elektronikon Graphic

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 REGUL:MK5S_SWIPE - Regulation:MK5 Swipe

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 REGUL:MK5S_TOUCH - Regulation:MK5 Touch




Ref	Part Number	Qty	Name	Validity
1070	1079 9904 99	1	WARNING LABEL	(26/03/2018 - 26/03/2018) MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:CE + REGUL:MK5S_SWIPE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + REGUL:MK5GRAPH) , REGUL:MK5S_TOUCH + ((CAPPRE:IEC + CAPPRM:CE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRE:IEC + ((CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , CAPPRM:ASME + IDRY:N + (MODEL:GA15P_18 , MODEL:GA22P_18) , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + (CAPPRM:ASME + MODEL:GA30_18 , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18)) (27/03/2018 - 28/03/2018) MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:CE + REGUL:MK5S_SWIPE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + REGUL:MK5GRAPH) , REGUL:MK5S_TOUCH + (CAPPRE:IEC + ((CAPPRM:CE , CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18 , MODEL:GA22P_18) , (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , MODEL:GA26P_18 + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y) , CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA30_18 , IDRY:N + (MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18)) (29/03/2018 - 29/03/2018) CAPPRE:IEC + ((CAPPRM:CEAD2000 , IDRY:N + (CAPPRM:AS1210 , CAPPRM:ASME)) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CE + MODEL:GA30_18 + REGUL:MK5S_SWIPE) , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + CAPPRM:CRNASME , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + MODEL:GA30_18 , CAPPRE:ULCUL + (IDRY:N , IDRY:Y + (MODEL:GA15P_18 , MODEL:GA30_18)))) (30/03/2018 - 03/04/2019) CAPPRE:IEC + ((CAPPRM:AS1210 , CAPPRM:CEAD2000) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , (CAPPRM:ASME , CAPPRM:CE) + (REGUL:MK5S_TOUCH , MODEL:GA30_18 + REGUL:MK5S_SWIPE)) , CAPPRE:ULCUL + (CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME)) (04/04/2019 - ...) CAPPRE:IEC + ((CAPPRM:AS1210 , CAPPRM:CEAD2000) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , (CAPPRM:ASME , CAPPRM:CE) + (REGUL:MK5S_TOUCH , MODEL:GA30_18 + REGUL:MK5S_SWIPE)) , CAPPRE:ULCUL + REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 REGUL:MK5GRAPH - Regulation:Elektronikon Graphic

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 REGUL:MK5S_SWIPE - Regulation:MK5 Swipe

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 REGUL:MK5S_TOUCH - Regulation:MK5 Touch



Ref	Part Number	Qty	Name	Validity
1080	1079 9923 72	2	LABEL ELECTRICAL EARTHING	(26/03/2018 - 26/03/2018) MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:CE + REGUL:MK5S_SWIPE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + REGUL:MK5GRAPH) , REGUL:MK5S_TOUCH + ((CAPPRE:IEC + CAPPRM:CE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRE:IEC + ((CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , CAPPRM:ASME + IDRY:N + (MODEL:GA15P_18 , MODEL:GA22P_18) , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + (CAPPRM:ASME + MODEL:GA30_18 , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18)) (27/03/2018 - 28/03/2018) MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:CE + REGUL:MK5S_SWIPE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + REGUL:MK5GRAPH) , REGUL:MK5S_TOUCH + (CAPPRE:IEC + ((CAPPRM:CE , CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18 , MODEL:GA22P_18) , (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , MODEL:GA26P_18 + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y) , CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA30_18 , IDRY:N + (MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18)) (29/03/2018 - 29/03/2018) CAPPRE:IEC + ((CAPPRM:CEAD2000 , IDRY:N + (CAPPRM:AS1210 , CAPPRM:ASME)) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CE + MODEL:GA30_18 + REGUL:MK5S_SWIPE) , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + CAPPRM:CRNASME , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + MODEL:GA30_18 , CAPPRE:ULCUL + (IDRY:N , IDRY:Y + (MODEL:GA15P_18 , MODEL:GA30_18)))) (30/03/2018 - 03/04/2019) CAPPRE:IEC + ((CAPPRM:AS1210 , CAPPRM:CEAD2000) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , (CAPPRM:ASME , CAPPRM:CE) + (REGUL:MK5S_TOUCH , MODEL:GA30_18 + REGUL:MK5S_SWIPE)) , CAPPRE:ULCUL + (CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME)) (04/04/2019 - ...) CAPPRE:IEC + ((CAPPRM:AS1210 , CAPPRM:CEAD2000) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , (CAPPRM:ASME , CAPPRM:CE) + (REGUL:MK5S_TOUCH , MODEL:GA30_18 + REGUL:MK5S_SWIPE)) , CAPPRE:ULCUL + REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME)
Legend: CAPPRE:IEC - Component approval electrical:IEC CAPPRM:ASME - Component approval mechanical:ASME CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME) MODEL:GA11P_18 - Model:GA 11+ MODEL:GA22P_18 - Model:GA 22+ REGUL:MK5GRAPH - Regulation:Elektronikon Graphic				
CAPPRE:ULCUL - Component approval electrical:UL/cUL CAPPRM:CE - Component approval mechanical:CE IDRY:N - Integrated dryer:No MODEL:GA15P_18 - Model:GA 15+ MODEL:GA26P_18 - Model:GA 26+ REGUL:MK5S_SWIPE - Regulation:MK5 Swipe				
CAPPRM:AS1210 - Component approval mechanical:AS1210 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000) IDRY:Y - Integrated dryer:Yes MODEL:GA18P_18 - Model:GA 18+ MODEL:GA30_18 - Model:GA 30 REGUL:MK5S_TOUCH - Regulation:MK5 Touch				




Ref	Part Number	Qty	Name	Validity
1090	1622 3274 02	1	QUICK START GUIDE	(26/03/2018 - 26/03/2018) MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:CE + REGUL:MK5S_SWIPE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + REGUL:MK5GRAPH) , REGUL:MK5S_TOUCH + ((CAPPRE:IEC + CAPPRM:CE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRE:IEC + ((CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , CAPPRM:ASME + IDRY:N + (MODEL:GA15P_18 , MODEL:GA22P_18) , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + (CAPPRM:ASME + MODEL:GA30_18 , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18)) (27/03/2018 - 28/03/2018) MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:CE + REGUL:MK5S_SWIPE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + REGUL:MK5GRAPH) , REGUL:MK5S_TOUCH + (CAPPRE:IEC + ((CAPPRM:CE , CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18 , MODEL:GA22P_18) , (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , MODEL:GA26P_18 + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y)) , CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA15P_18 , MODEL:GA30_18 , IDRY:N + (MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18)) (29/03/2018 - 29/03/2018) CAPPRE:IEC + ((CAPPRM:CEAD2000 , IDRY:N + (CAPPRM:AS1210 , CAPPRM:ASME)) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CE + MODEL:GA30_18 + REGUL:MK5S_SWIPE) , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000 + (MODEL:GA11P_18 , MODEL:GA18P_18)) , CAPPRE:ULCUL + CAPPRM:CRNASME , CAPPRM:ASME + (CAPPRE:IEC + IDRY:N + MODEL:GA30_18 , CAPPRE:ULCUL + (IDRY:N , IDRY:Y + (MODEL:GA15P_18 , MODEL:GA30_18)))) (30/03/2018 - 03/04/2019) CAPPRE:IEC + ((CAPPRM:AS1210 , CAPPRM:CEAD2000) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , (CAPPRM:ASME , CAPPRM:CE) + (REGUL:MK5S_TOUCH , MODEL:GA30_18 + REGUL:MK5S_SWIPE)) , CAPPRE:ULCUL + (CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME)) (04/04/2019 - ...) CAPPRE:IEC + ((CAPPRM:AS1210 , CAPPRM:CEAD2000) + (MODEL:GA30_18 + REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) , (CAPPRM:ASME , CAPPRM:CE) + (REGUL:MK5S_TOUCH , MODEL:GA30_18 + REGUL:MK5S_SWIPE)) , CAPPRE:ULCUL + REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME)
1100	1625 2201 43	1	DECAL	(26/03/2018 - 28/03/2018) MODEL:GA30_18 + (CAPPRE:IEC + CAPPRM:CE + REGUL:MK5S_SWIPE , CAPPRE:ULCUL + CAPPRM:ASME + (REGUL:MK5S_TOUCH , IDRY:Y + REGUL:MK5GRAPH)) (29/03/2018 - 29/03/2018) MODEL:GA30_18 + (CAPPRE:IEC + ((CAPPRM:ASME + IDRY:N , CAPPRM:CE + (IDRY:N , IDRY:Y)) + (REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH) , REGUL:MK5S_SWIPE + (CAPPRM:AS1210 + IDRY:N , CAPPRM:CEAD2000 + (IDRY:N , IDRY:Y))) , CAPPRE:ULCUL + (CAPPRM:ASME + IDRY:Y + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME))) (30/03/2018 - 03/04/2019) MODEL:GA30_18 + (CAPPRE:IEC + (REGUL:MK5S_SWIPE + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CE)) , CAPPRE:ULCUL + (CAPPRM:ASME + IDRY:Y + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME))) (04/04/2019 - ...) MODEL:GA30_18 + (CAPPRE:IEC + ((CAPPRM:ASME , CAPPRM:CE) + (REGUL:MK5S_SWIPE , REGUL:MK5S_TOUCH) , REGUL:MK5S_SWIPE + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , CAPPRE:ULCUL + REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME))

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 REGUL:MK5GRAPH - Regulation:Elektronikon Graphic

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 REGUL:MK5S_SWIPE - Regulation:MK5 Swipe

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 REGUL:MK5S_TOUCH - Regulation:MK5 Touch



Ref	Part Number	Qty	Name	Validity
1100	1625 2201 44	1	DECAL	(26/03/2018 - 26/03/2018) REGUL:MK5S_TOUCH + ((CAPPRE:IEC + CAPPRM:CE , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRE:IEC + ((CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , CAPPRM:ASME + IDRY:N + (MODEL:GA15P_18 , MODEL:GA22P_18) , CAPPRM:CEAD2000 + IDRY:Y + MODEL:GA26P_18) , CAPPRE:ULCUL + CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18)) (27/03/2018 - 28/03/2018) REGUL:MK5S_TOUCH + (CAPPRE:IEC + ((CAPPRM:CE , CAPPRM:ASME + IDRY:N) + (MODEL:GA15P_18 , MODEL:GA22P_18) , (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA18P_18) , MODEL:GA26P_18 + (CAPPRM:CE , CAPPRM:CEAD2000 + IDRY:Y) , CAPPRE:ULCUL + (CAPPRM:ASME + (MODEL:GA15P_18 , IDRY:N + (MODEL:GA22P_18 , MODEL:GA26P_18)) , CAPPRM:CRNASME + IDRY:N + MODEL:GA18P_18)) (29/03/2018 - 29/03/2018) REGUL:MK5S_TOUCH + (((CAPPRE:IEC + (CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + CAPPRM:CRNASME) + (IDRY:N , IDRY:Y) , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:N) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRE:IEC + IDRY:N + (CAPPRM:AS1210 , CAPPRM:ASME) + (MODEL:GA15P_18 , MODEL:GA22P_18 , MODEL:GA26P_18) , CAPPRE:ULCUL + CAPPRM:ASME + IDRY:Y + MODEL:GA15P_18)) (30/03/2018 - ...) REGUL:MK5S_TOUCH + (CAPPRE:IEC + (CAPPRM:AS1210 , CAPPRM:ASME , CAPPRM:CE , CAPPRM:CEAD2000) , CAPPRE:ULCUL + (CAPPRM:ASME , CAPPRM:CRNASME)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18)) (03/09/2018 - 30/10/2018) CAPPRE:ULCUL + (CAPPRM:ASME + IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (CAPPRM:CRNASME , CAPPRM:ASME + IDRY:N)) (31/10/2018 - 03/04/2019) CAPPRE:ULCUL + (CAPPRM:ASME + (IDRY:Y + MODEL:GA30_18 + REGUL:MK5GRAPH , REGUL:MK5S_TOUCH + (IDRY:N , IDRY:Y + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18))) , CAPPRM:CRNASME + REGUL:MK5S_TOUCH) (04/04/2019 - ...) CAPPRE:ULCUL + REGUL:MK5S_TOUCH + (CAPPRM:CRNASME , CAPPRM:ASME + (IDRY:N , IDRY:Y + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18))) (25/10/2018 - ...) CAPPRE:ULCUL + REGUL:MK5S_TOUCH + (CAPPRM:ASME , CAPPRM:CRNASME) + (IDRY:Y , IDRY:N + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA26P_18))
1120	1622 7305 00	1	LABEL	
1120	2204 2199 00	1	DECAL	

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN
 (based on ASME)
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 REGUL:MK5GRAPH - Regulation:Elektronikon Graphic

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 IDRY:N - Integrated dryer:No
 MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 REGUL:MK5S_SWIPE - Regulation:MK5 Swipe

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE
 (based on AD2000)
 IDRY:Y - Integrated dryer:Yes
 MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 REGUL:MK5S_TOUCH - Regulation:MK5 Touch

21.1 - Modulating control

FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)



21.1 - Modulating control

FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
		1	STANDARD OPTION - MODULATING CONTROL	
	8092 2941 29	1	7.5BAR, 8.5BAR	(11/07/2018 - ...) FREQ:50HZ + (PRESS:7.5BAR , PRESS:8.5BAR , PRESS:8BAR)
	8092 2941 30	1	10BAR, 13BAR	(11/07/2018 - ...) FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR)
	8092 2941 31	1	7.4BAR, 9.1BAR	(11/07/2018 - ...) FREQ:60HZ + (PRESS:7.4BAR , PRESS:9.1BAR)
	8092 2941 32	1	10.8BAR, 12.5BAR	(11/07/2018 - ...) FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR)
1010	1622 8786 89	1	UNLOADER VALVE	(11/07/2018 - ...)
1020	0663 7142 00	1	O-RING	(11/07/2018 - ...)
1030	0300 0274 34	4	WASHER	(11/07/2018 - ...)
1040	0147 1325 03	4	HEXAGON BOLT	(11/07/2018 - ...)
1050	1613 7310 00	1	PLATE	(11/07/2018 - ...)
1060	0266 2110 00	1	NUT	(11/07/2018 - 03/01/2019)
1060	0291 1110 00	1	LOCKNUT	(04/01/2019 - ...)
1070	0301 2335 00	1	WASHER	(11/07/2018 - ...)
1080	1613 8722 81	1	ASSEMBLY	(11/07/2018 - ...)
1090	0301 2335 00	1	WASHER	(11/07/2018 - ...)
1100	0291 1110 00	1	LOCKNUT	(11/07/2018 - ...)
1110	0324 1000 28	1	SLEEVE	(11/07/2018 - ...)
1120	0246 1956 39	1	STUD	(11/07/2018 - ...)
2005	0583 8160 46	1	PIPE COUPLING	(11/07/2018 - ...)
2010	0070 6002 05	AR	TUBE	(11/07/2018 - ...)
2015	0583 8120 71	1	COUPLING	(11/07/2018 - ...)
2020	0070 6002 05	AR	TUBE	(11/07/2018 - ...)
2025	1613 6961 80	1	REGULATOR	(11/07/2018 - ...)
2030	1503 2564 10	1	NIPPLE	(11/07/2018 - ...)
2035	0560 4400 85	1	CROSS	(11/07/2018 - 12/11/2020)
	⚡ Substituted by:		0560 4405 88 - CROSSPIPE (quantity: 1)	
2035	0560 4405 88	1	CROSS	(13/11/2020 - ...)
2040	0583 8120 73	1	ELBOW	(11/07/2018 - ...)
2045	0584 9904 00	1	SLEEVE	(11/07/2018 - ...)
2050	0872 1001 12	1	PRESSURE GAUGE	(11/07/2018 - ...)
2055	0070 6002 68	AR	TUBE	(04/01/2019 - ...)
	⚡ Substituted by:		0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)	
2060	1625 7050 00	1	SUPPORT	(11/07/2018 - ...)
2065	0147 1963 08	1	HEXAGON BOLT	(11/07/2018 - ...)
2070	1503 2564 01	1	NIPPLE	(11/07/2018 - ...)
2075	1088 1001 01	1	WARNING MARK	(11/07/2018 - ...)
2080	0583 8100 76	1	COUPLING	(04/01/2019 - ...)
2085	0583 8100 21	1	STRAIGHT COUPLING	(11/07/2018 - ...)
2090	0070 6002 05	AR	TUBE	(11/07/2018 - ...)
2095	0583 8160 45	1	PIPE COUPLING	(11/07/2018 - ...)
2100	0583 8100 74	1	PIPE COUPLING	(11/07/2018 - ...)
2105	0070 6002 05	AR	TUBE	(11/07/2018 - ...)
2110	0583 8160 46	1	PIPE COUPLING	(11/07/2018 - ...)
2115	0070 6002 05	AR	TUBE	(11/07/2018 - ...)
2120	0583 8120 99	1	ELBOW	(11/07/2018 - ...)

Remarks:


7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

FREQ:50HZ - Frequency:50 Hz
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar

FREQ:60HZ - Frequency:60 Hz
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar



21.1 - Modulating control

FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)

Ref	Part Number	Qty	Name	Validity
2125	1088 1001 01	1	WARNING MARK	(11/07/2018 - ...)
2130	0583 8100 74	1	PIPE COUPLING	(11/07/2018 - ...)
2135	0070 6002 05	AR	TUBE	(11/07/2018 - ...)
3010	1089 0621 09	1	SOLENOID VALVE	(11/07/2018 - ...) FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
3010	1089 0624 32	1	SOLENOID VALVE	(11/07/2018 - ...) FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)
3020	1622 1295 01	1	CABLE	(11/07/2018 - 22/07/2019)
3020	1622 1295 07	1	CABLE	(23/07/2019 - ...)
3030	1088 0004 20	1	SPLITTER	(04/01/2019 - ...)
3050	1088 0150 53	1	CONNECTION HEAD	(11/07/2018 - ...)
3060	1089 0621 20	1	SOLENOID VALVE	(11/07/2018 - ...) FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR)
3060	1089 0620 52	1	SOLENOID VALVE	(11/07/2018 - ...) FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR)
4010	1613 6968 03	1	NOZZLE	(11/07/2018 - 18/03/2019) FREQ:50HZ + (PRESS:7.5BAR , PRESS:8.5BAR) (19/03/2019 - ...) FREQ:50HZ + (PRESS:7.5BAR , PRESS:8.5BAR) , FREQ:60HZ + (PRESS:7.4BAR , PRESS:9.1BAR)
4010	1613 6968 04	1	NOZZLE	(11/07/2018 - ...) FREQ:50HZ + (PRESS:10BAR , PRESS:13BAR) , FREQ:60HZ + (PRESS:10.8BAR , PRESS:12.5BAR)

Remarks:


7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

FREQ:50HZ - Frequency:50 Hz
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar

FREQ:60HZ - Frequency:60 Hz
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar



Ref	Part Number	Qty	Name	Validity	R.
	-	1	STANDARD OPTION - ENERGY RECOVERY		
	8092 2941 00	1	ROTO-XTEND DUTY FLUID	(11/07/2018 - ...) OILTYP:RXD	
	8092 2941 28	1	ROTO-INJECT FLUID	(11/07/2018 - ...) OILTYP:RIF	
1005	1625 7015 20	1	HEAT EXCHANGER	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1010	0291 1110 00	4	LOCKNUT	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1015	1625 2046 00	1	RELIEF VALVE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1020	1612 4230 00	1	THERMOSTAT 75#C	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1025	0580 0017 21	1	NIPPLE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1030	0582 0000 64	1	PIPE FITTING	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1035	0580 0017 36	1	NIPPLE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1040	0580 0017 36	1	NIPPLE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1045	1625 2202 46	1	HOSE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1050	0580 0017 36	1	NIPPLE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1055	1625 2202 50	1	HOSE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1060	0580 5100 68	1	PIPE FITTING	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1065	0603 5105 03	1	NIPPLE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1070	0852 0010 36	1	BALL VALVE	(11/07/2018 - 18/03/2019) OILTYP:RIF , OILTYP:RXD	
1070	0852 0012 11	1	BALL VALVE	(19/03/2019 - ...) OILTYP:RIF , OILTYP:RXD	
1075	0580 0017 36	1	NIPPLE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1080	1625 4248 51	1	PIPE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1085	0346 1002 43	1	CLAMP	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1090	1625 4243 11	1	BRACKET	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1095	0215 0010 16	2	SCREW	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1100	0291 1128 15	1	LOCK NUT	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1105	1089 0574 70	1	TEMPERATURE SENSOR	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1110	0580 0017 36	1	NIPPLE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1115	1625 4248 51	1	PIPE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1120	0346 1002 43	1	CLAMP	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1125	1625 4243 11	1	BRACKET	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1130	0215 0010 16	2	SCREW	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1135	0291 1128 15	1	LOCKNUT	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1140	1089 0574 70	1	TEMPERATURE SENSOR	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1145	0395 1010 57	2	INSULATION	(11/07/2018 - 04/03/2019) OILTYP:RIF , OILTYP:RXD	
1145	0395 1010 57	45	INSULATION	(05/03/2019 - ...) OILTYP:RIF , OILTYP:RXD	
2010	0580 2014 38	2	ELBOW	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
2020	0852 0010 26	3	DRAIN VALVE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
2030	0580 0018 41	2	NIPPLE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
2040	0564 0000 25	2	TEE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
2050	1625 4238 24	1	HOSE	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
3010	1625 7526 00	1	OIL FILTER	(11/07/2018 - ...) OILTYP:RIF	
	⚙ Substituted by: 2903 7526 00 - OIL FILTER SPARE 8000HRS (quantity: 1) ● Remarks: Always Roto-Xtend Duty Fluid and oil filter				
3020	1629 0334 00	1	DECAL ROTO-XTEND DUTY FLUID	(11/07/2018 - ...) OILTYP:RIF	


Legend:

OILTYP:RIF - Oil type:Roto inject fluid oil

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

21.3 - Dryer bypass ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))



21.3 - Dryer bypass ID 40 - (GA 11+, (GA 15+ - 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))

Ref	Part Number	Qty	Name	Validity
	8092 2941 01	1	STANDARD OPTION - DRYER BYPASS	(11/07/2018 - ...)
1010	0582 0000 65	1	PIPE FITTING	(11/07/2018 - ...)
1020	1625 4838 10	1	PIPE	(11/07/2018 - ...)
1030	0852 0010 57	1	BALL VALVE	(11/07/2018 - ...)
1040	0580 0017 37	1	NIPPLE	(11/07/2018 - ...)
1050	1625 2203 28	1	PIPE	(11/07/2018 - ...)
1060	0580 0017 37	1	NIPPLE	(11/07/2018 - ...)
2010	0852 0011 02	1	BALL VALVE	(11/07/2018 - ...)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

IDRY:Y - Integrated dryer:Yes

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA11P_18 - Model:GA 11+

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar


MODEL:GA15P_18 - Model:GA 15+

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

21.4 - Dryer bypass ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar, 10bar, 10.8bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))



21.4 - Dryer bypass ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar, 10bar, 10.8bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))


Ref	Part Number	Qty	Name	Validity
	8092 2941 02	1	STANDARD OPTION - DRYER BYPASS	(11/07/2018 - ...)
1010	0582 0000 65	1	PIPE FITTING	(11/07/2018 - ...)
1020	1625 4838 10	1	PIPE	(11/07/2018 - ...)
1030	0852 0010 57	1	BALL VALVE	(11/07/2018 - ...)
1040	0580 0017 37	1	NIPPLE	(11/07/2018 - ...)
1050	1625 4821 20	1	PIPE	(11/07/2018 - ...)
2010	0852 0011 02	1	BALL VALVE	(11/07/2018 - ...)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

IDRY:Y - Integrated dryer:Yes	MODEL:GA15P_18 - Model:GA 15+	MODEL:GA18P_18 - Model:GA 18+
MODEL:GA22P_18 - Model:GA 22+	MODEL:GA26P_18 - Model:GA 26+	MODEL:GA30_18 - Model:GA 30
PRESS:10.8BAR - Working pressure:10.8 bar	PRESS:10BAR - Working pressure:10 bar	PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:13BAR - Working pressure:13 bar	PRESS:7.4BAR - Working pressure:7.4 bar	PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:8.5BAR - Working pressure:8.5 bar	PRESS:9.1BAR - Working pressure:9.1 bar	



Ref	Part Number	Qty	Name	Validity
		1	STANDARD OPTION - FREEZE PROTECTION	
	8092 2941 04	1	PACK - ROTO-INJECT FLUID	(11/07/2018 - ...) IDRY:N + OILTYP:RIF
	8092 2941 09	1	PACK - ROTO-XTEND DUTY FLUID	(11/07/2018 - ...) IDRY:N + OILTYP:RXD
	8092 2941 06	1	FULL-FEATURE - ROTO-INJECT FLUID	(11/07/2018 - ...) IDRY:Y + OILTYP:RIF
	8092 2941 11	1	FULL-FEATURE - ROTO-XTEND DUTY FLUID	(11/07/2018 - ...) IDRY:Y + OILTYP:RXD
1020	1625 8614 26	1	INSULATION ELECTRICAL DRAIN	(25/10/2018 - ...) OILTYP:RIF , OILTYP:RXD
1030	1625 8614 25	1	INSULATION	(25/10/2018 - ...) OILTYP:RIF , OILTYP:RXD
1035	1625 8614 35	1	INSULATION FREEZE	(15/05/2019 - ...) IDRY:Y + (OILTYP:RIF , OILTYP:RXD)
1040	1625 4281 01	1	AIR HEATER	(25/10/2018 - ...) OILTYP:RIF , OILTYP:RXD
1045	0211 1323 03	2	SCREW	(19/03/2019 - ...) OILTYP:RIF , OILTYP:RXD
1050	0395 1010 59	1	HOSE	(25/10/2018 - ...) OILTYP:RIF , OILTYP:RXD
1080	1079 9924 46	2	WARNING LABEL	(15/05/2019 - ...) OILTYP:RIF , OILTYP:RXD
2010	1625 2210 43	1	ELECTRICAL ASSEMBLY	(11/07/2018 - ...) IDRY:Y + OILTYP:RIF
	1625 2210 41			(11/07/2018 - ...) IDRY:N + OILTYP:RIF
	1625 2210 42			(11/07/2018 - ...) IDRY:N + OILTYP:RXD
	1625 2210 44			(11/07/2018 - ...) IDRY:Y + OILTYP:RXD
2040	1625 7523 06	1	RAIL	(31/01/2019 - ...) OILTYP:RIF , OILTYP:RXD
2060	1088 1001 01	1	WARNING MARK	(31/01/2019 - ...) OILTYP:RIF , OILTYP:RXD
2070	0698 5140 71	7	CABLE GLAND	(15/05/2019 - ...) OILTYP:RIF , OILTYP:RXD
2080	1089 0555 08	1	DISPLAY	(31/01/2019 - ...) OILTYP:RIF , OILTYP:RXD
2090	0697 9809 20	7	LOCKNUT	(15/05/2019 - ...) OILTYP:RIF , OILTYP:RXD
2110	1088 0040 25	6	TERMINAL	(31/01/2019 - ...) OILTYP:RIF , OILTYP:RXD
2120	1088 0031 80	2	CONTACT	(31/01/2019 - ...) OILTYP:RIF , OILTYP:RXD
2130	1088 0031 81	2	END STOP BRACKET 6MM	(31/01/2019 - ...) OILTYP:RIF , OILTYP:RXD
	↻ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)			
2140	0129 3270 42	2	RIVET	(31/01/2019 - ...) OILTYP:RIF , OILTYP:RXD


Legend:

IDRY:N - Integrated dryer:No


IDRY:Y - Integrated dryer:Yes

OILTYP:RIF - Oil type:Roto inject fluid oil


OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid



Ref	Part Number	Qty	Name	Validity
	8092 2941 14	1	STANDARD OPTION - HEAVY DUTY INLET FILTER	
1010	1625 2203 39	1	PANEL	(11/07/2018 - ...)
1020	1615 7208 03	1	AIR FILTER	(11/07/2018 - ...)
	• 2914 9304 00	1	AIR FILTER ELEMENT	
1030	1626 1777 00	1	SUPPORT	(11/07/2018 - ...)
1040	0147 1327 03	2	HEXAGON BOLT	(11/07/2018 - ...)
1050	0291 1110 00	2	LOCKNUT	(11/07/2018 - 25/11/2020)
1050	0291 1185 30	2	LOCK NUT	(26/11/2020 - ...)
1060	0347 6100 04	2	HOSE CLIP	(11/07/2018 - ...)
	↺ Substituted by:	0347 6116 00 - HOSE CLIP 77-89 (quantity: 1)		
1070	1625 4763 00	2	HOSE	(11/07/2018 - ...)
1080	1625 2203 41	1	DUCT HDF	(11/07/2018 - ...)
1090	0686 9099 05	2	PLUG	(11/07/2018 - ...)
	↺ Substituted by:	0697 9810 32 - PLUG M12 (quantity: 1)		
1100	0301 2335 00	4	WASHER	(04/01/2019 - ...)



Ref	Part Number	Qty	Name	Validity
	8092 2941 15	1	STANDARD OPTION - PRE-FILTER	
1010	1625 4279 01	1	PRE-FILTER	(25/10/2018 - ...)
1020	1625 4279 02	2	PREFILTER AIR INLET	(25/10/2018 - ...)
1030	1625 4279 03	1	PRE-FILTER	(25/10/2018 - ...)
1040	1625 4279 04	1	PRE-FILTER	(25/10/2018 - ...)
	9820 7071 24	1	KIT AIR PREFILTER GA18-37VSD+	(11/07/2018 - ...)



Ref	Part Number	Qty	Name	Validity	R.
		1	STANDARD OPTION - TROPICAL THERMOSTAT		
	8092 2941 16	1	ROTO-INJECT FLUID	(11/07/2018 - ...) OILTYP:RIF	
	8092 2941 17	1	ROTO-XTEND DUTY FLUID	(11/07/2018 - ...) OILTYP:RXD	
1010	1622 7064 06	1	THERMOSTATIC VALVE 83#C	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
1020	1625 4850 00	1	DECAL WARNING	(11/07/2018 - ...) OILTYP:RIF , OILTYP:RXD	
2010		1	OIL FILTER	(11/07/2018 - ...) OILTYP:RIF	
	Remarks: Service kits:		Always with Roto-Xtend Duty Fluid and oil filter 2901 9908 17 - AIR FILTER KIT - ROTO-XTEND DUTY FLUID		
2020	1629 0334 00	1	DECAL ROTO-XTEND DUTY FLUID	(11/07/2018 - ...) OILTYP:RIF	


Legend:

OILTYP:RIF - Oil type:Roto inject fluid oil

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

21.9 - DD Filter ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))



21.9 - DD Filter ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR))

Ref	Part Number	Qty	Name	Validity
	8092 2941 19	1	STANDARD OPTION - DD FILTER	
1010	1625 8614 28	1	NIPPLE	(04/01/2019 - ...)
1020	1625 4248 35	1	PIPE	(11/07/2018 - ...)
1030	0580 0017 21	1	NIPPLE	(11/07/2018 - ...)
1040		1	FILTER DD50+	(11/07/2018 - ...)
1050	0291 1110 00	2	LOCK NUT	(04/01/2019 - ...)
1060	0215 0003 73	2	SCREW	(11/07/2018 - ...)
1070	1625 8614 29	1	SUPPORT	(04/01/2019 - ...)
1080	1079 2263 02	2	SCREW	(11/07/2018 - ...)
1090	1617 7082 02	1	COUPLING	(11/07/2018 - ...)
1100	0583 8100 69	1	PIPE FITTING	(11/07/2018 - ...)
1120	0603 5115 03	1	NIPPLE	(04/01/2019 - ...)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI


Legend:

IDRY:Y - Integrated dryer:Yes
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA11P_18 - Model:GA 11+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA15P_18 - Model:GA 15+
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

21.10 - DD Filter ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))
 IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))



21.10 - DD Filter ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))
 IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	8092 2941 20	1	STANDARD OPTION - DD FILTER	
1010	0580 0017 37	1	NIPPLE	(11/07/2018 - ...)
1020	1625 4821 15	1	PIPE	(11/07/2018 - ...)
1030	0580 0017 37	1	NIPPLE	(11/07/2018 - ...)
1040	0605 8701 51	1	BUSHING	(11/07/2018 - ...)
1050	1625 4259 25	1	WASHER	(11/07/2018 - ...)
1060	0663 2104 75	1	O-RING	(11/07/2018 - ...)
1070		1	FILTER DD 130+	(11/07/2018 - ...)
1080	0605 8527 03	1	BUSHING	(11/07/2018 - ...)
1090	0291 1110 00	2	LOCKNUT	(04/01/2019 - ...)
1100	0215 0003 73	2	SCREW	(11/07/2018 - ...)
1110	1625 4244 25	1	SUPPORT	(11/07/2018 - ...)
1120	1079 2263 02	2	SCREW	(11/07/2018 - ...)
1130	1617 7082 02	1	COUPLING	(11/07/2018 - ...)
1140	0583 8100 69	1	PIPE FITTING	(11/07/2018 - ...)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:


IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

21.11 - DD filter - Parts DD 50+ - ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8BAR , PRESS:8.5BAR + PRESS:9.1BAR))



21.11 - DD filter - Parts DD 50+ - ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8BAR , PRESS:8.5BAR + PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	8102 2608 93	1	FILTER DD 50+	
	• 2901 2003 03	1	ELEMENT KIT	
	↻ Substituted by:	2901 3000 04 - FILTER KIT DD/DDP 50+ (quantity: 1)		
1010	•• -	1	FILTER ELEMENT	
1020	•• 0663 2111 29	1	O-RING	
1030	•• 0663 2109 64	2	O-RING	
	↻ Substituted by:	0663 2100 18 - O-RING 28X2 (quantity: 1)		
1040	•• 0663 2110 26	1	O-RING	
	• 2901 0563 00	1	DRAIN VALVE KIT	
2010	•• -	1	DRAIN VALVE	
2020	•• 0663 2111 29	1	O-RING	
2030	•• 1617 7046 00	1	NUT	
3010	• -	1	HEAD	
3020	• -	1	BOWL	
3040	• 1624 1891 04	1	LABEL	
3050	• 1079 9926 35	2	LABEL	
3060	• 0690 1106 01	2	HOUSE MARK	
4010	• 1617 7082 01	1	MALE COUPLING	
4020	• 1617 7082 02	1	FEMALE COUPLING	
4030	• 1617 7082 03	1	HOSE CONNECTION	

Legend:


IDRY:Y - Integrated dryer:Yes
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA11P_18 - Model:GA 11+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:8BAR - Working pressure:8 bar

MODEL:GA15P_18 - Model:GA 15+
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar
PRESS:9.1BAR - Working pressure:9.1 bar

21.12 - DD filter - Parts DD 130+ - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8BAR , PRESS:9.1BAR))



21.12 - DD filter - Parts DD 130+ - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18 , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	8102 2602 08	1	FILTER DD 130+	
	• 2901 2003 05	1	ELEMENT KIT	
	⚙ Substituted by:	2901 3000 06	FILTER KIT DD/DDP 130+ (quantity: 1)	
1010	•• -	1	FILTER ELEMENT	
1020	•• 0663 2111 29	1	O-RING	
1030	•• 4090 0507 00	2	O-RING	
	⚙ Substituted by:	0663 2101 01	O-RING 40X2 (quantity: 1)	
1040	•• 0663 2110 31	1	O-RING	
	• 2901 0562 00	1	SIGHT GLASS KIT	
2050	•• -	1	SCREW	
2060	•• -	2	SEAL WASHER	
2070	•• 0663 9095 00	2	O-RING	
2080	•• -	1	SIGHT GLASS	
	• 2901 0563 00	1	DRAIN VALVE KIT	
3010	•• -	1	DRAIN VALVE	
3020	•• 0663 2111 29	1	O-RING	
3030	•• 1617 7046 00	1	NUT	
4010	• -	1	HEAD	
4020	• -	1	BOWL	
4040	• 1624 1892 04	1	LABEL	
4050	• 1079 9926 36	2	LABEL	
4060	• 0690 1101 23	2	HOUSE MARK	
5010	• 1617 7082 01	1	MALE COUPLING	
5020	• 1617 7082 02	1	FEMALE COUPLING	
5030	• 1617 7082 03	1	HOSE CONNECTION	

Legend:


IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:7.5BAR - Working pressure:7.5 bar

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:8BAR - Working pressure:8 bar

21.13 - UD+ filter ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)))

IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))



21.13 - UD+ filter ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)))

IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	8092 2941 22	1	STANDARD OPTION - UD+ FILTER	
1010	0580 0017 37	1	NIPPLE	(03/09/2018 - ...)
1020	1625 4821 15	1	PIPE	(03/09/2018 - ...)
1030	0580 0017 37	1	NIPPLE	(03/09/2018 - ...)
1040	0605 8701 51	1	BUSHING	(03/09/2018 - ...)
1050	1625 4259 25	1	WASHER	(03/09/2018 - ...)
1060	0663 2104 75	1	O-RING	(03/09/2018 - ...)
1070		1	UD 140+ FILTER	(03/09/2018 - ...)
1080	0605 8527 03	1	BUSHING	(03/09/2018 - ...)
1090	0291 1110 00	2	LOCKNUT	(04/01/2019 - ...)
1100	0215 0003 73	2	SCREW	(03/09/2018 - ...)
1110	1625 4244 25	1	SUPPORT	(03/09/2018 - ...)
1120	1079 2263 02	2	SCREW	(03/09/2018 - ...)
1130	1617 7082 02	1	COUPLING	(03/09/2018 - ...)
1140	0583 8100 69	1	PIPE FITTING	(03/09/2018 - ...)
1150	1625 2500 00	1	DECAL	(03/09/2018 - ...)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:


IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

21.14 - UD+ filter ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))



21.14 - UD+ filter ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	8092 2941 21	1	STANDARD OPTION - UD+ FILTER	
1010	1625 8614 28	1	NIPPLE	(04/01/2019 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1020	1625 4248 35	1	PIPE	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1030	0580 0017 21	1	NIPPLE	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1040		1	UD 45+ FILTER	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1050	0291 1110 00	2	LOCK NUT	(04/01/2019 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1060	0215 0003 73	2	SCREW	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1070	1625 8614 29	1	SUPPORT	(04/01/2019 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1080	1079 2263 02	2	SCREW	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1090	1617 7082 02	1	COUPLING	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1100	0583 8100 69	1	PIPE FITTING	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1110	1625 2500 00	1	DECAL	(11/07/2018 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)
1120	0603 5115 03	1	NIPPLE	(04/01/2019 - ...) MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:12.5BAR , PRESS:13BAR)

Remarks:

7.4bar = 107PSI, 9.1bar = 132PSI, 10.8bar = 157bar, 12.5bar = 181PSI

Legend:

IDRY:Y - Integrated dryer:Yes

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA11P_18 - Model:GA 11+

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar


MODEL:GA15P_18 - Model:GA 15+

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

21.15 - UD+ filter - Parts UD 45+ - ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))

IDRY:Y + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))



21.15 - UD+ filter - Parts UD 45+ - ID 40 - (GA 11+, (GA 15+ - 10bar, 10.8bar, 12.5bar, 13bar))


IDRY:Y + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR))

Ref	Part Number	Qty	Name	Validity
	8102 2976 89	1	FILTER UD 45+	
	• 2901 2072 03	1	ELEMENT KIT	
	⚙ Substituted by:	2901 3004 04 - FILTER KIT UD 45+ (quantity: 1)		
1010	• 1629 0263 04	1	FILTER ELEMENT	
	⚙ Substituted by:	2901 3004 04 - FILTER KIT UD 45+ (quantity: 1)		
1020	• 0663 2110 26	1	O-RING	
1040	• 0663 2100 18	2	O-RING	
	• 2901 0563 00	1	DRAIN VALVE KIT	
2010	• 1617 7047 00	1	DRAIN VALVE	
	⚙ Substituted by:	1624 1552 00 - AUTOMATIC DRAIN (quantity: 1)		
2020	• 0663 2111 29	1	O-RING	
2030	• 1617 7046 00	1	NUT	
3010	• 1617 7183 00	1	HEAD	
3020	• 1617 7011 00	1	BOWL	
	• 1629 0267 00	1	DECAL HEAD	
4020	• 1629 0265 02	1	DECAL BOWL	
5010	• 1629 0298 04	1	DIFFERENTIAL PRESSURE INDICATOR	
	⚙ Substituted by:	1624 1172 00 - DIFF. PRESS. GAUGE (quantity: 1)		
6010	• 0690 1104 01	1	HOUSE MARK	

Legend:IDRY:Y - Integrated dryer:Yes
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 barMODEL:GA11P_18 - Model:GA 11+
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 barMODEL:GA15P_18 - Model:GA 15+
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

21.16 - UD+ filter - Parts UD 140+ - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)))

IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))



21.16 - UD+ filter - Parts UD 140+ - ID 73, ID 96 - ((GA 15+ - 7.4bar, 7.5bar, 8.5bar, 9.1bar), GA 18+, GA 22+, GA 30, (GA 26+ - 7.4bar, 7.5bar, 8bar, 9.1bar, 10bar, 10.8bar, 12.5bar, 13bar)))

IDRY:Y + ((MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (PRESS:10.8BAR , PRESS:10BAR , PRESS:12.5BAR , PRESS:13BAR , PRESS:7.4BAR , PRESS:7.5BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + (PRESS:7.4BAR , PRESS:7.5BAR , PRESS:8.5BAR , PRESS:9.1BAR) , MODEL:GA26P_18 + PRESS:8BAR , PRESS:8.5BAR + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA30_18))


Ref	Part Number	Qty	Name	Validity
	8102 2977 21	1	FILTER UD 140+	
	• 2901 2072 06	1	ELEMENT KIT	
	⚙ Substituted by:	2901 3004 07	FILTER KIT UD 140+ (quantity: 1)	
1010	• • -	1	FILTER ELEMENT	
1020	• • 0663 2110 31	1	O-RING	
1040	• • 0663 2109 65	2	O-RING	
	• 2901 0563 00	1	DRAIN VALVE KIT	
2010	• • -	1	DRAIN VALVE	
2020	• • 0663 2111 29	1	O-RING 18X3.5	
2030	• • -	1	NUT	
3010	• -	1	HEAD	
3020	• -	1	BOWL	
	• 1629 0267 00	1	DECAL HEAD	
4020	• 1629 0266 03	1	DECAL BOWL	
5010	• 1629 0298 04	1	DIFFERENTIAL PRESSURE INDICATOR	
	⚙ Substituted by:	1624 1172 00	DIFF. PRESS. GAUGE (quantity: 1)	
6010	• 0690 1104 01	1	HOUSE MARK	

Legend:


IDRY:Y - Integrated dryer:Yes
 MODEL:GA22P_18 - Model:GA 22+
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

MODEL:GA15P_18 - Model:GA 15+
 MODEL:GA26P_18 - Model:GA 26+
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:8BAR - Working pressure:8 bar

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar
 PRESS:9.1BAR - Working pressure:9.1 bar



Ref	Part Number	Qty	Name	Validity	EL
	8092 2941 18	1	STANDARD OPTION - ES100 RELAY		
	1089 9438 86	1	CONTACTOR	(25/10/2018 - ...)	K21
	1089 9511 51	1	RELAY	(25/10/2018 - ...)	K04'
	~~1089 9511 13~~	1	CLIP	(25/10/2018 - ...)	K04'
	🔄 Substituted by:	1089 9511 57	CLIP (quantity: 1)		
	~~1089 9511 12~~	1	SOCKET	(25/10/2018 - ...)	K04'
	🔄 Substituted by:	1089 9511 15	SOCKET FOR RELAY (quantity: 1)		
	1088 0039 93	3	TERMINAL	(25/10/2018 - ...)	1X8
	1088 0039 95	1	PLATE	(05/03/2019 - ...)	1X8
	1089 9511 14	1	LABEL	(05/03/2019 - ...)	



Ref	Part Number	Qty	Name	Validity
1010	1622 6988 80	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA11P_18 + OILTYP:RIF + PRESS:7.5BAR + ((IDRY:N, IDRY:Y) + (MOVOL:230V, MOVOL:400V), IDRY:Y + MOVOL:400VN)
1010	1622 6988 84	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA11P_18 + OILTYP:RIF + PRESS:8.5BAR + ((IDRY:N, IDRY:Y) + (MOVOL:230V, MOVOL:400V), IDRY:Y + MOVOL:400VN), FREQ:60HZ + (MODEL:GA15P_18 + PRESS:9.1BAR, MODEL:GA18P_18 + PRESS:12.5BAR) + (OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V))
1010	1622 6988 95	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA11P_18 + OILTYP:RIF + PRESS:10BAR + ((IDRY:N, IDRY:Y) + (MOVOL:230V, MOVOL:400V), IDRY:Y + MOVOL:400VN)
1010	1622 6988 70	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA11P_18 + PRESS:7.4BAR + (OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V))
1010	1622 6988 88	1	GEAR SET	(11/07/2018 - 17/03/2019) FREQ:60HZ + MODEL:GA11P_18 + PRESS:9.1BAR + (OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V)) (18/03/2019 - ...) MODEL:GA11P_18 + (FREQ:50HZ + IDRY:N + OILTYP:RIF + PRESS:13BAR + (MOVOL:230V, MOVOL:400V), FREQ:60HZ + PRESS:9.1BAR + (OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V)))
1010	1622 6988 89	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA11P_18 + PRESS:10.8BAR + (OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V))
1010	1622 6988 87	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA15P_18 + OILTYP:RIF + PRESS:7.5BAR + (MOVOL:230V, MOVOL:400V, IDRY:Y + MOVOL:400VN), FREQ:60HZ + MODEL:GA22P_18 + PRESS:10.8BAR + (OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V))
1010	1622 6988 81	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA15P_18 + OILTYP:RIF + PRESS:8.5BAR + ((IDRY:N, IDRY:Y) + (MOVOL:230V, MOVOL:400V), IDRY:Y + MOVOL:400VN), FREQ:60HZ + (MODEL:GA18P_18 + PRESS:9.1BAR, MODEL:GA22P_18 + PRESS:12.5BAR) + (OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V))
1010	1622 6988 74	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + OILTYP:RIF + ((IDRY:N, IDRY:Y) + (MOVOL:230V, MOVOL:400V), IDRY:Y + MOVOL:400VN) + (MODEL:GA15P_18 + PRESS:10BAR, MODEL:GA18P_18 + PRESS:13BAR)
1010	1622 6988 77	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA15P_18 + OILTYP:RIF + PRESS:13BAR + ((IDRY:N, IDRY:Y) + (MOVOL:230V, MOVOL:400V), IDRY:Y + MOVOL:400VN)
1010	1622 6988 72	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA15P_18 + PRESS:7.4BAR, MODEL:GA18P_18 + PRESS:10.8BAR) + (OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V))
1010	1622 6988 76	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA15P_18 + PRESS:10.8BAR + (OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V))
1010	1622 6988 79	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA15P_18 + PRESS:12.5BAR + (OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V, MOVOL:575V))
1010	1622 6988 82	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + OILTYP:RIF + ((IDRY:N, IDRY:Y) + (MOVOL:230V, MOVOL:400V), IDRY:Y + MOVOL:400VN) + (MODEL:GA18P_18 + PRESS:7.5BAR, MODEL:GA22P_18 + PRESS:10BAR, PRESS:7.5BAR, PRESS:8.5BAR))
1010	1622 6988 86	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA18P_18 + OILTYP:RIF + PRESS:8.5BAR + ((IDRY:N, IDRY:Y) + (MOVOL:230V, MOVOL:400V), IDRY:Y + MOVOL:400VN)
1010	1622 6988 97	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA18P_18 + OILTYP:RIF + PRESS:10BAR + ((IDRY:N, IDRY:Y) + (MOVOL:230V, MOVOL:400V), IDRY:Y + MOVOL:400VN)

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:

FREQ:50HZ - Frequency:50 Hz

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

FREQ:60HZ - Frequency:60 Hz

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V


MOVOL:380V - Supply voltage:380 V

MOVOL:460V - Supply voltage:460 V

OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar



Ref	Part Number	Qty	Name	Validity
1010	1622 6988 73	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA22P_18 + OILTYP:RIF + PRESS:13BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + MODEL:GA18P_18 + PRESS:7.4BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6988 71	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA22P_18 + PRESS:7.4BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6988 67	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA22P_18 + PRESS:9.1BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6993 84	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA26P_18 + OILTYP:RIF + PRESS:7.5BAR + ((IDRY:N , IDRY:Y) + (MOVOL:230V , MOVOL:400V) , IDRY:Y + MOVOL:400VN)
1010	1622 6993 73	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA26P_18 + OILTYP:RIF + PRESS:8.5BAR + ((IDRY:N , IDRY:Y) + (MOVOL:230V , MOVOL:400V) , IDRY:Y + MOVOL:400VN)
1010	1622 6993 85	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + OILTYP:RIF + ((IDRY:N , IDRY:Y) + (MOVOL:230V , MOVOL:400V) , IDRY:Y + MOVOL:400VN) + (MODEL:GA26P_18 + PRESS:10BAR , MODEL:GA30_18 + PRESS:13BAR)
1010	1622 6993 77	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + ((MODEL:GA26P_18 + PRESS:10.8BAR , MODEL:GA30_18 + PRESS:12.5BAR) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MOVOL:575V)) , MODEL:GA30_18 + OILTYP:RXD + PRESS:12.5BAR + (MOVOL:200V , MOVOL:230_460_V)) , MODEL:GA26P_18 + (FREQ:50HZ + OILTYP:RIF + PRESS:13BAR + (MOVOL:230V , MOVOL:400V , IDRY:Y + MOVOL:400VN) , FREQ:60HZ + MOVOL:200230460V + OILTYP:RXD + PRESS:10.8BAR)
1010	1622 6993 75	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + ((MODEL:GA26P_18 + PRESS:9.1BAR , MODEL:GA30_18 + PRESS:10.8BAR) + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:460V , MOVOL:575V)) , OILTYP:RXD + (MODEL:GA26P_18 + MOVOL:200230460V + PRESS:9.1BAR , MODEL:GA30_18 + PRESS:10.8BAR + (MOVOL:200V , MOVOL:230_460_V)))
1010	1622 6993 79	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA26P_18 + PRESS:12.5BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V))
1010	1622 6993 69	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA30_18 + OILTYP:RIF + PRESS:7.5BAR + ((IDRY:N , IDRY:Y) + (MOVOL:230V , MOVOL:400V) , IDRY:Y + MOVOL:400VN)
1010	1622 6993 70	1	GEAR SET	(11/07/2018 - 27/06/2020) FREQ:50HZ + MODEL:GA30_18 + OILTYP:RIF + PRESS:8.5BAR + ((IDRY:N , IDRY:Y) + (MOVOL:230V , MOVOL:400V) , IDRY:Y + MOVOL:400VN)
1010	1622 6993 68	1	GEAR SET	(11/07/2018 - ...) FREQ:50HZ + MODEL:GA30_18 + OILTYP:RIF + PRESS:10BAR + ((IDRY:N , IDRY:Y) + (MOVOL:230V , MOVOL:400V) , IDRY:Y + MOVOL:400VN)
	⚡ Substituted by:	1622 6993 73 - GEAR SET 9313/9314 (quantity: 1)		
1010	1622 6993 76	1	GEAR SET	(11/07/2018 - ...) FREQ:60HZ + MODEL:GA30_18 + PRESS:7.4BAR + (OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , OILTYP:RXD + (MOVOL:200V , MOVOL:230_460_V , MOVOL:460V , MOVOL:575V))

Remarks:

7.4bar - 107psig, 9.1bar - 132psig, 10.8bar - 157psig, 12.5bar - 181psig

Legend:

FREQ:50HZ - Frequency:50 Hz

IDRY:Y - Integrated dryer:Yes

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

MOVOL:230_460_V - Supply voltage:230-460 V

MOVOL:400V - Supply voltage:400 V

MOVOL:575V - Supply voltage:575 V

PRESS:10.8BAR - Working pressure:10.8 bar

PRESS:13BAR - Working pressure:13 bar

PRESS:8.5BAR - Working pressure:8.5 bar

FREQ:60HZ - Frequency:60 Hz

MODEL:GA11P_18 - Model:GA 11+

MODEL:GA22P_18 - Model:GA 22+

MOVOL:200230460V - Supply voltage:200-230-460 V

MOVOL:230V - Supply voltage:230 V

MOVOL:400VN - Supply voltage:400 V+N

OILTYP:RIF - Oil type:Roto inject fluid oil

PRESS:10BAR - Working pressure:10 bar

PRESS:7.4BAR - Working pressure:7.4 bar

PRESS:9.1BAR - Working pressure:9.1 bar

IDRY:N - Integrated dryer:No

MODEL:GA15P_18 - Model:GA 15+

MODEL:GA26P_18 - Model:GA 26+

MOVOL:200V - Supply voltage:200 V

MOVOL:380V - Supply voltage:380 V

MOVOL:460V - Supply voltage:460 V


OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid

PRESS:12.5BAR - Working pressure:12.5 bar

PRESS:7.5BAR - Working pressure:7.5 bar

21.19 - HAV - Dryer connection

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



21.19 - HAV - Dryer connection

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1010	0147 1963 08	1	HEXAGON BOLT	(11/07/2018 - 03/01/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) (04/01/2019 - 21/02/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (22/02/2019 - 17/03/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (18/03/2019 - 26/05/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (27/05/2019 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
FREQ:50HZ - Frequency:50 Hz
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
OILTYP:RIF - Oil type:Roto inject fluid oil
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

21.19 - HAV - Dryer connection

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



21.19 - HAV - Dryer connection

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1020	0580 0017 37	1	NIPPLE	(11/07/2018 - 03/01/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) (04/01/2019 - 21/02/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (22/02/2019 - 17/03/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (18/03/2019 - 26/05/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (27/05/2019 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
FREQ:50HZ - Frequency:50 Hz
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
OILTYP:RIF - Oil type:Roto inject fluid oil
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

21.19 - HAV - Dryer connection

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



21.19 - HAV - Dryer connection

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA15P_18 + PRESS:13BAR), FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V, MOVOL:575V), CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1030	1625 2202 52	1	HOSE	(11/07/2018 - 03/01/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10BAR, PRESS:13BAR), MODEL:GA11P_18 + (PRESS:7.5BAR, PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)), FREQ:60HZ + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10.8BAR, PRESS:12.5BAR), MODEL:GA11P_18 + (PRESS:7.4BAR, PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD, CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) (04/01/2019 - 21/02/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA15P_18 + PRESS:13BAR), FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD, CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + PRESS:12.5BAR) (22/02/2019 - 17/03/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA15P_18 + PRESS:13BAR), FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD, CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + PRESS:12.5BAR) (18/03/2019 - 26/05/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA15P_18 + PRESS:13BAR), FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD, CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + PRESS:12.5BAR) (27/05/2019 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
FREQ:50HZ - Frequency:50 Hz
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
OILTYP:RIF - Oil type:Roto inject fluid oil
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

21.19 - HAV - Dryer connection

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



21.19 - HAV - Dryer connection

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA15P_18 + PRESS:13BAR), FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V, MOVOL:575V), CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1040	0580 0017 37	1	NIPPLE	(11/07/2018 - 03/01/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10BAR, PRESS:13BAR), MODEL:GA11P_18 + (PRESS:7.5BAR, PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)), FREQ:60HZ + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10.8BAR, PRESS:12.5BAR), MODEL:GA11P_18 + (PRESS:7.4BAR, PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD, CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) (04/01/2019 - 21/02/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA15P_18 + PRESS:13BAR), FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD, CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + PRESS:12.5BAR) (22/02/2019 - 17/03/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA15P_18 + PRESS:13BAR), FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD, CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + PRESS:12.5BAR) (18/03/2019 - 26/05/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA15P_18 + PRESS:13BAR), FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD, CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + PRESS:12.5BAR) (27/05/2019 - ...)
1050	0663 3130 00	1	O-RING	(11/07/2018 - 03/01/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10BAR, PRESS:13BAR), MODEL:GA11P_18 + (PRESS:7.5BAR, PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)), FREQ:60HZ + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10.8BAR, PRESS:12.5BAR), MODEL:GA11P_18 + (PRESS:7.4BAR, PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD, CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + PRESS:12.5BAR)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

21.19 - HAV - Dryer connection

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



21.19 - HAV - Dryer connection

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1060	1625 4819 00	1	BUSHING	(11/07/2018 - 03/01/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CEAD2000)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) (04/01/2019 - 21/02/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (22/02/2019 - 17/03/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V , MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (18/03/2019 - 26/05/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (27/05/2019 - ...)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
CAPPRM:ASME - Component approval mechanical:ASME
CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
IDRY:Y - Integrated dryer:Yes
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V
PRESS:10.8BAR - Working pressure:10.8 bar
PRESS:13BAR - Working pressure:13 bar
PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
CAPPRM:CE - Component approval mechanical:CE
FREQ:50HZ - Frequency:50 Hz
MODEL:GA11P_18 - Model:GA 11+
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N
OILTYP:RIF - Oil type:Roto inject fluid oil
PRESS:10BAR - Working pressure:10 bar
PRESS:7.4BAR - Working pressure:7.4 bar
PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
FREQ:60HZ - Frequency:60 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V
OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
PRESS:12.5BAR - Working pressure:12.5 bar
PRESS:7.5BAR - Working pressure:7.5 bar

21.19 - HAV - Dryer connection

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



21.19 - HAV - Dryer connection

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA15P_18 + PRESS:13BAR), FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V, MOVOL:575V), CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1070	0070-6002-68	AR	TUBE 4X6	(11/07/2018 - 03/01/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10BAR, PRESS:13BAR), MODEL:GA11P_18 + (PRESS:7.5BAR, PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)), FREQ:60HZ + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10.8BAR, PRESS:12.5BAR), MODEL:GA11P_18 + (PRESS:7.4BAR, PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD, CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) (04/01/2019 - 21/02/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA15P_18 + PRESS:13BAR), FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD, CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + PRESS:12.5BAR) (22/02/2019 - 17/03/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + (MOVOL:230V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA15P_18 + PRESS:13BAR), FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD, CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR, PRESS:12.5BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + PRESS:12.5BAR) (18/03/2019 - 26/05/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN, MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CE, CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR, PRESS:13BAR, PRESS:7.5BAR, PRESS:8.5BAR), MODEL:GA15P_18 + PRESS:13BAR), FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD, CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + PRESS:12.5BAR) (27/05/2019 - ...)
	Substituted by:	0070 7250 04 - TUBE ID4 OD6 BLACK (quantity: 1)		
1080	0852 0011 02	1	BALL VALVE	(11/07/2018 - 03/01/2019) CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10BAR, PRESS:13BAR), MODEL:GA11P_18 + (PRESS:7.5BAR, PRESS:8.5BAR)) + (CAPPRM:CE + (MOVOL:230V, MOVOL:400V, MOVOL:400VN), MOVOL:400V + (CAPPRM:AS1210, CAPPRM:CEAD2000)), FREQ:60HZ + ((MODEL:GA11P_18, MODEL:GA15P_18) + (PRESS:10.8BAR, PRESS:12.5BAR), MODEL:GA11P_18 + (PRESS:7.4BAR, PRESS:9.1BAR)) + (CAPPRE:ULCUL + CAPPRM:CRNASME + MOVOL:575V + OILTYP:RXD, CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V, MOVOL:380V, MOVOL:460V), CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V, MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR, PRESS:7.4BAR, PRESS:9.1BAR), MODEL:GA15P_18 + PRESS:12.5BAR)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

21.19 - HAV - Dryer connection

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))



21.19 - HAV - Dryer connection

IDRY:Y + (CAPPRE:IEC + FREQ:50HZ + OILTYP:RIF + (CAPPRM:CE + MOVOL:400VN , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:ULCUL + CAPPRM:CRNASME + OILTYP:RXD + (MOVOL:200230460V , MOVOL:575V) , CAPPRM:ASME + (CAPPRE:IEC + OILTYP:RIF + (MOVOL:230V , MOVOL:380V , MOVOL:460V) , CAPPRE:ULCUL + OILTYP:RXD + (MOVOL:200230460V , MOVOL:460V))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR))

Ref	Part Number	Qty	Name	Validity
1090	1089 9610 42	1	TRANSFORMER	(11/07/2018 - 03/01/2019) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + OILTYP:RIF + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10BAR , PRESS:13BAR) , MODEL:GA11P_18 + (PRESS:7.5BAR , PRESS:8.5BAR)) , FREQ:60HZ + ((MODEL:GA11P_18 , MODEL:GA15P_18) + (PRESS:10.8BAR , PRESS:12.5BAR) , MODEL:GA11P_18 + (PRESS:7.4BAR , PRESS:9.1BAR)) + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V + OILTYP:RIF , CAPPRE:ULCUL + OILTYP:RXD + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) (04/01/2019 - 21/02/2019) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + OILTYP:RIF + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V + OILTYP:RIF , CAPPRE:ULCUL + OILTYP:RXD + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (22/02/2019 - 17/03/2019) CAPPRE:IEC + CAPPRM:CE + FREQ:50HZ + MOVOL:230V + OILTYP:RIF + (MODEL:GA11P_18 + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR) , MODEL:GA15P_18 + PRESS:13BAR) , FREQ:60HZ + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V + OILTYP:RIF , CAPPRE:ULCUL + OILTYP:RXD + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (18/03/2019 - 26/05/2019) FREQ:60HZ + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V + OILTYP:RIF , CAPPRE:ULCUL + OILTYP:RXD + (CAPPRM:ASME + MOVOL:200230460V , CAPPRM:CRNASME + MOVOL:575V)) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR) (27/05/2019 - ...) FREQ:60HZ + (CAPPRE:IEC + CAPPRM:ASME + MOVOL:230V + OILTYP:RIF , CAPPRE:ULCUL + OILTYP:RXD + (CAPPRM:CRNASME + MOVOL:575V , MOVOL:200230460V + (CAPPRM:ASME , CAPPRM:CRNASME))) + (MODEL:GA11P_18 + (PRESS:10.8BAR , PRESS:7.4BAR , PRESS:9.1BAR) , MODEL:GA15P_18 + PRESS:12.5BAR)

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:ASME - Component approval mechanical:ASME
 CAPPRM:CRNASME - Component approval mechanical:CRN (based on ASME)
 IDRY:Y - Integrated dryer:Yes
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 CAPPRM:CE - Component approval mechanical:CE
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA11P_18 - Model:GA 11+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 OILTYP:RXD - Oil type:Roto-Xtend Duty Fluid
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar

21.20 - Thermistors & Anti-condensation heaters GA 11+, GA 15+, GA 18+, GA 22+

(CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) ,
CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 ,
MODEL:GA22P_18)



21.20 - Thermistors & Anti-condensation heaters GA 11+, GA 15+, GA 18+, GA 22+

(CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity
1010	1625 2200 61	1	MOTOR	(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + MOVOL:230V
	1625 2200 62			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA11P_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 63			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:230V
	1625 2200 65			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:380V
	1625 2200 66			(11/07/2018 - ...) FREQ:60HZ + MODEL:GA11P_18 + MOVOL:460V
	1625 2200 68			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:200230460V
	1625 2200 67			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA11P_18 + MOVOL:575V
	1625 2200 69			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + MOVOL:230V
	1625 2200 70			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA15P_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 71			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:230V
	1625 2200 73			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:380V
	1625 2200 74			(11/07/2018 - ...) FREQ:60HZ + MODEL:GA15P_18 + MOVOL:460V
	1625 2200 75			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:575V
	1625 2200 76			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA15P_18 + MOVOL:200230460V
	1625 2200 77			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + MOVOL:230V
	1625 2200 78			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA18P_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 79			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:230V
	1625 2200 81			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:380V
	1625 2200 82			(11/07/2018 - ...) FREQ:60HZ + MODEL:GA18P_18 + MOVOL:460V
	1625 2200 83			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:575V
	1625 2200 84			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA18P_18 + MOVOL:200230460V
	1625 2200 85			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + MOVOL:230V
	1625 2200 86			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA22P_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 87			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:230V
	1625 2200 89			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:380V
	1625 2200 90			(11/07/2018 - ...) FREQ:60HZ + MODEL:GA22P_18 + MOVOL:460V
	1625 2200 91			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:575V
	1625 2200 92			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA22P_18 + MOVOL:200230460V
	•	1	MOTOR COMPONENTS	(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:460V , CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:575V))
2010	•• 0335 2160 00	1	CIRCLIP	
2020	•• 1622 6991 00	1	BUSHING	
2030	•• 0211 1326 03	4	SCREW	
2040	•• 1616 5742 00	1	SEAL RING	
	⚙ Substituted by:	1616 5742 80 - KIT LIP SEAL (quantity: 1)		

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MODEL:GA18P_18 - Model:GA 18+
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA11P_18 - Model:GA 11+
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA15P_18 - Model:GA 15+
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V

21.20 - Thermistors & Anti-condensation heaters GA 11+, GA 15+, GA 18+, GA 22+

(CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) ,
CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 ,
MODEL:GA22P_18)



21.20 - Thermistors & Anti-condensation heaters GA 11+, GA 15+, GA 18+, GA 22+
(CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) ,
CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:200230460V , MOVOL:460V , MOVOL:575V)) + (MODEL:GA11P_18 , MODEL:GA15P_18 , MODEL:GA18P_18 ,
MODEL:GA22P_18)



Ref	Part Number	Qty	Name	Validity
2050	●● 0508 1100 78	1	ROLLER BEARING	
2060	●● 1079 9931 92	1	DECAL ARROW	
2070	●● 1088 1001 01	1	WARNING MARK	
2080	●● 1622 3740 00	1	DRAIN NIPPLE	
	⚡ Substituted by:	1630 1318 00	DRAIN NIPPLE (quantity: 1)	
2090	●● 1625 7834 00	1	GEARBOX	
2110	●● 1613 6752 32	1	ANTI-VIBRATION PAD	
2120	●● 1622 7938 00	1	SPACER MOTOR	
2130	●● 0147 1371 03	1	HEXAGON BOLT	
	⚡ Substituted by:	0147 1964 69	HEX. BOLT M10X70XISO A2-70 (quantity: 1)	
	1089 9278 21	2	THERMISTOR RELAY	(25/10/2018 - 27/11/2019) CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:460V , CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:575V))
	1089 9278 22	2	THERMIST RELAY	(28/11/2019 - ...) CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:460V , CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:575V))
	1088 0039 95	1	PLATE	(25/10/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:460V , CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:575V))
	1625 7523 15	1	RAIL	(25/10/2018 - 18/08/2021) CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:460V , CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:575V))
	1625 7523 16	1	RAIL	(19/08/2021 - ...) CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:460V , CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:575V))
	1088 0031 81	2	END STOP BRACKET 6MM	(25/10/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:460V , CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:575V))
	⚡ Substituted by:	1089 0577 82	END RETAINER (quantity: 1)	
	1088 0039 94	2	TERMINAL	(25/10/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:460V , CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:575V))
	1088 0039 93	2	TERMINAL	(25/10/2018 - ...) CAPPRE:IEC + FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:460V , CAPPRE:IEC + (MOVOL:230V , MOVOL:380V) , CAPPRE:ULCUL + (MOVOL:200230460V , MOVOL:575V))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
FREQ:60HZ - Frequency:60 Hz
MODEL:GA18P_18 - Model:GA 18+
MOVOL:230V - Supply voltage:230 V
MOVOL:400VN - Supply voltage:400 V+N

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA11P_18 - Model:GA 11+
MODEL:GA22P_18 - Model:GA 22+
MOVOL:380V - Supply voltage:380 V
MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
MODEL:GA15P_18 - Model:GA 15+
MOVOL:200230460V - Supply voltage:200-230-460 V
MOVOL:400V - Supply voltage:400 V
MOVOL:575V - Supply voltage:575 V

21.21 - Thermistors & Anti-condensation heaters GA 26+, GA 30

(CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:460V , MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))



21.21 - Thermistors & Anti-condensation heaters GA 26+, GA 30

(CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:460V , MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))

Ref	Part Number	Qty	Name	Validity
1010	1625 2200 99	1	MOTOR	(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:575V
	1625 2200 93			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + MOVOL:230V
	1625 2200 94			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA26P_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 95			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:230V
	1625 2200 97			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:380V
	1625 2200 98			(11/07/2018 - ...) FREQ:60HZ + MODEL:GA26P_18 + MOVOL:460V
	1625 2201 00			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA26P_18 + MOVOL:200230460V
	1625 2200 12			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + MOVOL:230V
	1625 2200 13			(11/07/2018 - ...) CAPPRE:IEC + FREQ:50HZ + MODEL:GA30_18 + (MOVOL:400V , MOVOL:400VN)
	1625 2200 14			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230V
	1625 2200 15			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V
	1625 2200 16			(11/07/2018 - ...) CAPPRE:IEC + FREQ:60HZ + MODEL:GA30_18 + MOVOL:380V
	1625 2200 17			(11/07/2018 - ...) FREQ:60HZ + MODEL:GA30_18 + MOVOL:460V
	1625 2200 18			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:575V
	1625 2200 19			(11/07/2018 - ...) CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:230_460_V
	•	1	MOTOR COMPONENTS	(11/07/2018 - ...) (CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V)) , FREQ:60HZ + (MOVOL:460V , CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))
2010	•• 0335 2160 00	1	CIRCLIP	
2020	•• 1622 6991 00	1	BUSHING	
2030	•• 1616 5742 00	1	SEAL RING	
	↳ Substituted by:	1616 5742 80	KIT LIP SEAL (quantity: 1)	
2040	•• 0508 1100 78	1	BEARING ROLLER	
2060	•• 1079 9931 92	1	DECAL ARROW	
2070	•• 1088 1001 01	1	WARNING MARK	
2080	•• 1622 3740 00	1	DRAIN NIPPLE	
	↳ Substituted by:	1630 1318 00	DRAIN NIPPLE (quantity: 1)	
2090	•• 0211 1401 03	4	SCREW	
2100	•• 1625 2201 01	1	GEARBOX	
2110	•• 1613 6752 33	1	ANTI-VIBRATION PAD	
2120	•• 1622 6949 00	1	SPACER MOTOR	
2130	•• 0147 1365 03	1	HEXAGON BOLT	
	1089 9278 21	2	THERMISTOR RELAY	(25/10/2018 - 27/11/2019) (CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V)) , FREQ:60HZ + (MOVOL:460V , CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))

Legend:


CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V

21.21 - Thermistors & Anti-condensation heaters GA 26+, GA 30

(CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:460V , MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))



21.21 - Thermistors & Anti-condensation heaters GA 26+, GA 30

(CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V)) , CAPPRE:ULCUL + FREQ:60HZ + (MOVOL:460V , MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))


Ref	Part Number	Qty	Name	Validity
	1089 9278 22	2	THERMIST RELAY	(28/11/2019 - ...) (CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V)) , FREQ:60HZ + (MOVOL:460V , CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))
	1088 0039 95	1	PLATE	(25/10/2018 - ...) (CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V)) , FREQ:60HZ + (MOVOL:460V , CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))
	1625 7523 15	1	RAIL	(25/10/2018 - 18/08/2021) (CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V)) , FREQ:60HZ + (MOVOL:460V , CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))
	1625 7523 16	1	RAIL	(19/08/2021 - ...) (CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V)) , FREQ:60HZ + (MOVOL:460V , CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))
	1088 0031 81	2	END STOP BRACKET 6MM	(25/10/2018 - ...) (CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V)) , FREQ:60HZ + (MOVOL:460V , CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)		
	1088 0039 94	2	TERMINAL	(25/10/2018 - ...) (CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V)) , FREQ:60HZ + (MOVOL:460V , CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))
	1088 0039 93	2	TERMINAL	(25/10/2018 - ...) (CAPPRE:IEC + (FREQ:50HZ + (MOVOL:230V , MOVOL:400V , MOVOL:400VN) , FREQ:60HZ + (MOVOL:230V , MOVOL:380V)) , FREQ:60HZ + (MOVOL:460V , CAPPRE:ULCUL + MOVOL:575V)) + (MODEL:GA26P_18 , MODEL:GA30_18) , CAPPRE:ULCUL + FREQ:60HZ + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + (MOVOL:200V , MOVOL:230_460_V))

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 FREQ:60HZ - Frequency:60 Hz
 MOVOL:200230460V - Supply voltage:200-230-460 V
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:200V - Supply voltage:200 V
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V

FREQ:50HZ - Frequency:50 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:230_460_V - Supply voltage:230-460 V
 MOVOL:400V - Supply voltage:400 V
 MOVOL:575V - Supply voltage:575 V




Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 03	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:50HZ	SD
	9828 5323 20	-	ASSEMBLY DRAWING	(11/07/2018 - ...) FREQ:50HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 3906 31	1	DATALABEL	(11/07/2018 - ...) FREQ:50HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X0
	1089 9366 71	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X3 motor
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9438 68	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K22
	1089 9267 79	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9514 59	1	TRANSFORMER	(11/07/2018 - ...) FREQ:50HZ	T1
	1089 9168 24	2	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F1-F2
	1625 4306 00	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...) FREQ:50HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:50HZ	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:50HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:50HZ	K25
	1089 9168 36	1	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA11P_18 - Model:GA 11+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...) FREQ:50HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:50HZ	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airinlet bottom			
	1089-9556-93	1	CUBICLE FAN	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airoutlet top			
	Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	WH
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	A1
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:50HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:50HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:50HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:50HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...) FREQ:50HZ	MSA
	• 1613 8339 01	1	LOCK		
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA11P_18 - Model:GA 11+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:50HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA11P_18 - Model:GA 11+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 04	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:50HZ	SD
	9828 5323 20	-	ASSEMBLY DRAWING	(11/07/2018 - ...) FREQ:50HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...) FREQ:50HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...) FREQ:50HZ	T1
	1089 9168 26	2	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:50HZ	F15 support
	1089 9168 34	3	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:50HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:50HZ	K25
	1089 9168 36	1	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA22P_18 - Model:GA 22+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...) FREQ:50HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:50HZ	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:50HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:50HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:50HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:50HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...) FREQ:50HZ	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA22P_18 - Model:GA 22+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:50HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA22P_18 - Model:GA 22+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 04	1	CUBILCE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:50HZ	SD
	9828 5323 20	-	ASSEMBLY DRAWING	(11/07/2018 - ...) FREQ:50HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...) FREQ:50HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9438 76	1	CONTACTOR -	(11/07/2018 - ...) FREQ:50HZ	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...) FREQ:50HZ	T1
	1089 9168 26	2	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:50HZ	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:50HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:50HZ	K25
	1089 9168 36	1	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA30_18 - Model:GA 30

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...) FREQ:50HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:50HZ	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:50HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:50HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:50HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:50HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...) FREQ:50HZ	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA30_18 - Model:GA 30

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N



21.24 - Nema 4x GA 26+, GA 30 -400V IEC

CAPPRE:IEC + MOVOL:400V + OEM:N + (MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:50HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA30_18 - Model:GA 30

FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 V

MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 00	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9438 79	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA11P_18 - Model:GA 11+
 OEM:N - OEM:N

MODEL:GA15P_18 - Model:GA 15+




Ref	Part Number	Qty	Name	Validity	EL
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBICLE FAN	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	⚡ Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG M40	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT M40	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG M16	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT M16	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA11P_18 - Model:GA 11+
 OEM:N - OEM:N

MODEL:GA15P_18 - Model:GA 15+




Ref	Part Number	Qty	Name	Validity	EL
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA11P_18 - Model:GA 11+
 OEM:N - OEM:N

MODEL:GA15P_18 - Model:GA 15+




Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 01	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	ASSEMBLY DRAWING	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 51	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+




Ref	Part Number	Qty	Name	Validity	EL
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+




Ref	Part Number	Qty	Name	Validity	EL
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+




Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 02	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	ASSEMBLY DRAWING	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30




Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0038 25	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT M20	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT M12	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30




Ref	Part Number	Qty	Name	Validity	EL
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30




21.28 - Nema 4x GA 11+, GA15+ - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18) + (MOVOL:460V, CAPPRE:IEC + MOVOL:380V)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 03	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR -	(11/07/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR -	(11/07/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9514 59	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 24	2	FUSE LINK 2A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4306 00	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 VMODEL:GA11P_18 - Model:GA 11+
MOVOL:460V - Supply voltage:460 V




21.28 - Nema 4x GA 11+, GA15+ - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18) + (MOVOL:460V, CAPPRE:IEC + MOVOL:380V)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBICLE FAN	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 71	1	CABLE GLAND	(11/07/2018 - 18/09/2018)	FAN
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 20	1	LOCK NUT	(11/07/2018 - 18/09/2018)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 VMODEL:GA11P_18 - Model:GA 11+
MOVOL:460V - Supply voltage:460 V



21.28 - Nema 4x GA 11+, GA15+ - 380V-460V/60Hz


FREQ:60HZ + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)

Ref	Part Number	Qty	Name	Validity	EL
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 VMODEL:GA11P_18 - Model:GA 11+
MOVOL:460V - Supply voltage:460 V

21.29 - Nema 4x GA 18+, GA12+, GA 26+, GA 30 - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)



21.29 - Nema 4x GA 18+, GA12+, GA 26+, GA 30 - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)




Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 04	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR -	(11/07/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+
MOVOL:380V - Supply voltage:380 VFREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
MOVOL:460V - Supply voltage:460 VMODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

21.29 - Nema 4x GA 18+, GA12+, GA 26+, GA 30 - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)



21.29 - Nema 4x GA 18+, GA12+, GA 26+, GA 30 - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010 •	1625 8614 01	1	CUBICLE DOOR		
3020 •	1625 8614 02	1	CUBICLE		
3040 •	1637 0000 72	1	DECAL BP		
3120 •	1622 0000 20	2	DECAL SYMBOLS		
3130 •	1079 9931 46	1	DECAL WARNING		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+
MOVOL:380V - Supply voltage:380 VFREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
MOVOL:460V - Supply voltage:460 VMODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

21.29 - Nema 4x GA 18+, GA12+, GA 26+, GA 30 - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)



21.29 - Nema 4x GA 18+, GA12+, GA 26+, GA 30 - 380V-460V/60Hz

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)




Ref	Part Number	Qty	Name	Validity	EL
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:380V - Supply voltage:380 V

FREQ:60HZ - Frequency:60 Hz
 MODEL:GA26P_18 - Model:GA 26+
 MOVOL:460V - Supply voltage:460 V

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30
 OEM:N - OEM:N




21.30 - Nema 4x GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 03	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:60HZ	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:60HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...) FREQ:60HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X0
	1089 9366 71	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X3 motor
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9438 68	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K22
	1089 9267 79	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9514 59	1	TRANSFORMER	(11/07/2018 - ...) FREQ:60HZ	T1
	1089 9168 24	2	FUSE LINK 2A	(11/07/2018 - ...) FREQ:60HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F1-F2
	1625 4306 00	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...) FREQ:60HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:60HZ	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:60HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:60HZ	K25
	1089 9168 36	1	FUSE LINK	(11/07/2018 - ...) FREQ:60HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER 3NW7013	(11/07/2018 - ...) FREQ:60HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N




21.30 - Nema 4x GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...) FREQ:60HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:60HZ	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airinlet bottom			
	~~1089 9556 93~~	1	CUBICLE FAN	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airoutlet top			
	Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:60HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:60HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:60HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:60HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:60HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...) FREQ:60HZ	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N




21.30 - Nema 4x GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



Ref	Part Number	Qty	Name	Validity	EL
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL INSTRUCT.		
3170	• 1079 9932 15	1	DECAL INSTRUCT.		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:60HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N



21.31 - Nema 4x GA 18+, GA 22+, GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)


Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 04	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:60HZ	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:60HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...) FREQ:60HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1088 0031 81	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
⚡	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
⚡	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...) FREQ:60HZ	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...) FREQ:60HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X1:Y (end plate)			
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:60HZ	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:60HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:60HZ	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...) FREQ:60HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 V

FREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30




21.31 - Nema 4x GA 18+, GA 22+, GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...) FREQ:60HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...) FREQ:60HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:60HZ	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...) FREQ:60HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:60HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND)	(11/07/2018 - ...) FREQ:60HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:60HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:60HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:60HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:60HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...) FREQ:60HZ	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 VFREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:NMODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30



21.31 - Nema 4x GA 18+, GA 22+, GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)



Ref	Part Number	Qty	Name	Validity	EL
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:60HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL

MODEL:GA22P_18 - Model:GA 22+

MOVOL:575V - Supply voltage:575 V

FREQ:60HZ - Frequency:60 Hz

MODEL:GA26P_18 - Model:GA 26+


OEM:N - OEM:N

MODEL:GA18P_18 - Model:GA 18+

MODEL:GA30_18 - Model:GA 30

21.32 - Nema 4x GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



21.32 - Nema 4x GA 11+, GA 15+ TRI UL/CUL


CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 00	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9438 79	1	CONTACTOR -	(11/07/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

21.32 - Nema 4x GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



21.32 - Nema 4x GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER 150X28	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBCILE FAN	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	⚡ Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 71	1	CABLE GLAND	(11/07/2018 - 18/09/2018)	FAN
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 20	1	LOCK NUT	(11/07/2018 - 18/09/2018)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/CUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

21.32 - Nema 4x GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



21.32 - Nema 4x GA 11+, GA 15+ TRI UL/CUL


CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL INSTRUCT.		
3170	• 1079 9932 15	1	DECAL INSTRUCT.		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

21.33 - Nema 4x GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



21.33 - Nema 4x GA 18+, GA 22+ TRI UL/CUL


CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 01	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 51	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5

Legend:CAPPRE:ULCUL - Component approval electrical:UL/CUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

21.33 - Nema 4x GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



21.33 - Nema 4x GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 71	1	CABLE GLAND	(11/07/2018 - 18/09/2018)	FAN
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 20	1	LOCK NUT	(11/07/2018 - 18/09/2018)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

21.33 - Nema 4x GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



21.33 - Nema 4x GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)




Ref	Part Number	Qty	Name	Validity	EL
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

21.34 - Nema 4x GA 26+, GA 30 DUO & TRY UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



21.34 - Nema 4x GA 26+, GA 30 DUO & TRY UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 02	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATA LABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				

Legend:CAPPRE:ULCUL - Component approval electrical:UL/CUL
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA26P_18 - Model:GA 26+
MOVOL:230_460_V - Supply voltage:230-460 V

21.34 - Nema 4x GA 26+, GA 30 DUO & TRY UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



21.34 - Nema 4x GA 26+, GA 30 DUO & TRY UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0038 25	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1

Legend:CAPPRE:ULCUL - Component approval electrical:UL/CUL
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA26P_18 - Model:GA 26+
MOVOL:230_460_V - Supply voltage:230-460 V

21.34 - Nema 4x GA 26+, GA 30 DUO & TRY UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



21.34 - Nema 4x GA 26+, GA 30 DUO & TRY UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)




Ref	Part Number	Qty	Name	Validity	EL
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA30_18 - Model:GA 30
 OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz
 MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA26P_18 - Model:GA 26+
 MOVOL:230_460_V - Supply voltage:230-460 V




21.35 - Nema 4x GA 30 - 200V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V + OEM:N

Ref	Part Number	Qty	Name	Validity	EL
	1900 2333 02	1	CUBILCE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 VFREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30




21.35 - Nema 4x GA 30 - 200V/60Hz UL-cUL

CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V + OEM:N

Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0038 25	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088-0031-81	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 71	1	CABLE GLAND	(11/07/2018 - 18/09/2018)	FAN
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 20	1	LOCK NUT	(11/07/2018 - 18/09/2018)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 VFREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30



21.35 - Nema 4x GA 30 - 200V/60Hz UL-cUL


CAPPRE:ULCUL + FREQ:60HZ + MODEL:GA30_18 + MOVOL:200V + OEM:N



Ref	Part Number	Qty	Name	Validity	EL
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 04	1	CUBICLE	(11/07/2018 - ...)	MSA
3010	• 1625 8614 01	1	CUBICLE DOOR		
3020	• 1625 8614 02	1	CUBICLE		
3040	• 1637 0000 72	1	DECAL BP		
3120	• 1622 0000 20	2	DECAL SYMBOLS		
3130	• 1079 9931 46	1	DECAL WARNING		
3140	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3150	• 1079 9901 68	1	WARNING LABEL		
3160	• 1079 9932 01	1	DECAL		
3170	• 1079 9932 15	1	DECAL		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 VFREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30




Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 98	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:50HZ	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:50HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...) FREQ:50HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X0
	1089 9366 71	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X3 motor
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9438 68	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K22
	1089 9267 79	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9514 59	1	TRANSFORMER	(11/07/2018 - ...) FREQ:50HZ	T1
	1089 9168 24	2	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F1-F2
	1625 4306 00	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...) FREQ:50HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:50HZ	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:50HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:50HZ	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...) FREQ:50HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA11P_18 - Model:GA 11+
 OEM:N - OEM:N




21.36 - Nema 4 G11+, GA 15+ - 400V IEC

CAPPRE:IEC + MOVOL:400V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...) FREQ:50HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:50HZ	
	1088 0031 26	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBICLE FAN	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airoutlet top			
	⚡ Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:50HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:50HZ	PT20
	0698 5140 71	1	CABLE GLAND	(11/07/2018 - 18/09/2018) FREQ:50HZ	FAN
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:50HZ	FAN
	0697 9809 20	1	LOCK NUT	(11/07/2018 - 18/09/2018) FREQ:50HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:50HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...) FREQ:50HZ	MSA
3010 •	1625 8614 06	1	CUBICLE		
3050 •	1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060 •	1079 9932 01	1	DECAL		
3070 •	1079 9932 15	1	DECAL		
3090 •	1637 0000 72	1	DECAL BP		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N



21.36 - Nema 4 G11+, GA 15+ - 400V IEC

CAPPRE:IEC + MOVOL:400V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:50HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+

FREQ:50HZ - Frequency:50 Hz
MOVOL:400V - Supply voltage:400 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 99	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:50HZ	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:50HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...) FREQ:50HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:50HZ	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...) FREQ:50HZ	T1
	1089 9168 26	2	FUSE LINK	(11/07/2018 - ...) FREQ:50HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:50HZ	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:50HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:50HZ	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...) FREQ:50HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA22P_18 - Model:GA 22+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...) FREQ:50HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...) FREQ:50HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:50HZ	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...) FREQ:50HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:50HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:50HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:50HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:50HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...) FREQ:50HZ	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL INSTRUCT.		
3070	• 1079 9932 15	1	DECAL INSTRUCT.		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA22P_18 - Model:GA 22+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:50HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA22P_18 - Model:GA 22+

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 99	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:50HZ	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:50HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...) FREQ:50HZ	WH
	1625 3906 31	1	DATA LABEL	(11/07/2018 - ...) FREQ:50HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...) FREQ:50HZ	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...) FREQ:50HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:50HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:50HZ	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...) FREQ:50HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:50HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:50HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:50HZ	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...) FREQ:50HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:50HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA30_18 - Model:GA 30

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:50HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...) FREQ:50HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:50HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...) FREQ:50HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:50HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:50HZ	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...) FREQ:50HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:50HZ	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:50HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:50HZ	
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:50HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:50HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:50HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:50HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:50HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:50HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:50HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:50HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:50HZ	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...) FREQ:50HZ	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA30_18 - Model:GA 30

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N




Ref	Part Number	Qty	Name	Validity	EL
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:50HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MODEL:GA30_18 - Model:GA 30

FREQ:50HZ - Frequency:50 Hz
 MOVOL:400V - Supply voltage:400 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N



21.39 - Nema 4 GA 11+, GA 15+ -230V IEC


CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 95	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9438 79	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

MODEL:GA15P_18 - Model:GA 15+



21.39 - Nema 4 GA 11+, GA 15+ -230V IEC


CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBCILE FAN	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	⚡ Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

MODEL:GA15P_18 - Model:GA 15+




21.39 - Nema 4 GA 11+, GA 15+ -230V IEC

CAPPRE:IEC + MOVOL:230V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Ref	Part Number	Qty	Name	Validity	EL
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MOVOL:230V - Supply voltage:230 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

MODEL:GA15P_18 - Model:GA 15+




Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 96	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 51	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+




Ref	Part Number	Qty	Name	Validity	EL
	1089 9461 07	1	PHASE SEQ RELAY 3X160/690V	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+




Ref	Part Number	Qty	Name	Validity	EL
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA18P_18 - Model:GA 18+
 OEM:N - OEM:N

MODEL:GA22P_18 - Model:GA 22+




Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 97	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30




Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0038 25	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30




Ref	Part Number	Qty	Name	Validity	EL
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL INSTRUCT.		
3070	• 1079 9932 15	1	DECAL INSTRUCT.		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC
 MOVOL:230V - Supply voltage:230 V

MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30



21.42 - Nema 4 GA 11+, GA15+ -380-460V


FREQ:60HZ + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18) + (MOVOL:460V, CAPPRE:IEC + MOVOL:380V)

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 98	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 71	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9438 68	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9267 79	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9514 59	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 24	2	FUSE LINK 2A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4306 00	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 VMODEL:GA11P_18 - Model:GA 11+
MOVOL:460V - Supply voltage:460 V

21.42 - Nema 4 GA 11+, GA15+ -380-460V

FREQ:60HZ + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)



21.42 - Nema 4 GA 11+, GA15+ -380-460V


FREQ:60HZ + OEM:N + (MODEL:GA11P_18, MODEL:GA15P_18) + (MOVOL:460V, CAPPRE:IEC + MOVOL:380V)

Ref	Part Number	Qty	Name	Validity	EL
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	~~1089 9556 93~~	1	CUBICLE FAN	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 71	1	CABLE GLAND	(11/07/2018 - 18/09/2018)	FAN
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 20	1	LOCK NUT	(11/07/2018 - 18/09/2018)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA15P_18 - Model:GA 15+
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:380V - Supply voltage:380 VMODEL:GA11P_18 - Model:GA 11+
MOVOL:460V - Supply voltage:460 V

21.42 - Nema 4 GA 11+, GA15+ -380-460V

FREQ:60HZ + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)



21.42 - Nema 4 GA 11+, GA15+ -380-460V

FREQ:60HZ + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)

Ref	Part Number	Qty	Name	Validity	EL
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:IEC - Component approval electrical:IEC

MODEL:GA15P_18 - Model:GA 15+

OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz


MOVOL:380V - Supply voltage:380 V

MODEL:GA11P_18 - Model:GA 11+

MOVOL:460V - Supply voltage:460 V

21.43 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 380-460V

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)



21.43 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 380-460V

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)




Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 99	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9438 76	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+
MOVOL:380V - Supply voltage:380 VFREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
MOVOL:460V - Supply voltage:460 VMODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

21.43 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 380-460V

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)



21.43 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 380-460V


FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL INSTRUCT.		
3070	• 1079 9932 15	1	DECAL INSTRUCT.		
3090	• 1637 0000 72	1	DECAL BP		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+
MOVOL:380V - Supply voltage:380 VFREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
MOVOL:460V - Supply voltage:460 VMODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N

21.43 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 380-460V

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)




21.43 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 380-460V

FREQ:60HZ + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18) + (MOVOL:460V , CAPPRE:IEC + MOVOL:380V)



Ref	Part Number	Qty	Name	Validity	EL
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:IEC - Component approval electrical:IEC
MODEL:GA22P_18 - Model:GA 22+
MOVOL:380V - Supply voltage:380 VFREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
MOVOL:460V - Supply voltage:460 VMODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:N



21.44 - Nema 4 GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)




Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 98	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:60HZ	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:60HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...) FREQ:60HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 58	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X0
	1089 9366 71	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 50	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X3 motor
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	~~1088 0031 81~~	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9438 76	1	CONTACTOR -	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9438 76	1	CONTACTOR -	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9438 68	1	CONTACTOR -	(11/07/2018 - ...) FREQ:60HZ	K22
	1089 9267 79	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9514 59	1	TRANSFORMER	(11/07/2018 - ...) FREQ:60HZ	T1
	1089 9168 24	2	FUSE LINK 2A	(11/07/2018 - ...) FREQ:60HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F1-F2
	1625 4306 00	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...) FREQ:60HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:60HZ	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:60HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:60HZ	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...) FREQ:60HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:3 bottom / 1x4:4 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:2 bottom / 1x4:5 top				
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:2 bottom / 1x4:12 top				
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1x4:2 bottom / 1x4:13 top				

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+

FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 V

MODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N




21.44 - Nema 4 GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...) FREQ:60HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...) FREQ:60HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:60HZ	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...) FREQ:60HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBICLE FAN	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airoutlet top			
	Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:60HZ	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:60HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:60HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:60HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:60HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...) FREQ:60HZ	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N




21.44 - Nema 4 GA 11+, GA 15+ - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



Ref	Part Number	Qty	Name	Validity	EL
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:60HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:575V - Supply voltage:575 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N



21.45 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 99	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM 11+-30	(11/07/2018 - ...) FREQ:60HZ	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:60HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 2201 40	1	WIRE HARNESS SENSORS 11+-30	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 3906 31	1	CUBICLE DATALABEL UL/CUL	(11/07/2018 - ...) FREQ:60HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1088-0031-81	1	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	⚡ Substituted by:	1089 0577 82	END RETAINER (quantity: 1)		
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X0:L1-L3 (to 1X2)			
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X0:PE customer			
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1088-0031-81	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	⚡ Substituted by:	1089 0577 82	END RETAINER (quantity: 1)		
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9438 76	1	CONTACTOR -	(11/07/2018 - ...) FREQ:60HZ	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...) FREQ:60HZ	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...) FREQ:60HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X1:Y (terminal)			
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X1:Y (end plate)			
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:60HZ	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:60HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	S3 (contacts)			
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	S3 (holder for contacts)			
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:60HZ	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...) FREQ:60HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 V

FREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30



21.45 - Nema 4 GA 18+, GA 22+, GA 26+, GA 30 - 575V/60Hz UL-cUL

CAPPRE:ULCUL + MOVOL:575V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18 , MODEL:GA26P_18 , MODEL:GA30_18)

Atlas Copco


Ref	Part Number	Qty	Name	Validity	EL
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...) FREQ:60HZ	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...) FREQ:60HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:60HZ	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...) FREQ:60HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airoutlet top			
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:60HZ + (MODEL:GA18P_18 , MODEL:GA22P_18)	A1

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+
MOVOL:575V - Supply voltage:575 V

FREQ:60HZ - Frequency:60 Hz
MODEL:GA26P_18 - Model:GA 26+
OEM:N - OEM:N

MODEL:GA18P_18 - Model:GA 18+
MODEL:GA30_18 - Model:GA 30



Ref	Part Number	Qty	Name	Validity	EL
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...) FREQ:60HZ	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:60HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:


CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA22P_18 - Model:GA 22+
 MOVOL:575V - Supply voltage:575 V

FREQ:60HZ - Frequency:60 Hz
 MODEL:GA26P_18 - Model:GA 26+
 OEM:N - OEM:N

MODEL:GA18P_18 - Model:GA 18+
 MODEL:GA30_18 - Model:GA 30

21.46 - Nema 4 GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



21.46 - Nema 4 GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 95	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9427 61	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 22	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 60	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9623 53	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9438 79	1	CONTACTOR -	(11/07/2018 - ...)	K22
	1089 9205 16	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 65	1	RELAY OVERLOAD	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 85	3	FUSE	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 02	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

21.46 - Nema 4 GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



21.46 - Nema 4 GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 93	1	CUBCILE FAN	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	⚡ Substituted by:	1089 0726 31 - FAN FILTER (quantity: 1)			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1

Legend:CAPPRE:ULCUL - Component approval electrical:UL/CUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

21.46 - Nema 4 GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)



21.46 - Nema 4 GA 11+, GA 15+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA11P_18 , MODEL:GA15P_18)




Ref	Part Number	Qty	Name	Validity	EL
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA15P_18 - Model:GA 15+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA11P_18 - Model:GA 11+
OEM:N - OEM:N

21.47 - Nema 4 GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



21.47 - Nema 4 GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 96	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	0	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 74	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 51	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚙ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

21.47 - Nema 4 GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



21.47 - Nema 4 GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0021 41	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0021 43	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2730	0697 9811 15	1	PLUG	(11/07/2018 - ...)	M1 cable 2
2735	0989 3700 46	1	NUT	(11/07/2018 - ...)	M1 cable 2
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

21.47 - Nema 4 GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)



21.47 - Nema 4 GA 18+, GA 22+ TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + MOVOL:200230460V + OEM:N + (MODEL:GA18P_18 , MODEL:GA22P_18)




Ref	Part Number	Qty	Name	Validity	EL
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA22P_18 - Model:GA 22+FREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA18P_18 - Model:GA 18+
OEM:N - OEM:N

21.48 - Nema 4 GA 26+, GA 30 DUO & TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



21.48 - Nema 4 GA 26+, GA 30 DUO & TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900233297	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...)	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...)	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...)	WH
	1625 2201 40	1	WIRE HARNESS SENSORS	(11/07/2018 - ...)	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...)	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088-0031-81~~	1	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...)	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...)	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088-0031-81~~	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...)	K23
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...)	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...)	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...)	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...)	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	~~1088-0031-81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...)	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...)	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...)	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...)	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...)	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...)	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...)	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...)	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...)	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...)	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...)	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...)	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...)	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...)	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...)	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...)	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...)	
	Electrical legend: S3 (holder for contacts)				

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA26P_18 - Model:GA 26+
MOVOL:230_460_V - Supply voltage:230-460 V

21.48 - Nema 4 GA 26+, GA 30 DUO & TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



21.48 - Nema 4 GA 26+, GA 30 DUO & TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)


Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...)	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...)	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...)	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...)	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...)	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...)	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...)	1X5
	1088 0038 25	3	TERMINAL	(11/07/2018 - ...)	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(11/07/2018 - ...)	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...)	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...)	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...)	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...)	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...)	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...)	
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019)	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...)	WH
2740	0697 9811 11	1	PLUG M16	(11/07/2018 - 04/03/2019)	ANTENNA
2745	0989 3700 42	1	NUT M16	(11/07/2018 - 04/03/2019)	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT01
	0697 9810 32	1	PLUG M12	(11/07/2018 - ...)	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...)	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...)	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...)	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...)	FAN
	0697 9809 21	1	LOCK NUT M20	(19/09/2018 - ...)	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...)	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...)	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...)	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...)	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...)	A1

Legend:CAPPRE:ULCUL - Component approval electrical:UL/CUL
MODEL:GA30_18 - Model:GA 30
OEM:N - OEM:NFREQ:60HZ - Frequency:60 Hz
MOVOL:200230460V - Supply voltage:200-230-460 VMODEL:GA26P_18 - Model:GA 26+
MOVOL:230_460_V - Supply voltage:230-460 V

21.48 - Nema 4 GA 26+, GA 30 DUO & TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)



21.48 - Nema 4 GA 26+, GA 30 DUO & TRI UL/CUL

CAPPRE:ULCUL + FREQ:60HZ + OEM:N + (MODEL:GA26P_18 + MOVOL:200230460V , MODEL:GA30_18 + MOVOL:230_460_V)




Ref	Part Number	Qty	Name	Validity	EL
	0698 5148 82	1	PLUG	(11/07/2018 - ...)	A1
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...)	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL INSTRUCT.		
3070	• 1079 9932 15	1	DECAL INSTRUCT.		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...)	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:

CAPPRE:ULCUL - Component approval electrical:UL/cUL
 MODEL:GA30_18 - Model:GA 30
 OEM:N - OEM:N

FREQ:60HZ - Frequency:60 Hz
 MOVOL:200230460V - Supply voltage:200-230-460 V

MODEL:GA26P_18 - Model:GA 26+
 MOVOL:230_460_V - Supply voltage:230-460 V



21.49 - Nema 4 GA 30 - 200V/60Hz UL-cUL


CAPPRE:ULCUL + MODEL:GA30_18 + MOVOL:200V + OEM:N

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1900 2332 97	1	CUBICLE		
	9828 5323 50	1	SERVICE DIAGRAM	(11/07/2018 - ...) FREQ:60HZ	SD
	9828 5323 20	-	CUBICLE ASSEMBLY	(11/07/2018 - ...) FREQ:60HZ	AD
	1625 2201 55	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 2201 40	1	WIRE HARNESS	(11/07/2018 - ...) FREQ:60HZ	WH
	1625 3906 31	1	CUBICLE DATALABEL	(11/07/2018 - ...) FREQ:60HZ	DATALABEL
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	~~1088 0031 81~~	1	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9366 72	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X0
	1089 9366 73	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X0:L1-L3 (to 1X2)				
	1089 9427 63	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X3 motor
	1088 0027 27	1	TERMINAL BLOCK	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X0:PE customer				
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9321 75	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	1089 9623 52	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K22
	1089 9205 17	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F21
	1089 9205 19	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F21: loose
	1089 9438 86	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K21
	1089 9438 84	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K23
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	~~1088 0031 81~~	2	END STOP BRACKET 6MM	(11/07/2018 - ...) FREQ:60HZ	
	⚡ Substituted by: 1089 0577 82 - END RETAINER (quantity: 1)				
	1088 0061 65	1	END PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0061 63	6	TERMINAL BLOCK	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:T1,2,3 & T10,11,12				
	1088 0040 30	1	END PLATE	(11/07/2018 - ...) FREQ:60HZ	1X1:T4..T9
	1088 0061 14	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X1:T4..T9
	1089 9514 60	1	TRANSFORMER	(11/07/2018 - ...) FREQ:60HZ	T1
	1089 9168 26	2	FUSE LINK 4A	(11/07/2018 - ...) FREQ:60HZ	F1-F2 (UL)
	1089 0612 01	2	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F1-F2
	1625 4303 49	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	LABEL (UL)
	1089 9427 49	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:Y (terminal)				
	1089 9427 48	1	PLATE END	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: 1X1:Y (end plate)				
	1089 9267 66	1	OVERLOAD RELAY	(11/07/2018 - ...) FREQ:60HZ	F15
	0981 2200 03	1	MOUNTING ACCESSORY	(11/07/2018 - ...) FREQ:60HZ	F15 support
	1089 9168 34	3	FUSE LINK 6A	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 0612 02	3	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1625 4306 03	1	FUSE LABEL	(11/07/2018 - ...) FREQ:60HZ	F10-F11-F12
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K15
	1089 9513 98	1	EMERGENCY STOP BUTTON	(11/07/2018 - ...) FREQ:60HZ	S3 (button)
	1089 9482 92	2	CONTACT BLOCK	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: S3 (contacts)				
	1089 9482 95	1	HOLDER	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend: S3 (holder for contacts)				

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 VFREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30



21.49 - Nema 4 GA 30 - 200V/60Hz UL-cUL


CAPPRE:ULCUL + MODEL:GA30_18 + MOVOL:200V + OEM:N

Atlas Copco

Ref	Part Number	Qty	Name	Validity	EL
	1089 9438 42	1	CONTACTOR	(11/07/2018 - ...) FREQ:60HZ	K5
	1089 9461 07	1	PHASE SEQ RELAY	(11/07/2018 - ...) FREQ:60HZ	K25
	1089 9168 36	1	FUSE LINK 1A	(11/07/2018 - ...) FREQ:60HZ	F3 (UL)
	1089 0612 01	1	FUSE HOLDER	(11/07/2018 - ...) FREQ:60HZ	F3
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:3 bottom / 1x4:4 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:5 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:12 top			
	1088 0039 93	2	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:13 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:14 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:2 bottom / 1x4:15 top			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X4 (end plate)			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1x4:46 bottom / 1x4:47 top			
	1088 0039 93	1	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6:120 / 1x6:121			
	1088 0039 95	1	PLATE	(11/07/2018 - ...) FREQ:60HZ	
	Electrical legend:	1X6 (end plate)			
	1088 0037 30	1	CONNECTOR 2-POLE	(11/07/2018 - ...) FREQ:60HZ	1X5
	1088 0038 25	3	TERMINAL	(11/07/2018 - ...) FREQ:60HZ	1X2:L1-L2-L3
	Electrical legend:	1X2:L1-L2-L3			
	1088 0038 66	1	END PLATE	(11/07/2018 - ...) FREQ:60HZ	1X2
	0993 7106 07	1	RAIL	(11/07/2018 - ...) FREQ:60HZ	
	1089 9398 92	2	RAIL CARRIER	(11/07/2018 - ...) FREQ:60HZ	
	1088 0031 26	1	CONNECTOR 6-POLE	(11/07/2018 - ...) FREQ:60HZ	2X31
	1088 0031 32	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X30
	1088 0037 80	1	CONNECTOR	(11/07/2018 - ...) FREQ:60HZ	2X28
	1088 0031 81	2	END STOP BRACKET	(11/07/2018 - ...) FREQ:60HZ	
	⚡ Substituted by:	1089 0577 82 - END RETAINER (quantity: 1)			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airinlet bottom			
	1089 9556 61	1	AIR INLET WITH FILTER	(11/07/2018 - 04/03/2019) FREQ:60HZ	
	Electrical legend:	airoutlet top			
	0697 9809 20	3	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	WH
2740	0697 9811 11	1	PLUG	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2745	0989 3700 42	1	NUT	(11/07/2018 - 04/03/2019) FREQ:60HZ	ANTENNA
2750	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	TT01
	0697 9810 32	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT01
2760	0697 9809 13	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	PT20
2765	0583 8120 73	1	ELBOW	(11/07/2018 - ...) FREQ:60HZ	PT20
	0663 2115 79	1	O-RING	(11/07/2018 - ...) FREQ:60HZ	PT20
	0698 5140 72	1	CABLE GLAND	(19/09/2018 - ...) FREQ:60HZ	FAN
	0697 9809 21	1	LOCK NUT	(19/09/2018 - ...) FREQ:60HZ	FAN
2780	0698 5140 70	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2785	0697 9809 30	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
	0698 5149 16	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	TT90 (LAT)
2795	0698 5140 73	1	CABLE GLAND	(11/07/2018 - ...) FREQ:60HZ	A1
2800	0697 9809 22	1	LOCK NUT	(11/07/2018 - ...) FREQ:60HZ	A1
	0698 5148 82	1	PLUG	(11/07/2018 - ...) FREQ:60HZ	A1

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 VFREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30



21.49 - Nema 4 GA 30 - 200V/60Hz UL-cUL


CAPPRE:ULCUL + MODEL:GA30_18 + MOVOL:200V + OEM:N



Ref	Part Number	Qty	Name	Validity	EL
	1625 8614 07	1	CUBICLE NEMA4	(11/07/2018 - ...) FREQ:60HZ	MSA
3010	• 1625 8614 06	1	CUBICLE		
3050	• 1079 9923 72	4	LABEL ELECTRICAL EARTHING		
3060	• 1079 9932 01	1	DECAL		
3070	• 1079 9932 15	1	DECAL		
3090	• 1637 0000 72	1	DECAL BP		
3100	• 1079 9931 46	1	DECAL WARNING		
3110	• 1622 0000 20	2	DECAL SYMBOLS		
3120	• 1079 9901 68	1	WARNING LABEL		
3150	• 1625 8614 05	1	DOOR		
4010	1625 8614 30	1	PANEL ASSEMBLY	(19/03/2019 - ...) FREQ:60HZ	
	• 1625 8614 31	1	PANEL		
	• 1625 8614 27	1	INSULATION		
	• 1622 7673 00	1	LOCK		

Legend:CAPPRE:ULCUL - Component approval electrical:UL/cUL
MOVOL:200V - Supply voltage:200 VFREQ:60HZ - Frequency:60 Hz
OEM:N - OEM:N

MODEL:GA30_18 - Model:GA 30



Ref	Part Number	Qty	Name	Validity
1010	1900 5204 00	1	MK5S TOUCH CONTROLLER	(01/11/2018 - ...) AIRRECMOU:N + CAPPRE:IEC + COOL:AIR + DESIGNYEAR:2018 + ELEMENTFAM:OIS + MODEL:GA30_18 + OEM:N + OILTYP:RIF + PHASE:3PH + PRCMP:API + REGUL:MK5S_SWIPE + SALESPOWER:30KW + STTYPE:YD + (CAPPRM:ASME + FREQ:60HZ + (MOVOL:230V , MOVOL:380V , MOVOL:460V) + (PRESS:10.8BAR , PRESS:12.5BAR , PRESS:7.4BAR , PRESS:9.1BAR) , FREQ:50HZ + (CAPPRM:CE + (MOVOL:230V , IDRY:Y + MOVOL:400VN) , MOVOL:400V + (CAPPRM:AS1210 , CAPPRM:CE , CAPPRM:CEAD2000)) + (PRESS:10BAR , PRESS:13BAR , PRESS:7.5BAR , PRESS:8.5BAR))

Legend:

AIRRECMOU:N - Air receiver mounted:Floor mounted
 CAPPRM:ASME - Component approval mechanical:ASME
 COOL:AIR - Cooling:Air cooled
 FREQ:50HZ - Frequency:50 Hz
 MODEL:GA30_18 - Model:GA 30
 MOVOL:400V - Supply voltage:400 V
 OEM:N - OEM:N
 PRCMP:API - Product company:API
 PRESS:12.5BAR - Working pressure:12.5 bar
 PRESS:7.5BAR - Working pressure:7.5 bar
 REGUL:MK5S_SWIPE - Regulation:MK5 Swipe

CAPPRE:IEC - Component approval electrical:IEC
 CAPPRM:CE - Component approval mechanical:CE
 DESIGNYEAR:2018 - Year of Design:2018
 FREQ:60HZ - Frequency:60 Hz
 MOVOL:230V - Supply voltage:230 V
 MOVOL:400VN - Supply voltage:400 V+N
 OILTYP:RIF - Oil type:Roto inject fluid oil
 PRESS:10.8BAR - Working pressure:10.8 bar
 PRESS:13BAR - Working pressure:13 bar
 PRESS:8.5BAR - Working pressure:8.5 bar
 SALESPOWER:30KW - Commercial Power:30 kW

CAPPRM:AS1210 - Component approval mechanical:AS1210
 CAPPRM:CEAD2000 - Component approval mechanical:CE (based on AD2000)
 ELEMENTFAM:OIS - Element Family:Oil Injected Screw
 IDRY:Y - Integrated dryer:Yes
 MOVOL:380V - Supply voltage:380 V
 MOVOL:460V - Supply voltage:460 V
 PHASE:3PH - Number of phases:3 phase
 PRESS:10BAR - Working pressure:10 bar
 PRESS:7.4BAR - Working pressure:7.4 bar
 PRESS:9.1BAR - Working pressure:9.1 bar
 STTYPE:YD - Starter type:Star/Delta (Y/D)

In order to be First in Mind—
First in Choice® for all your quality
compressed air needs, Atlas Copco
delivers the products and services
that help to increase your business'
efficiency and profitability.

Atlas Copco's pursuit of innovation
never ceases, driven by our need
for reliability and efficiency. Always
working with you, we are committed to
providing you the customized quality
air solution that is the driving force
behind your business.